



Lipstick

Let's Lipstick together



psmighting

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

1931/.. - LIPSTICK

=500mA



built-up spot LED M10 - directional - without LED driver

Lamp type

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø20xH120

25°

Materials

Aluminium

Aluminium / Messing

Messing

2M | 1M

162 | 216

16 | 13M

Ref

1931.1M

1931.2M

1931.16

1931.13M

1931.162

1931.216

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up

1932/.. - LIPSTICK BY SUMUM

=500mA



built-up spot LED M10 - directional - without LED driver

Lamp type

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø20xH138

25°

Materials

Aluminium

Aluminium / Messing

Messing

2M | 1M

162 | 216

16 | 13M

Ref

1932.1M

1932.2M

1932.16

1932.13M

1932.162

1932.216

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up

1933/.. - LIPSTICK

=500mA



built-up spot LED M10 - directional - with kneejoint - without LED driver

Lamp type

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø20xH100

25°

Materials

Aluminium

Aluminium / Messing

Messing

2M | 1M

162 | 216

16 | 13M

Ref

1933.1M

1933.2M

1933.16

1933.13M

1933.162

1933.216

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up

1934/.. - LIPSTICK BY SUMUM

=500mA



built-up spot LED M10 - directional - with kneejoint - without LED driver

Lamp type

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø20xH118

25°

Materials

Aluminium

Aluminium / Messing

Messing

2M | 1M

162 | 216

16 | 13M

Ref

1934.1M

1934.2M

1934.16

1934.13M

1934.162

1934.216

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up

Tube available in L400 and L500 - smaller rosettes on request

1900/.. - LIPSTICK by SUMUM

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

L80xB80xD388

Flex 300

25°

Base L80xB80xD

Head Ø20xH88

Materials

Aluminium

2M | 1M

Aluminium / Messing

162 | 216

Messing

16

Options

S1537/..

LIPSTICK SWITCH

TRMINI500MA/..

DRIVER 500mA

Ref

1900.1M

NW | WW

1900.2M

NW | WW

1900.16

NW | WW

1900.162

NW | WW

1900.216

NW | WW

Price €


semi built-in/up
mount to gyproc box with 2 screws


WALL IN




INDOOR | Wall UP | LIPSTICK

Tube available in L400 and L500 - smaller rosettes on request

1848/.. - LIPSTICK		=500mA	III	IP20	0.3500	0.5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €				
	Lamptype		1848.1M	NW WW				
	1x LED 190lm CRI80 max. 1,8W	500mA	1848.2M	NW WW				
	Dimensions		1848.16	NW WW				
	Ø60xD395 Flex 300		1848.13M	NW WW				
	25° Base Ø60xH25		1848.162	NW WW				
	Head Ø20xH70		1848.216	NW WW				
	Materials							
	Aluminium	2M 1M						
	Aluminium / Messing	162 216						
	Messing	16 13M						
	Options							
	S1537/.. LIPSTICK SWITCH							
	TRMINI500MA/.. DRIVER 500mA							

1849/.. - LIPSTICK by SUMUM		=500mA	III	IP20	0.3500	0.5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €				
	Lamptype		1849.1M	NW WW				
	1x LED 190lm CRI80 max. 1,8W	500mA	1849.2M	NW WW				
	Dimensions		1849.16	NW WW				
	Ø60xD413 Flex 300		1849.13M	NW WW				
	25° Base Ø60xH25		1849.162	NW WW				
	Head Ø20xH88		1849.216	NW WW				
	Materials							
	Aluminium	2M 1M						
	Aluminium / Messing	162 216						
	Messing	16 13M						
	Options							
	S1537/.. LIPSTICK SWITCH							
	TRMINI500MA/.. DRIVER 500mA							




1895/.. - LIPSTICK		=500mA	III	IP20	0.3300	0.5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €				
	Lamptype		1895.1M	NW WW				
	1x LED 190lm CRI80 max. 1,8W	500mA	1895.2M	NW WW				
	Dimensions		1895.216	NW WW				
	L60xB40xD400 Flex 300							
	25° Base L60xB40xH30							
	Head Ø20xH70							
	Materials							
	Aluminium	2M 1M						
	Aluminium / Messing	216						
	Options							
	S1537/.. LIPSTICK SWITCH							
	TRMINI500MA/.. DRIVER 500mA							

Tube available in L400 and L500 - smaller rosettes on request






INDOOR | Wall UP | LIPSTICK




Tube available in L400 and L500 - smaller rosettes on request

1896/.. - LIPSTICK by SUMUM		=500mA	IP20	0.5500	0,5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €			
	Lamptype		1896.1M	NW WW			
	1x LED 190lm CRI80 max. 1,8W	500mA	1896.2M	NW WW			
	Dimensions		1896.216	NW WW			
	L60xB40xD418 Flex 300						
	25° Base L60xB40xH30						
	Head Ø20xH88						
	Materials						
	Aluminium	2M 1M					
	Aluminium / Messing	216					
	Options						
	S1537/.. LIPSTICK SWITCH						
	TRMINI500MA/.. DRIVER 500mA						

built-up

1897/.. - LIPSTICK		=500mA	IP20	0.4000	0,5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €			
	Lamptype		1897.1M	NW WW			
	1x LED 190lm CRI80 max. 1,8W	500mA	1897.2M	NW WW			
	Dimensions		1897.16	NW WW			
	Ø90xD370 Flex 300		1897.162	NW WW			
	25° Base Ø90		1897.216	NW WW			
	Head Ø20xH70						
	Materials						
	Aluminium	2M 1M					
	Aluminium / Messing	162 216					
	Messing	16					
	Options						
	S1537/.. LIPSTICK SWITCH						
	TRMINI500MA/.. DRIVER 500mA						

semi built-in/up
mount to gyproc box with 2 screws


1898/.. - LIPSTICK by SUMUM		=500mA	IP20	0.5000	0,5 m	5.6	CE
	spotlight with flexible tube - directional - without switch - without LED driver		Ref	Price €			
	Lamptype		1898.1M	NW WW			
	1x LED 190lm CRI80 max. 1,8W	500mA	1898.2M	NW WW			
	Dimensions		1898.16	NW WW			
	Ø90xD388 Flex 300		1898.162	NW WW			
	25° Base Ø90		1898.216	NW WW			
	Head Ø20xH88						
	Materials						
	Aluminium	2M 1M					
	Aluminium / Messing	162 216					
	Messing	16					
	Options						
	S1537/.. LIPSTICK SWITCH						
	TRMINI500MA/.. DRIVER 500mA						

semi built-in/up
mount to gyproc box with 2 screws

Tube available in L400 and L500 - smaller rosettes on request

1899/.. - LIPSTICK

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

L80xB80xD370

Flex 300

25°

Base L80xB80

Head Ø20xH70

Materials

Aluminium

2M | 1M

Aluminium / Messing

162 | 216

Messing

16

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref

1899.1M

NW | WW

1899.2M

NW | WW

1899.16

NW | WW

1899.162

NW | WW

1899.216

NW | WW

Price €

semi built-in/up
mount to gyproc box with 2 screws

1900/.. - LIPSTICK by SUMUM

=500mA



spotlight with flexible tube - directional - without switch - without LED driver

Lamptype

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

L80xB80xD388

Flex 300

25°

Base L80xB80xD

Head Ø20xH88

Materials

Aluminium

2M | 1M

Aluminium / Messing

162 | 216

Messing

16

Options

S1537/.. LIPSTICK SWITCH

TRMINI500MA/.. DRIVER 500mA

Ref

1900.1M

NW | WW

1900.2M

NW | WW

1900.16

NW | WW

1900.162

NW | WW

1900.216

NW | WW

Price €

semi built-in/up
mount to gyproc box with 2 screws

1905/.. - LIPSTICK

~230V



spotlight with flexible tube - directional - without switch - with LED driver

Lamptype

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø60xD435

Flex 300

25°

Base Ø60xH65

Head Ø20xH70

Materials

Aluminium

2M | 1M

Aluminium / Messing

162 | 216

Messing

16

Options

S1537/.. LIPSTICK SWITCH

Ref

1905.1M

NW | WW

1905.2M

NW | WW

1905.16

NW | WW

1905.162

NW | WW

1905.216

NW | WW

Price €

built-up
With driver 4W - 500mA

INDOOR | Wall UP | LIPSTICK

Tube available in L400 and L500 - smaller rosettes on request

1906/.. - LIPSTICK by SUMUM

~230V



spotlight with flexible tube - directional - without switch - with LED driver

Lamptype

1x LED 190lm CRI80 max. 1,8W

500mA

Dimensions

Ø60xD453

Flex 300

25°

Base Ø60xH65

Head Ø20xH88

Materials

Aluminium 2M | 1M

Aluminium / Messing 162 | 216

Messing 16

Options


S1537/.. LIPSTICK SWITCH

Ref	Price €
1906.1M	NW WW
1906.2M	NW WW
1906.16	NW WW
1906.162	NW WW
1906.216	NW WW

built-up
With driver 4W - 500mA

S1929/.. - LIPSTICK JAGGED

IP20



accessories for built-up spot - jagged head

Materials


Aluminium 2M | 1M

Messing 16 | 23

Ref	Price €
S1929.1M	
S1929.2M	
S1929.16	
S1929.23	

S1935/.. - LIPSTICK SEMI JAGGED

IP20



accessories for built-up spot - semi jagged head

Dimensions

Ø20xH15,5


Materials

Aluminium 2M | 1M


Messing 16 | 23

Ref	Price €
S1935.1M	
S1935.2M	
S1935.16	
S1935.23	


Colour



WHITE TEXTURE
1M




BLACK TEXTURE
2M



BRONZE MAT
13M



SATIN GOLD
16



GOLD 162
BLACK



BLACK - SATIN GOLD
216

More colours available on request.

Tube available in L400 and L500 - smaller rosettes on request



WALL UP





Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.