



# Ruby

Irresistible **inox** design



**psmighting**

Delighted to help you





All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.



## W1709/.. - RUBY ES50

~230V



IP44



built-up wall light - fixed - with waterproof socket

## Lamp type

1x QPAR 51 GU10 max. 11W

230V

## Dimensions

L80xB76xH246

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

W1709.32X

W1709.37X

W1709.46X

W1709.64X

## Price €

built-up

## W1708/.. - RUBY LED

~230V



IP44



built-up wall light - fixed - with led

## Lamp type

1x LED 350lm CRI90 max. 4W

230V

## Dimensions

L80xB76xH246

30°

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

W1708.32X

W1708.37X

W1708.46X

W1708.64X

## Price €

NW | WW

NW | WW

NW | WW


NW | WW

built-up



## T1710.400/.. - RUBY LED

~230V



bollard - square - with led

## Lamptype

1x LED 350lm CRI90 max. 4W

230V

## Dimensions

L70xB70xH400

30°

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

T1710.400.32X

T1710.400.37X

T1710.400.46X

T1710.400.64X

● NW | WW

● NW | WW

● NW | WW

● NW | WW

## Price €



built-up

## T1710.500/.. - RUBY LED

~230V



bollard - square - with led

## Lamptype

1x LED 350lm CRI90 max. 4W

230V

## Dimensions

L70xB70xH500

30°

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

T1710.500.32X

T1710.500.37X

T1710.500.46X

T1710.500.64X

● NW | WW

● NW | WW

● NW | WW

● NW | WW


## Price €



built-up

## T1710.600/.. - RUBY LED

~230V



bollard - square - with led

## Lamptype

1x LED 350lm CRI90 max. 4W

230V

## Dimensions

L70xB70xH600

30°

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

T1710.600.32X

T1710.600.37X

T1710.600.46X

T1710.600.64X

● NW | WW

● NW | WW

● NW | WW

● NW | WW

## Price €



built-up

## T1710.700/.. - RUBY LED

~230V



bollard - square - with led

## Lamptype

1x LED 350lm CRI90 max. 4W

230V

## Dimensions

L70xB70xH700

30°

## Materials

Inox

32X | 37X | 46X | 64X

## Ref

T1710.700.32X

T1710.700.37X

T1710.700.46X

T1710.700.64X

● NW | WW

● NW | WW

● NW | WW

● NW | WW

## Price €



built-up



**T1728/.. - RUBY SPIKE**

IP   0.5600 



spike - for type Ruby T1710

Ref  
T1728

Price €

**Dimensions**

↔ L100xB100xH250

**Materials**

Aluminium





**T1704.350/.. - RUBY ES50**

~230V



IP44



bollard - with waterproof socket

Ref

Price €

**Lamptype**

T1704.350.32X

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH350

**Materials**

Inox

32X



built-up

**T1704.450/.. - RUBY ES50**

~230V



IP44



bollard - with waterproof socket

Ref

Price €

**Lamptype**

T1704.450.32X

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH450

**Materials**

Inox

32X



built-up

**T1704.600/.. - RUBY ES50**

~230V



IP44



bollard - with waterproof socket

Ref

Price €

**Lamptype**

T1704.600.32X

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X



built-up

**T1704.700/.. - RUBY ES50**

~230V



IP44



bollard - with waterproof socket

Ref

Price €

**Lamptype**

T1704.700.32X

1x QPAR 51 GU10 max. 11W

230V


**Dimensions**

L80xB80xH700

**Materials**

Inox

32X



built-up



### T1708.350/.. - RUBY LED

~230V



IP44



2.3500



0,5 m



5,6



bollard - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

#### Ref

T1708.350.32X

● NW | WW

#### Price €

#### Dimensions

L80xB80xH350

30°

#### Materials

Inox

32X



built-up

### T1708.450/.. - RUBY LED

~230V



IP44



2.9500



0,5 m



5,6



bollard - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

#### Ref

T1708.450.32X

● NW | WW

#### Price €

#### Dimensions

L80xB80xH450

30°

#### Materials

Inox

32X



built-up

### T1708.600/.. - RUBY LED

~230V



IP44



0,5 m



4,6



bollard - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

#### Ref

T1708.600.32X

●

#### Price €

#### Dimensions

L80xB80xH600

30°

#### Materials

Inox

32X



built-up

### T1708.700/.. - RUBY LED

~230V



IP44



0,5 m



4,6



bollard - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

#### Ref

T1708.700.32X

●

#### Price €

#### Dimensions

L80xB80xH700

30°

#### Materials

Inox

32X



built-up











**T1727.600/.. - RUBY ES50**

~230V



IP44



bollard - with switch and power point

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X

**Ref**

T1727.600.32X

**Price €**


built-up

1 powerpoint 16A/230VAC

**T1727.650/.. - RUBY ES50**

~230V



IP44



bollard - with switch and 2 power points

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH650

**Materials**

Inox

32X

**Ref**

T1727.650.32X

**Price €**


built-up

2 powerpoints 16A/230VAC

**T1727.800/.. - RUBY ES50**

~230V



IP44



bollard - with switch and power point

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH800


**Materials**

Inox

32X

**Ref**

T1727.800.32X

**Price €**


built-up

1 powerpoint 16A/230VAC

**T1727.850/.. - RUBY ES50**

~230V



IP44



bollard - with switch and 2 power points

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH850


**Materials**

Inox

32X

**Ref**

T1727.850.32X

**Price €**


built-up

2 powerpoints 16A/230VAC








**T1729.600/.. - RUBY LED**

~230V



IP44



bollard - with switch and power point

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X

**Ref**

T1729.600.32X

**Price €***built-up*  
*1 powerpoint 16A/230VAC***T1729.650/.. - RUBY LED**

~230V



IP44



bollard - with switch and 2 power points

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH650

**Materials**

Inox

32X

**Ref**

T1729.650.32X

**Price €***built-up*  
*2 powerpoints 16A/230VAC***T1729.800/.. - RUBY LED**

~230V



IP44



bollard - with switch and power point

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH800

**Materials**

Inox

32X

**Ref**

T1729.800.32X

**Price €***built-up*  
*1 powerpoint 16A/230VAC***T1729.850/.. - RUBY LED**

~230V



IP44



bollard - with switch and 2 power points

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH850

**Materials**

Inox

32X

**Ref**

T1729.850.32X

**Price €***built-up*  
*2 powerpoints 16A/230VAC*



**T1720.350/.. - RUBY ES50**

~230V



IP44



bollard with spike - with waterproof socket

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH350

**Materials**

Inox

32X

**Ref**

T1720.350.32X

**Price €**


built-up

**T1720.450/.. - RUBY ES50**

~230V



IP44



bollard with spike - with waterproof socket

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH450

**Materials**

Inox

32X

**Ref**

T1720.450.32X

**Price €**


built-up

**T1720.600/.. - RUBY ES50**

~230V



IP44



bollard with spike - with waterproof socket

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X

**Ref**

T1720.600.32X

**Price €**


built-up

**T1720.700/.. - RUBY ES50**

~230V



IP44



bollard with spike - with waterproof socket

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH700


**Materials**

Inox

32X

**Ref**

T1720.700.32X

**Price €**


built-up

### T1726.350/.. - RUBY LED

~230V



bollard with spike - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

Ref

T1726.350.32X

Price €

#### Dimensions

L80xB80xH350

30°

#### Materials

Inox

32X



built-up

### T1726.450/.. - RUBY LED

~230V



bollard with spike - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

Ref

T1726.450.32X

Price €

#### Dimensions

L80xB80xH450

30°

#### Materials

Inox

32X



built-up

### T1726.600/.. - RUBY LED

~230V



bollard with spike - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

Ref

T1726.600.32X

Price €

#### Dimensions

L80xB80xH600

30°

#### Materials

Inox

32X



built-up

### T1726.700/.. - RUBY LED

~230V



bollard with spike - with led

#### Lamptype

1x LED 350lm CRI90 max. 4W

230V

Ref

T1726.700.32X

Price €

#### Dimensions

L80xB80xH700

30°

#### Materials

Inox

32X



built-up





**Irresistibly  
weather resistant.**







**T1730.600/.. - RUBY ES50**

~230V



IP44



3.4500

0,5 m

4.6



bollard with spike - with switch and power point

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X

**Ref**

T1730.600.32X

**Price €**

built-up

1 powerpoint 16A/230VAC

**T1730.650/.. - RUBY ES50**

~230V



IP44



0,5 m

4.6



bollard with spike - with switch and 2 power points

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH650

**Materials**

Inox

32X

**Ref**

T1730.650.32X

**Price €**

built-up

2 powerpoints 16A/230VAC

**T1730.800/.. - RUBY ES50**

~230V



IP44



0,5 m

4.6



bollard with spike - with switch and power point

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH800

**Materials**

Inox

32X

**Ref**

T1730.800.32X

**Price €**

built-up

1 powerpoint 16A/230VAC

**T1730.850/.. - RUBY ES50**

~230V



IP44



0,5 m

4.6



bollard with spike - with switch and 2 power points

**Lamptype**

1x QPAR 51 GU10 max. 11W

230V

**Dimensions**

L80xB80xH850

**Materials**

Inox

32X

**Ref**

T1730.850.32X

**Price €**

built-up

2 powerpoints 16A/230VAC

**T1739.600/.. - RUBY LED**

~230V



IP44



bollard with spike - with switch and power point

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH600

**Materials**

Inox

32X

**Ref**

T1739.600.32X

**Price €**

built-up

1 powerpoint 16A/230VAC

**T1739.650/.. - RUBY LED**

~230V



IP44



bollard with spike - with switch and 2 power points

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH650

**Materials**

Inox

32X

**Ref**

T1739.650.32X

**Price €**

built-up

2 powerpoints 16A/230VAC

**T1739.800/.. - RUBY LED**

~230V



IP44



bollard with spike - with switch and power point

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH800

**Materials**

Inox

32X

**Ref**

T1739.800.32X

**Price €**

built-up

1 powerpoint 16A/230VAC

**T1739.850/.. - RUBY LED**

~230V



IP44



bollard with spike - with switch and 2 power points

**Lamptype**

1x LED 350lm CRI90 max. 4W

230V

**Dimensions**

L80xB80xH850

**Materials**

Inox

32X

**Ref**

T1739.850.32X

**Price €**

built-up

2 powerpoints 16A/230VAC



T1738/.. - RUBY SPIKE



spike - for types Ruby T1704 - T1708 - T1720 - T1726 - T1727 - T1729 - T1730 - T1739

Ref  
T1738

Price €

Dimensions

↔ L100xB80xH250

*built-in*





Verkrijgbare kleuren



andere kleuren op aanvraag















Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.