


Accessories



Accessories for a perfect finish



ADAPTION RING	40-43
ASSEMBLY SUPPLEMENT	22-25
BASE FOR SPOT	129-133
CABLE STEEL - CHAIN	17
CABLE - TEXTILE	8-15
CABLE + DIMMER	18
CONNECTOR	16
DEMO	6-7
FILTER	5
JUBA	115-121
KAVA	123-125
KNEEJOINTS	19-20
LEDMODULES	142-145
LENS	146
LUXOR	138
OVALE BOX	102-103
PIVA GLASS	147-149
PLASTERKIT	30-39
RONDO BOX	91-101
ROSETTE IN	44-60
ROSETTE UP	61-91
STRAIN RELIEF	26-28
STELLA	126-127
SQUARE	134-136
SUPPLEMENT	3-4
TEXO	104-114
ZOOM	139-141



100% Belgian Quality

Psmighting is a Belgian family business. The development, production, and finishing of our lighting all take place in our own workshop. This ensures that you enjoy a thoroughly Belgian product.



All information in this catalogue is without engagement. Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice. Read instructions carefully. The general psmighting sales conditions are always applicable. Nothing in this catalogue can be reproduced without permission in writing from the psmighting by company.

003.RALSTOCK/.. - RAL CLASSIC COLOUR STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!

Ref	Price €
003.RALSTOCK[TX]	
003.RALSTOCK[MT]	
003.RALSTOCK[ST]	
003.RALSTOCK[HG]	

003.RALNOSTOCK/.. - RAL CLASSIC COLOUR NO STOCK



supplement - fixed price RAL CLASSIC colour NET PRICE!

Ref	Price €
003.RALNOSTOCK	

003.NCS/.. - NCS COLOUR







supplement - fixed price NCS colour NET PRICE!

Ref	Price €
003.NCS	

ACCESSORIES
SUPPLEMENT

S1/.. - SET TORSION SPRINGS

IP20    0.0050 

supplement - set torsion springs

Ref





Price €

S1



built-in

S2/.. - SET FLAT SPRINGS

IP20    0.0090 

supplement - set flat springs

Ref

Price €

S2



built-in

S5/.. - Ø80 SYSTEM

IP20   0.0200 

accessory for downlight - strain relief terminal


Ref

Price €

S5

Dimensions

↔ H75



only for roundbase

F50/.. - FILTER

IP20   CE



filter - honeycomb

Dimensions

↔ Ø50xH4

Materials

Aluminium

Ref	Price €
F50.2	●

2

F70/.. - FILTER

IP20  CE



filter - honeycomb

Dimensions

↔ Ø70xH5

Materials

Aluminium

Ref	Price €
F70.2	●

2

F111/.. - FILTER

IP20   CE



filter - honeycomb

Dimensions

↔ Ø111xH5

Materials

Aluminium

Ref	Price €
F111.2	●

2

ACCESSORIES

FILTER

DEMOWAAIER/.. - DEMO KLEURENWAAIER

IP  0.1400 



demo samples - nett price

Ref
DEMOWAAIER

Price €

DEMO TEXTILE CABLE/.. - DEMO TEXTIELCABLE

IP  0.2000 



demo samples - nett price

Ref
DEMO TEXTILE CABLE

Price €

DEMONAT/.. - DEMO COLOUR NATURAL

IP  0.5000 



demo samples - nett price

Ref
DEMONAT

Price €

satin gold - bronze - matte bronze - dark bronze - red copper

DEMOGLAS/.. - DEMO COLOUR GLASS

IP  2.0000 



demo samples - nett price

Ref
DEMOGLAS

Price €

DEMOCIGARO/.. - DEMO CIGARO

IP  CE



demo samples - nett price

Materials

Aluminium

Ref

DEMOCIGARO

Price €



ACCESSORIES

DEMO

TXST/.. - TEXTILE STANDAARD CABLE

IP20   



cable - textile cable 3x /m

Dimensions

Cable 1000 *max. weight 3kg*


Ref

Price €



- TXST.TX1
- TXST.TX2
- TXST.TX3
- TXST.TX4
- TXST.TX6
- TXST.TX7
- TXST.TX8
- TXST.TX10
- TXST.TX11
- TXST.TX12
- TXST.TX13
- TXST.TX15
- TXST.TX19
- TXST.TX20
- TXST.TX21
- TXST.TX22
- TXST.TX23
- TXST.TX24
- TXST.TX130
- TXST.TX30
- TXST.TX31
- TXST.TX33
- TXST.TX34
- TXST.TX36
- TXST.TX37
- TXST.TX38
- TXST.TX39
- TXST.TX40
- TXST.TX41
- TXST.TX43
- TXST.TX44
- TXST.TX56
- TXST.TX57
- TXST.TX70
- TXST.TX81
- TXST.TX82
- TXST.TX191
- TXST.TX192
- TXST.TX193
- TXST.TX194
- TXST.TX362
- TXST.TX361
- TXST.TX364
- TXST.TXJ
- TXST.TXJX
- TXST.TX32
- TXST.TX363





ACCESSORIES

CABLE



TXTWIST/.. - TEXTILE TWISTED CABLE


IP20   

cable - twisted textile cable 3x /m

Dimensions

Cable 1000 *max. weight 3kg*



Ref	Price €
TXTWIST.TXW12	
TXTWIST.TXW6	
TXTWIST.TXW15	
TXTWIST.TXW217	
TXTWIST.TXW1	
TXTWIST.TXW2	
TXTWIST.TXW3	
TXTWIST.TXW4	
TXTWIST.TXW7	
TXTWIST.TXW8	
TXTWIST.TXW11	
TXTWIST.TXW23	
TXTWIST.TXW56	
TXTWIST.TXWJ	


TXNAT/.. - TEXTILE NATURAL CABLE

IP20   

cable - textile cable 3x /m




Dimensions

Cable 1000 *max. weight 3kg*



Ref	Price €
TXNAT.TXM	
TXNAT.TXN	
TXNAT.TXRK	
TXNAT.TXRK2	
TXNAT.TXS	
TXNAT.TXS2	

TXG/.. - TEXTILE GLITTER CABLE







IP20   

cable - textile cable 3x /m




Dimensions

Cable 1000 *max. weight 3kg*



Ref	Price €
TXG.TXG4	
TXG.TXG7	
TXG.TXG13	
TXG.TXG23	
TXG.TXG28	
TXG.TXG30	
TXG.TXG45	

TXSTRIP/.. - TEXTILE STRIPES CABLE

IP20   

cable - textile cable 3x /m

Dimensions

Cable 1000 *max. weight 3kg*



Ref	Price €
TXSTRIP.TX17	
TXSTRIP.TX18	
TXSTRIP.TXBEL	
TXSTRIP.TXL	

TXPT/.. - TEXTILE PATTERN CABLE






IP20   

cable - textile cable 3x /m

Dimensions

Cable 1000 *max. weight 3kg*



Ref	Price €
TXPT.TX9	
TXPT.TXP2	
TXPT.TXP3	
TXPT.TXZ2	
TXPT.TXZ3	

TXL/.. - LEATHER CABLE

IP20  

cable - cable per meter - current supply 3x

Dimensions

Cable 1000 *max. weight 3Kg*



Ref	Price €
TXL.TXL2	
TXL.TXL33	

KX/.. - TEXTILE CABLE Ø3MM

IP20   

cable - textile cable coax ultra thin Ø3mm

Dimensions

Cable 1000 *max. weight kg*



Ref	Price €
KX.KX1	
KX.KX2	



ACCESSORIES

CABLE

TXSTEEL/.. - TEXTILE STEEL CABLE

IP20   3.8000 



cable - textile cable 3x/m with steel cable

Dimensions


Cable 1000

Ref	Price €
TXSTEEL.TXSTEEL2	
TXSTEEL.TXSTEEL1	

max. weight 10kg

TXO/.. - TEXTILE OUTDOOR CABLE

IP20  



cable - textile cable 3x /m

Dimensions

Cable 1000 max. weight 3Kg

Ref	Price €
TXO.TXO3	
TXO.TXOJ	
TXO.TXO36	
TXO.TXO2	

TEXCABLE3X1,5/.. - TEXTILE CABLE

IP20   0.2500 





cable - textile cable 3x1,5 / m

Dimensions

Cable 1000 max. weight 3Kg

Ref	Price €
TEXCA-	
BLE3X1.5.TX1_3X1,5	
TEXCA-	
BLE3X1.5.TX2_3X1,5	

TEXW3X1,5/.. - TEXTILE TWISTED CABLE

IP20   CE



cable - twisted textile cable 3x1,5/m

Dimensions

Cable 1000 *max. weight 3Kg*

Ref

TEXW3X1.5.TXW1_3X1,5


TEXW3X1.5.TXW2_3X1,5

Price €

max. weight 3kg

TEXCABLE4X/.. - TEXTILE CABLE

IP20   CE



cable - Textile cable 4xm

Dimensions

Cable 1000 *max. weight 3Kg*

Ref




TEXCABLE4X0.75.TX1

TEXCABLE4X0.75.TX2

Price €



2029/.. - METRO

IP20   0.0600 




accessories for lighting systems - transparent cable per meter
-current supply 3x075

Ref
2029

Price €

2029A/.. - METRO

IP20   0.0800 



accessories for lighting systems - transparent cable per meter
- current supply 5x

Ref
2029A

Price €

2031A/.. - METRO

IP20   0.1200 



accessories for lighting systems - cable per meter - current
supply 3x

Ref
2031A.1
2031A.2

Price €



2031B/.. - METRO

IP20   0.5600 



accessories for lighting systems - cable per meter - current
supply 5x


Ref
2031B.1
2031B.2

Price €





2031/.. - METRO

IP20   0.9500 



accessories for lighting systems - cable per meter - current supply 3x1





Ref	Price €
2031.1	
2031.2	



ACCESSORIES

CABLE

029/.. - STEELCABLE HOLDER

IP20    



accessories for lighting systems - steelcable holder

Dimensions

↔ Ø20xH48

Materials

Aluminium 2M | 14

Ref

029.2M

029.14



Price €

built-up

031/.. - STEELCABLE HOLDER

IP20  



accessories for lighting systems - steelcable holder

Dimensions

↔ Ø16xH34

Materials

Aluminium 2M | 14

Ref

031.2M

031.14



Price €

051/.. - STEEL CABLE HOLDER

IP20  



accessories for lighting systems - Steelcable holder with side exit suitable for cable Ø1.00 to Ømm

Dimensions

↔ Ø16xH34

Materials

Aluminium 2M

Ref




051.2M



Price €



2020/.. - METRO

IP20   0.0200 








accessories for lighting systems - ceiling base for steel wire

Dimensions

←→ Ø20xH30

Materials

Aluminium 1 | 1M | 2 | 2M | 10



Ref	Price €
2020.1	
2020.1M	
2020.2	
2020.2M	
2020.10	

P041/.. - STAALKABEL

IP20   0.0300 






cable - m steel cable with nipple

Ref	Price €
P041.2	
P041.11	

max. weight 20 kg

P042/.. - CHAIN - KETTING POLO

IP   0.3500 



supplement - per running meter

Dimensions


Chain 1000 Bar L1000

Thread L45x820

Ref	Price €
P042.2	
P042.5	
P042.23	

S.EXTRACIRCUIT/.. - SUPPLEMENT EXTRA CIRCUIT




IP20   0.0750 



accessories for lighting systems - cabling extra circuit

Ref	Price €
S.EXTRACIRCUIT	

S1640/.. - DIMMER KABEL

IP20   

supplement - Supplementary cable with UNICO dimmer

Ref	Price €
S1640.2	●



Lamps 2-25W

S1650/.. - DIMMER KABEL

IP20  

supplement - supplementary cable with dimmer

Ref	Price €
S1650.TX2	↘



Lamps 2-25W



015/./.. - KNEEJOINT - M6 -M8 -M10

IP20   



accessories for built-up spot - directional - Kneejoint for 12V

Materials

Aluminium	1 1M 2 2M 11
Messing	4 16 13

Kleur	015.M10/..	015.M6/..	015.M8/..
	H	H	H
1	€	€	€
1M	€	€	€
2	€	€	€
2M	€	€	€
11	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€

built-up
12V only

019/.. - KNEEJOINT

IP20    










accessories for built-up spot - directional - Kneejoint for M10 - M8x + stop 12V-230V

Dimensions

Kneejoint Ø17xH37

Materials

Aluminium	1M 2M 14
Messing	4 16 13 23

Ref	Price €
019.1M	
019.2M	
019.4	
019.13	
019.14	
019.16	
019.23	

built-up
12V-230V

022/.. - KNEEJOINT









IP20    



accessories for built-up spot - directional - Kneejoint for 230V

Materials

Aluminium	1 1M 2 2M 11
Messing	4 16 13

Ref	Price €
022.1	
022.1M	
022.2	
022.2M	
022.4	
022.11	
022.13	
022.16	

built-up
12V-230V

ACCESSORIES

KNEEJOINTS

1645/.. - KNEEJOINT




IP20   



accessories for built-up spot - Kneejoint

Materials

Aluminium	1M 2M
Messing	16

Ref	Price €
1645.1M	
1645.2M	
1645.16	

built-up

1646/.. - KNEEJOINT

IP20   






accessories for built-up spot - Kneejoint

Dimensions

Kneejoint L36xB50xH78

Materials

Aluminium	1M 2M
Messing	16

Ref	Price €
1646.1M	
1646.2M	
1646.16	

built-up





ACCESSORIES

KNEEJOINTS



000T/.. - supplement MOUNTING TRACK

IP20    0.0010 




supplement - assembly spot or pendant on adaptor

Ref
000T

Price €




000B/.. - supplement MOUNTING

IP20   0.0010 

supplement - assembly spot on ceiling base


Ref
000B

Price €



000C/.. - supplement HOLE + STAIN RELIEF

CE



supplement - drawing hole + drilling + strain relief P040

Dimensions

↔ Ø15xH21

Materials


Aluminium	1M 2M 14 11 11M 53 46 21
Messing	16 13 23
Rood koper	28

Ref	Price €
000C.1M	
000C.2M	
000C.14	
000C.11	
000C.11M	
000C.16	
000C.13	
000C.23	
000C.53	
000C.46	
000C.28	
000C.21	

Please attach a drawing to the order for the position of the holes.

000CR/.. - supplement HOLE + STAIN RELIEF

IP20 0.2000 CE



supplement - drawing hole + drilling + strain relief P039

Dimensions

↔ Ø15xH21

Materials


Aluminium	1 1M 2 2M 14 11 53 46 21
Messing	4 16 13 23
Rood koper	28

Ref	Price €
000CR.1	
000CR.1M	
000CR.2	
000CR.2M	
000CR.14	
000CR.11	
000CR.4	
000CR.16	
000CR.13	
000CR.23	
000CR.53	
000CR.46	
000CR.28	
000CR.21	

built-up
Please attach a drawing to the order for the position of the holes.

000B3/.. - supplement SWIVEL

IP20 0.0010 CE



supplement - additional cost for drilling the holes for pendant with swivel

Ref	Price €
000B3	

Please attach a drawing to the order for the position of the holes.


000G/.. - supplement HOLE M10

IP20   0.0200 

supplement - Draw and drill hole 10.2mm

Ref
000G

Price €



Please attach a drawing to the order for the position of the holes.

000ST/.. - supplement HOLE STEEL CABLE

IP20   0.0100 

supplement - Draw and drill hole 2.5mm for steel cable

Ref
000ST

Price €



000ST+HR/.. - supplement HOLE STEEL CABLE + HEIGHT CONTROL

IP20   0.0500 


supplement - Draw and drill hole 2.5mm for steel cable + steel cable suspension + height control M8

Ref
000ST+HR

Price €



000B



Supplement **mounting spot**
on rosette or base

000G




Supplement **hole M10**
drawing + drilling hole 10,2mm

000ST




Supplement **hole steel cable**
drawing + drilling hole 2,5mm

000C



Supplement **hole and stain relief**
drawing + drilling hole + P040

000CR



Supplement **hole and stain relief**
drawing + drilling hole + P039

000B3



Supplement **hole for swivel**
drawing + drilling hole for swivel

ACCESSORIES

ASSEMBLY- MOUNTING





Create your own combination

Ceiling base + holes + spot/pendant

ex. Rondo Box 966.2M + 9x 000CR.2M + 9x Maestro pendant 5003A.1.2M.TX2

Please attach a drawing to the order for the position of the holes.

P038/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20

Materials

Aluminium 1M | 2M




Ref **Price €**

P038.1M 

P038.2M 

built-up
to be fixed to rosette or ceiling base
for cable KX and K

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm


Dimensions

↔ Ø15xH20

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 44 | 53 | 46 | 21
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref **Price €**

P039.1 

P039.1M 

P039.2 

P039.2M 

P039.14 

P039.11 

P039.44 

P039.4 

P039.16 

P039.13 

P039.23 

P039.53 



P039.46 

P039.28 

P039.21 

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref **Price €**

P040.1 

P040.1M 

P040.2 

P040.2M 

P040.14 

P040.11 

P040.4 

P040.16 

P040.13 

P040.23 

P040.28 

built-up
to be fixed to rosette or ceiling base

1791/.. - STRAIN RELIEF - TREKONTLASTING

IP20  





Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20

Materials

Aluminium 1M | 2M

Ref	Price €
1791.1M	
1791.2M	

built-up

1113/.. - STRAIN RELIEF - TREKONTLASTING

IP20   









Accessories for pendant lamps - strain relief for cable 4x

Dimensions

↔ Ø16xH21

Materials




Aluminium 1 | 1M | 2 | 2M | 14 | 11

Ref	Price €
1113.1	
1113.1M	
1113.2	
1113.2M	
1113.14	
1113.11	

to be fixed to rosette or ceiling base for cables: 3x1.5 and TXL leather



056/.. - DECENTRALISATIESTEUN

IP20    



built-up
for textile kabel 3x

Accessories for pendant lamps - cable conduit support for suspension lights

Dimensions





↔ Ø19xH38

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13 | 23

Ref	Price €
056.1M	
056.2M	
056.14	
056.16	
056.13	
056.23	

1069/.. - SUPPORT FOR TEXTILE CABLE

IP20    



built-up



Accessories for pendant lamps - cable conduit support for suspension lights

Dimensions





↔ Ø20xH30

Materials

Aluminium 1M | 2M | 53 | 46

Ref	Price €
1069.1M	
1069.2M	
1069.53	
1069.46	

5014/.. - MAESTRO

IP20    



built-up








Accessories for pendant lamps - connector for wall or ceiling cord attachment for iron cord




Dimensions

↔ Ø20xH14

Materials

Aluminium 1M | 2M
Messing 16 | 13 | 23

Ref	Price €
5014.1M	
5014.2M	
5014.16	
5014.13	
5014.23	






ACCESSORIES

CONNECTOR

S6.00/.. - PLASTERKIT



plasterkit - without hole


Ref

Price €


Dimensions

S6.00

Plasterkit L250xB250



PLAASTERKIT | KIT A EMPLÂTRER | PLASTERKIT | EINPUTZRAHMEN




Enkel spots met bladveren S2 | Seulement pour les spots avec ressorts à lammelles S2 | Only for spots with flat springs S2 | Nur für Strahler mit Blattfedern S2

Wachten tot het stukwerk volledig uitgedroogd is vooraleer de spots te monteren !


Attendre jusqu' à ce que le plâtre s'est complètement asséché avant d'installer les spots !

Wait until plaster is completely dried out before installing the downlights !

Warten bis das Stückmörtel vollständig trocken ist, bevor die Einbaustrahler zu installieren.



S6../. - PLASTERKIT



plasterkit


Dimensions

Plasterkit L180xB180

Ø20	Ø25	Ø30	Ø35	Ø40
S6.20	S6.25	S6.30	S6.35	S6.40
€	€	€	€	€
Options	Options	Options	Options	Options
		MINILED - ZIAMINI-CLED; D33/..		35VT/..;3088/.. ORKA

built-in

S6../. - PLASTERKIT



plasterkit


Dimensions

Plasterkit L180xB180

Ø45	Ø50	Ø55	Ø60
S6.45	S6.50	S6.55	S6.60
€	€	€	€
Options	Options	Options	Options
LED F230V,S2/..;ZIALED-F230V,S1/..	LED - ZIALED 230V;FO-CUS35/..		AR;ARCA35/..

built-in

S6../. - PLASTERKIT



plasterkit


Dimensions

Plasterkit L225xB225

Ø65	Ø70	Ø75	Ø80
S6.65	S6.70	S6.75	S6.80
€	€	€	€
Options	Options	Options	Options
50 + ZIA50GR;1810/..	GLE70/..;DISCO - YOKO - ONO	AR 1345 - 1346;ARCA50/..	IO - HERO - DECO;102H/..

built-in

S6x../. - PLASTERKIT



plasterkit


Dimensions

Plasterkit L225xB225

Ø100	Ø87	Ø90	Ø95
S6.100	S6.87	S6.90	S6.95
€	€	€	€
Options	Options	Options	Options
VIA DICRO 1840;AQUAGR/..	EDO Ø84;FRAME1B/..	D/..;FRAME1A/..	

built-in

S9/.. - PLASTERKIT



plasterkit


Dimensions

Plasterkit L225xB225

108x108	70x70	92x92
S9.108	S9.70	S9.92
€	€	€
Options	Options	Options
/../CAMERA 945	/../1344/../S1	/../CROSS50/..

built-in

S11/.. - BOX



built-in box - to combine with S9.70 - S9.92 and S6.--

Ref

Price €


Dimensions

S11

↔ L100xB100xH135

built-in

S14/.. - BOX



built-in box - to combine with S9.70 - S9.92 - S9.108

Ref

Price €


Dimensions

S14

↔ L130xB130xH135

built-in

S7/.. - PLASTERKIT



plasterkit

Dimensions



Plasterkit L225xB300

2xØ70	2xØ80	2xØ90	Ø132	Ø140	Ø2X87
S7.70	S7.80	S7.90	S7.65	S7.65V	S7.87
€	€	€	€	€	€
Options	Options	Options	Options	Options	Options
N70/../S12/..	NBASE/../S12/..	/../FRAME2A/..	N65/../S12/..	IO2X35/../S12/..	/../FRAME2B/..

built-in

S12/.. - BOX

IP20   



built-in box - to combine with S7.65 - S7.65V - S7.70 - S7.80 - S7.87 - S7.90

Ref
S12

Price €


Dimensions

↔ L185xB100xH135

built-in

S8/.. - PLASTERKIT



plasterkit

Dimensions



Plasterkit L225xB390

3xØ80	3xØ87	3xØ90
S8.80	S8.87	S8.90
€	€	€
Options	Options	Options
PLEBASE/..;S13/..	/..;FRAME3B/..	/..;FRAME3A/..

built-in

S13/.. - BOX

IP20   



built-in box - to combine with S8.80 - S8.87 - S8.90

Ref
S13

Price €


Dimensions

↔ L280xB100xH135

built-in

S10.198/.. - PLASTERKIT



plasterkit

Dimensions

↔ L390xB300

 198x108

Ref
S10.198

Price €



Options

946/.. CAMERA IN
S15/.. BOX

built-in

S15/.. - BOX

IP20   



built-in box - to combine with S10.198

Ref

Price €

Dimensions


S15

↔ L240xB130xH135

built-in

1231/.. - MIRO plasterkit

   0.3200 



plasterkit

Ref

Price €

Dimensions

1231


↔ L180xB170

 79x68

built-in

1234/.. - COMPACT plasterkit

   0.0900 



plasterkit


Ref

Price €

Dimensions





1234


↔ L330xB160

 232x59

built-in

1237/.. - SCREEN plasterkit

   0.1900 



plasterkit


Ref

Price €

Dimensions


1237

↔ B325xH425

 186x256

built-in

1239/.. - SMALL SCREEN plasterkit



plasterkit

Ref

Price €

Dimensions

1239

↔ B152xH327

⏏ 60x205

⊥ L 65

built-in

1239D/.. - RECTO SCREEN plasterkit



plasterkit

Ref

Price €

Dimensions



1239D

↔ B160xH400

⏏ 96x320

built-in

1298D/.. - LIMA plasterkit



plasterkit

Ref

Price €

Dimensions



1298D

↔ B185xH285

⏏ 83x181

built-in

1808B/.. - OLIVIA-INCA plasterkit



plasterkit - square

Ref

Price €

Dimensions

1808B

↔ L305xB305

⏏ Ø162

Center Ø162


Options

1478/.. INCA X

1808/.. OLIVIA

built-in

1845B/.. - OLIVIA PLASTERKIT



plasterkit - square - for 1845

Ref

Price €

Dimensions



1845B

↔ L370xB250

⚖ 260x130

built-in

1851A/.. - SPINNER X plasterkit



plasterkit 1 module - square

Ref

Price €

Dimensions



1851A

↔ L300xB300

⚖ 152x152

built-in

1852A/.. - SPINNER X plasterkit



plasterkit 2 modules - square

Ref

Price €

Dimensions


1852A

↔ L300xB450

⚖ 298x152

built-in

1853A/.. - SPINNER X plasterkit



plasterkit 3 modules - square

Ref

Price €

Dimensions



1853A

↔ L597xB300

⚖ 446x152

built-in

1859A/.. - SPINNER X plasterkit



plasterkit - square

Dimensions

↔ L450xB450

🔪 304x304


Ref

1859A

Price €

built-in

1871A/.. - SPINNER X AR70 plasterkit



plasterkit 1 module - square

Dimensions

↔ L260xB225

🔪 118x118



Ref

1871A

Price €

built-in

1872A/.. - SPINNER X AR70 plasterkit



plasterkit 2 modules - square

Dimensions

↔ L364xB225

🔪 222x118


Ref

1872A

Price €

built-in

1873A/.. - SPINNER X AR70 plasterkit



plasterkit 3 modules - square

Dimensions

↔ L468xB225

🔪 326x118

Ref

1873A

Price €

built-in

1874A/.. - SPINNER X AR70 plasterkit



plasterkit 4 modules - square

Ref

Price €

Dimensions

1874A

↔ L572xB225

⚖ 430x118



built-in

1879A/.. - SPINNER X AR70 plasterkit



plasterkit - square

Ref


Price €

Dimensions

1879A

↔ L375xB375

⚖ 234x234



built-in

1881A/.. - SPINNER X FORUM plasterkit



plasterkit 1 module - square

Ref


Price €

Dimensions

1881A


↔ L225xB225

⚖ 94x94



built-in

1882A/.. - SPINNER X FORUM plasterkit



plasterkit 2 modules - square

Ref


Price €

Dimensions

1882A


↔ L320xB225

⚖ 186x94



built-in

1883A/.. - SPINNER X FORUM plasterkit




plasterkit 3 modules - square

Ref

Price €

Dimensions

1883A



←→ L400xB225

⏱ 269x94

built-in

1884A/.. - SPINNER X FORUM plasterkit



plasterkit 4 modules - square

Ref

Price €

Dimensions

1884A



←→ L485xB225

⏱ 353x94

built-in

1889A/.. - SPINNER X FORUM plasterkit




plasterkit - square

Ref

Price €

Dimensions

1889A




←→ L300xB300

⏱ 194x194

built-in




The right Adaption ring for every opening




MONTAGE

1+2+3+4
COMPOSITION
SAMENSTELLING




EXAMPLE
VOORBEELD

- | | |
|-----------|--|
| 120.80/14 | <p>1. Vergrootring - Adaption ring - Anneau d'adaptation - Adapterring</p> |
| 110 | <p>2. Beugel + torsieveren - Clamp + torsion spring
 Carcan + ressort à torsion - Spannbügel + Torsionfeder
 Gelieve bij bestelling de exacte plafondopening te vermelden
 When placing an order, please mention the exact opening in the ceiling
 En cas de commande, veuillez mentionner la dimension exacte du trou au plafond
 Bitte erwähnen Sie die genaue Öffnung in der Decke bei Bestellung</p> |
| DIVA50.14 | <p>3. Downlight</p> |
| 000A | <p>4. Assembly / Montage</p> |



ADAPTION RD/.. - ADAPTION RING

IP20   



accessories - round - adaption ring round

Dimensions

 Ø80

Materials


Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Inox 316 5 | 5B
 Messing 4 | 16 | 13

built-in
 inner dimension standard Ø80mm

	Kleur	100.80/..	120.80/..	140.80/..	160.80/..	180.80/..	200.80/..	220.80/..	240.80/..
		Ø100	Ø120	Ø140	Ø160	Ø180	Ø200	Ø220	Ø240
1	€	€	€	€	€	€	€	€	€
1M	€	€	€	€	€	€	€	€	€
2	€	€	€	€	€	€	€	€	€
2M	€	€	€	€	€	€	€	€	€
14	€	€	€	€	€	€	€	€	€
11	€	€	€	€	€	€	€	€	€
4	€	€	€	€	€	€	€	€	€
16	€	€	€	€	€	€	€	€	€
13	€	€	€	€	€	€	€	€	€

ADAPTION SQ/.. - ADAPTION RING

IP20   



accessories - square - adaption ring square

Dimensions

 Ø80

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Inox 316 5 | 5B
 Messing 4 | 16 | 13

built-in
 inner dimension standard Ø80mm

	Kleur	100.100.80/..	120.120.80/..	140.140.80/..	160.160.80/..	180.180.80/..
		100x100	120x120	140x140	160x160	180x180-
1	€	€	€	€	€	€
1M	€	€	€	€	€	€
2	€	€	€	€	€	€
2M	€	€	€	€	€	€
14	€	€	€	€	€	€
11	€	€	€	€	€	€
4	€	€	€	€	€	€
16	€	€	€	€	€	€
13	€	€	€	€	€	€

Heeft u een andere afmeting nodig stuur dan uw prijsaanvraag door met het exacte aantal + schets met afmetingen.

Let echter wel dat op de vergrootring nooit veren gemonteerd worden – deze worden op de inbouwspot zelf gemonteerd.

Did you not find the size you need? Please send your request with the exact quantity + drawing with dimensions.

Note, however, that the springs are not attached on the adaption ring, but on the downlight itself.

Avez-vous besoin d'une autre dimension? Faites une demande avec la quantité exacte + dessin avec les mesures.

Notez bien que les ressorts ne sont jamais fixés sur l'anneau, mais sur le spot lui-même.

Brauchen Sie eine andere Abmessung? Machen Sie dann Ihre Anfrage mit der präzise Anzahl + Zeichnung mit Abmessungen.

Bitte beachten Sie dass die Feder nie auf dem Ring montiert werden, aber auf dem Strahler selbst.

SUPPORT/.. - ADAPTION RING

S1 IP20   CE



accessories - clamp + springs to be mounted on the roundbase


Options

000A/.. supplement MOUNTING ADAPTION RING




Kleur	110/..	130/..	150/..	170/..	190/..	210/..	90/..
	Ø	Ø	Ø	Ø	Ø	Ø	Ø
	€	€	€	€	€	€	€

VERGROOTRING - SPECIALE MATEN OP AANVRAAG - ANNEAU D'ADAPTATION - DIMENSIONS SPÉCIALES SUR DEMANDE
ADAPTION RING - OTHER DIMENSIONS ON REQUEST - ADAPTERRING - SONDERMASSE AUF ANFRAGE

ADAPTION RING FOR CONVERTIBLE SYSTEM | Vergrootring - Anneau d'adaptation - Adapterring



COMPOSITION | Samenstelling



Opening in het plafond steeds vermelden bij bestelling
Always mention the cut out in the ceiling
Mentionnez toujours le trou dans le plafond sur la commande
Bitte, immer das Loch in der Decke erwähnen

PICO50/..	PICODOWN50/..	DIVA50/..	AQUANODOTIP44/..	CANO50/..	VIDRIO50/..	SIRA50CH/..
SIRA50M/..	ZENO50/..	ZENO50B3/..			ARIA/..	CAMBIO/..
SENSA/..	FABO/..	VIDRIO/..				
<p>DivaLN - PicoLN niet geschikt voor montage op vergroothing + springveren</p> <p>Not suitable for mounting adaption ring + springs</p> <p>pas compatibles avec un anneau d'adaptation + ressorts à torsion</p>						
	DIVA50/..LN DIVA50.ESSO/..LN	PICO50/..LN PICO50.ESSO/..LN				

















ACCESSORIES

ADAPTION RING

Ø80 CONVERTIBLE SYSTEM	ROUNDBASE/..	SINGLEBASE/..				
CASPDOWNC/..	CASPICOC/..	CASDIVAC/..	CASDIVADOWNC/..	CASSIRAC/..	CASCANOC/..	
CASVERSOC/..	CASJOJOC/..	CASVIDRIOC/..	CASAQUANODOT	CASTARGA/..	CASTITUSC/..	
CASPOLKA.DICRO/..	CASBOMBAC/..	CASTUTUC/..	CASJUJU.ESSO/..	CASWALLC/..	CASFORUMC/..	
CASSAXOC/..	CASTURNERC/..	CASZENO.B3.C/..	CASZENOC/..			















013/.. - ROSETTE IN

S1 IP20    

			Ref	Price €	
<i>built-in</i>		rosette to build in - round			
		Dimensions			
		 Ø33	 Ø30	013.1	
				013.1M	
		 L 45		013.2	
				013.2M	
		Materials			
		Aluminium	1 1M 2 2M 14 11	013.14	
		Inox 304	5	013.11	
		Messing	4 16 13	013.5	
		Options			
		P040/..	STRAIN RELIEF - TREKONTLASTING	013.4	
P039/..	STRAIN RELIEF - TREKONTLASTING	013.16			
		013.13			

















014/.. - ROSETTE IN

S1 IP20    

			Ref	Price €	
<i>built-in</i>		rosette to build in - round			
		Dimensions			
		 Ø43	 Ø39-40	014.1	
				014.1M	
		 L 45		014.2	
				014.2M	
		Materials			
		Aluminium	1 1M 2 2M 14 11	014.4	
		Inox 316	5	014.5	
		Messing	4 16 13	014.11	
		Options			
		P040/..	STRAIN RELIEF - TREKONTLASTING	014.13	
P039/..	STRAIN RELIEF - TREKONTLASTING	014.14			
		014.16			

002/.. - ROSETTE IN

S1 IP20    


			Ref	Price €	
<i>built-in</i>		rosette to build in - round			
		Dimensions			
		 Ø50	 Ø35-40	002.1	
				002.1M	
		 L 45		002.2	
				002.2M	
		Materials			
		Aluminium	1 1M 2 2M 14 11 119	002.14	
		Inox 316	5	002.11	
		Messing	4 16 13 13M	002.5	
		Options			
		S2/..	SET FLAT SPRINGS	002.4	
P040/..	STRAIN RELIEF - TREKONTLASTING	002.16			
P039/..	STRAIN RELIEF - TREKONTLASTING	002.13			
		002.13M			
		002.119			

61.10/.. - ROSETTE IN

S1 IP20    0.2000 



built-in



rosette to build in - round

Dimensions

↔ Ø60

 Ø40

⌋⌋ 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Inox 316 5

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

61.10.1

61.10.1M

61.10.2

61.10.2M

61.10.14

61.10.11

61.10.5

61.10.4

61.10.16

61.10.13

Price €




71.10/.. - ROSETTE IN

S1 IP20    0.1000 



built-in



rosette to build in - round

Dimensions

↔ Ø70

 Ø50

⌋⌋ 55

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

71.10.1M

71.10.2M

Price €



81.10/.. - ROSETTE IN

S1 IP20    0.1500 



built-in



rosette to build in - round

Dimensions

↔ Ø80

 Ø60

⌋⌋ 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Inox 316 5

Messing 4 | 16 | 13 | 23

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

81.10.1

81.10.1M

81.10.2

81.10.2M

81.10.14

81.10.11

81.10.5

81.10.4

81.10.16

81.10.13

81.10.23


Price €





91.10../ - ROSETTE IN

S1 IP20    0.1800 



rosette to build in - round

Dimensions

↔ Ø90

 Ø60

⊥ L 55

Materials

Aluminium 1M | 2M

Options

- P040/.. STRAIN RELIEF - TREKONTLASTING
- P039/.. STRAIN RELIEF - TREKONTLASTING
- P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

91.10.1M


91.10.2M

Price €

built-in

101.10../ - ROSETTE IN

S1 IP20    0.9800 



rosette to build in - round

Dimensions

↔ Ø100

 Ø80

⊥ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

- S2/.. SET FLAT SPRINGS
- P040/.. STRAIN RELIEF - TREKONTLASTING
- P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

101.10.1

101.10.1M

101.10.2

101.10.2M

101.10.14

101.10.11

101.10.4

101.10.16


101.10.13

Price €

built-in

121.10../ - ROSETTE IN

S1 IP20    0.2500 



rosette to build in - round

Dimensions

↔ Ø120

 Ø100

⊥ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

- S2/.. SET FLAT SPRINGS
- P040/.. STRAIN RELIEF - TREKONTLASTING
- P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

121.10.1

121.10.1M

121.10.2

121.10.2M

121.10.4

121.10.11

121.10.13

121.10.14


121.10.16

Price €

built-in

141.10../ - ROSETTE IN

S1 IP20    0.3500 



rosette to build in - round

Dimensions

↔ Ø140

 Ø120

⊥ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

- S2/.. SET FLAT SPRINGS
- P040/.. STRAIN RELIEF - TREKONTLASTING
- P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

141.10.1

141.10.1M

141.10.2

141.10.2M

141.10.4

141.10.11

141.10.13

141.10.14


141.10.16

Price €

built-in

161.10/.. - ROSETTE IN

S1 IP20    



rosette to build in - round

Dimensions

→ Ø160

 Ø140

⌒ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options










S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref


Price €

161.10.1	
161.10.1M	
161.10.2	
161.10.2M	
161.10.4	
161.10.11	
161.10.13	
161.10.14	
161.10.16	

built-in

181.10/.. - ROSETTE IN

S1 IP20    



rosette to build in - round

Dimensions

→ Ø180

 Ø160

⌒ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options










S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €













181.10.1	
181.10.1M	
181.10.2	
181.10.2M	
181.10.4	
181.10.11	
181.10.13	
181.10.14	
181.10.16	

built-in















102.10/.. - ROSETTE IN

S1 IP20    0.1850 

 <p><i>built-in</i></p>		rosette to build in - round	Ref	Price €
		Dimensions	102.10.1	
		↔ Ø100  Ø80	102.10.1M	
		⊥ L 55	102.10.2	
		Materials	102.10.2M	
		Aluminium 1 1M 2 2M 14 11	102.10.14	
		Messing 4 16 13	102.10.11	
		Options	102.10.4	
		S2/.. SET FLAT SPRINGS	102.10.16	
		P040/.. STRAIN RELIEF - TREKONTLASTING	102.10.13	
P039/.. STRAIN RELIEF - TREKONTLASTING				













122.10/.. - ROSETTE IN

S1 IP20    2.4000 

 <p><i>built-in</i></p>		rosette to build in - round	Ref	Price €
		Dimensions	122.10.1	
		↔ Ø120  Ø100	122.10.1M	
		⊥ L 55	122.10.2	
		Materials	122.10.2M	
		Aluminium 1 1M 2 2M 14 11	122.10.4	
		Messing 4 16 13	122.10.11	
		Options	122.10.13	
		S2/.. SET FLAT SPRINGS	122.10.14	
		P040/.. STRAIN RELIEF - TREKONTLASTING	122.10.16	
P039/.. STRAIN RELIEF - TREKONTLASTING				













142.10/.. - ROSETTE IN

S1 IP20    0.3500 

 <p><i>built-in</i></p>		rosette to build in - round	Ref	Price €
		Dimensions	142.10.1	
		↔ Ø140  Ø120	142.10.1M	
		⊥ L 55	142.10.2	
		Materials	142.10.2M	
		Aluminium 1 1M 2 2M 14 11	142.10.4	
		Messing 4 16 13	142.10.11	
		Options	142.10.13	
		S2/.. SET FLAT SPRINGS	142.10.14	
		P040/.. STRAIN RELIEF - TREKONTLASTING	142.10.16	
P039/.. STRAIN RELIEF - TREKONTLASTING				

162.10/.. - ROSETTE IN

S1 IP20    0.4150 


 <p><i>built-in</i></p>		rosette to build in - round	Ref	Price €
		Dimensions	162.10.1	
		↔ Ø160  Ø140	162.10.1M	
		⊥ L 55	162.10.2	
		Materials	162.10.2M	
		Aluminium 1 1M 2 2M 14 11	162.10.4	
		Messing 4 16 13	162.10.11	
		Options	162.10.13	
		S2/.. SET FLAT SPRINGS	162.10.14	
		P040/.. STRAIN RELIEF - TREKONTLASTING	162.10.16	
P039/.. STRAIN RELIEF - TREKONTLASTING				

ACCESSORIES

ROSETTE IN

182.10/.. - ROSETTE IN

S1 IP20    1.2300 



rosette to build in - round

Dimensions

→ Ø180

 Ø160

⌋⌋L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

- 182.10.1
- 182.10.1M
- 182.10.2
- 182.10.2M
- 182.10.4
- 182.10.11
- 182.10.13
- 182.10.14
- 182.10.16



Price €

built-in



1714/.. - ROSETTE IN

S1 IP20   



rosette to build in - round

Dimensions

 L120xB85

 Ø35-40

 L 45

Materials

Aluminium

1M | 2M

Ref

1714.1M

1714.2M



Price €

built-in

1715/.. - ROSETTE IN

S1 IP20   



rosette to build in - round

Dimensions

 L120xB60

 Ø35-40

 L 45

Materials

Aluminium

1M | 2M

Ref

1715.1M

1715.2M



Price €

built-in

1716/.. - ROSETTE IN

S1 IP20    



rosette to build in - round

Dimensions

 L130xB60

 100x35

 L 45

Materials

Aluminium

1M | 2M

Ref

1716.1M

1716.2M




Price €

built-in

1718/.. - ROSETTE IN

S1 IP20    



rosette to build in - round

Dimensions

 L200xB60

 170x35

 L 45

Materials

Aluminium

1M | 2M

Ref


1718.1M

1718.2M




Price €

built-in



065/... - ROSETTE M6-M8-M10-D8,3

III S1 IP20   CE



rosette to build in - round - with swivel B3

Dimensions

→ Ø65  Ø42-45

√ 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Kleur	065.D8,3/..	065.M10/..	065.M6/..	065.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-in
for pendants only - not for spots

080/... - ROSETTE M6-M8-M10-D8,3

III S1 IP20   CE



rosette to build in - round - with swivel B3

Dimensions

→ Ø80  Ø42-60

√ 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13

Kleur	080.D8,3/..	080.M10/..	080.M6/..	080.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-in
for pendants only - not for spots

100/... - ROSETTE M6-M8-M10-D8,3

III S1 IP20   CE



rosette to build in - round - with swivel B3

Dimensions

→ Ø100  Ø80

√ 55





Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Kleur	100.D8,3/..	100.M10/..	100.M6/..	100.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€

built-in
for pendants only - not for spots

1428/.. - ROSETTE IN WITH SCREWS

IP20    



rosette to build in - round

Dimensions

↔ Ø90

↻ 59

Materials

Aluminium

1M | 2M | 14

Messing

4

Ref

1428.1M

1428.2M

1428.4





1428.14


Price €



built-in
2 screws included

1429/.. - ROSETTE IN WITH SCREWS

IP20    



rosette to build in - square

Dimensions

↔ L80xB80

Materials

Aluminium

1M | 2M

Messing

16 | 23

Ref

1429.1M

1429.2M

1429.16

1429.23

Price €



built-in
2 screws included

















ACCESSORIES

ROSETTE IN














40.10/.. - ROSETTE IN

S1 IP20    0.0800 

		rosette to build in - square	Ref	Price €
	<i>built-in</i>	Dimensions		
		 L40xB40  Ø30	40.10.1	
		 L 55	40.10.1M	
		Materials	40.10.2	
		Aluminium 1 1M 2 2M 14 11	40.10.2M	
		Inox 316 5	40.10.4	
		Messing 4 16 13	40.10.5	
		Options	40.10.11	
		P040/.. STRAIN RELIEF - TREKONTLASTING	40.10.13	
		P039/.. STRAIN RELIEF - TREKONTLASTING	40.10.14	
			40.10.16	















50.10/.. - ROSETTE IN

S1 IP20    0.0520 

		rosette to build in - square	Ref	Price €
	<i>built-in</i>	Dimensions		
		 L50xB50  Ø30	50.10.1	
		 L 55	50.10.1M	
		Materials	50.10.2	
		Aluminium 1 1M 2 2M 14 11	50.10.2M	
		Messing 4 16 13	50.10.4	
		Options	50.10.11	
		P040/.. STRAIN RELIEF - TREKONTLASTING	50.10.13	
		P039/.. STRAIN RELIEF - TREKONTLASTING	50.10.14	
			50.10.16	















60.10/.. - ROSETTE IN

S1 IP20    0.0726 

		rosette to build in - square	Ref	Price €
	<i>built-in</i>	Dimensions		
		 L60xB60  Ø39-40	60.10.1	
		 L 55	60.10.1M	
		Materials	60.10.2	
		Aluminium 1 1M 2 2M 14 11	60.10.2M	
		Inox 316 5	60.10.4	
		Messing 4 16 13	60.10.5	
		Options	60.10.11	
		S2/.. SET FLAT SPRINGS	60.10.13	
		P040/.. STRAIN RELIEF - TREKONTLASTING	60.10.14	
		P039/.. STRAIN RELIEF - TREKONTLASTING	60.10.16	


80.10/.. - ROSETTE IN

S1 IP20    0.1300 

		rosette to build in - square	Ref	Price €
	<i>built-in</i>	Dimensions		
		 L80xB80  Ø60	80.10.1	
		 L 55	80.10.1M	
		Materials	80.10.2	
		Aluminium 1 1M 2 2M 14 11	80.10.2M	
		Inox 316 5	80.10.4	
		Messing 4 16 13	80.10.5	
		Options	80.10.11	
		S2/.. SET FLAT SPRINGS	80.10.13	
		P040/.. STRAIN RELIEF - TREKONTLASTING	80.10.14	
		P039/.. STRAIN RELIEF - TREKONTLASTING	80.10.16	

100.10/.. - ROSETTE IN

S1 IP20    0.2080 



rosette to build in - square

Dimensions

↔ L100xB100

 Ø80

⊥ L 55

Materials

Aluminium

1 | 1M | 2 | 2M | 14 | 11

Inox 316

5

Messing

4 | 16 | 13

Options

S2/..

SET FLAT SPRINGS

P040/..

STRAIN RELIEF - TREKONTLASTING

P039/..

STRAIN RELIEF - TREKONTLASTING

Ref

- 100.10.1
- 100.10.1M
- 100.10.2
- 100.10.2M
- 100.10.4
- 100.10.5
- 100.10.11
- 100.10.13
- 100.10.14
- 100.10.16



Price €



built-in



ACCESSORIES

ROSETTE IN

065.65/... - ROSETTE M6-M8-M10-D8,3

III S1 IP20   CE



rosette to build in - square - with swivel B3

Dimensions

↔ L65xB65  Ø42-45

⌋⌋ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Kleur	065.65.D8,3/..	065.65.M10/..	065.65.M6/..	065.65.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-in
for pendants only - not for spots

080.80/... - ROSETTE M6-M8-M10-D8,3

III S1 IP20   CE



rosette to build in - square - with swivel B3

Dimensions

↔ L80xB80  Ø42-60

⌋⌋ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Kleur	080.80.D8,3/..	080.80.M10/..	080.80.M6/..	080.80.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-in
for pendants only - not for spots

100.100/... - ROSETTE IN

S1 IP20   CE



rosette to build in - square - with swivel B3

Dimensions

↔ L100xB100  Ø80

⌋⌋ L 55

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Kleur	100.100.D8,3/..	100.100.M10/..	100.100.M6/..	100.100.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€

built-in
for pendants only - not for spots



ACCESSORIES

ROSETTE IN



1668/.. - ROSETTE WALL IN



accessories for built-up spot - with switch - with Helia built-in box 275 or 276 (4 screws)

Dimensions

↔ B80xH90


Materials

Aluminium 1M | 2M | 14

Ref	Price €
1668.1M	●
1668.2M	●
1668.14	●

built-in
Helia box included

1669/.. - ROSETTE WALL IN



accessories for built-up spot - without switch - with built-in box Helia 275 or 276 (4 screws)

Dimensions

↔ B80xH90


Materials

Aluminium 1M | 2M | 14

Ref	Price €
1669.1M	●
1669.2M	●
1669.14	●

built-in
Helia box included

1677/.. - ROSETTE WALL IN



accessories for built-up spot - without switch - with built-in box Helia 275 or 276 (4 screws)

Dimensions


↔ B80xH90

Materials


Aluminium 1M | 2M | 14

Ref	Price €
1677.1M	●
1677.2M	●
1677.14	●

built-in
Helia box included



1433/.. - ROSETTE UP

~230V  IP20   











built-up base for pendant - round - with recessed cover plate

Dimensions

↔ Ø65xH35

Materials

Aluminium 1M | 2M | 14 | 142 | 214 | 29
 Aluminium / Messing 216
 Aluminium / Roodkoper 228

Ref	Price €
1433.1M	
1433.2M	
1433.14	
1433.29	
1433.142	
1433.214	
1433.216	
1433.228	

built-up

1434/.. - ROSETTE UP

~230V  IP20   











built-up base for pendant - square - with recessed cover plate

Dimensions

↔ L65xB65xH34

Materials

Aluminium 1M | 2M | 14 | 142 | 214 | 29
 Aluminium / Messing 216
 Aluminium / Roodkoper 228

Ref	Price €
1434.1M	
1434.2M	
1434.14	
1434.29	
1434.142	
1434.214	
1434.216	
1434.228	

built-up

ACCESSORIES

ROSETTE UP



Mix and match colours

054B/.. - ROSETTE for textile cable

~230V



built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø64xH41

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref

Price €

054B.1M	
054B.2M	
054B.14	
054B.4	
054B.16	
054B.13	
054B.23	
054B.28	
054B.282	

built-up

055B/.. - ROSETTE for textile cable

~230V



built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø62xH30

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref

Price €

055B.1M	
055B.2M	
055B.14	
055B.4	
055B.16	
055B.13	
055B.23	
055B.28	
055B.282	

built-up

057/.. - ROSETTE for textile cable

~230V



built-up base - built-up base with strain relief for 1 textile cable + m steel cable

Dimensions

↔ Ø62xH30

Materials




Aluminium	1M 2M 14
Messing	16 13 23
Rood koper	28

Ref

Price €


057.1M	
057.2M	
057.13	
057.14	
057.16	
057.23	
057.28	

built-up
the workload is 4 - 15 kg



058/.. - ROSETTE for textile cable

~230V  IP20    








built-up base - built-up base with strain relief for 1 textile cable + m steel cable with height controller

Dimensions

↔ Ø62xH30



Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref	Price €
058.1M	
058.2M	
058.14	
058.16	
058.13	

built-up
according to rope diameter, the workload is 4 - 15 kg

058.2/.. - ROSETTE for textile cable

~230V  IP20    



built-up base - built-up base with strain reliefs for 2 textile cables + hole for steel cable

Dimensions






↔ Ø62xH30

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13






Options

P041/.. STAALKABEL

Ref	Price €
058.2.1M	
058.2.2M	
058.2.13	
058.2.14	
058.2.16	

built-up
steel cable not included

058.3/.. - ROSETTE for textile cable

~230V  IP20    



built-up base - built-up base with strain reliefs for 3 textile cables + hole for steel cable

Dimensions






↔ Ø62xH30

Materials


Aluminium 1M | 2M | 14
Messing 16 | 13

Options

P041/.. STAALKABEL


Ref	Price €
058.3.1M	
058.3.2M	
058.3.14	
058.3.16	
058.3.13	

built-up
steel cable not included







059.5/.. - 5 pendels




055B/.. - 1 pendel 056/.. decentralisatiesteun




058.2/.. - 2 pendels 2x056/.. decentralisatiesteun




055B/..



058/..



058.2/..



059.1/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref

- 059.1.1M
- 059.1.2M
- 059.1.13
- 059.1.14
- 059.1.16



Price €

built-up

059.4/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain reliefs for 4 textile cables

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref

- 059.4.1M
- 059.4.2M
- 059.4.13
- 059.4.14
- 059.4.16



Price €


built-up

059.5/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain reliefs for 5 textile cables

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref

- 059.5.1M
- 059.5.2M
- 059.5.13
- 059.5.14
- 059.5.16



Price €


built-up

059.6/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain reliefs for 6 textile cables

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref

- 059.6.1M
- 059.6.2M
- 059.6.13
- 059.6.14
- 059.6.16



Price €


built-up

ACCESSORIES

ROSETTE UP

059.7/.. - ROSETTE for textile cable

~230V



built-up base - built-up base with strain reliefs for 7 textile cables

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
 Messing 16 | 13

Ref

- 059.7.1M
- 059.7.2M
- 059.7.13
- 059.7.14
- 059.7.16



Price €

built-up



071/.. - ROSETTE for textile cable

~230V  IP20    



built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø82xH32




Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref	Price €
071.1M	
071.2M	
071.13	
071.14	
071.16	

built-up

072/.. - ROSETTE for textile cable

~230V  IP20    



built-up base - built-up base with strain relief for 1 textile cable + m steel cable

Dimensions

↔ Ø82xH32




Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref	Price €
072.1M	
072.2M	
072.13	
072.14	
072.16	

built-up
according to rope diameter, the workload is 4 - 15 kg

073/.. - ROSETTE for textile cable

~230V  IP20    







built-up base - built-up base with strain relief for 1 textile cable + m steel cable with height controller

Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref	Price €
073.1M	
073.2M	
073.14	
073.16	
073.13	

built-up
According to rope diameter, the workload is 4 - 15 kg.

073.2/.. - ROSETTE for textile cable

~230V  IP20    






built-up base - built-up base with strain reliefs for 2 textile cables

Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref	Price €
073.2.1M	
073.2.2M	
073.2.13	
073.2.14	
073.2.16	

built-up

073.3/.. - ROSETTE for textile cable

~230V  IP20    0.2600 



built-up base - built-up base with strain reliefs for 3 textile cables






Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref **Price €**

073.3.1M	
073.3.2M	
073.3.14	
073.3.16	
073.3.13	

built-up

073B.3/.. - ROSETTE for textile cable

~230V  IP20    0.2800 



built-up base - built-up base with strain reliefs for 3 textile cables






Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref **Price €**

073B.3.1M	
073B.3.2M	
073B.3.13	
073B.3.14	
073B.3.16	

built-up
steel cable not included

073.4/.. - ROSETTE for textile cable

~230V  IP20    0.2800 



built-up base - built-up base with strain reliefs for 4 textile cables




Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16
Rood koper 28

Ref **Price €**

073.4.1M	
073.4.2M	
073.4.14	
073.4.16	
073.4.28	

built-up

073.5/.. - ROSETTE for textile cable

~230V  IP20    0.4200 



built-up base - built-up base with strain reliefs for 5 textile cables

Dimensions

↔ Ø82xH32

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13


Ref **Price €**

073.5.1M	
073.5.2M	
073.5.13	
073.5.14	
073.5.16	

built-up



001/.. - ROSETTE UP



built-up base - round

Dimensions

↔ Ø55xH22

Materials

Aluminium 1 | 1M | 2 | 2M | 11

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
001.1	
001.1M	
001.2	
001.2M	
001.11	
001.4	
001.16	
001.13	
001.23	

built-up

003/.. - ROSETTE UP



built-up base - round

Dimensions

↔ Ø55xH22

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
003.1	
003.1M	
003.2	
003.2M	
003.4	
003.11	
003.13	
003.14	
003.16	
003.23	

built-up

004/.. - ROSETTE UP



built-up base - round

Dimensions

↔ Ø60xH24

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
004.1	
004.1M	
004.2	
004.2M	
004.4	
004.11	
004.13	
004.14	
004.16	
004.23	

built-up



005/.. - ROSETTE UP

IP20    CE



built-up



built-up base - round

Dimensions

← Ø60xH25

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119 | 53 | 46 | 21
 Messing 4 | 16 | 13 | 13M | 23


Options

P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

Ref

- 005.1
- 005.1M
- 005.2
- 005.2M
- 005.14
- 005.11
- 005.4
- 005.16
- 005.13
- 005.13M
- 005.23
- 005.119
- 005.53
- 005.46
- 005.21

Price €
















ACCESSORIES

ROSETTE UP












2025/.. - ROSETTE UP



 <p><i>built-up</i></p>		built-up base - round	Ref	Price €
		Dimensions	2025.1	
		↳ Ø60xH40	2025.1M	
		Materials	2025.2	
		Aluminium 1 1M 2 2M 14 11 10	2025.2M	
		Messing 4 16 13 23	2025.4	
		Options	2025.10	
		P040/.. STRAIN RELIEF - TREKONTLASTING	2025.11	
		P039/.. STRAIN RELIEF - TREKONTLASTING	2025.13	
			2025.14	
	2025.16			
	2025.23			












020/.. - ROSETTE UP



 <p><i>built-up</i></p>		built-up base - round	Ref	Price €
		Dimensions	020.1	
		↳ Ø60xH40	020.1M	
		Materials	020.2	
		Aluminium 1 1M 2 2M 14 11	020.2M	
		Messing 4 16 13	020.14	
		Options	020.11	
		P040/.. STRAIN RELIEF - TREKONTLASTING	020.4	
		P039/.. STRAIN RELIEF - TREKONTLASTING	020.16	
			020.13	









021.ZT/.. - ROSETTE UP



 <p><i>built-up</i></p>		built-up base - round - without transformer	Ref	Price €
		Dimensions	021.ZT.1	
		↳ Ø60xH65	021.ZT.1M	
		Materials	021.ZT.2	
		Aluminium 1 1M 2 2M 14 11	021.ZT.2M	
		Messing 4 16 13	021.ZT.14	
		Options	021.ZT.11	
		P040/.. STRAIN RELIEF - TREKONTLASTING	021.ZT.4	
		P039/.. STRAIN RELIEF - TREKONTLASTING	021.ZT.16	
		RSD35005E/.. DRIVER 350mA	021.ZT.13	
RSD50007E/.. DRIVER 500mA				


2024/.. - ROSETTE UP



 <p><i>built-up only for profiles</i></p>		built-up base - round	Ref	Price €
		Dimensions	2024.1	
		↳ Ø60xH68	2024.1M	
		Materials	2024.2	
		Aluminium 1 1M 2 2M 11 10	2024.2M	
			2024.10	
	2024.11			

061/.. - ROSETTE UP

IP20    0.1300 



built-up base - base for built-up spotlight

Dimensions

↔ Ø62xH30

Materials








Aluminium 1M | 2M | 14

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
061.1M	
061.2M	
061.14	
061.4	
061.16	
061.13	
061.23	

built-up

053/.. - OPHANGING VOOR PENDEL

IP20    0.1700 



built-up base for pendant - round

Dimensions

↔ Ø70xH40

Materials

Aluminium 1M | 2M | 14 | 46










Messing 4 | 16 | 13 | 23

Rood koper 28

Options

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
053.1M	
053.2M	
053.4	
053.13	
053.14	
053.16	
053.23	
053.28	
053.46	

built-up

049/.. - ROZET VOOR OPBOUWSPOT

IP20    0.1500 



built-up base for spot - round

Dimensions

↔ Ø80xH30




Materials

Aluminium 1M | 2M | 14

Options

P040/.. STRAIN RELIEF - TREKONTLASTING



P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
049.1M	
049.2M	
049.14	

built-up

042/.. - ROZET VOOR OPBOUWSPOT

IP20    0.1400 



built-up base - round

Dimensions

↔ Ø80xH30




Materials

Aluminium 1M | 2M | 14

Options

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
042.1M	
042.2M	
042.14	

built-up

1559/.. - ROSETTE UP

IP20   0.1700 



built-up

built-up base - round

Dimensions

↔ Ø80xH40

Materials

Aluminium 1M | 2M | 14

Messing 4 | 13 | 23





Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING


RSD35005E/.. DRIVER 350mA

RSD50007E/.. DRIVER 500mA

Ref	Price €
1559.1M	
1559.2M	
1559.14	
1559.4	
1559.13	
1559.23	

1559.SW/.. - ROSETTE UP

IP20   



built-up

built-up base - round







Dimensions

↔ Ø80xH40

Materials





Aluminium 1M | 2M | 14


Messing 4 | 13 | 23

Ref	Price €
1559.SW.1M	
1559.SW.2M	
1559.SW.4	
1559.SW.13	
1559.SW.14	
1559.SW.23	

050/.. - ROZET VOOR OPBOUWSPOT

~230V

   IP20  0.3150 



built-up
12W 700mA - not dimmable

built-up base for spot - round - with LED driver

Dimensions

↔ Ø80xH55




Materials

Aluminium 1M | 2M | 14

Options

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
050.1M	
050.2M	
050.14	

043/.. - ROZET VOOR OPBOUWSPOT

~230V

   IP20  



built-up
12W 700mA - not dimmable

built-up base - round - with LED driver

Dimensions

↔ Ø80xH55

Materials

Aluminium 1M | 2M | 14

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING



Ref	Price €
043.1M	
043.2M	
043.14	



059/.. - ROSETTE M10

~230V

IP20   CE



built-up base

Dimensions

↔ Ø104xH34

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13

Ref

059.1M
059.2M
059.13
059.14
059.16

Price €



built-up

032/.. - ROSETTE UP

 IP20    CE



built-up base - for suspension light with 3 steel cables

Dimensions

↔ Ø100xH32  Ø80

Materials

Aluminium 1 | 1M | 2M | 14 | 11
Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING

Ref


032.1
032.1M
032.2M
032.4
032.11
032.13
032.14
032.16


Price €



built-up

1719/.. - ROSETTE UP

 S1 IP20   CE



rosette to build in - round

Dimensions

↔ L120xB85

Materials

Aluminium 1M | 2M

Ref

1719.1M
1719.2M


Price €



built-up

1604/.. - ROSETTE UP

IP20



built-up base

Dimensions

↔ Ø90xH30

Materials

Aluminium

1 | 1M | 2 | 2M | 11

Messing

4 | 16 | 13 | 23 | 97

Ref


1604.1
1604.1M
1604.2
1604.2M
1604.4
1604.11
1604.13
1604.16
1604.23
1604.97



Price €

1608/.. - ROSETTE UP

IP20



built-up base

Dimensions

↔ Ø100xH40

Materials

Aluminium

1 | 1M | 2 | 2M | 11

Messing

4 | 16 | 13 | 23 | 97

Ref


1608.1
1608.1M
1608.2
1608.2M
1608.4
1608.11
1608.13
1608.16
1608.23
1608.97



Price €

1609/.. - ROSETTE UP

IP20



built-up base

Dimensions

↔ Ø65xH20

Materials

Aluminium

1 | 1M | 2 | 2M | 11

Messing

4 | 16 | 13 | 23 | 97

Ref


1609.1
1609.1M
1609.2
1609.2M
1609.4
1609.11
1609.13
1609.16
1609.23
1609.97



Price €

030/.. - ROSETTE UP

IP20



built-up base - built-up base

Dimensions

↔ Ø70xH30

Materials

Aluminium

1 | 1M | 2 | 2M | 11

Messing

4 | 16 | 13 | 23

Ref

030.1
030.1M
030.2
030.2M
030.4
030.11
030.13
030.16
030.23



Price €

033.B3.D8,3/.. - ROZET VOOR PENDEL

IP20    



built-up base for pendant - round - with swivel B3

Dimensions

↔ Ø60xH40

Materials

Aluminium 1M | 2M | 14
Messing 4 | 13 | 23

Ref

033.B3.D8.3.1M
033.B3.D8.3.2M
033.B3.D8.3.4
033.B3.D8.3.13
033.B3.D8.3.14
033.B3.D8.3.23




Price €

built-up

033.B3.D12/.. - ROZET VOOR PENDEL

IP20    



built-up base for pendant - round - with swivel B3 - rod Ø12mm

Dimensions

↔ Ø60xH40

Materials

Aluminium 1M | 2M | 14
Messing 4 | 13 | 23

Ref

033.B3.D12.1M
033.B3.D12.2M
033.B3.D12.4
033.B3.D12.13
033.B3.D12.14
033.B3.D12.23



Price €

built-up

060.B3.D8,3/.. - ROSETTE for pendant

IP20    



built-up base - built-up base for bar Ø8mm B3

Dimensions

↔ Ø70xH40

Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref

060.B3.D8.3.1M
060.B3.D8.3.2M
060.B3.D8.3.4
060.B3.D8.3.13
060.B3.D8.3.14
060.B3.D8.3.16
060.B3.D8.3.23
060.B3.D8.3.28




Price €

built-up

060.B3.D12/.. - ROSETTE for pendant

IP20   



built-up base - built-up rosette for bar Ø12 mm B3

Dimensions

↔ Ø70xH40

Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref

060.B3.D12.1M
060.B3.D12.2M
060.B3.D12.4
060.B3.D12.13
060.B3.D12.14
060.B3.D12.16
060.B3.D12.23
060.B3.D12.28



Price €

built-up



020.B3/./.. - ROSETTE -M10-M8-M6-D8,3

IP20   



built-up base - round - with swivel B3

Dimensions

↔ Ø54xH60

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Kleur	020.B3.D8,3/..	020.B3.M10/..	020.B3.M6/..	020.B3.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-up
for pendants only - not for spots

021.B3.ZT.D8,3/.. - ROSETTE UP

IP20    



built-up base - round - with swivel B3










Dimensions

↔ Ø60xH90

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Ref	Price €
021.B3.ZT.D8.3.1	
021.B3.ZT.D8.3.1M	
021.B3.ZT.D8.3.2	
021.B3.ZT.D8.3.2M	
021.B3.ZT.D8.3.14	
021.B3.ZT.D8.3.11	
021.B3.ZT.D8.3.4	
021.B3.ZT.D8.3.16	
021.B3.ZT.D8.3.13	

built-up
for pendants only - not for spots

034.B3/.. - ROZET VOOR PENDEL

IP20    



built-up base for pendant - round - with swivel B3







Dimensions

↔ Ø80xH25

Materials

Aluminium 1M | 2M | 14

Messing 4 | 13 | 23

Ref	Price €
034.B3.1M	
034.B3.2M	
034.B3.4	
034.B3.13	
034.B3.14	
034.B3.23	

built-up

035/.. - ROZET VOOR PENDEL

~230V



built-up base for pendant - round - with swivel B3 - with LED driver

Dimensions

↔ Ø80xH55

Materials

Aluminium 1M | 2M | 14
Messing 4 | 13 | 23

Ref	Price €
035.1M	
035.2M	
035.4	
035.13	
035.14	
035.23	

built-up
12W 700mA - not dimmable

037.B3.D8,3/.. - ROSETTE UP



built-up base - for pendant with swivel B3 - for rod Ø8mm

Dimensions

↔ Ø100xH32 ↗ Ø75

Materials

Aluminium 1 | 1M | 2M | 14 | 11
Messing 7 | 4 | 16 | 13 | 23

Ref	Price €
037.B3.D8.3.1	
037.B3.D8.3.1M	
037.B3.D8.3.2M	
037.B3.D8.3.4	
037.B3.D8.3.7	
037.B3.D8.3.11	
037.B3.D8.3.13	
037.B3.D8.3.14	
037.B3.D8.3.16	
037.B3.D8.3.23	

built-up

037.B3.D12/.. - ROSETTE UP



built-up base - for pendant with swivel B3 - for rod Ø12mm

Dimensions

↔ Ø100xH32 ↗ Ø75

Materials

Aluminium 1 | 1M | 2M | 14 | 11
Messing 7 | 4 | 16 | 13 | 23

Options

4054/.. MONA LISA Ø550
4055/.. MONA LISA Ø450

Ref	Price €
037.B3.D12.1	
037.B3.D12.1M	
037.B3.D12.2M	
037.B3.D12.4	
037.B3.D12.7	
037.B3.D12.11	
037.B3.D12.13	
037.B3.D12.14	
037.B3.D12.16	
037.B3.D12.23	

built-up

ACCESSORIES

ROSETTE UP

006/.. - TRANSFORMER BOX



transformer box - empty - without transformer

Dimensions

↔ L90xB39xH90

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Messing 4 | 16 | 13

Ref	Color	Price €
006.1	White	
006.1M	White	
006.2	Black	
006.2M	Black	
006.4	Gold	
006.11	White	
006.13	Gold	
006.14	Grey	
006.16	Gold	

built-up

028/.. - ROSETTE UP



built-up base

Dimensions

↔ L115xB32xH27

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11
 Messing 4 | 16 | 13

Ref	Color	Price €
028.1	White	
028.1M	White	
028.2	Black	
028.2M	Black	
028.4	Gold	
028.11	White	
028.13	Gold	
028.14	Grey	
028.16	Gold	

built-up



1686/.. - ROSETTE UP

IP20



built-up base - round - with rounded corners

Dimensions

↔ L120xB40xH25

Materials

Aluminium 1M | 2M
Messing 16

Ref

1686.1M
1686.2M
1686.16




Price €

built-up

1687/.. - ROSETTE UP

IP20



built-up base - round - with rounded corners

Dimensions

↔ L140xB60xH35

Materials

Aluminium 1M | 2M
Messing 16

Ref

1687.1M
1687.2M
1687.16




Price €

built-up

1688/.. - ROSETTE UP

IP20



built-up base - round - with rounded corners

Dimensions

↔ L160xB80xH35

Materials

Aluminium 1M | 2M
Messing 16

Ref

1688.1M
1688.2M
1688.16



Price €

built-up



ACCESSORIES

ROSETTE UP

1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA - with LED driver

Dimensions

↔ Ø70xH170

Materials

Aluminium 1M | 2M

Ref	Price €
1647.1M	●
1647.2M	●

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA - with LED driver

Dimensions

↔ Ø70xH170


Materials

Aluminium 1M | 2M

Ref	Price €
1649.1M	●
1649.2M	●

built-up

1653/.. - ROSETTE UP + DRIVER



built-up base - round - with driver 350mA 5W - dimmable phase cut

Dimensions

↔ Ø65xH45

Materials

Aluminium 1M | 2M

Options


- P040/.. STRAIN RELIEF - TREKONTLASTING
- P039/.. STRAIN RELIEF - TREKONTLASTING
- P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1653.1M	●
1653.2M	●

built-up

017/.. - ROSETTE UP

IP20    0.0550 



built-up

built-up base - square

Dimensions

↔ L40xB40xH25

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref


- 017.1
- 017.1M
- 017.2
- 017.2M
- 017.4
- 017.11
- 017.13
- 017.14
- 017.16
- 017.23

Price €



025/.. - ROSETTE UP

IP20    0.2950 



built-up

built-up base - square

Dimensions

↔ L60xB60xH25

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref


- 025.1
- 025.1M
- 025.2
- 025.2M
- 025.14
- 025.11
- 025.4
- 025.16
- 025.13

Price €



027/.. - ROSETTE UP

IP20    0.3570 



built-up

built-up base - square

Dimensions

↔ L60xB60xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

- 027.1
- 027.1M
- 027.2
- 027.2M
- 027.4
- 027.11
- 027.13
- 027.14
- 027.16

Price €



026.ZT/.. - ROSETTE UP

IP20    0.1800 



built-up

built-up base - square - without transformer

Dimensions

↔ L60xB60xH65

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref


- 026.ZT.1
- 026.ZT.1M
- 026.ZT.2
- 026.ZT.2M
- 026.ZT.4
- 026.ZT.11
- 026.ZT.13
- 026.ZT.14
- 026.ZT.16
- 026.ZT.23

Price €



025.B3/./.. - ROSETTE-M10-M8-M6-D8,3

IP20   CE



built-up base - square - with swivel B3

Dimensions

↳ L60xB60xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11


Messing 4 | 16 | 13

Kleur	025.B3.D8,3/..	025.B3.M10/..	025.B3.M6/..	025.B3.M8/..
1	€	€	€	€
1M	€	€	€	€
2	€	€	€	€
2M	€	€	€	€
14	€	€	€	€
11	€	€	€	€
4	€	€	€	€
16	€	€	€	€
13	€	€	€	€

built-up
for pendants only - not for spots

1654/.. - ROSETTE UP + DRIVER

IP20    CE



built-up base - square - with driver 350mA 5W - dimmable phase cut

Dimensions

↳ L65xB65xH40

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €

1654.1M



1654.2M



built-up



1144/.. - ROSETTE UP

IP20 0.1000 CE



built-up base - square

Dimensions

L60xB40xH30

Materials

Aluminium 1M | 2M | 14

Ref	Price €
1144.1M	
1144.2M	
1144.14	

built-up

1666/.. - ROSETTE WALL

IP20 0.5m CE



accessories for built-up spot - without switch

Dimensions

B80xH110xD42 L90xB65

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13 | 23

Ref	Price €
1666.1M	
1666.2M	
1666.13	
1666.14	
1666.16	
1666.23	

built-up

1144.SW/.. - ROSETTE UP

IP20 CE



built-up base - square

Dimensions

L60xB40xH30

Materials

Aluminium 1M | 2M | 14

Ref	Price €
1144.SW.1M	
1144.SW.2M	
1144.SW.14	

built-up

1667/.. - ROSETTE WALL

IP20 0.2500 0.5m CE



accessories for built-up spot - with switch

Dimensions

B80xH110xD42 L90xB65

Materials

Aluminium 1M | 2M | 14
Messing 16 | 13 | 23

Ref	Price €
1667.1M	
1667.2M	
1667.13	
1667.14	
1667.16	
1667.23	

built-up

064/.. - ROSETTE HOOK

~230V



IP20



Accessories for pendant lamps - round - built-up rosette with open hook for suspension

Dimensions

↔ Ø70xH40

Materials

Inox

31MX | 32X | 37X | 46X

Inox 316

5 | 5BB

Ref

064.5

064.5BB

064.31MX

064.32X

064.37X

064.46X




Price €

built-up



066/.. - ROSETTE HOOK

~230V  IP20    0.1700 










Accessories for pendant lamps - round - built-up rosette with closed hook for suspension

Dimensions

↔ Ø70xH40

Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 13 | 23

Ref	Price €
066.1M	
066.2M	
066.4	
066.13	
066.14	
066.16	
066.23	

built-up
max. 10kg

067/.. - ROSETTE HOOK

~230V  IP20   










Accessories for pendant lamps - square - built-up rosette with closed hook for suspension

Dimensions

↔ L70xB70xH40 ↗ L60xB60

Materials

Aluminium 1M | 2M | 14
Aluminium / Messing 42 | 162 | 232 | 132

Ref	Price €
067.1M	
067.2M	
067.42	
067.14	
067.232	
067.132	
067.162	

built-up

068/.. - ROSETTE HOOK

~230V  IP20    0.4200 










Accessories for pendant lamps - square - built-up rosette with open hook for suspension

Dimensions

↔ L80xB80xH40 ↗ L70xB70

Materials

Aluminium 1M | 2M | 14
Aluminium / Messing 42 | 162 | 232 | 132

Ref	Price €
068.1M	
068.2M	
068.42	
068.14	
068.232	
068.132	
068.162	

built-up

069/.. - ROSETTE HOOK

 IP20    0.3200 



built-up base - built-up rosette with closed hook for suspension

Dimensions

↔ L70xB70xH40

Materials

Inox 304 32X | 53X | 46X

Ref	Price €
069.32X	
069.46X	
069.53X	

built-up

070/.. - ROSETTE HOOK

IP20    






built-up base - built-up rosette with open hook for suspension

Dimensions

↳ L70xB70xH40

Materials

Inox 304 32X | 53X | 46X

Ref	Price €
070.32X	
070.46X	
070.53X	

built-up

1623/.. - ROSETTE HOOK

IP20   













Accessories for pendant lamps - built-up rosette with open hook for suspension

Dimensions

↳ Ø65xH58


Materials

Aluminium 1 | 1M | 2 | 2M | 11
 Messing 4 | 16 | 13 | 23 | 97

Ref	Price €
1623.1	
1623.1M	
1623.2	
1623.2M	
1623.4	
1623.11	
1623.13	
1623.16	
1623.23	
1623.97	

062/.. - ROSETTE for chain

IP20    



built-up base - built-up rosette for chain polo

Dimensions

↳ L70xB70xH75 Coverplate L70xB70

↳ L65xB65xH43

Materials

Inox 31MX | 32X | 37X | 46X
 Inox 316 5 | 5BB

Ref	Price €
062.5	
062.5BB	
062.31MX	
062.32X	
062.37X	
062.46X	

built-up

063/.. - ROSETTE UP

IP20    CE



built-up base - built-up rosette B3 for rod Ø12mm

Dimensions

↔ L70xB70xH43 Coverplate L70xB70

↙ L60xB60xH43

Materials

Inox 31MX | 32X | 37X | 46X

Inox 316 5 | 5B

Ref

063.5

063.5B

063.31MX

063.32X

063.37X

063.46X

Price €



built-up

1700/.. - BETAPLUS

IP20   CE



built-up base - square - place for driver

Dimensions

↔ L90xB90xH110

Materials

Aluminium 1M | 2M | 11M | 104 | 29

Ref

1700.1M

1700.2M

1700.11M

1700.104

1700.29

Price €



built-up



ACCESSORIES

ROSETTE UP



923.ZT/.. - RONDO BOX

~230V



built-up base - spot to be ordered separately - without transformer

Dimensions

↔ Ø100xH47 100

↘ Ø80

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

TR122794/.. DRIVER 500mA

TR122792/.. DRIVER 700mA

TR122790/.. DRIVER 350mA

Ref

923.ZT.1

923.ZT.1M

923.ZT.2

923.ZT.2M

923.ZT.14

923.ZT.11

923.ZT.4

923.ZT.16

923.ZT.13

923.ZT.119

Price €

built-up

821/.. - RONDO BOX

~230V



ceiling light - spots to be ordered separately - with LED driver

Dimensions

↔ Ø150xH43 150

↘ Ø125

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

821.1

821.1M

821.2

821.2M

821.14

821.11

821.4

821.16

821.13

821.119

Price €

built-up

LED transfo 12V max. 40W

821.ZT/.. - RONDO BOX

~230V



built-up base - spots to be ordered separately - without transformer

Dimensions

↔ Ø150xH47 150

↘ Ø125

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

TR127040/.. DRIVER 350mA

TR127042/.. DRIVER 500mA

TR127046/.. DRIVER 700mA

Ref

821.ZT.1

821.ZT.1M

821.ZT.2

821.ZT.2M

821.ZT.14

821.ZT.11

821.ZT.4

821.ZT.16

821.ZT.13


821.ZT.119

Price €

built-up

825/.. - RONDO BOX

~230V



ceiling light - spots to be ordered separately

Dimensions

↔ Ø170xH30 170

↘ Ø150

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Ref

825.1M

825.2M

825.117

825.118

825.119

Price €

with 2 holes

826/.. - RONDO BOX

~230V



ceiling light - spot to be ordered separately

Dimensions

→ Ø170xH30 170

→ Ø150

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Ref	Price €
826.1M	
826.2M	
826.117	
826.118	
826.119	

with 3 holes

822/.. - RONDO BOX

~230V



ceiling light - spots to be ordered separately - with LED driver

Dimensions

→ Ø200xH43 200

→ Ø170

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
822.1	
822.1M	
822.2	
822.2M	
822.14	
822.11	
822.13	
822.119	

built-up
LED transfo 12V max. 40W

822.ZT/.. - RONDO BOX

~230V



built-up base - spots to be ordered separately - without transformer

Dimensions

→ Ø200xH38 200

→ Ø170

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

TR127040/.. DRIVER 350mA

TR127042/.. DRIVER 500mA


TR127046/.. DRIVER 700mA

Ref	Price €
822.ZT.1	
822.ZT.1M	
822.ZT.2	
822.ZT.2M	
822.ZT.14	
822.ZT.11	
822.ZT.4	
822.ZT.16	
822.ZT.13	
822.ZT.119	

built-up

925C/.. - RONDO BOX

~230V



ceiling light - spots to be ordered separately - with LED driver

Dimensions

→ Ø250xH43 250

→ Ø220

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
925C.1	
925C.1M	
925C.2	
925C.2M	
925C.14	
925C.11	
925C.4	
925C.16	
925C.13	
925C.119	

built-up
LED transfo 12V max. 2x40W




ACCESSORIES

BASES O

925C.ZT/.. - RONDO BOX

~230V



built-up

built-up base - spots to be ordered separately - without transformer

Dimensions

↔ Ø250xH38 250

🔧 Ø220

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119
Messing 4 | 16 | 13


Options

TR127040/.. DRIVER 350mA
TR127042/.. DRIVER 500mA
TR127046/.. DRIVER 700mA

Ref	Price €
925C.ZT.1	●
925C.ZT.1M	●
925C.ZT.2	●
925C.ZT.2M	●
925C.ZT.14	●
925C.ZT.11	●
925C.ZT.4	●
925C.ZT.16	●
925C.ZT.13	●
925C.ZT.119	●

925D/.. - RONDO BOX

~230V



built-up
LED transfo 12V max. 2x40W

ceiling light - spots to be ordered separately - with LED driver

Dimensions

↔ Ø250xH43 250

🔧 Ø220

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119
Messing 4 | 16 | 13


Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
925D.1	●
925D.1M	●
925D.2	●
925D.2M	●
925D.14	●
925D.11	●
925D.4	●
925D.16	●
925D.13	●
925D.119	●

925D.ZT/.. - RONDO BOX

~230V



built-up

built-up base - spots to be ordered separately - without transformer

Dimensions

↔ Ø250xH38 250

🔧 Ø220

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119
Messing 4 | 16 | 13

Options















TR127040/.. DRIVER 350mA
TR127042/.. DRIVER 500mA
TR127046/.. DRIVER 700mA

Ref	Price €
925D.ZT.1	●
925D.ZT.1M	●
925D.ZT.2	●
925D.ZT.2M	●
925D.ZT.14	●
925D.ZT.11	●
925D.ZT.4	●
925D.ZT.16	●
925D.ZT.13	●
925D.ZT.119	●

















924A/.. - RONDO BOX

~230V  IP20    1.1580 


 built-up		built-up base - spot to be ordered separately		Ref	Price €
		Dimensions		924A.1	
		 Ø100xH28	100	924A.1M	
		 Ø80		924A.2	
		Materials		924A.2M	
		Aluminium	1 1M 2 2M 14 11 119	924A.14	
		Messing	4 16 13	924A.11	
		Options		924A.4	
		P040/..	STRAIN RELIEF - TREKONTLASTING	924A.16	
		P039/..	STRAIN RELIEF - TREKONTLASTING	924A.13	
		924A.119			















924B/.. - RONDO BOX

~230V  IP20    0.5700 


 built-up		built-up base - spots to be ordered separately		Ref	Price €
		Dimensions		924B.1	
		 Ø100xH28	100	924B.1M	
		 Ø80		924B.2	
		Materials		924B.2M	
		Aluminium	1 1M 2 2M 14 11 119	924B.14	
		Messing	4 16 13	924B.11	
		Options		924B.4	
		P040/..	STRAIN RELIEF - TREKONTLASTING	924B.16	
		P039/..	STRAIN RELIEF - TREKONTLASTING	924B.13	
		924B.119			
















824/.. - RONDO BOX

~230V  IP20    0.9800 

 built-up		built-up base - spots to be ordered separately		Ref	Price €
		Dimensions		824.1	
		 Ø200xH28	150	824.1M	
		 Ø175		824.2	
		Materials		824.2M	
		Aluminium	1 1M 2 2M 14 11 119	824.14	
		Messing	4 16 13	824.11	
		Options		824.4	
		P040/..	STRAIN RELIEF - TREKONTLASTING	824.16	
		P039/..	STRAIN RELIEF - TREKONTLASTING	824.13	
		824.119			


926C/.. - RONDO BOX

~230V  IP20    1.7996 

 built-up		built-up base - spots to be ordered separately		Ref	Price €
		Dimensions		926C.1	
		 Ø250xH28	250	926C.1M	
		 Ø220xH26		926C.2	
		Materials		926C.2M	
		Aluminium	1 1M 2 2M 14 11 119 53	926C.14	
		Messing	4 16 13	926C.11	
		Options		926C.4	
		P040/..	STRAIN RELIEF - TREKONTLASTING	926C.16	
		P039/..	STRAIN RELIEF - TREKONTLASTING	926C.13	
		926C.119			
		926C.53			

926D/.. - RONDO BOX

~230V



built-up base - spots to be ordered separately

Dimensions

→ Ø250xH28 250

→ Ø220

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options


P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
926D.1	●
926D.1M	●
926D.2	●
926D.2M	●
926D.14	●
926D.11	●
926D.4	●
926D.16	●
926D.13	●
926D.119	●

RONDOBOX/.. - RONDO BOX

~230V



built-up base - without openings

Materials

Aluminium 1M | 2M | 14 | 45 | 117 | 118 | 119 |

53 | 104

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Kleur	962/..	963/..	964/..	965/..	966/..
	Ø300	Ø350	Ø400	Ø500	Ø600
1M	€	€	€	€	€
2M	€	€	€	€	€
14	€	€	€	€	€
45	€	€	€	€	€
117	€	€	€	€	€
118	€	€	€	€	€
119	€	€	€	€	€
104	€	€	€	€	€



D300/.. - RONDO BOX

~230V IP20    



built-up base - Ø300mm with openings and P040 - pendants to be ordered separately

Dimensions

→ Ø300xH28 300

 Ø270

Materials

Aluminium 1M | 2M


	962.3/..		962.5/..	
	Ø300	Ø300	Ø300	Ø300
1M	€	€	€	€
2M	€	€	€	€

built-up
Strain relief included P040 - These articles contain holes indicated by article number 962.3/..



D350/.. - RONDO BOX

IP20    



built-up base - Ø350mm with openings and P040 - pendants to be ordered separately

Dimensions

→ Ø350xH28 350

 Ø320

Materials

Aluminium 1M | 2M


	963.3/..		963.5/..		963.7/..	
	Ø350	Ø350	Ø350	Ø350	Ø350	Ø350
1M	€	€	€	€	€	€
2M	€	€	€	€	€	€

built-up
Strain relief included P040 - These articles contain holes indicated by article number 963.3/..



D400/.. - RONDO BOX

~230V IP20    



built-up base - Ø400mm with openings and P040 - pendants to be ordered separately

Dimensions

→ Ø400xH28 400


 Ø370

Materials

Aluminium 1M | 2M

	964.3/..		964.5/..		964.7/..	
	Ø400	Ø400	Ø400	Ø400	Ø400	Ø400
1M	€	€	€	€	€	€
2M	€	€	€	€	€	€

built-up
Strain relief included P040 - These articles contain holes indicated by article number 964.3/..



D500/.. - RONDO BOX

~230V IP20    



built-up base - Ø500mm with openings and P040 - pendants to be ordered separately

Dimensions

→ Ø500xH28 500


 Ø470

Materials

Aluminium 1M | 2M

	965.3/..		965.5/..		965.7/..		965.9/..	
	Ø500	Ø500	Ø500	Ø500	Ø500	Ø500	Ø500	
1M	€	€	€	€	€	€	€	
2M	€	€	€	€	€	€	€	

built-up
Strain relief included P040 - These articles contain holes indicated by article number 965.3/..






D600/.. - RONDO BOX

~230V

IP20



built-up base - Ø600mm with openings and P040 - pendants to be ordered separately

Dimensions


Ø600xH28 600

Ø570

Materials

Aluminium 1M | 2M

Kleur	966.3/..	966.5/..	966.7/..	966.9/..
	Ø600	Ø600	Ø600	Ø600
1M	€	€	€	€
2M	€	€	€	€



built-up

Strain relief included P040 - These articles contain holes indicated by article number 966.3/..



ACCESSORIES

BASES O

927/.. - OVALE BOX

~230V



built-up base - no room for transformer

Dimensions

↔ L100xB55xH30 ↗ L60xB33

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Aluminium / Messing 42 | 162 | 132

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €


927.1
927.1M
927.2
927.2M
927.42
927.11
927.14
927.132
927.162



built-up
spot to be ordered separately

928/.. - OVALE BOX

~230V



built-up base - no room for transformer

Dimensions

↔ L240xB70xH30 ↗ L160xB35xH28

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Aluminium / Messing 42 | 162 | 132

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

928.1
928.1M
928.2
928.2M
928.42
928.11
928.14
928.132
928.162



built-up
spots to be ordered separately

929/.. - OVALE BOX

~230V



built-up base - no room for transformer

Dimensions

↔ L340xB70xH30 ↗ L245xB35xH28

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Aluminium / Messing 42 | 162 | 132

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

929.1
929.1M
929.2
929.2M
929.42
929.11
929.14
929.132
929.162



built-up
spots to be ordered separately

930/.. - OVALE BOX

~230V



built-up base - no room for transformer

Dimensions

↔ L440xB70xH30 ↗ L335xB35

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Aluminium / Messing 42 | 162 | 132

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

Price €

930.1
930.1M
930.2
930.2M
930.42
930.11
930.14
930.132
930.162




built-up
spots to be ordered separately

1518/.. - OVALE BOX

~230V

IP20



built-up base - place for driver

Dimensions

← L800xB270xH30

← L640xB140

Materials

Aluminium

1M | 2M | 14

Aluminium / Messing

162

Options

000C/..

supplement HOLE + STAIN RELIEF

000CR/..

supplement HOLE + STAIN RELIEF

Ref

1518.1M

1518.2M

1518.14

1518.162



Price €

built-up spots or pendants to be ordered separately



ACCESSORIES

BASES O

651/.. - TEXO

IP20    0.2810 



built-up base - square - no room for driver

Dimensions

↔ L85xB85xH28

↗ L60xB60xH26

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 33M

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

651.1M

651.2M

651.14

651.11

651.4

651.16

651.13

651.119


651.33M

Price €

built-up
spot to be ordered separately - 1 hole

650/.. - TEXO

IP20    0.4200 



built-up base - square - no room for driver

Dimensions

↔ L130xB130xH28

↗ L100xB100xH26

Materials

Aluminium 1M | 2M | 14 | 11 | 119 | 46

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

TR127040/.. DRIVER 350mA

Ref

650.1M

650.2M

650.14

650.11

650.4

650.16

650.13

650.23

650.119


650.46

Price €

built-up
spot to be ordered separately

652/.. - TEXO

IP20    0.7800 



built-up base - no room for driver

Dimensions

↔ L200xB85xH28

↗ L175xB60xH26

Materials

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13 | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

652.1M

652.2M

652.14

652.11

652.4

652.16

652.13

652.23


652.119

Price €

built-up
spots to be ordered separately - 2 holes

653/.. - TEXO

IP20    1.1400 



built-up base - no room for driver

Dimensions

↔ L300xB85xH28

↗ L275xB60xH26

Materials

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

653.1M

653.2M

653.14

653.11

653.4

653.16

653.13


653.119

Price €

built-up
spots to be ordered separately - 3 holes

654/.. - TEXO

IP20    1.3130 



built-up spots to be ordered separately - 4 holes

built-up base - no room for driver

Dimensions

← L400xB85xH28

← L375xB60xH26

Materials

Aluminium

1M | 2M | 14 | 11 | 119 | 46

Messing

4 | 16 | 13

Options

P040/..

STRAIN RELIEF - TREKONTLASTING

P039/..

STRAIN RELIEF - TREKONTLASTING

Ref

654.1M

654.2M

654.14

654.11

654.4

654.16

654.13

654.119

654.46

Price €




ACCESSORIES

BASES #



655/.. - TEXO

IP20    1.8400 



built-up base - square

Dimensions

← L215xB215xH32

← L185xB185xH30

Materials

Aluminium 1M | 2M | 14 | 11 | 119

Messing 4 | 16 | 13

Options

TR89800257/.. DRIVER 700mA

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

655.1M

655.2M

655.14

655.11

655.4

655.16

655.13

655.119


Price €



built-up
spots to be ordered separately - 4 holes

656/.. - TEXO

IP20    3.1000 



built-up base - square base 300x300mm

Dimensions

← L300xB300xH28

← L270xB270xH25

Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

656.1M

656.2M

656.119

656.142

656.104


Price €



built-up
spots to be ordered separately - without holes

657/.. - TEXO

IP20    2.8600 



built-up base - square base 350x350mm

Dimensions

← L350xB350xH28

← L320xB320xH25

Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

657.1M

657.2M

657.119

657.142

657.104


Price €



built-up
spots to be ordered separately - without holes

658/.. - TEXO

IP20    3.9600 



built-up base - square base 400x400mm

Dimensions

← L400xB400xH28

← L370xB370xH25

Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

658.1M

658.2M

658.119

658.142

658.104


Price €



built-up
spots to be ordered separately - without holes

659/.. - TEXO

IP20    6.3300 



built-up base - square base 500x500mm

Dimensions

←→ L500xB500xH28








Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options


- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref	Price €
659.1M	
659.2M	
659.119	
659.142	
659.104	

built-up spots to be ordered separately - without holes

700/.. - TEXO

IP20    9.0500 



built-up base - square base 600x600mm

Dimensions

←→ L600xB600xH28








Materials

Aluminium 1M | 2M | 119 | 142 | 104

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10




Ref	Price €
700.1M	
700.2M	
700.119	
700.142	
700.104	

built-up spots to be ordered separately - without holes






5021/.. - TEXO

IP20    0.8500 

  built-up	built-up base - 30 cm Dimensions L300xB80xH33 L260xB60xH30	Ref 5021.1M 5021.2M 5021.14 5021.119 5021.42 5021.162 5021.232 5021.132	Price € 
	Materials Aluminium 1M 2M 14 119 Aluminium / Messing 42 162 232 132		
	Options 000C/.. supplement HOLE + STAIN RELIEF 000CR/.. supplement HOLE + STAIN RELIEF		




5022/.. - TEXO

IP20    2.2500 

  built-up	built-up base - 60 cm Dimensions L600xB80xH33 L560xB60xH30	Ref 5022.1M 5022.2M 5022.14 5022.119 5022.46 5022.21 5022.42 5022.162 5022.232 5022.132	Price € 
	Materials Aluminium 1M 2M 14 119 46 21 Aluminium / Messing 42 162 232 132		
	Options 000C/.. supplement HOLE + STAIN RELIEF 000CR/.. supplement HOLE + STAIN RELIEF		




5023/.. - TEXO

IP20    2.4700 

  built-up	built-up base - 90 cm Dimensions L900xB80xH33 L860xB60xH30	Ref 5023.1M 5023.2M 5023.14 5023.119 5023.42 5023.162 5023.232 5023.132	Price € 
	Materials Aluminium 1M 2M 14 119 Aluminium / Messing 42 162 232 132		
	Options 000C/.. supplement HOLE + STAIN RELIEF 000CR/.. supplement HOLE + STAIN RELIEF		

5024/.. - TEXO

IP20    3.6600 


  built-up	built-up base - 120 cm Dimensions L1200xB80xH33 L1160xB60xH30	Ref 5024.1M 5024.2M 5024.14 5024.119 5024.42 5024.162 5024.232 5024.132	Price € 
	Materials Aluminium 1M 2M 14 119 Aluminium / Messing 42 162 232 132		
	Options 000C/.. supplement HOLE + STAIN RELIEF 000CR/.. supplement HOLE + STAIN RELIEF		

ACCESSORIES

BASES #

5025/.. - TEXO

IP20    3.8300 



built-up base - 140 cm

Dimensions

← L1400xB80xH33

 L1360xB60xH30

Materials

Aluminium 1M | 2M | 14 | 119

Aluminium / Messing 42 | 162 | 232 | 132

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

Ref

5025.1M

5025.2M

5025.14

5025.119

5025.42

5025.162

5025.232

5025.132

Price €



built-up



701.900/.. - TEXO

IP20    3.2500 



built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L900xB120xH44 ↗ L860xB100xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
701.900.1M	
701.900.2M	
701.900.117	
701.900.118	
701.900.119	

built-up
without holes

701.1200/.. - TEXO

IP20    5.2500 



built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L1200xB120xH44 ↗ L1160xB100xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
701.1200.1M	
701.1200.2M	
701.1200.117	
701.1200.118	
701.1200.119	

built-up
without holes

701.1400/.. - TEXO

IP20    4.7800 



built-up base - square - rectangular base for built-up spot or pendant

Dimensions






↔ L1400xB120xH44 ↗ L1360xB100xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
701.1400.1M	
701.1400.2M	
701.1400.117	
701.1400.118	
701.1400.119	

built-up
without holes

701.1600/.. - TEXO

IP20    6.0500 



built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L1600xB120xH44 ↗ L1560xB100xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
701.1600.1M	
701.1600.2M	
701.1600.117	
701.1600.118	
701.1600.119	

built-up
without holes


701.1800/.. - TEXO

IP20    7.4000 

built-up base - rectangular base for built-up spot or pendant

Dimensions

← L1800xB120xH44

 L1760xB100xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 701.1800.1M
- 701.1800.2M
- 701.1800.117
- 701.1800.118
- 701.1800.119

Price €



*built-up
without holes*



702.1200x160/.. - TEXO

IP20   

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB160xH33

↔ L1160xB140xH30

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 702.1200x160.1M
- 702.1200x160.2M
- 702.1200x160.117
- 702.1200x160.118
- 702.1200x160.119

Price €



built-up
without holes

703.1200x250/.. - TEXO

IP20   

built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L1200xB250xH33

↔ L1160xB246xH30

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 703.1200x250.1M
- 703.1200x250.2M
- 703.1200x250.117
- 703.1200x250.118
- 703.1200x250.119

Price €




built-up
without holes



704.800X300/.. - TEXO

IP20    6.8000 



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L800xB300xH33  L760xB280xH30

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
704.800X300.1M	
704.800X300.2M	
704.800X300.117	
704.800X300.118	
704.800X300.119	

704.1200X300/.. - TEXO

IP  9.4800 



without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L1200xB300xH33  L1160xB280

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
704.1200X300.1M	
704.1200X300.2M	
704.1200X300.117	
704.1200X300.118	
704.1200X300.119	

704.1400X300/.. - TEXO

IP  10.8200 



without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L1400xB300xH33  L1360xB280xH30

Materials

Aluminium 1M | 2M | 117 | 118 | 119


Options

000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
704.1400X300.1M	
704.1400X300.2M	
704.1400X300.117	
704.1400X300.118	
704.1400X300.119	

705.1200X500/.. - TEXO

IP20  13.0000 



built-up
without holes

built-up base - rectangular base for built-up spot or pendant

Dimensions






↔ L1200xB500xH33  L1170xB470xH30

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF
000G/.. supplement HOLE M10

Ref	Price €
705.1200X500.1M	
705.1200X500.2M	
705.1200X500.117	
705.1200X500.118	
705.1200X500.119	

1629.1000/.. - JUBA

IP20   



built-up base - 100 cm - without holes - no space for driver

Dimensions

← L 1000xB35xH35

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 1629.1000.1M
- 1629.1000.2M
- 1629.1000.117
- 1629.1000.118
- 1629.1000.119

Price €



built-up




ACCESSORIES

BASES #

1166.150/.. - JUBA

IP20   



built-up base - 15 cm - with 2 holes - place for driver

Dimensions

↔ L150xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.150.1M
1166.150.2M
1166.150.14
1166.150.11
1166.150.117
1166.150.118
1166.150.119





Price €

built-up

1166.200/.. - JUBA

IP20    



built-up base - 20 cm - with 2 holes - place for driver

Dimensions

↔ L200xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.200.1M
1166.200.2M
1166.200.14
1166.200.11
1166.200.117
1166.200.118
1166.200.119




Price €

built-up

1166.320/.. - JUBA

IP20    



built-up base - 32 cm - with 3 holes - place for driver

Dimensions

↔ L320xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.320.1M
1166.320.2M
1166.320.14
1166.320.11
1166.320.117
1166.320.118
1166.320.119




Price €

built-up

1166.400/.. - JUBA

IP20    



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

1166.400.1M
1166.400.2M
1166.400.14
1166.400.11
1166.400.117
1166.400.118
1166.400.119




Price €

built-up

1166.600/.. - JUBA

IP20    0.8000 



built-up base - 60 cm - without holes - space for driver

Dimensions

↔ L600xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 1166.600.1M
- 1166.600.2M
- 1166.600.117
- 1166.600.118
- 1166.600.119


Price €



built-up

1166.900/.. - JUBA

IP20    1.3500 



built-up base - 90 cm - without holes - space for driver

Dimensions

↔ L900xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

- 1166.900.1M
- 1166.900.2M
- 1166.900.117
- 1166.900.118
- 1166.900.119

Price €



built-up

1166.1200/.. - JUBA

IP20    2.0300 



built-up base - 120 cm - without openings - space for driver

Dimensions

↔ L1200xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- 000C/.. supplement HOLE + STAIN RELIEF


Ref

- 1166.1200.1M
- 1166.1200.2M
- 1166.1200.117
- 1166.1200.118
- 1166.1200.119





Price €




built-up



1162.200/.. - JUBA

IP20    



built-up base - 20 cm - with 2 holes - place for driver

Dimensions

↔ L200xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref





1162.200.1M
 1162.200.2M
 1162.200.14
 1162.200.11
 1162.200.117
 1162.200.118
 1162.200.119



Price €

built-up

1162.320/.. - JUBA

IP20    



built-up base - 32 cm - with 3 holes - place for driver

Dimensions

↔ L320xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref





1162.320.1M
 1162.320.2M
 1162.320.14
 1162.320.11
 1162.320.117
 1162.320.118
 1162.320.119




Price €

built-up

1162.400/.. - JUBA

IP20    



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref





1162.400.1M
 1162.400.2M
 1162.400.14
 1162.400.11
 1162.400.117
 1162.400.118
 1162.400.119




Price €

built-up

1162.1000/.. - JUBA

IP20    



built-up base - 100 cm - without holes - space for driver

Dimensions

↔ L1000xB45xH45

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref

1162.1000.1M
 1162.1000.2M
 1162.1000.117
 1162.1000.118
 1162.1000.119






Price €

built-up




807.ZT/.. - JUBA ZT

IP20    

 built-up		built-up base - 10 cm - without transformer Dimensions L100xB55xH40	Ref 807.ZT.1 807.ZT.1M 807.ZT.2 807.ZT.2M 807.ZT.14 807.ZT.11 807.ZT.4 807.ZT.16 807.ZT.13 807.ZT.23	Price € 
	Materials Aluminium 1 1M 2 2M 14 11 Messing 4 16 13 23			
	Options TR122790/.. DRIVER 350mA P040/.. STRAIN RELIEF - TREKONTLASTING P039/.. STRAIN RELIEF - TREKONTLASTING			




808.ZT/.. - JUBA ZT


IP20    

 built-up		built-up base - 20 cm - without transformer Dimensions L200xB55xH40	Ref 808.ZT.1 808.ZT.1M 808.ZT.2 808.ZT.2M 808.ZT.14 808.ZT.11 808.ZT.4 808.ZT.16 808.ZT.13 808.ZT.13M 808.ZT.23	Price € 
	Materials Aluminium 1 1M 2 2M 14 11 Messing 4 16 13 13M 23			
	Options TR89800255/.. DRIVER 350mA TR89800256/.. DRIVER 500mA P040/.. STRAIN RELIEF - TREKONTLASTING P039/.. STRAIN RELIEF - TREKONTLASTING			

809.ZT/.. - JUBA ZT


IP20    

 built-up		built-up base - 32 cm - without transformers Dimensions L320xB55xH40	Ref 809.ZT.1 809.ZT.1M 809.ZT.2 809.ZT.2M 809.ZT.14 809.ZT.11 809.ZT.4 809.ZT.16 809.ZT.13 809.ZT.23	Price € 
	Materials Aluminium 1 1M 2 2M 14 11 Messing 4 16 13 23			
	Options TR89800255/.. DRIVER 350mA TR89800256/.. DRIVER 500mA P040/.. STRAIN RELIEF - TREKONTLASTING P039/.. STRAIN RELIEF - TREKONTLASTING			



818/.. - JUBA ZT

IP20   



*built-up
mention the number of holes!*

built-up base

Dimensions

← B50xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119 | 53

Messing 4 | 16 | 13 | 23

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF


000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Kleur	817.ZT/..	818.ZT/..	819.ZT/..
	L600	L900	L1200
1	€	€	€
1M	€	€	€
2	€	€	€
2M	€	€	€
14	€	€	€
11	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€
23	€	€	€

811/.. - JUBA ZT

IP20   



*built-up
mention the number of holes!*

built-up base

Dimensions

← B50xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF


000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Kleur	811.ZT/..	812.ZT/..	813.ZT/..
	L1400	L1500	L1600
1	€	€	€
1M	€	€	€
2	€	€	€
2M	€	€	€
14	€	€	€
11	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€
23	€	€	€

814/.. - JUBA ZT

IP20   



built-up
Extra transport cost for long profiles not included
include drawing with the number of holes!

built-up base

Dimensions

→ B45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119


Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Kleur	814.A.ZT/..	814.B.ZT/..	814.C.ZT/..	814.D.ZT/..	814.E.ZT/..	814.F.ZT/..
	L1800	L2000	L2250	L2500	L2750	L3000
1M	€	€	€	€	€	€
2M	€	€	€	€	€	€
14	€	€	€	€	€	€
117	€	€	€	€	€	€
118	€	€	€	€	€	€
119	€	€	€	€	€	€

ACCESSORIES

BASES #





1790.100/.. - KAVA

IP20   



built-up base - 10 cm - with 1 holes - place for driver

Dimensions

↔ L110xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.100.1M

1790.100.2M

1790.100.117

1790.100.118

1790.100.119



Price €

built-up
on request without holes

1790.180/.. - KAVA

IP20    



built-up base - 18 cm - with 2 holes - place for driver

Dimensions

↔ L180xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.180.1M

1790.180.2M

1790.180.117

1790.180.118

1790.180.119




Price €

built-up

1790.280/.. - KAVA

IP20    



built-up base - 28 cm - with 2 holes - place for driver

Dimensions

↔ L280xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.280.1M

1790.280.2M

1790.280.117

1790.280.118

1790.280.119










Price €

built-up










1790.400/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 40 cm - without holes - place for driver	Ref	Price €
		Dimensions	1790.400.1M	
		↳ L400xB40xH40	1790.400.2M	
		Materials	1790.400.117	
		Aluminium	1790.400.118	
		1M 2M 117 118 119	1790.400.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				








1790.500/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 50 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.500.1M	
		↳ L500xB40xH40	1790.500.2M	
		Materials	1790.500.117	
		Aluminium	1790.500.118	
		1M 2M 117 118 119	1790.500.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				








1790.600/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 60 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.600.1M	
		↳ L600xB40xH40	1790.600.2M	
		Materials	1790.600.117	
		Aluminium	1790.600.118	
		1M 2M 117 118 119	1790.600.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				







1790.900/.. - KAVA

IP20    

 <p>built-up</p>		built-up base - 90 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.900.1M	
		↳ L900xB40xH40	1790.900.2M	
		Materials	1790.900.117	
		Aluminium	1790.900.118	
		1M 2M 117 118 119	1790.900.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				

1790.1200/.. - KAVA

IP20    2.0000 


 <p><i>built-up</i></p>	built-up base - 120 cm - without openings - space for driver	Ref	Price €
	Dimensions	1790.1200.1M	
	↳ L 1200xB40xH40	1790.1200.2M	
	Materials	1790.1200.117	
	Aluminium	1790.1200.118	
	1M 2M 117 118 119	1790.1200.119	
Options			
TR89800255/..	DRIVER 350mA		
TR89800256/..	DRIVER 500mA		
000C/..	supplement HOLE + STAIN RELIEF		
000CR/..	supplement HOLE + STAIN RELIEF		
000G/..	supplement HOLE M10		



ACCESSORIES

BASES #

8314/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L123xB48xH47

Materials

Aluminium 1M | 2M


Ref **Price €**

8314.1M

8314.2M

built-up spots to be ordered separately

8320/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L183xB48xH47

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 162
Messing 42

Ref **Price €**

8320.1M

8320.2M

8320.42


8320.14

8320.45

8320.162

built-up spots to be ordered separately

8324/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L243xB48xH47

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref **Price €**

8324.1M

8324.2M

8324.42


8324.14

8324.45

8324.162

built-up spots to be ordered separately

8325/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

↔ L243xB48xH47

Materials

Aluminium 1M | 2M | 14 | 45
Aluminium / Messing 42 | 162

Ref **Price €**

8325.1M

8325.2M

8325.42



8325.14

8325.45

8325.162

built-up spots to be ordered separately

8312/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

L303xB48xH47

Materials

Aluminium 1M | 2M

Options

000G/.. supplement HOLE M10

Ref

8312.1M


8312.2M



Price €

built-up spots to be ordered separately

8313/.. - STELLA



built-up base - rectangular base for built-up spot or pendant

Dimensions

L363xB48xH47

Materials

Aluminium 1M | 2M

Ref

8313.1M

8313.2M



Price €

built-up spots to be ordered separately

ACCESSORIES

BASES #





044.350MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L110xB60xH38

Materials

Aluminium 1M | 2M

Ref

044.350MA.1M

044.350MA.2M

Price €



built-up
10W 350mA - dimmable with leading and trailing edge | other drivers possible on request

044.500MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L110xB60xH38

Materials

Aluminium 1M | 2M

Ref

044.500MA.1M

044.500MA.2M

Price €



built-up
10W 500mA - dimmable with leading and trailing edge dimmer | other drivers possible on request

044.700MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L110xB60xH38

Materials

Aluminium 1M | 2M

Ref

044.700MA.1M

044.700MA.2M

Price €



built-up
10W 700mA - dimmable with leading and trailing edge dimmer | other drivers possible on request

045.350MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB54xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

045.350MA.1M 

045.350MA.2M 

built-up
17W 350mA - dimmable phase-cut

045.500MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   



built-up base - rectangular base for built-up spot - with LED driver


Dimensions

↔ L179xB54xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

045.500MA.1M 

045.500MA.2M 

built-up
20W 500mA - dimmable phase-cut

045.700MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   



built-up base - rectangular base for built-up spot - with LED driver


Dimensions


↔ L179xB54xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

045.700MA.1M 

045.700MA.2M 

built-up
17W 700mA - dimmable phase-cut

045.1050MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20    



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB54xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

045.1050MA.1M 

045.1050MA.2M 

built-up
22W 1050mA - dimmable on demand

046.350MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   





built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB64xH38

Materials

Aluminium 1M | 2M

Ref	Price €
046.350MA.1M	
046.350MA.2M	

built-up
17W 350mA - dimmable - LC

046.500MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   





built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB64xH38

Materials

Aluminium 1M | 2M

Ref	Price €
046.500MA.1M	
046.500MA.2M	

built-up
20W 500mA - dimmable - LC

046.700MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   



built-up base - rectangular base for built-up spot - with LED driver

Dimensions


↔ L179xB64xH38

Materials

Aluminium 1M | 2M

Ref	Price €
046.700MA.1M	
046.700MA.2M	

built-up
20W 700mA - dimmable - push 1-10V



047.350MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref **Price €**


047.350MA.1M ●

047.350MA.2M ●

built-up
25W 350mA - not dimmable

047.500MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

047.500MA.1M ●

047.500MA.2M ●

built-up
35W 500mA - not dimmable

047.700MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

047.700MA.1M ●

047.700MA.2M ●

built-up
50W 700mA - not dimmable

047.1050MA/.. - BASIS VOOR OPBOUWSPOT

~230V



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref **Price €**

047.1050MA.1M ●

047.1050MA.2M ●

built-up
50W 1050mA - not dimmable

048.350MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   





built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref	Price €
048.350MA.1M	
048.350MA.2M	

built-up
25W 350mA - dimmable - push 1-10V

048.500MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   





built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref	Price €
048.500MA.1M	
048.500MA.2M	

built-up
35W 500mA - dimmable - push 1-10V

048.700MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20    



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref	Price €
048.700MA.1M	
048.700MA.2M	

built-up
50W 700mA - dimmable - push 1-10V

048.1050MA/.. - BASIS VOOR OPBOUWSPOT

~230V   IP20   



built-up base - rectangular base for built-up spot - with LED driver

Dimensions

↔ L179xB94xH38

Materials

Aluminium 1M | 2M

Ref	Price €
048.1050MA.1M	
048.1050MA.2M	

built-up
50W 1050mA - dimmable - push 1-10V

932.220/.. - SQUARE

IP20    0.9300 












built-up base - spot to be ordered separately - without transformer

Dimensions

↔ L125xB125xH33 ↘ L110xB110

Materials

Aluminium 1 | 1M | 2M | 11 | 142 | 104 | 47
 Aluminium / Messing 162
 Messing 16

Ref	Price €
932.220.1	
932.220.1M	
932.220.2M	
932.220.11	
932.220.104	
932.220.16	
932.220.47	
932.220.142	
932.220.162	

built-up

934.220/.. - SQUARE

IP20    1.5080 












built-up base - spots to be ordered separately

Dimensions

↔ L170xB170xH29-42 ↘ L145xB145

Materials

Aluminium 1 | 1M | 2M | 11 | 142 | 104 | 47
 Aluminium / Messing 162
 Messing 16

Ref	Price €
934.220.1	
934.220.1M	
934.220.2M	
934.220.11	
934.220.104	
934.220.16	
934.220.47	
934.220.142	
934.220.162	

built-up
16 matt gold = height 42

936.220/.. - SQUARE

IP20    2.3900 











built-up base - spots to be ordered separately

Dimensions

↔ L275xB170xH29-42 ↘ L250xB145

Materials

Aluminium 1 | 1M | 2M | 11 | 142 | 104
 Aluminium / Messing 162
 Messing 16

Ref	Price €
936.220.1	
936.220.1M	
936.220.2M	
936.220.11	
936.220.104	
936.220.16	
936.220.142	
936.220.162	

built-up
16 matt gold = height 42

938.220/.. - SQUARE

IP20    2.3900 











built-up base - spots to be ordered separately

Dimensions

↔ L275xB170xH29-42 ↘ L250xB145

Materials

Aluminium 1 | 1M | 11 | 142 | 104 | 47
 Aluminium / Messing 162
 Messing 16

Ref	Price €
938.220.1	
938.220.1M	
938.220.11	
938.220.104	
938.220.16	
938.220.47	
938.220.142	
938.220.162	

built-up
16 matt gold = height 42

940.220/.. - SQUARE

IP20    CE



built-up base - spots to be ordered separately

Dimensions

←→ L380xB170xH29-42  L355xB145

Materials

Aluminium 1 | 1M | 11 | 142 | 104 | 47
 Aluminium / Messing 162
 Messing 16

Ref

- 940.220.1
- 940.220.1M
- 940.220.11
- 940.220.16
- 940.220.142
- 940.220.104
- 940.220.162
- 940.220.47



Price €

built-up
 16 matt gold = height 42


942.220/.. - SQUARE

IP20    CE



built-up base - spots to be ordered separately

Dimensions

←→ L380xB170xH29-42  L355xB145

Materials

Aluminium 1 | 1M | 2M | 11 | 142 | 104 | 47
 Aluminium / Messing 162
 Messing 16

Ref

- 942.220.1
- 942.220.1M
- 942.220.2M
- 942.220.11
- 942.220.104
- 942.220.16
- 942.220.47
- 942.220.142
- 942.220.162



Price €

built-up
 16 matt gold = height 42


944.220/.. - SQUARE

IP20    CE



built-up base - spots to be ordered separately

Dimensions

←→ L275xB275xH29-42  L250xB250

Materials

Aluminium 1 | 1M | 2M | 11 | 142 | 104
 Aluminium / Messing 162


Ref

- 944.220.1
- 944.220.1M
- 944.220.2M
- 944.220.11
- 944.220.104
- 944.220.142
- 944.220.162



Price €

built-up
 16 matt gold = height 42













752.220/.. - SQUARE

IP20    



built-up base - spots to be ordered separately

Dimensions	Materials
 L485xB170xH29-42  L460xB144	Aluminium
	Aluminium / Messing

Ref	Price €
752.220.1	
752.220.1M	
752.220.2M	
752.220.11	
752.220.104	
752.220.47	
752.220.142	
752.220.162	



built-up
16 matt gold = height 42








753.220/.. - SQUARE

IP20    



built-up base - spots to be ordered separately

Dimensions	Materials
 L485xB170xH29-42  L460xB144	Aluminium
	Aluminium / Messing

Ref	Price €
753.220.1	
753.220.1M	
753.220.11	
753.220.104	
753.220.47	
753.220.142	
753.220.162	


built-up
16 matt gold = height 42





1976/.. - LUXOR UP

IP20



built-up base for spot - without transformer - without LED driver

Dimensions

↔ L160xB160xH45 ↗ L140xB126

Materials

Aluminium 1M | 2M | 214 | 77

Ref	Price €
1976.1M	
1976.2M	
1976.77	
1976.214	

*built-up
base black
with closed cover plate - 1 spotlight to order separately*

1977/.. - LUXOR UP

IP20



built-up base for spot - without transformer - without LED driver

Dimensions

↔ L302xB159xH45 ↗ L279xB126

Materials

Aluminium 1M | 2M | 214 | 77

Ref	Price €
1977.1M	
1977.2M	
1977.77	
1977.214	

*built-up
base black
with closed cover plate - 2 spotlights to order separately*

1979/.. - LUXOR UP

IP20



built-up base for spot - spots to be ordered separately - without transformer - without LED driver

Dimensions

↔ L340xB340xH45 ↗ L317xB317

Materials

Aluminium 1M | 2M | 214 | 77

Ref	Price €
1979.1M	
1979.2M	
1979.77	
1979.214	

*built-up
base black
with closed cover plate - 4 spotlights to order separately*



856/.. - ZOOM

IP20    0.2440 







built-up base - spot to be ordered separately

Dimensions

↔ L89,5xB89,5xH22 🔧 L70xB70

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref	Price €
856.1	
856.42	
856.40	
856.162	

built-up

858ZT/.. - ZOOM

IP20    0.4760 







built-up base - spot to be ordered separately

Dimensions

↔ L89,5xB89,5xH45 🔧 L70xB70

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref	Price €
858ZT.1	
858ZT.42	
858ZT.40	
858ZT.162	

built-up

860ZT/.. - ZOOM

S1 IP20    0.2770 



built-up base - spot to be ordered separately





Dimensions

↔ L89,5xB89,5xH55 🔧 72x72

⊥ L 75

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref	Price €
860ZT.1	
860ZT.42	
860ZT.40	
860ZT.162	

semi built-in/up

896.A.ZT/.. - ZOOM

IP20    0.7960 







built-up base - spots to be ordered separately

Dimensions

↔ L150xB150xH50 🔧 L125xB125

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref	Price €
896.A.ZT.1	
896.A.ZT.42	
896.A.ZT.40	
896.A.ZT.162	

built-up

897.A.ZT/.. - ZOOM

IP20    1.5300 



built-up base - spots to be ordered separately

Dimensions

←→ L285xB163xH50  L260xB138

Materials

Aluminium 1 | 40 | 11
Aluminium / Messing 42 | 162

Ref

897.A.ZT.1
897.A.ZT.42
897.A.ZT.11
897.A.ZT.40
897.A.ZT.162

Price €



built-up

898.A.ZT/.. - ZOOM

IP20    2.5000 



built-up base - spots to be ordered separately

Dimensions

←→ L410xB163xH50  L383xB138

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref

898.A.ZT.1
898.A.ZT.42
898.A.ZT.40
898.A.ZT.162

Price €



built-up

899.A.ZT/.. - ZOOM

IP20    2.7500 



built-up base - spots to be ordered separately

Dimensions

←→ L285xB285xH50  L262xB262

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref

899.A.ZT.1
899.A.ZT.42
899.A.ZT.40
899.A.ZT.162

Price €



built-up

900.A.ZT/.. - ZOOM

IP20    2.8300 



built-up base - spots to be ordered separately

Dimensions

←→ L650xB160xH50  L620xB120

Materials

Aluminium 1 | 40
Aluminium / Messing 42 | 162

Ref

900.A.ZT.1
900.A.ZT.42
900.A.ZT.40
900.A.ZT.162

Price €



built-up

901.A/.. - ZOOM

IP20    4.5300 



built-up base - spots to be ordered separately

Dimensions

← L900xB160xH50

← L870xB120

Materials

Aluminium

Aluminium / Messing

Ref

901.A.1

901.A.42

901.A.40

901.A.162

1 | 40

42 | 162

Price €



built-up



ACCESSORIES

BASES #

SLO_T1_D15/.. - LEDMODULET1



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70

15°

=350mA



IP20



0,0500

0,5 m

5,6



Ref

SLO_T1_D15

Price €

CW | NW | WW

SLO_T1_D30/.. - LEDMODULET1



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70

30°

=350mA



IP20



0,1000

0,5 m

5,6



Ref

SLO_T1_D30

Price €

CW | NW | WW

SLO_T1_D36/.. - LEDMODULET1



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70

36°

=350mA



IP20



0,1200

0,5 m

5,6



Ref

SLO_T1_D36

Price €

CW | NW | WW

SLO_T1_D45/.. - LEDMODULET1



led module - LED module - lens - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø35xH70

45°

=350mA



IP20



0,5 m

5,6



Ref

SLO_T1_D45

Price €

CW | NW | WW

AC_700_D24/.. - LEDMODULE AC

~230V



IP20



led module - SLA AC Module + fixation spot

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø50xH95

24°

Ref

AC_700_D24

Price €

CW | NW | WW

AC_700_D36/.. - LEDMODULE AC

~230V



IP20



led module - SLA AC Module + fixation spot

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø50xH95

36°

Ref

AC_700_D36

Price €

CW | NW | WW


ACCESSORIES

LEDMODULES



DC_1200_D24/.. - LEDMODULE DC

=350mA



led module - SLA DC Module + fixation spot - without LED driver

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø50xH80

24°

Ref

DC_1200_D24

Price €

CW | NW | WW

DC_1200_D36/.. - LEDMODULE DC

=350mA



led module - SLA DC Module + fixation spot - without LED driver

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø50xH80

36°

Ref

DC_1200_D36

Price €

CW | NW | WW

DC_700_D24/.. - LEDMODULE DC

=250mA



led module - SLA DC Module + fixation spot - without LED driver

Lamptype

1x LED 700lm CRI92 max. 8,8W

250mA

Dimensions

Ø50xH70

24°

Ref


DC_700_D24

Price €

CW | NW | WW

DC_700_D36/.. - LEDMODULE DC

=250mA



led module - SLA DC Module + fixation spot - without LED driver

Lamptype

1x LED 700lm CRI92 max. 8,8W

250mA

Dimensions

Ø50xH70

36°

Ref


DC_700_D36

Price €

CW | NW | WW

NOVAFLAT/.. - NOVA FLAT + DRIVER

~230V



led module - with LED driver

Ref

Price €

Lamptype

NOVAFLAT

NW | WW

1x LED 450lm CRI98 max. 6W

120mA


Dimensions

Ø50xH25

36°

NOVA/.. - NOVA + DRIVER

~230V



led module - with LED driver

Ref

Price €

Lamptype

NOVA

NW | WW

1x LED 670lm CRI98 max. 8W

180mA


Dimensions

Ø50xH50

36°

NOVASOFT/.. - NOVA SOFT DIM

~230V



led module - with LED driver

Ref

Price €

Lamptype

NOVASOFT

TW

1x LED 500lm CRI90 max. 8W

230V

Dimensions

Ø50xH56

36°

ACCESSORIES

LEDMODULES

NOVA.D15/.. - NOVA LED LENS

IP20  

accessory for downlight - Lens 15°

Ref

Price €

Dimensions

NOVA.D15

→ Ø50

∧ 15°



NOVA.D60/.. - NOVA LED LENS

IP20   

accessory for downlight - Lens 60°

Ref

Price €

Dimensions

NOVA.D60

→ Ø50

∧ 60°



GL1129W/.. - GLASS G4-G9

IP20    0.5400 



Glass - silk satin

Dimensions

↔ Ø150xH75

Options

- 4001.G4.B3/.. PIVA
- 4001.G9.B3/.. PIVA

Ref

GL1129W

Price €

rod not included

GL2718CG/.. - GUILIA C spare glass

IP20   



spare glass - ceramic grey

Dimensions

Glass Ø106xH110

Ref

GL2718CG

Price €

rod not included

GL413G/.. - GLASS G4-G9

IP20    0.3320 



Glass - Robellat Oro

Dimensions

↔ Ø95xH110

Options

- 4001.G4.B3/.. PIVA
- 4001.G9.B3/.. PIVA

Ref

GL413G

Price €

rod not included

GL423S/.. - GLASS G4-G9

IP20    0.7920 



Glass - silk satin

Dimensions

↔ Ø125-24xH165

Options

- 4001.G4.B3/.. PIVA
- 4001.G9.B3/.. PIVA

Ref

GL423S

Price €

rod not included

GL5434WN/.. - GLASS G4-G9

IP20    0.3918 



Glass - wenge incurciato nero

Dimensions

↔ Ø140xH100

Options

4001.G4.B3/.. PIVA

4001.G9.B3/.. PIVA

Ref

GL5434WN

Price €

rod not included

GL5994CA/.. - GLASS G4-G9

IP20    0.5300 



Glass - Ceramico Ambra

Dimensions

↔ Ø140xH95

Options

4001.G4.B3/.. PIVA

4001.G9.B3/.. PIVA

Ref

GL5994CA

Price €

rod not included

GL8285BC/.. - GLASS G4-G9

IP20    0.4928 



Glass - Bean Coffee

Dimensions

↔ Ø95xH100

Options

4001.G4.B3/.. PIVA

4001.G9.B3/.. PIVA

Ref

GL8285BC

Price €

rod not included

GL8285S/.. - GLASS G4-G9

IP20    0.4654 



Glass - silk satin

Dimensions

↔ Ø95xH100

Options

4001.G4.B3/.. PIVA

4001.G9.B3/.. PIVA

Ref

GL8285S

Price €

rod not included

GL8285W/.. - GLASS G4-G9

IP20    0.4482 



Glass - wenge

Dimensions

↔ Ø95xH100

Options

4001.G4.B3/.. PIVA

4001.G9.B3/.. PIVA

Ref

GL8285W

Price €

rod not included

R1028/.. - GUILIA B spare glass

IP20    0.1060 



spare glass

Dimensions

Glass Ø60xH120

Ref

R1028

Price €

rod not included

R1029/.. - GUILIA A spare glass

IP20    0.1040 



spare glass

Dimensions

Glass Ø60xH120

Ref

R1029

Price €

rod not included





003.RALSTOCK/.. - RAL CLASSIC COLOUR STOCK	3	1873A/.. - SPINNER X AR70 plasterkit	37	1609/.. - ROSETTE UP	77
003.RALNOSTOCK/.. - RAL CLASSIC COLOUR NO STOCK	3	1874A/.. - SPINNER X AR70 plasterkit	38	030/.. - ROSETTE UP	77
003.NCS/.. - NCS COLOUR	3	1879A/.. - SPINNER X AR70 plasterkit	38	033.B3.D8,3/.. - ROZET VOOR PENDEL	78
S1/.. - SET TORSION SPRINGS	4	1881A/.. - SPINNER X FORUM plasterkit	38	033.B3.D12/.. - ROZET VOOR PENDEL	78
S2/.. - SET FLAT SPRINGS	4	1882A/.. - SPINNER X FORUM plasterkit	38	060.B3.D8,3/.. - ROSETTE for pendant	78
S5/.. - Ø80 SYSTEM	4	1883A/.. - SPINNER X FORUM plasterkit	39	060.B3.D12/.. - ROSETTE for pendant	78
F50/.. - FILTER	5	1884A/.. - SPINNER X FORUM plasterkit	39	020.B3/./.. - ROSETTE -M10-M8-M6-D8,3	80
F70/.. - FILTER	5	1889A/.. - SPINNER X FORUM plasterkit	39	021.B3.ZT.D8,3/.. - ROSETTE UP	80
F111/.. - FILTER	5	ADAPTION RD/.. - ADAPTION RING	41	034.B3/.. - ROZET VOOR PENDEL	80
DEMOWAAIER/.. - DEMO KLEURENWAAIER	6	ADAPTION SQ/.. - ADAPTION RING	41	035/.. - ROZET VOOR PENDEL	81
DEMO TEXTILE CABLE/.. - DEMO TEXTIELCABLE	6	SUPPORT/.. - ADAPTION RING	42	037.B3.D8,3/.. - ROSETTE UP	81
DEMONAT/.. - DEMO COLOUR NATURAL	6	013/.. - ROSETTE IN	44	037.B3.D12/.. - ROSETTE UP	81
DEMOGLAS/.. - DEMO COLOUR GLASS	6	014/.. - ROSETTE IN	44	006/.. - TRANSFORMER BOX	82
DEMOCIGARO/.. - DEMO CIGARO	7	002/.. - ROSETTE IN	44	028/.. - ROSETTE UP	82
TXST/.. - TEXTILE STANDAARD CABLE	8	61.10/.. - ROSETTE IN	45	1686/.. - ROSETTE UP	83
TXTWIST/.. - TEXTILE TWISTED CABLE	10	71.10/.. - ROSETTE IN	45	1687/.. - ROSETTE UP	83
TXNAT/.. - TEXTILE NATURAL CABLE	10	81.10/.. - ROSETTE IN	45	1688/.. - ROSETTE UP	83
TXG/.. - TEXTILE GLITTER CABLE	10	91.10/.. - ROSETTE IN	47	1647/.. - ROSETTE UP + DRIVER	84
TXSTRIP/.. - TEXTILE STRIPES CABLE	11	101.10/.. - ROSETTE IN	47	1649/.. - ROSETTE UP + DRIVER	84
TXPT/.. - TEXTILE PATTERN CABLE	11	121.10/.. - ROSETTE IN	47	1653/.. - ROSETTE UP + DRIVER	84
TXL/.. - LEATHER CABLE	11	141.10/.. - ROSETTE IN	47	017/.. - ROSETTE UP	85
KX/.. - TEXTILE CABLE Ø3MM	11	161.10/.. - ROSETTE IN	48	025/.. - ROSETTE UP	85
TXSTEEL/.. - TEXTILE STEEL CABLE	12	181.10/.. - ROSETTE IN	48	027/.. - ROSETTE UP	85
TXO/.. - TEXTILE OUTDOOR CABLE	12	102.10/.. - ROSETTE IN	49	026.ZT/.. - ROSETTE UP	85
TEXCABLE3X1,5/.. - TEXTILE CABLE	12	122.10/.. - ROSETTE IN	49	025.B3/./.. - ROSETTE-M10-M8-M6-D8,3	86
TEXW3X1,5/.. - TEXTILE TWISTED CABLE	13	142.10/.. - ROSETTE IN	49	1654/.. - ROSETTE UP + DRIVER	86
TEXCABLE4X/.. - TEXTILE CABLE	13	162.10/.. - ROSETTE IN	49	1144/.. - ROSETTE UP	87
2029/.. - METRO	14	182.10/.. - ROSETTE IN	50	1666/.. - ROSETTE WALL	87
2029A/.. - METRO	14	1714/.. - ROSETTE IN	51	1144.SW/.. - ROSETTE UP	87
2031A/.. - METRO	14	1715/.. - ROSETTE IN	51	1667/.. - ROSETTE WALL	87
2031B/.. - METRO	14	1716/.. - ROSETTE IN	51	064/.. - ROSETTE HOOK	88
2031/.. - METRO	15	1718/.. - ROSETTE IN	51	066/.. - ROSETTE HOOK	89
029/.. - STEELCABLE HOLDER	16	065/./.. - ROSETTE M6-M8-M10-D8,3	53	067/.. - ROSETTE HOOK	89
031/.. - STEELCABLE HOLDER	16	080/./.. - ROSETTE M6-M8-M10-D8,3	53	068/.. - ROSETTE HOOK	89
051/.. - STEEL CABLE HOLDER	16	100/./.. - ROSETTE M6-M8-M10-D8,3	53	069/.. - ROSETTE HOOK	89
2020/.. - METRO	17	1428/.. - ROSETTE IN WITH SCREWS	54	070/.. - ROSETTE HOOK	90
P041/.. - STAALKABEL	17	1429/.. - ROSETTE IN WITH SCREWS	54	1623/.. - ROSETTE HOOK	90
P042/.. - CHAIN - KETTING POLO	17	40.10/.. - ROSETTE IN	56	062/.. - ROSETTE for chain	90
S.EXTRACIRCUIT/.. - SUPPLEMENT EXTRA CIRCUIT	17	50.10/.. - ROSETTE IN	56	063/.. - ROSETTE UP	91
S1640/.. - DIMMER KABEL	18	60.10/.. - ROSETTE IN	56	1700/.. - BETAPLUS	91
S1650/.. - DIMMER KABEL	18	80.10/.. - ROSETTE IN	56	923.ZT/.. - RONDO BOX	93
015/./.. - KNEEJOINT - M6 - M8 - M10	19	100.10/.. - ROSETTE IN	57	821/.. - RONDO BOX	93
019/.. - KNEEJOINT	19	065.65/./.. - ROSETTE M6-M8-M10-D8,3	58	821.ZT/.. - RONDO BOX	93
022/.. - KNEEJOINT	19	080.80/./.. - ROSETTE M6-M8-M10-D8,3	58	825/.. - RONDO BOX	93
1645/.. - KNEEJOINT	20	100.100/./.. - ROSETTE IN	58	826/.. - RONDO BOX	94
1646/.. - KNEEJOINT	20	1668/.. - ROSETTE WALL IN	60	822/.. - RONDO BOX	94
000T/.. - supplement MOUNTING TRACK	22	1669/.. - ROSETTE WALL IN	60	822.ZT/.. - RONDO BOX	94
000B/.. - supplement MOUNTING	22	1677/.. - ROSETTE WALL IN	60	925C/.. - RONDO BOX	94
000C/.. - supplement HOLE + STAIN RELIEF	23	1433/.. - ROSETTE UP	61	925C.ZT/.. - RONDO BOX	96
000CR/.. - supplement HOLE + STAIN RELIEF	23	1434/.. - ROSETTE UP	61	925D/.. - RONDO BOX	96
000B3/.. - supplement SWIVEL	23	054B/.. - ROSETTE for textile cable	62	925D.ZT/.. - RONDO BOX	96
000ST/.. - supplement HOLE STEEL CABLE	24	055B/.. - ROSETTE for textile cable	62	924A/.. - RONDO BOX	97
000ST+HR/.. - supplement HOLE STEEL CABLE +		057/.. - ROSETTE for textile cable	62	924B/.. - RONDO BOX	97
HEIGHT CONTROL	24	058/.. - ROSETTE for textile cable	63	824/.. - RONDO BOX	97
P038/.. - STRAIN RELIEF - TREKONTLASTING	26	058.2/.. - ROSETTE for textile cable	63	926C/.. - RONDO BOX	97
P039/.. - STRAIN RELIEF - TREKONTLASTING	26	058.3/.. - ROSETTE for textile cable	63	926D/.. - RONDO BOX	98
P040/.. - STRAIN RELIEF - TREKONTLASTING	26	059.1/.. - ROSETTE for textile cable	65	RONDOBOX/.. - RONDO BOX	98
1791/.. - STRAIN RELIEF - TREKONTLASTING	27	059.4/.. - ROSETTE for textile cable	65	D300/.. - RONDO BOX	99
1113/.. - STRAIN RELIEF - TREKONTLASTING	27	059.5/.. - ROSETTE for textile cable	65	D350/.. - RONDO BOX	99
056/.. - DECENTRALISATIESTEUN	28	059.6/.. - ROSETTE for textile cable	65	D400/.. - RONDO BOX	99
1069/.. - SUPPORT FOR TEXTILE CABLE	28	059.7/.. - ROSETTE for textile cable	66	D500/.. - RONDO BOX	99
5014/.. - MAESTRO	28	071/.. - ROSETTE for textile cable	67	D600/.. - RONDO BOX	101
S6.00/.. - PLASTERKIT	30	072/.. - ROSETTE for textile cable	67	927/.. - OVALE BOX	102
S6/.. - PLASTERKIT	31	073/.. - ROSETTE for textile cable	67	928/.. - OVALE BOX	102
S6./.. - PLASTERKIT	31	073.2/.. - ROSETTE for textile cable	67	929/.. - OVALE BOX	102
S6./.. - PLASTERKIT	31	073.3/.. - ROSETTE for textile cable	68	930/.. - OVALE BOX	102
S6x/.. - PLASTERKIT	31	073B.3/.. - ROSETTE for textile cable	68	1518/.. - OVALE BOX	103
S9/.. - PLASTERKIT	32	073.4/.. - ROSETTE for textile cable	68	651/.. - TEXO	104
S11/.. - BOX	32	073.5/.. - ROSETTE for textile cable	68	650/.. - TEXO	104
S14/.. - BOX	32	001/.. - ROSETTE UP	70	652/.. - TEXO	104
S7/.. - PLASTERKIT	32	003/.. - ROSETTE UP	70	653/.. - TEXO	104
S12/.. - BOX	33	004/.. - ROSETTE UP	70	654/.. - TEXO	105
S8/.. - PLASTERKIT	33	005/.. - ROSETTE UP	71	655/.. - TEXO	107
S13/.. - BOX	33	2025/.. - ROSETTE UP	72	656/.. - TEXO	107
S10.198/.. - PLASTERKIT	33	020/.. - ROSETTE UP	72	657/.. - TEXO	107
S15/.. - BOX	34	021.ZT/.. - ROSETTE UP	72	658/.. - TEXO	107
1231/.. - MIRO plasterkit	34	2024/.. - ROSETTE UP	72	659/.. - TEXO	108
1234/.. - COMPACT plasterkit	34	061/.. - ROSETTE UP	73	700/.. - TEXO	108
1237/.. - SCREEN plasterkit	34	053/.. - OPHANGING VOOR PENDEL	73	5021/.. - TEXO	109
1239/.. - SMALL SCREEN plasterkit	35	049/.. - ROZET VOOR OPBOUWSPOT	73	5022/.. - TEXO	109
1239D/.. - RECTO SCREEN plasterkit	35	042/.. - ROZET VOOR OPBOUWSPOT	73	5023/.. - TEXO	109
1298D/.. - LIMA plasterkit	35	1559/.. - ROSETTE UP	74	5024/.. - TEXO	109
1808B/.. - OLIVIA-INCA plasterkit	35	1559.SW/.. - ROSETTE UP	74	5025/.. - TEXO	110
1845B/.. - OLIVIA PLASTERKIT	36	050/.. - ROZET VOOR OPBOUWSPOT	74	701.900/.. - TEXO	111
1851A/.. - SPINNER X plasterkit	36	043/.. - ROZET VOOR OPBOUWSPOT	74	701.1200/.. - TEXO	111
1852A/.. - SPINNER X plasterkit	36	059/.. - ROSETTE M10	76	701.1400/.. - TEXO	111
1853A/.. - SPINNER X plasterkit	36	032/.. - ROSETTE UP	76	701.1600/.. - TEXO	111
1859A/.. - SPINNER X plasterkit	37	1719/.. - ROSETTE UP	76	701.1800/.. - TEXO	112
1871A/.. - SPINNER X AR70 plasterkit	37	1604/.. - ROSETTE UP	77	702.1200x160/.. - TEXO	113
1872A/.. - SPINNER X AR70 plasterkit	37	1608/.. - ROSETTE UP	77	703.1200x250/.. - TEXO	113

704.800X300/.. - TEXO	114	GL1129W/.. - GLASS G4-G9	147
704.1200X300/.. - TEXO	114	GL2718CG/.. - GUILIA C spare glass	147
704.1400X300/.. - TEXO	114	GL413G/.. - GLASS G4-G9	147
705.1200X500/.. - TEXO	114	GL423S/.. - GLASS G4-G9	147
1629.1000/.. - JUBA	115	GL5434WN/.. - GLASS G4-G9	148
1166.150/.. - JUBA	116	GL5994CA/.. - GLASS G4-G9	148
1166.200/.. - JUBA	116	GL8285BC/.. - GLASS G4-G9	148
1166.320/.. - JUBA	116	GL8285S/.. - GLASS G4-G9	148
1166.400/.. - JUBA	116	GL8285W/.. - GLASS G4-G9	149
1166.600/.. - JUBA	117	R1028/.. - GUILIA B spare glass	149
1166.900/.. - JUBA	117	R1029/.. - GUILIA A spare glass	149
1166.1200/.. - JUBA	117		
1162.200/.. - JUBA	118		
1162.320/.. - JUBA	118		
1162.400/.. - JUBA	118		
1162.1000/.. - JUBA	118		
807.ZT/.. - JUBA ZT	119		
808.ZT/.. - JUBA ZT	119		
809.ZT/.. - JUBA ZT	119		
818/.. - JUBA ZT	120		
811/.. - JUBA ZT	120		
814/.. - JUBA ZT	121		
1790.100/.. - KAVA	123		
1790.180/.. - KAVA	123		
1790.280/.. - KAVA	123		
1790.400/.. - KAVA	124		
1790.500/.. - KAVA	124		
1790.600/.. - KAVA	124		
1790.900/.. - KAVA	124		
1790.1200/.. - KAVA	125		
8314/.. - STELLA	126		
8320/.. - STELLA	126		
8324/.. - STELLA	126		
8325/.. - STELLA	126		
8312/.. - STELLA	127		
8313/.. - STELLA	127		
044.350MA/.. - BASIS VOOR OPBOUWSPOT	129		
044.500MA/.. - BASIS VOOR OPBOUWSPOT	129		
044.700MA/.. - BASIS VOOR OPBOUWSPOT	129		
045.350MA/.. - BASIS VOOR OPBOUWSPOT	130		
045.500MA/.. - BASIS VOOR OPBOUWSPOT	130		
045.700MA/.. - BASIS VOOR OPBOUWSPOT	130		
045.1050MA/.. - BASIS VOOR OPBOUWSPOT	130		
046.350MA/.. - BASIS VOOR OPBOUWSPOT	131		
046.500MA/.. - BASIS VOOR OPBOUWSPOT	131		
046.700MA/.. - BASIS VOOR OPBOUWSPOT	131		
047.350MA/.. - BASIS VOOR OPBOUWSPOT	132		
047.500MA/.. - BASIS VOOR OPBOUWSPOT	132		
047.700MA/.. - BASIS VOOR OPBOUWSPOT	132		
047.1050MA/.. - BASIS VOOR OPBOUWSPOT	132		
048.350MA/.. - BASIS VOOR OPBOUWSPOT	133		
048.500MA/.. - BASIS VOOR OPBOUWSPOT	133		
048.700MA/.. - BASIS VOOR OPBOUWSPOT	133		
048.1050MA/.. - BASIS VOOR OPBOUWSPOT	133		
932.220/.. - SQUARE	134		
934.220/.. - SQUARE	134		
936.220/.. - SQUARE	134		
938.220/.. - SQUARE	134		
940.220/.. - SQUARE	135		
942.220/.. - SQUARE	135		
944.220/.. - SQUARE	135		
752.220/.. - SQUARE	136		
753.220/.. - SQUARE	136		
1976/.. - LUXOR UP	138		
1977/.. - LUXOR UP	138		
1979/.. - LUXOR UP	138		
856/.. - ZOOM	139		
858ZT/.. - ZOOM	139		
860ZT/.. - ZOOM	139		
896.A.ZT/.. - ZOOM	139		
897.A.ZT/.. - ZOOM	140		
898.A.ZT/.. - ZOOM	140		
899.A.ZT/.. - ZOOM	140		
900.A.ZT/.. - ZOOM	140		
901.A/.. - ZOOM	141		
SLO_T1_D15/.. - LEDMODULE T1	142		
SLO_T1_D30/.. - LEDMODULE T1	142		
SLO_T1_D36/.. - LEDMODULE T1	142		
SLO_T1_D45/.. - LEDMODULE T1	142		
AC_700_D24/.. - LEDMODULE AC	143		
AC_700_D36/.. - LEDMODULE AC	143		
DC_1200_D24/.. - LEDMODULE DC	144		
DC_1200_D36/.. - LEDMODULE DC	144		
DC_700_D24/.. - LEDMODULE DC	144		
DC_700_D36/.. - LEDMODULE DC	144		
NOVAFLAT/.. - NOVA FLAT + DRIVER	145		
NOVA/.. - NOVA + DRIVER	145		
NOVASOFT/.. - NOVA SOFT DIM	145		
NOVA.D15/.. - NOVA LED LENS	146		
NOVA.D60/.. - NOVA LED LENS	146		



Colours

 ANODISED ALU 40	 BRONZE 13	 BRONZE MATT 13M	 DARK BRONZE 23	 SUNMETAL 7	 ALU SATIN - ALU 104
 BLACK - GOLD IN	 BLACK - WHITE IN	 BRONZE - BLACK IN 132	 DARK BRO 32	 SHINY GOLD - BLACK 42	 WHITE - BLACK IN 77
 CHROME 7	 SHINY GOLD 4	 INOX 316 - POLISHED 5B	 INOX 316 - POLISHED 5BB	 INOX 316 5	 ALU SATIN 14
 ROSÉ 28	 SATIN GOLD 16	 ALU - BLACK 142	 ALU 142	 BLACK - GOLD 162	 BLACK - GOLD 162
 BLACK - RC	 RC - BLACK 282	 ALU GREY 11	 ANODIC BRONZE 118	 ANODIC BROWN 119	 ANODIC GOLD 117
 ANTHRACITE GREY 44	 BLACK MATT 2	 BLACK 2M	 BLACK TEXTURE 5	 BRONZE-BROWN 53X	 BRONZE-BROWN 53
 BROWN TEXTURE 33M	 GREY TEX 11M	 GREY TEXTURE 37X	 GREY-BROWN 46X	 GREY-BROWN 46	 RUST 21
 WHITE GLOSS 1	 WHITE TEXTURE 1M	 WHITE TEXTURE 31MX	 ALU GREY 10	 SUN GOLD 45	

ANODISED





100%  Belgian quality



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.