

Design lovers go for

Cigaro



psmlighting

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.


Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2406/.. - CIGARO

=350mA



IP20



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH125 mm



Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

2406.1M

NW | WW

2406.2M

NW | WW

2406.42

NW | WW

2406.132

NW | WW

2406.142

NW | WW

2406.162

NW | WW

2406.233

NW | WW

2406.282

NW | WW

2406.562

NW | WW

Price €

built-up


Other optics : 15° - 24° - 45° on demand

2450/.. - CIGARO

=350mA



IP20



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W

Dimensions

Ø28xH125 mm



Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

2450.1M

NW | WW

2450.2M

NW | WW

2450.42

NW | WW

2450.132

NW | WW

2450.142

NW | WW

2450.162

NW | WW

2450.282

NW | WW

2450.233

NW | WW

2450.562

NW | WW

Price €

built-up

Other optics : 15° - 24° - 45° on demand



33M8/.. - ZIA BASE Ø30



built-in base with swivel - round - directional - without transformer

Dimensions

Ø33xH50 mm

Ø30 mm

60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Messing 4 | 13 | 16

Options

S6.30/.. PLASTERKIT

Ref	Price €
33M8.1	
33M8.1M	
33M8.2	
33M8.2M	
33M8.4	
33M8.11	
33M8.13	
33M8.14	
33M8.16	

built-in

43M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

Ø43xH50 mm

Ø39-40 mm

60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Messing 4 | 13 | 16


Options

S6.40/.. PLASTERKIT

Ref	Price €
43M8.1	
43M8.1M	
43M8.2	
43M8.2M	
43M8.4	
43M8.11	
43M8.13	
43M8.14	
43M8.16	

built-in

50M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

Ø50xH50 mm

Ø39-40 mm

60 mm


Materials

Aluminium 1M | 2M | 14

Messing 4 | 13 | 16


Ref	Price €
50M8.1M	
50M8.2M	
50M8.4	
50M8.13	
50M8.14	
50M8.16	

built-in



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH146 mm



Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

8381.2406.1M	NW WW
8381.2406.2M	NW WW
8381.2406.42	NW WW
8381.2406.132	NW WW
8381.2406.142	NW WW
8381.2406.162	NW WW
8381.2406.282	NW WW
8381.2406.233	NW WW
8381.2406.562	NW WW

built-up

Other optics : 15° - 24° -45° on demand

8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH146 mm



Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

8382.2406.1M	NW WW
8382.2406.2M	NW WW
8382.2406.42	NW WW
8382.2406.233	NW WW
8382.2406.562	NW WW
8382.2406.132	NW WW
8382.2406.142	NW WW
8382.2406.162	NW WW
8382.2406.282	NW WW

built-up

Other optics : 15° - 24° -45° on demand



8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH146 mm



Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

8384.2406.1M	NW WW
8384.2406.2M	NW WW
8384.2406.42	NW WW
8384.2406.233	NW WW
8384.2406.562	NW WW
8384.2406.132	NW WW
8384.2406.142	NW WW
8384.2406.162	NW WW
8384.2406.282	NW WW

built-up

Other optics : 15° - 24° -45° on demand

8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH146 mm



Materials

Aluminium 1M | 2M | 142 | 14M2 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

8388.2406.1M	NW WW
8388.2406.2M	NW WW
8388.2406.42	NW WW
8388.2406.233	NW WW
8388.2406.562	NW WW
8388.2406.132	NW WW
8388.2406.142	NW WW
8388.2406.14M2	NW WW
8388.2406.162	NW WW
8388.2406.282	NW WW

built-up

Other optics : 15° - 24° -45° on demand



8584.2406/.. - MYLA CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH135 mm



Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

8584.2406.1M

NW | WW

8584.2406.2M

NW | WW

8584.2406.42

NW | WW

8584.2406.233

NW | WW

8584.2406.562

NW | WW

8584.2406.132

NW | WW

8584.2406.142

NW | WW

8584.2406.162

NW | WW

8584.2406.282

NW | WW

Price €

built-up

Other optics : 15° - 24° - 45° on demand

2417/.. - CIGARO

~230V



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



350mA

Dimensions

Ø65xH170



Base Ø65xH45

Spot Ø28xH125

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

2417.1M

NW | WW

2417.2M

NW | WW

2417.42

NW | WW

2417.132

NW | WW

2417.142

NW | WW

2417.162

NW | WW

2417.233

NW | WW

2417.282

NW | WW

2417.562

NW | WW

Price €

built-up



INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2417/.. - CIGARO

~230V



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

→ Ø65xH170 mm



Base Ø65xH45 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2417.1M	● NW WW
2417.2M	● NW WW
2417.42	● NW WW
2417.233	● NW WW
2417.562	● NW WW
2417.132	● NW WW
2417.142	● NW WW
2417.162	● NW WW
2417.282	● NW WW

built-up

Other optics : 15° - 24° - 45° on demand

2418/.. - CIGARO

=350mA



built-up ceiling light - directional - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

→ Ø60xH150 mm



Base Ø60xH25 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €


2418.1M	● NW WW
2418.2M	● NW WW
2418.42	● NW WW
2418.233	● NW WW
2418.562	● NW WW
2418.132	● NW WW
2418.142	● NW WW
2418.162	● NW WW
2418.282	● NW WW

built-up

Other optics : 15° - 24° - 45° on demand

2424/.. - CIGARO

~230V



ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

→ L65xB65xH170 mm



Base L65xB65xH45 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €


2424.1M	● NW WW
2424.2M	● NW WW
2424.42	● NW WW
2424.233	● NW WW
2424.562	● NW WW
2424.132	● NW WW
2424.142	● NW WW
2424.162	● NW WW
2424.282	● NW WW

built-up

Other optics : 15° - 24° - 45° on demand

2426/.. - CIGARO

=350mA



ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

→ L60xB60xH150 mm



Base L60xB60xH25 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2426.1M	● NW WW
2426.2M	● NW WW
2426.42	● NW WW
2426.132	● NW WW
2426.142	● NW WW
2426.162	● NW WW
2426.233	● NW WW
2426.282	● NW WW
2426.562	● NW WW

built-up

Other optics : 15° - 24° - 45° on demand

INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2422/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

Ø300xH153 mm

35°

Base Ø300xH28 mm

Ø270xH26 mm

Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2422.1M

NW | WW

2422.2M

NW | WW

2422.42

NW | WW

2422.132

NW | WW

2422.142

NW | WW

2422.162

NW | WW

2422.282

NW | WW

2422.233

NW | WW

2422.562

NW | WW

built-up

Other optics : 15° - 24° - 45° on demand





INDOOR | Ceiling UP | Luminares | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2451/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 410lm CRI90 max. 4W



Dimensions

L200xB40xH165 mm

35°

Base L200xB40xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2451.1M NW | WW

2451.2M NW | WW

2451.42 NW | WW

2451.233 NW | WW

2451.562 NW | WW

2451.132 NW | WW

2451.142 NW | WW

2451.162 NW | WW



2451.282 NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

2452/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L320xB40xH165 mm

35°

Base L320xB40xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2452.1M NW | WW

2452.2M NW | WW

2452.42 NW | WW

2452.233 NW | WW

2452.562 NW | WW

2452.132 NW | WW

2452.142 NW | WW

2452.162 NW | WW



2452.282 NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

2453/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

L600xB40xH165 mm

35°

Base L600xB40xH40 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2453.1M NW | WW

2453.2M NW | WW

2453.42 NW | WW

2453.233 NW | WW

2453.562 NW | WW

2453.132 NW | WW

2453.142 NW | WW

2453.162 NW | WW

2453.282 NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

2454/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L1200xB40xH165 mm

35°

Base L1200xB40xH40 mm

Spot Ø28xH125 mm

Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2454.1M NW | WW

2454.2M NW | WW

2454.42 NW | WW

2454.233 NW | WW

2454.562 NW | WW

2454.132 NW | WW

2454.142 NW | WW

2454.162 NW | WW

2454.282 NW | WW

built-up


Other optics : 15° - 24° - 45° on demand

INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2455/.. - CIGARO

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

L215xB215xH157 mm



Base L215xB215xH32 mm



L185xB185xH30 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2455.1M NW | WW

2455.2M NW | WW

2455.42 NW | WW

2455.233 NW | WW

2455.562 NW | WW

2455.132 NW | WW

2455.142 NW | WW

2455.162 NW | WW


2455.282 NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

2456/.. - CIGARO

~230V



ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L1200xB40xH165 mm



Base L1200xB40xH40 mm



Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €

2456.1M NW | WW

2456.2M NW | WW

2456.42 NW | WW

2456.233 NW | WW

2456.562 NW | WW

2456.132 NW | WW

2456.142 NW | WW

2456.162 NW | WW

2456.282 NW | WW

built-up

Other optics : 15° - 24° - 45° on demand

INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2464/.. - CIGARO

≈350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH300 mm



Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M
Rood koper 28 | 56

Ref

2464.1M
2464.2M
2464.4
2464.14
2464.16
2464.28
2464.56
2464.13M
2464.230

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

Price €

built-up

2465/.. - CIGARO

≈350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH350 mm



Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M
Rood koper 28 | 56

Ref

2465.1M
2465.2M
2465.4
2465.14
2465.16
2465.28
2465.56
2465.13M
2465.230

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

Price €

built-up

2466/.. - CIGARO

≈350mA



built-up ceiling light - fixed - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH400 mm



Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M
Rood koper 28 | 56

Ref

2466.1M
2466.2M
2466.4
2466.14
2466.16
2466.28
2466.56
2466.13M
2466.230

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

Price €

built-up



INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2470/.. - CIGARO

~230V



built-up ceiling light - fixed - with LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø65xH130 mm

35°

Base Ø65xH45 mm

Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2470.1M	NW WW
2470.2M	NW WW
2470.42	NW WW
2470.132	NW WW
2470.142	NW WW
2470.162	NW WW
2470.282	NW WW
2470.233	NW WW
2470.562	NW WW

built-up

2475/.. - CIGARO

=350mA



ceiling light - fixed - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø60xH110 mm

35°

Base Ø60xH25 mm

Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2475.1M	NW WW
2475.2M	NW WW
2475.42	NW WW
2475.132	NW WW
2475.142	NW WW
2475.162	NW WW
2475.282	NW WW
2475.233	NW WW
2475.562	NW WW

built-up

2471/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 max. 4W



Dimensions

Ø170xH115 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2471.1M	NW WW
2471.2M	NW WW
2471.42	NW WW
2471.132	NW WW
2471.142	NW WW
2471.162	NW WW
2471.282	NW WW
2471.233	NW WW
2471.562	NW WW

built-up




INDOOR | Ceiling UP | Luminaires | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2472/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

Ø170xH282 mm



Base Ø170xH32 mm



Ø150xH30 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref Price €

2472.1M NW | WW

2472.2M NW | WW

2472.42 NW | WW

2472.132 NW | WW

2472.142 NW | WW

2472.162 NW | WW

2472.282 NW | WW

2472.233 NW | WW

2472.562 NW | WW

built-up
1x150mm - 1x200mm - 1x250mm

2473/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

Ø300xH328 mm



Base Ø300xH28 mm



Ø270xH26 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref Price €

2473.1M NW | WW

2473.2M NW | WW

2473.42 NW | WW

2473.132 NW | WW

2473.142 NW | WW

2473.162 NW | WW

2473.282 NW | WW

2473.233 NW | WW

2473.562 NW | WW

built-up
1x 150mm - 2x 200mm - 1x 250mm - 1x 300mm

2474/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 max. 4W



Dimensions

Ø350xH328 mm



Base Ø350xH28 mm



Ø320xH26 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref Price €

2474.1M NW | WW

2474.2M NW | WW

2474.42 NW | WW

2474.132 NW | WW

2474.142 NW | WW

2474.162 NW | WW

2474.282 NW | WW

2474.233 NW | WW

2474.562 NW | WW

built-up
1x85mm - 3x 150mm - 1x 200mm - 1x 250mm - 1x 300mm




INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2420.150/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH162 mm Cable 1500 mm



Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 23 | 13M
Rood koper 28 | 56


Ref Price €

2420.150.1M.KX1	NW WW
2420.150.2M.KX2	NW WW
2420.150.4.KX2	NW WW
2420.150.14.KX2	NW WW
2420.150.16.KX2	NW WW
2420.150.23.KX2	NW WW
2420.150.28.KX2	NW WW
2420.150.56.KX2	NW WW
2420.150.13M.KX2	NW WW

built-up
with extra thin cable Ø3mm

2420.200/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH212 mm Cable 1500 mm



Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 23 | 13M
Rood koper 28 | 56


Ref Price €

2420.200.1M.KX1	NW WW
2420.200.2M.KX2	NW WW
2420.200.4.KX2	NW WW
2420.200.14.KX2	NW WW
2420.200.16.KX2	NW WW
2420.200.23.KX2	NW WW
2420.200.28.KX2	NW WW
2420.200.56.KX2	NW WW
2420.200.13M.KX2	NW WW

built-up
with extra thin cable Ø3mm

2420.250/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH262 mm Cable 1500 mm



Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 23 | 13M
Rood koper 28 | 56



Ref Price €

2420.250.1M.KX1	NW WW
2420.250.2M.KX2	NW WW
2420.250.4.KX2	NW WW
2420.250.14.KX2	NW WW
2420.250.16.KX2	NW WW
2420.250.23.KX2	NW WW
2420.250.28.KX2	NW WW
2420.250.56.KX2	NW WW
2420.250.13M.KX2	NW WW

built-up
with extra thin cable Ø3mm

2420.300/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH312 mm Cable 1500 mm



Materials

Aluminium 1M | 2M | 14
Messing 4 | 16 | 23 | 13M
Rood koper 28 | 56

Ref Price €


2420.300.1M.KX1	NW WW
2420.300.2M.KX2	NW WW
2420.300.4.KX2	NW WW
2420.300.14.KX2	NW WW
2420.300.16.KX2	NW WW
2420.300.23.KX2	NW WW
2420.300.28.KX2	NW WW
2420.300.56.KX2	NW WW
2420.300.13M.KX2	NW WW

built-up
with extra thin cable Ø3mm

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2420.350/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH362 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 23 | 13M

Rood koper

28 | 56

Ref

Price €

2420.350.1M.KX1

NW | WW

2420.350.2M.KX2

NW | WW

2420.350.4.KX2

NW | WW

2420.350.14.KX2

NW | WW

2420.350.16.KX2

NW | WW

2420.350.23.KX2

NW | WW

2420.350.28.KX2

NW | WW

2420.350.56.KX2

NW | WW


2420.350.13M.KX2

NW | WW

built-up
with extra thin cable Ø3mm

2420.400/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø28xH412 mm

Cable 1500 mm



Materials

Aluminium

1M | 2M | 14

Messing

4 | 16 | 23 | 13M

Rood koper

28 | 56

Ref

Price €

2420.400.1M.KX1

NW | WW

2420.400.2M.KX2

NW | WW

2420.400.4.KX2

NW | WW

2420.400.14.KX2

NW | WW

2420.400.16.KX2

NW | WW

2420.400.23.KX2

NW | WW

2420.400.28.KX2

NW | WW

2420.400.56.KX2

NW | WW

2420.400.13M.KX2

NW | WW

built-up
with extra thin cable Ø3mm



INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2430.200/.. - CIGARO GLASS

≈350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W



Dimensions

Ø50xH200 mm

Cable 1500 mm



45°

Glass Ø50xH150 mm

Materials

Aluminium

1M | 2M | 14 | 14M

Messing

4 | 16

Rood koper

28 | 56

Ref

Price €

2430.200.1M.KX1

NW | WW

2430.200.2M.KX2

NW | WW

2430.200.4.KX2

NW | WW

2430.200.14.KX2

NW | WW

2430.200.14M.KX2

NW | WW

2430.200.16.KX2

NW | WW

2430.200.28.KX2

NW | WW

2430.200.56.KX2

NW | WW

built-up

Available on request in frosted glass or plain without rib



P038/.. - STRAIN RELIEF - TREKONTLASTING

IP20    CE

strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20 mm

Materials

Aluminium

1M | 2M

Ref

P038.1M

P038.2M

Price €*built-up*
to be fixed to rosette or ceiling base

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    CE

strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 11 | 14 | 21 | 44 |

46 | 53

Messing

4 | 13 | 16 | 23

Rood koper

28

Ref

P039.1

P039.1M

P039.2

P039.2M

P039.4

P039.11

P039.13

P039.14

P039.16

P039.21

P039.23

P039.28

P039.44

P039.46

P039.53

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    CE

strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials

Aluminium

1 | 1M | 2 | 2M | 11 | 14 |

Messing

4 | 13 | 16 | 23

Rood koper

28

Ref

P040.1

P040.1M

P040.2

P040.2M

P040.4

P040.11

P040.13

P040.14

P040.16


P040.23

P040.28

built-up
to be fixed to rosette or ceiling base

61.10/.. - ROSETTE IN

S1 IP20   0.0800 



built-in

rosette to build in - round

Dimensions

→ Ø60 mm  Ø40 mm

└┘ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Inox 316 5

Messing 4 | 13 | 16

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €

61.10.1 

61.10.1M 

61.10.2 

61.10.2M 

61.10.4 

61.10.5 

61.10.11 


61.10.13 

61.10.14 

61.10.16 

71.10/.. - ROSETTE IN

S1 IP20   



built-in

rosette to build in - round

Dimensions

→ Ø70 mm  Ø50 mm

└┘ 55 mm

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING


Ref Price €

71.10.1M 

71.10.2M 

81.10/.. - ROSETTE IN

S1 IP20   0.1500 



built-in

rosette to build in - round

Dimensions

→ Ø80 mm  Ø60 mm

└┘ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Inox 316 5

Messing 4 | 13 | 16 | 23

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €

81.10.1 

81.10.1M 

81.10.2 

81.10.2M 

81.10.4 

81.10.5 

81.10.11 

81.10.13 


81.10.14 

81.10.16 

81.10.23 

91.10/.. - ROSETTE IN

S1 IP20    



rosette to build in - round

Dimensions

↔ Ø90 mm

 Ø60 mm

⌊ 55 mm

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €

91.10.1M



91.10.2M



built-in

2418/.. - CIGARO

=350mA

  IP20    0.1500 0.5 m 5.6 



built-up ceiling light - directional - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W

 350mA

Dimensions

↔ Ø60xH150

∠ 35°

Base Ø60xH25

Spot Ø28xH125

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref Price €

2418.1M

 NW | WW

2418.2M

 NW | WW

2418.42

 NW | WW

2418.132

 NW | WW

2418.142

 NW | WW

2418.162

 NW | WW

2418.233

 NW | WW

2418.282

 NW | WW

2418.562


 NW | WW

built-up

2424/.. - CIGARO

~230V

  IP20    0.3500 0.5 m 5.6 



ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 max. 4W

 350mA

Dimensions

↔ L65xB65xH165

∠ 35°

Base L65xB65xH40

Spot Ø28xH125

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref Price €

2424.1M

 NW | WW

2424.2M

 NW | WW

2424.42

 NW | WW

2424.132

 NW | WW

2424.142

 NW | WW

2424.162

 NW | WW

2424.233

 NW | WW

2424.282

 NW | WW

2424.562


 NW | WW

built-up

2426/.. - CIGARO

=350mA

  IP20    0.5 m 5.6 



ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 410lm CRI90 max. 4W

 350mA

Dimensions

↔ L60xB60xH150

∠ 35°

Base L60xB60xH25

Spot Ø28xH125

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref Price €

2426.1M

 NW | WW

2426.2M

 NW | WW

2426.42

 NW | WW

2426.132

 NW | WW

2426.142

 NW | WW

2426.162

 NW | WW

2426.233

 NW | WW

2426.282

 NW | WW

2426.562

 NW | WW

built-up

054B/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain relief for 1 textile cable

Dimensions

Ø64xH41 mm

Materials

Aluminium 1M | 2M | 14
Aluminium / Roodkoper 282
Messing 4 | 13 | 16 | 23
Rood koper 28

Ref

054B.1M
054B.2M
054B.4
054B.13
054B.14
054B.16
054B.23
054B.28
054B.282

Price €



built-up

055B/.. - ROSETTE for textile cable

~230V



IP20



built-up base - with strain relief for 1 textile cable

Dimensions

Ø62xH30 mm

Materials

Aluminium 1M | 2M | 14
Aluminium / Roodkoper 282
Messing 4 | 13 | 16 | 23
Rood koper 28

Ref

055B.1M
055B.2M
055B.4
055B.13
055B.14
055B.16
055B.23
055B.28
055B.282

Price €



built-up

057/.. - ROSETTE for textile cable

~230V



IP20



built-up base - built-up base with strain relief for 1 textile cable + m steel cable

Dimensions

Ø62xH30 mm

Materials

Aluminium 1M | 2M | 14
Messing 13 | 16 | 23
Rood koper 28

Ref

057.1M
057.2M
057.13
057.14
057.16
057.23
057.28

Price €


built-up
the workload is 4 - 15 kg

2399/.. - CIGARO

=350mA



spotlight - directional - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø50xH97

Ø40

35°

Tube Ø28xH85

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

2399.1M
2399.2M
2399.42
2399.132
2399.142
2399.162
2399.233
2399.282
2399.562

Price €

NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW
NW | WW

semi built-in/up
with swivel - 360° directional

005/.. - ROSETTE UP

III IP20 0.1700 CE



built-up base - round

Dimensions

Ø60xH25 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14 | 21 | 46 | 53
Messing 4 | 13 | 16 | 23 | 13M


Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
005.1	
005.1M	
005.2	
005.2M	
005.4	
005.11	
005.13	
005.14	
005.16	
005.21	
005.23	
005.46	
005.53	
005.13M	

1653/.. - ROSETTE UP + DRIVER

III IP20 0.2000 CE



built-up base - round - with driver 350mA 5W - dimmable phase cut

Dimensions

Ø65xH45 mm

Materials

Aluminium 1M | 2M


Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1653.1M	
1653.2M	

1654/.. - ROSETTE UP + DRIVER

III IP20 0.2000 CE



built-up base - square - with driver 350mA 5W - dimmable phase cut

Dimensions

L65xB65xH45 mm

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
P039/.. STRAIN RELIEF - TREKONTLASTING
P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1654.1M	
1654.2M	

INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2481/.. - CIGARO GLASS

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

Ø250xH1750 mm

Cable 1500 mm

45°

Base Ø250xH28 mm

Glass Ø50xH150 mm

Ø220xH26 mm

Tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282


Ref Price €

2481.1M.KX1	NW WW
2481.2M.KX2	NW WW
2481.162.KX2	NW WW
2481.282.KX2	NW WW

built-up
with extra thin cable Ø3mm
1x 200mm - 1x 250mm - 1x 300mm

2482/.. - CIGARO GLASS

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

Ø300xH1750 mm

Cable 1500 mm

45°

Base Ø300xH28 mm

Glass Ø50xH150 mm

Ø270xH26 mm

Tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref Price €

2482.1M.KX1	NW WW
2482.2M.KX2	NW WW
2482.162.KX2	NW WW
2482.282.KX2	NW WW

built-up
with extra thin cable Ø3mm
1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2483/.. - CIGARO GLASS

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 max. 4W



Dimensions

Ø350xH1750 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

Glass Ø50xH150 mm

Ø320xH26 mm

Tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref Price €

2483.1M.KX1	NW WW
2483.2M.KX2	NW WW
2483.162.KX2	NW WW
2483.282.KX2	NW WW

built-up
with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm






Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2484/.. - CIGARO GLASS

~230V



pendant - fixed - down - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W

Dimensions

L600xB40xH1740 mm Cable 1500 mm

45° Base L600xB40xH40 mm

Glass Ø50xH150 mm Tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2484.1M.KX1

NW | WW

2484.2M.KX2

NW | WW

2484.162.KX2

NW | WW

2484.282.KX2

NW | WW

Price €

built-up
with extra thin cable Ø3mm

2485/.. - CIGARO GLASS

~230V



pendant - fixed - down - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L1200xB40xH1740 mm Cable 1500 mm

45° Base L1200xB40xH40 mm

Glass Ø50xH150 mm Tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2485.1M.KX1

NW | WW

2485.2M.KX2

NW | WW

2485.162.KX2

NW | WW

2485.282.KX2

NW | WW

Price €

built-up
with extra thin cable Ø3mm

2477/.. - CIGARO SWIVEL

=350mA



pendant - directional - down - with swivel arm - without LED driver

Lamptype

8x LED 410lm CRI90 max. 4W



Dimensions

L900xB100xH500 mm Cable 1500 mm

35°

Materials

Aluminium	2M
Aluminium / Roodkoper	MIX28

Ref

2477.MIX28.KX2

\

Price €

built-up

^ Available on request in other combinations and colours




INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2423/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

→ Ø250xH1750 mm

Cable 1500 mm

45°

Base Ø250xH28 mm

→ Ø220xH26 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref


Price €

2423.1M.KX1		NW WW
2423.2M.KX2		NW WW
2423.42.KX2		NW WW
2423.132.KX2		NW WW
2423.142.KX2		NW WW
2423.162.KX2		NW WW
2423.282.KX2		NW WW
2423.233.KX2		NW WW
2423.562.KX2		NW WW

built-up
with extra thin cable Ø3mm
1x 200mm - 1x 250mm - 1x 300mm

2425/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

→ Ø300xH1800 mm

Cable 1500 mm

45°

Base Ø300xH28 mm

→ Ø270xH26 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref


Price €

2425.1M.KX1		NW WW
2425.2M.KX2		NW WW
2425.42.KX2		NW WW
2425.132.KX2		NW WW
2425.142.KX2		NW WW
2425.162.KX2		NW WW
2425.233.KX2		NW WW
2425.282.KX2		NW WW
2425.562.KX2		NW WW

built-up
with extra thin cable Ø3mm
1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2427/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 max. 4W



Dimensions

→ Ø350xH1800 mm

Cable 1500 mm

45°

Base Ø350xH28 mm

→ Ø320xH26 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref

Price €


2427.1M.KX1		NW WW
2427.2M.KX2		NW WW
2427.42.KX2		NW WW
2427.132.KX2		NW WW
2427.142.KX2		NW WW
2427.162.KX2		NW WW
2427.282.KX2		NW WW
2427.233.KX2		NW WW
2427.562.KX2		NW WW

built-up
with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2428/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L 600xB40xH1700 mm Cable 1500 mm



45°

Base L600xB40xH40 mm

Tube Ø28xH200 mm

Materials

Aluminium	1M 2M 142 233
Aluminium / Messing	42 132 162
Aluminium / Roodkoper	282 562

Ref

Price €

2428.1M.KX1	NW WW
2428.2M.KX2	NW WW
2428.42.KX2	NW WW
2428.132.KX2	NW WW
2428.142.KX2	NW WW
2428.162.KX2	NW WW
2428.282.KX2	NW WW
2428.233.KX2	NW WW
2428.562.KX2	NW WW

2429/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB40xH1750 mm Cable 1500 mm



45°

Base L1200xB40xH40 mm

Tube Ø28xH200 mm

Materials

Aluminium	1M 2M 142 233
Aluminium / Messing	42 132 162
Aluminium / Roodkoper	282 562

Ref

Price €

2429.1M.KX1	NW WW
2429.2M.KX2	NW WW
2429.42.KX2	NW WW
2429.132.KX2	NW WW
2429.142.KX2	NW WW
2429.162.KX2	NW WW
2429.282.KX2	NW WW
2429.233.KX2	NW WW
2429.562.KX2	NW WW





INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2442/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

Ø56xH312 mm

Cable 1500 mm



45°

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 14 | 230

Messing 4 | 16 | 13M

Rood koper 28 | 56

Options

1647/.. ROSETTE UP + DRIVER

Ref Price €

2442.1M.TX1 NW | WW

2442.2M.TX2 NW | WW

2442.4.TX2 NW | WW

2442.14.TX2 NW | WW

2442.16.TX2 NW | WW

2442.28.TX2 NW | WW

2442.56.TX2 NW | WW



2442.13M.TX2 NW | WW

2442.230.TX2 NW | WW

built-up

2443/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 14 | 230

Messing 4 | 16 | 13M

Rood koper 28 | 56

Options

1649/.. ROSETTE UP + DRIVER

Ref Price €

2443.1M.TX1 NW | WW

2443.2M.TX2 NW | WW

2443.4.TX2 NW | WW

2443.14.TX2 NW | WW

2443.16.TX2 NW | WW

2443.28.TX2 NW | WW

2443.56.TX2 NW | WW



2443.13M.TX2 NW | WW

2443.230.TX2 NW | WW

built-up

2444/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

Tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 14 | 230

Messing 4 | 16 | 13M

Rood koper 28 | 56

Options

1649/.. ROSETTE UP + DRIVER

Ref Price €

2444.1M.TX1 NW | WW

2444.2M.TX2 NW | WW

2444.4.TX2 NW | WW

2444.14.TX2 NW | WW

2444.16.TX2 NW | WW

2444.28.TX2 NW | WW

2444.56.TX2 NW | WW

2444.13M.TX2 NW | WW

2444.230.TX2 NW | WW

built-up

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2448/.. - CIGARO

≈350mA



IP20



1.5 m



0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

Tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 233

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2448.1M.TX1

NW | WW

2448.2M.TX2

NW | WW

2448.4.TX2

NW | WW

2448.14.TX2

NW | WW

2448.16.TX2

NW | WW

2448.28.TX2

NW | WW

2448.56.TX2

NW | WW

2448.13M.TX2

NW | WW

2448.233.TX2

NW | WW

built-up

CEILING UP

PENDANTS



INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2447/.. - CIGARO

=350mA



IP20




1.5 m



0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2447.1M.TX1

NW | WW

2447.2M.TX2

NW | WW

2447.4.TX2

NW | WW

2447.14.TX2

NW | WW

2447.16.TX2

NW | WW

2447.28.TX2

NW | WW

2447.56.TX2

NW | WW

2447.13M.TX2

NW | WW

2447.230.TX2

NW | WW

built-up

PENDANTS

NG UP



1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA - with LED driver

Ref Price €

1647.1M



Dimensions

1647.2M



↔ Ø70xH170 mm

Materials

Aluminium 1M | 2M

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA - with LED driver

Ref Price €

1649.1M



Dimensions

1649.2M



↔ Ø70xH170 mm


Materials

Aluminium 1M | 2M

built-up

2419/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Ref Price €

Lamptype

2419.1M

NW | WW

2x LED 410lm CRI90 max. 4W

350mA

2419.2M

NW | WW

Dimensions

2419.42

NW | WW

↔ Ø150xH157

35°

2419.132

NW | WW

Base Ø170xH32

↔ Ø150xH30

2419.142

NW | WW

Spot Ø28xH125

2419.162

NW | WW

2419.233

NW | WW

2419.282

NW | WW

Materials

Aluminium 1M | 2M | 142 | 233

2419.562

NW | WW

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

built-up

029/.. - STEELCABLE HOLDER

IP20   CE



Dimensions

↔ Ø20xH48 mm

Materials

Aluminium 2M | 14

Ref	Price €
029.2M	
029.14	

built-up

031/.. - STEELCABLE HOLDER

IP20  CE



Dimensions

↔ Ø16xH34 mm

Materials

Aluminium 2M | 14

Ref	Price €
031.2M	
031.14	

S2494/.. - CIGARO

IP20  CE



supplement - Midfeed

Materials

Aluminium 1M | 2M

Ref	Prijs €
S2494.1M	
S2494.2M	

2020/.. - CIGARO

plafondbasis voor staalkabel




Materialen

Aluminium 1M | 2M

Ref	Prijs €
2020.1M	
2020.2M	

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2492/.. - CIGARO 13 TUBES



built-up

pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

↔ L364xB28xH200 mm 1500 mm



45°



L364xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562


Ref

Price €

2492.1M	● NW WW
2492.2M	● NW WW
2492.42	● NW WW
2492.132	● NW WW
2492.142	● NW WW
2492.162	● NW WW
2492.233	● NW WW
2492.282	● NW WW
2492.562	● NW WW

2499/.. - CIGARO 21 TUBES

~230V



built-up

pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

↔ L590xB28xH200 mm Cable 1500 mm



45°



L364xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562


Ref

Price €

2499.1M	● NW WW
2499.2M	● NW WW
2499.42	● NW WW
2499.132	● NW WW
2499.142	● NW WW
2499.162	● NW WW
2499.233	● NW WW
2499.282	● NW WW
2499.562	● NW WW

2493/.. - CIGARO 35 TUBES

~230V



built-up

pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

↔ L980xB28xH200 mm 1500 mm



45°



L364xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2493.1M	● NW WW
2493.2M	● NW WW
2493.42	● NW WW
2493.132	● NW WW
2493.142	● NW WW
2493.162	● NW WW
2493.233	● NW WW
2493.282	● NW WW
2493.562	● NW WW






Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2495/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L310xB90xH150 mm

Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2495.1M

NW | WW

2495.2M

NW | WW

2495.42

NW | WW

2495.132

NW | WW

2495.142

NW | WW

2495.162

NW | WW

2495.233

NW | WW

2495.282


NW | WW

2495.562

NW | WW

2491/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L650xB90xH150 mm

Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2491.1M

NW | WW

2491.2M

NW | WW

2491.42

NW | WW

2491.132

NW | WW

2491.142

NW | WW

2491.162

NW | WW

2491.282

NW | WW

2491.233


NW | WW

2491.562

NW | WW

2490/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

9x LED 410lm CRI90 max. 4W



Dimensions

L1270xB90xH150 mm

Cable 1500 mm

45°

L420xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2490.1M

NW | WW

2490.2M

NW | WW

2490.42

NW | WW

2490.132

NW | WW

2490.142

NW | WW

2490.162

NW | WW

2490.233

NW | WW

2490.282


NW | WW

2490.562

NW | WW

2480/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

12x LED 410lm CRI90 max. 4W



Dimensions

L1064xB252xH200 mm

Cable 1500 mm

45°

Ø60xH25 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2480.1M

NW | WW

2480.2M

NW | WW

2480.42

NW | WW

2480.132

NW | WW

2480.142

NW | WW

2480.162

NW | WW

2480.233

NW | WW

2480.282

NW | WW

2480.562



NW | WW

INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2496.1200.3/.. - CIGARO EXCL. DRIVER

=350mA



fixed - without LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2496.1200.3.1M	NW WW
2496.1200.3.2M	NW WW
2496.1200.3.42	NW WW
2496.1200.3.132	NW WW
2496.1200.3.142	NW WW
2496.1200.3.162	NW WW
2496.1200.3.282	NW WW
2496.1200.3.233	NW WW
2496.1200.3.562	NW WW

2496.1200.4/.. - CIGARO EXCL. DRIVER

=350mA



fixed - without LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm



Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2496.1200.4.1M	NW WW
2496.1200.4.2M	NW WW
2496.1200.4.42	NW WW
2496.1200.4.233	NW WW
2496.1200.4.562	NW WW
2496.1200.4.132	NW WW
2496.1200.4.142	NW WW
2496.1200.4.162	NW WW
2496.1200.4.282	NW WW

2496.1200.5/.. - CIGARO EXCL. DRIVER

=350mA



fixed - without LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2496.1200.5.1M	NW WW
2496.1200.5.2M	NW WW
2496.1200.5.42	NW WW
2496.1200.5.233	NW WW
2496.1200.5.562	NW WW
2496.1200.5.132	NW WW
2496.1200.5.142	NW WW
2496.1200.5.162	NW WW
2496.1200.5.282	NW WW

Standard bar 30x15 black 1200/1600 long

Supplementary suspension in colour 16 / brass

Length 1200 €

Length 1600 €

NB Other dimensions or lengths of tubes price on request

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2496.1200.6A/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



fixed - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2496.1200.6A.1M NW | WW
2496.1200.6A.2M NW | WW
2496.1200.6A.42 NW | WW
2496.1200.6A.233 NW | WW
2496.1200.6A.562 NW | WW
2496.1200.6A.132 NW | WW
2496.1200.6A.142 NW | WW
2496.1200.6A.162 NW | WW
2496.1200.6A.282 NW | WW

2496.1200.6B/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



fixed - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2496.1200.6B.1M NW | WW
2496.1200.6B.2M NW | WW
2496.1200.6B.42 NW | WW
2496.1200.6B.233 NW | WW
2496.1200.6B.562 NW | WW
2496.1200.6B.132 NW | WW
2496.1200.6B.142 NW | WW
2496.1200.6B.162 NW | WW
2496.1200.6B.282 NW | WW

2496.1600.6A/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



fixed - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1600xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2496.1600.6A.1M NW | WW
2496.1600.6A.2M NW | WW
2496.1600.6A.233 NW | WW
2496.1600.6A.142 NW | WW
2496.1600.6A.42 NW | WW
2496.1600.6A.132 NW | WW
2496.1600.6A.162 NW | WW
2496.1600.6A.562 NW | WW
2496.1600.6A.282 NW | WW

2496.1600.6B/.. - CIGARO EXCL. DRIVER


=350mA



1.5 m



0.5 m



fixed - without LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1600xB30xH100 mm Cable 1500 mm

45° Tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2496.1600.6B.1M NW | WW
2496.1600.6B.2M NW | WW
2496.1600.6B.42 NW | WW
2496.1600.6B.233 NW | WW
2496.1600.6B.562 NW | WW
2496.1600.6B.132 NW | WW
2496.1600.6B.142 NW | WW
2496.1600.6B.162 NW | WW
2496.1600.6B.282 NW | WW

2500/.. - CIGARO DRIVER



Rectangular base with endfeed for driver 15W (3 LEDs 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Prijs €
2500.1M	
2500.2M	

2508/.. - CIGARO DRIVER



Rectangular base with endfeed for 2 drivers 15W (4-5-6 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Prijs €
2508.1M	
2508.2M	

2515/.. - CIGARO DRIVER



Rectangular base with end feed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Prijs €
2515.1M	
2515.2M	

2519/.. - CIGARO DRIVER



Rectangular base with midfeed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Price €
2519.1M	
2519.2M	

2509/.. - CIGARO DRIVER



Rectangular base with endfeed for DALI driver 17W (3-4 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Prijs €
2509.1M	
2509.2M	

2510/.. - CIGARO DRIVER



Rectangular base with endfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref	Prijs €
2510.1M	
2510.2M	

2517/.. - CIGARO DRIVER



Rectangular base with midfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm


Materials

Aluminium 1M | 2M

Ref	Prijs €
2517.1M	
2517.2M	

2421/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

↔ Ø170xH157

35°

Base Ø170xH32

↔ Ø150xH30

Spot Ø28xH125

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 132 | 162

Aluminium / Roodkoper 282 | 562

Ref	Price €
2421.1M	NW WW
2421.2M	NW WW
2421.42	NW WW
2421.132	NW WW
2421.142	NW WW
2421.162	NW WW
2421.233	NW WW
2421.282	NW WW
2421.562	NW WW


built-up

INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2497.1200.3/.. - CIGARO DRIVER INCL. ASSYM

~230V



Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm



45°



L170xB85xH34 mm

Tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2497.1200.3.1M	NW WW
2497.1200.3.2M	NW WW
2497.1200.3.42	NW WW
2497.1200.3.233	NW WW
2497.1200.3.562	NW WW
2497.1200.3.132	NW WW
2497.1200.3.142	NW WW
2497.1200.3.162	NW WW
2497.1200.3.282	NW WW

2497.1200.4/.. - CIGARO DRIVER INCL. ASSYM

~230V



Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm



45°



L170xB85xH34 mm

Tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2497.1200.4.1M	NW WW
2497.1200.4.2M	NW WW
2497.1200.4.42	NW WW
2497.1200.4.233	NW WW
2497.1200.4.562	NW WW
2497.1200.4.132	NW WW
2497.1200.4.142	NW WW
2497.1200.4.162	NW WW
2497.1200.4.282	NW WW

2497.1200.5/.. - CIGARO DRIVER INCL. ASSYM

~230V



Option: with DALI driver on request

pendant - fixed - feeding asymmetric - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm



45°



L170xB85xH34 mm

Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2497.1200.5.1M	NW WW
2497.1200.5.2M	NW WW
2497.1200.5.42	NW WW
2497.1200.5.233	NW WW
2497.1200.5.562	NW WW
2497.1200.5.132	NW WW
2497.1200.5.142	NW WW
2497.1200.5.162	NW WW
2497.1200.5.282	NW WW

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2497.1200.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2497.1200.6A.1M	NW WW
2497.1200.6A.2M	NW WW
2497.1200.6A.42	NW WW
2497.1200.6A.233	NW WW
2497.1200.6A.562	NW WW
2497.1200.6A.132	NW WW
2497.1200.6A.142	NW WW
2497.1200.6A.162	NW WW
2497.1200.6A.282	NW WW

Option: with DALI driver on request

2497.1200.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2497.1200.6B.1M	NW WW
2497.1200.6B.2M	NW WW
2497.1200.6B.42	NW WW
2497.1200.6B.233	NW WW
2497.1200.6B.562	NW WW
2497.1200.6B.132	NW WW
2497.1200.6B.142	NW WW
2497.1200.6B.162	NW WW
2497.1200.6B.282	NW WW

Option: with DALI driver on request

2497.1600.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

7x LED 410lm CRI90 max. 4W



Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

Tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2497.1600.6A.1M	NW WW
2497.1600.6A.2M	NW WW
2497.1600.6A.42	NW WW
2497.1600.6A.233	NW WW
2497.1600.6A.562	NW WW
2497.1600.6A.132	NW WW
2497.1600.6A.142	NW WW
2497.1600.6A.162	NW WW
2497.1600.6A.282	NW WW


Option: with DALI driver on request

INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Marterial can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2497.1600.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

7x LED 410lm CRI90 max. 4W



Dimensions

L 1600xB30xH100 mm Cable 1500 mm



45°



L 170xB85xH34 mm

Tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref	Price €
2497.1600.6B.1M	NW WW
2497.1600.6B.2M	NW WW
2497.1600.6B.42	NW WW
2497.1600.6B.233	NW WW
2497.1600.6B.562	NW WW
2497.1600.6B.132	NW WW
2497.1600.6B.142	NW WW
2497.1600.6B.162	NW WW
2497.1600.6B.282	NW WW


Option: with DALI driver on request



Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2498.1200.3/- - CIGARO DRIVER INCL. CENTER

=350mA



pendant - fixed - central feeding

Lamptype

3x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm



Tube Ø28xH85 mm



L450xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562


Ref

Price €

2498.1200.3.1M	NW WW
2498.1200.3.2M	NW WW
2498.1200.3.42	NW WW
2498.1200.3.233	NW WW
2498.1200.3.562	NW WW
2498.1200.3.132	NW WW
2498.1200.3.142	NW WW
2498.1200.3.162	NW WW
2498.1200.3.282	NW WW

2498.1200.4/- - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

4x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm



Tube Ø28xH85 mm



L450xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562


Ref

Price €

2498.1200.4.1M	NW WW
2498.1200.4.2M	NW WW
2498.1200.4.42	NW WW
2498.1200.4.132	NW WW
2498.1200.4.142	NW WW
2498.1200.4.162	NW WW
2498.1200.4.233	NW WW
2498.1200.4.282	NW WW
2498.1200.4.562	NW WW

2498.1200.5/- - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

5x LED 410lm CRI90 max. 4W



Dimensions

L1200xB30xH100 mm Cable 1500 mm



Tube Ø28xH85 mm



L450xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €


2498.1200.5.1M	NW WW
2498.1200.5.2M	NW WW
2498.1200.5.42	NW WW
2498.1200.5.233	NW WW
2498.1200.5.562	NW WW
2498.1200.5.132	NW WW
2498.1200.5.142	NW WW
2498.1200.5.162	NW WW
2498.1200.5.282	NW WW

INDOOR | Ceiling UP | Pendants | CIGARO

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2498.1200.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm



45°



L450xB35xH35 mm

Tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2498.1200.6A.1M	NW WW
2498.1200.6A.2M	NW WW
2498.1200.6A.42	NW WW
2498.1200.6A.233	NW WW
2498.1200.6A.562	NW WW
2498.1200.6A.132	NW WW
2498.1200.6A.142	NW WW
2498.1200.6A.162	NW WW
2498.1200.6A.282	NW WW

2498.1200.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1200xB30xH100 mm Cable 1500 mm



45°



L450xB35xH35 mm

Tube Ø28xH85 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2498.1200.6B.1M	NW WW
2498.1200.6B.2M	NW WW
2498.1200.6B.42	NW WW
2498.1200.6B.233	NW WW
2498.1200.6B.562	NW WW
2498.1200.6B.132	NW WW
2498.1200.6B.142	NW WW
2498.1200.6B.162	NW WW
2498.1200.6B.282	NW WW

2498.1600.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L 1600xB30xH100 mm Cable 1500 mm



45°



L550xB35xH35 mm

Tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref	Price €
2498.1600.6A.1M	NW WW
2498.1600.6A.2M	NW WW
2498.1600.6A.42	NW WW
2498.1600.6A.233	NW WW
2498.1600.6A.562	NW WW
2498.1600.6A.132	NW WW
2498.1600.6A.142	NW WW
2498.1600.6A.162	NW WW
2498.1600.6A.282	NW WW

Other lengths available on request. Material can also be full brass or in aluminum on request, standard is long tube in black powder coated.

2498.1600.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L1600xB30xH100 mm Cable 1500 mm



Tube Ø28xH85 mm



L550xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref


Price €

2498.1600.6B.1M	NW WW
2498.1600.6B.2M	NW WW
2498.1600.6B.42	NW WW
2498.1600.6B.233	NW WW
2498.1600.6B.562	NW WW
2498.1600.6B.132	NW WW
2498.1600.6B.142	NW WW
2498.1600.6B.162	NW WW
2498.1600.6B.282	NW WW

CEILING UP


PENDANTS





2435/.. - CIGARO

~230V



built-up

built-up wall light - fixed - with LED driver

Lamptype

2x LED 410lm CRI90 max. 4W



Dimensions

L250xB40xD63 mm



L166xB40xD35 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562


Ref

Price €

2435.1M	NW WW
2435.2M	NW WW
2435.42	NW WW
2435.132	NW WW
2435.142	NW WW
2435.162	NW WW
2435.282	NW WW
2435.233	NW WW
2435.562	NW WW

2434/.. - CIGARO

~230V



built-up

built-up wall light - fixed - with LED driver

Lamptype

2x LED 410lm CRI90 max. 4W



Dimensions

L250xB96xD63 mm



L146xB84xD35 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562


Ref

Price €

2434.1M	NW WW
2434.2M	NW WW
2434.42	NW WW
2434.132	NW WW
2434.142	NW WW
2434.162	NW WW
2434.282	NW WW
2434.233	NW WW
2434.562	NW WW

2436/.. - CIGARO

~230V



built-up

built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L250xB96xD63 mm



L146xB84xD35 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562


Ref

Price €

2436.1M	NW WW
2436.2M	NW WW
2436.42	NW WW
2436.132	NW WW
2436.142	NW WW
2436.162	NW WW
2436.282	NW WW
2436.233	NW WW
2436.562	NW WW

2437/.. - CIGARO

~230V



built-up

built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L250xB164xD63 mm



L121xB152xD35 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562


Ref

Price €

2437.1M	NW WW
2437.2M	NW WW
2437.42	NW WW
2437.132	NW WW
2437.142	NW WW
2437.162	NW WW
2437.233	NW WW
2437.282	NW WW
2437.562	NW WW

2438/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W



Dimensions

L250xB164xD63 mm



L121xB152xD35 mm

Tube Ø28xH150 mm

Tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref


Price €

2438.1M	● NW WW
2438.2M	● NW WW
2438.42	● NW WW
2438.132	● NW WW
2438.142	● NW WW
2438.162	● NW WW
2438.282	● NW WW
2438.233	● NW WW
2438.562	● NW WW

built-up

2439/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 max. 4W

Dimensions

L250xB164xD63 mm



L121xB152xD35 mm

Tube Ø28xH200 mm

Materials


Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 132 | 162
Aluminium / Roodkoper 282 | 562

Ref

Price €

2439.1M	● NW WW
2439.2M	● NW WW
2439.42	● NW WW
2439.132	● NW WW
2439.142	● NW WW
2439.162	● NW WW
2439.282	● NW WW
2439.233	● NW WW
2439.562	● NW WW

built-up



2432/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

1x C35 E14 max. 5W

Dimensions

L250xB40xD63 mm

L170xB40xD35 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2432.1M

2432.2M

2432.42

2432.132

2432.142

2432.162

2432.233

2432.282

2432.562

built-up
Lamp not included

2433/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

3x C35 E14 max. 5W

Dimensions

L250xB112xD58 mm

L100xB60xD30 mm

Tube Ø28xH150 mm

Tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 132 | 162

Aluminium / Roodkoper

282 | 562

Ref

Price €

2433.1M

2433.2M

2433.42

2433.132

2433.142

2433.162





2433.282

2433.233

2433.562

built-up
Lamps not included







Andere kleuren op aanvraag | Autres couleurs sur demande | Other colours on request
Andere Farben auf Anfrage



Groendreef 60, 9880 Aalter

T +32 9 374 19 51 - www.psmlighting.be

All our products are locally made in Aalter, Belgium (Eu)

Short delivery times