



Cigaro

Design lovers go for



psmlighting
Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

2406/.. - CIGARO

=350mA



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2406.1M

2406.2M

2406.142

2406.42

2406.162

2406.282

2406.562

2406.233

2406.132

Price €

84,00

84,00

98,00

130,00

116,00

124,00

140,00

108,00

116,00

built-up
Other optics : 15° - 24° - 45° on demand

2450/.. - CIGARO

=350mA



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH125 mm

35°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2450.1M

2450.2M

2450.42

2450.132

2450.142

2450.162

2450.233

2450.282

2450.562

Price €

90,00

90,00

136,00

122,00

104,00

122,00

114,00

130,00

146,00

built-up
Other optics : 15° - 24° - 45° on demand



33M8/.. - ZIA BASE Ø30



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø33xH50 mm 📏 Ø30 mm
 ↙ ↘ L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
 Messing 4 | 13 | 16

Options

S6.30/.. PLASTERKIT

Ref		Price €
33M8.1	●	32,37
33M8.1M	●	33,01
33M8.2	●	32,37
33M8.2M	●	33,01
33M8.4	●	36,48
33M8.11	●	32,37
33M8.13	●	41,08
33M8.14	●	35,08
33M8.16	●	36,48

built-in

43M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø43xH50 mm 📏 Ø39-40 mm
 ↙ ↘ L 60 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
 Messing 4 | 13 | 16


Options

S6.40/.. PLASTERKIT

Ref		Price €
43M8.1	●	32,37
43M8.1M	●	33,01
43M8.2	●	32,37
43M8.2M	●	33,01
43M8.4	●	36,48
43M8.11	●	32,37
43M8.13	●	41,08
43M8.14	●	35,08
43M8.16	●	36,48

built-in

50M8/.. - ZIA BASE Ø39-40



built-in base with swivel - round - directional - without transformer

Dimensions

↔ Ø50xH50 mm 📏 Ø39-40 mm
 ↙ ↘ L 60 mm

Materials

Aluminium 1M | 2M | 14
 Messing 4 | 16 | 13


Ref		Price €
50M8.1M	●	37,80
50M8.2M	●	37,80
50M8.4	●	46,20
50M8.13	●	54,60
50M8.14	●	39,90
50M8.16	●	42,00

built-in



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Color	Price €
8381.2406.1M	NW WW	182,70
8381.2406.2M	NW WW	182,70
8381.2406.42	NW WW	231,00
8381.2406.132	NW WW	216,30
8381.2406.142	NW WW	197,40
8381.2406.162	NW WW	210,00
8381.2406.233	NW WW	207,90
8381.2406.282	NW WW	224,70
8381.2406.562	NW WW	241,50

built-up

Other optics : 15° - 24° - 45° on demand

8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Color	Price €
8382.2406.1M	NW WW	208,95
8382.2406.2M	NW WW	208,95
8382.2406.42	NW WW	257,25
8382.2406.233	NW WW	250,95
8382.2406.562	NW WW	242,55
8382.2406.132	NW WW	259,35
8382.2406.142	NW WW	223,65
8382.2406.162	NW WW	242,55
8382.2406.282	NW WW	242,55

built-up

Other optics : 15° - 24° - 45° on demand

8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Color	Price €
8384.2406.1M	NW WW	208,95
8384.2406.2M	NW WW	208,95
8384.2406.42	NW WW	257,25
8384.2406.132	NW WW	259,35
8384.2406.142	NW WW	223,65
8384.2406.162	NW WW	242,55
8384.2406.233	NW WW	250,95
8384.2406.282	NW WW	242,55
8384.2406.562	NW WW	242,55

built-up

Other optics : 15° - 24° - 45° on demand

8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH146 mm

35°

Materials

Aluminium

1M | 2M | 142 | 14M2 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref	Color	Price €
8388.2406.1M	NW WW	325,50
8388.2406.2M	NW WW	325,50
8388.2406.42	NW WW	373,80
8388.2406.132	NW WW	359,10
8388.2406.142	NW WW	340,20
8388.2406.14M2	NW WW	340,20
8388.2406.162	NW WW	367,50
8388.2406.233	NW WW	352,80
8388.2406.282	NW WW	367,50
8388.2406.562	NW WW	384,30

built-up

Other optics : 15° - 24° - 45° on demand


INDOOR | Ceiling UP | TRACK | CIGARO-MYLA

8584.2406/.. - MYLA CIGARO | DALI ADAPTOR

48V-DC



IP20



built-up spot with adaptor - fixed

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

∅28xH135 mm

35°

Materials

Aluminium

Aluminium / Messing

Aluminium / Roodkoper

1M | 2M | 142 | 233

42 | 162 | 132

282 | 562

Ref

8584.2406.1M

8584.2406.2M

8584.2406.142

8584.2406.42

8584.2406.162

8584.2406.282

8584.2406.562

8584.2406.233

8584.2406.132

Price €

228,90

228,90

243,60

270,90

262,50

270,90

602,70

273,00

281,40

built-up

Other optics : 15° - 24° - 45° on demand




2417/.. - CIGARO

~230V



built-up



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ Ø65xH170 mm

Base Ø65xH45 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562


Ref		Price €
2417.1M	● NW WW	166,00
2417.2M	● NW WW	166,00
2417.42	● NW WW	212,00
2417.132	● NW WW	198,00
2417.142	● NW WW	180,00
2417.162	● NW WW	198,00
2417.233	● NW WW	190,00
2417.282	● NW WW	206,00
2417.562	● NW WW	222,00

2418/.. - CIGARO

=350mA



built-up



built-up ceiling light - directional - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ Ø60xH150 mm

Base Ø60xH25 mm Spot Ø28xH125 mm


Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562


Ref		Price €
2418.1M	● NW WW	136,00
2418.2M	● NW WW	136,00
2418.142	● NW WW	150,00
2418.42	● NW WW	172,00
2418.162	● NW WW	168,00
2418.282	● NW WW	276,00
2418.562	● NW WW	292,00
2418.233	● NW WW	160,00
2418.132	● NW WW	168,00

2424/.. - CIGARO

~230V



built-up



ceiling light - directional - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ L65xB65xH165 mm

Base L65xB65xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562


Ref		Price €
2424.1M	● NW WW	164,00
2424.2M	● NW WW	164,00
2424.42	● NW WW	210,00
2424.132	● NW WW	196,00
2424.142	● NW WW	178,00
2424.162	● NW WW	196,00
2424.233	● NW WW	188,00
2424.282	● NW WW	204,00
2424.562	● NW WW	220,00

2426/.. - CIGARO

=350mA



built-up



ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

→ L60xB60xH150 mm

Base L60xB60xH25 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref		Price €
2426.1M	● NW WW	128,00
2426.2M	● NW WW	128,00
2426.42	● NW WW	174,00
2426.132	● NW WW	160,00
2426.142	● NW WW	142,00
2426.162	● NW WW	160,00
2426.233	● NW WW	152,00
2426.282	● NW WW	172,00
2426.562	● NW WW	184,00

INDOOR | Ceiling UP | Luminaires | CIGARO

2399/.. - CIGARO

=350mA   IP20       



semi built-in/up
with swivel - 360° directional



spotlight - directional - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø50xH97 mm  Ø40 mm

∧ 35° tube Ø28xH85 mm

Materials







Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2399.1M	● NW WW	120,00
2399.2M	● NW WW	120,00
2399.142	● NW WW	136,00
2399.42	● NW WW	174,00
2399.162	● NW WW	156,00
2399.282	● NW WW	164,00
2399.562	● NW WW	176,00
2399.233	● NW WW	152,00
2399.132	● NW WW	160,00

2419/.. - CIGARO

~230V    IP20       



built-up



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø150xH157 mm ∧ 35°

Base Ø170xH32 mm  Ø150xH30 mm

Spot Ø28xH125 mm

Materials









Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2419.1M	● NW WW	423,21
2419.2M	● NW WW	412,54
2419.42	● NW WW	504,54
2419.132	● NW WW	476,54
2419.142	● NW WW	440,54
2419.162	● NW WW	476,54
2419.233	● NW WW	460,54
2419.282	● NW WW	492,54
2419.562	● NW WW	524,54

2421/.. - CIGARO

~230V    IP20       



built-up



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 

Dimensions

→ Ø170xH157 mm ∧ 35°

Base Ø170xH32 mm  Ø150xH30 mm

Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233


Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2421.1M	● NW WW	507,21
2421.2M	● NW WW	496,54
2421.142	● NW WW	538,54
2421.42	● NW WW	634,54
2421.162	● NW WW	592,54
2421.282	● NW WW	616,54
2421.562	● NW WW	664,54
2421.233	● NW WW	568,54
2421.132	● NW WW	592,54

2422/.. - CIGARO

~230V





built-up ceiling light - directional - with Rondobox base - with LED driver

Lamptype










5x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

→ Ø300xH153 mm  35°
 Base Ø300xH28 mm  Ø270xH26 mm
 Spot Ø28xH125 mm

Materials




Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref		Price €
2422.1M	 NW WW	762,40
2422.2M	 NW WW	750,54
2422.42	 NW WW	980,54
2422.132	 NW WW	910,54
2422.142	 NW WW	860,00
2422.162	 NW WW	910,54
2422.233	 NW WW	880,00
2422.282	 NW WW	950,54
2422.562	 NW WW	1.030,54

built-up

2455/.. - CIGARO

~230V





built-up ceiling light - directional - with Texo base - with LED driver

Lamptype










4x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

→ L215xB215xH157 mm  35°
 Base L215xB215xH32 mm  L185xB185xH30 mm
 Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref		Price €
2455.1M	 NW WW	562,00
2455.2M	 NW WW	562,00
2455.142	 NW WW	592,00
2455.42	 NW WW	720,00
2455.162	 NW WW	684,00
2455.282	 NW WW	696,00
2455.562	 NW WW	760,00
2455.233	 NW WW	632,00
2455.132	 NW WW	664,00

built-up





CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminaires | CIGARO

2451/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L200xB40xH165 mm \angle 35°

Base L200xB40xH40 mm Spot Ø28xH125 mm

Materials



Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref		Price €
2451.1M	● NW WW	319,81
2451.2M	● NW WW	314,05
2451.142	● NW WW	342,05
2451.42	● NW WW	406,05
2451.162	● NW WW	378,05
2451.282	● NW WW	394,05
2451.562	● NW WW	426,05
2451.233	● NW WW	362,05
2451.132	● NW WW	378,05

built-up

2452/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L320xB40xH165 mm \angle 35°

Base L320xB40xH40 mm Spot Ø28xH125 mm

Materials



Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref		Price €
2452.1M	● NW WW	432,25
2452.2M	● NW WW	425,14
2452.42	● NW WW	563,14
2452.233	● NW WW	497,14
2452.562	● NW WW	593,14
2452.132	● NW WW	521,14
2452.142	● NW WW	467,14
2452.162	● NW WW	521,14
2452.282	● NW WW	545,14

built-up

2453/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L600xB40xH165 mm \angle 35°

Base L600xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref		Price €
2453.1M	● NW WW	665,12
2453.2M	● NW WW	653,59
2453.42	● NW WW	837,59
2453.233	● NW WW	749,59
2453.562	● NW WW	877,59
2453.132	● NW WW	781,59
2453.142	● NW WW	709,59
2453.162	● NW WW	781,59
2453.282	● NW WW	865,00

built-up

2454/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L1200xB40xH165 mm \angle 35°

Base L1200xB40xH40 mm Spot Ø28xH125 mm

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
Aluminium / Messing 42 | 162 | 132
Aluminium / Roodkoper 282 | 562

Ref		Price €
2454.1M	● NW WW	797,69
2454.2M	● NW WW	783,57
2454.42	● NW WW	989,57
2454.233	● NW WW	895,57
2454.562	● NW WW	1.043,57
2454.132	● NW WW	923,57
2454.142	● NW WW	845,57
2454.162	● NW WW	923,57
2454.282	● NW WW	975,57

built-up

2456/.. - CIGARO

~230V



ceiling light - directional - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH165 mm \angle 35°

Base L1200xB40xH40 mm Spot Ø28xH125 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2456.1M

2456.2M

2456.42

2456.233

2456.562

2456.132

2456.142

2456.162

2456.282

Price €

● NW | WW 809,69

● NW | WW 795,57

● NW | WW 1.025,57

● NW | WW 915,57

● NW | WW 1.075,57

● NW | WW 955,57

● NW | WW 865,57

● NW | WW 955,57

● NW | WW 995,57

built-up







CEILING UP
















LUMINAIRES



INDOOR | Ceiling UP | Luminaires | CIGARO

2460/.. - CIGARO
















=350mA   IP20    

  	built-up ceiling light - fixed - without LED driver		Ref		Price €
	Lamptype		2460.1M		78,00
	1x LED 410lm CRI90 4W 11,43Vf 		2460.2M		78,00
	Dimensions		2460.4		112,00
	 $\varnothing 28 \times H 85$ mm 		2460.14		88,00
	Materials		2460.16		100,00
	Aluminium 1M 2M 14 230		2460.28		114,00
	Messing 4 16 13M		2460.56		124,00
	Rood koper 28 56		2460.13M		100,00
			2460.230		98,00

built-up






2461/.. - CIGARO
















=350mA   IP20    

  	built-up ceiling light - fixed - without LED driver		Ref		Price €
	Lamptype		2461.1M		82,00
	1x LED 410lm CRI90 4W 11,43Vf 		2461.2M		82,00
	Dimensions		2461.4		119,00
	 $\varnothing 28 \times H 150$ mm 		2461.14		94,00
	Materials		2461.16		108,00
	Aluminium 1M 2M 14 230		2461.28		120,00
	Messing 4 16 13M		2461.56		134,00
	Rood koper 28 56		2461.13M		112,00
			2461.230		108,00

built-up

2462/.. - CIGARO
















=350mA   IP20    

  	built-up ceiling light - fixed - without LED driver		Ref		Price €
	Lamptype		2462.1M		86,00
	1x LED 410lm CRI90 4W 11,43Vf 		2462.2M		86,00
	Dimensions		2462.4		130,00
	 $\varnothing 28 \times H 200$ mm 		2462.14		100,00
	Materials		2462.16		116,00
	Aluminium 1M 2M 14 230		2462.28		128,00
	Messing 4 16 13M		2462.56		156,00
	Rood koper 28 56		2462.13M		122,00
			2462.230		118,00

built-up

2463/.. - CIGARO


=350mA   IP20    

  	built-up ceiling light - fixed - without LED driver		Ref		Price €
	Lamptype		2463.1M		90,00
	1x LED 410lm CRI90 4W 11,43Vf 		2463.2M		90,00
	Dimensions		2463.4		141,00
	 $\varnothing 28 \times H 250$ mm 		2463.14		106,00
	Materials		2463.16		124,00
	Aluminium 1M 2M 14 230		2463.28		136,00
	Messing 4 16 13M		2463.56		164,00
	Rood koper 28 56		2463.13M		132,00
			2463.230		128,00

built-up

2464/.. - CIGARO

=350mA



built-up

built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH300 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M


Rood koper

28 | 56

Ref	Color	Price €
2464.1M	NW WW	94,00
2464.2M	NW WW	94,00
2464.4	NW WW	152,00
2464.14	NW WW	112,00
2464.16	NW WW	132,00
2464.28	NW WW	144,00
2464.56	NW WW	174,00
2464.13M	NW WW	142,00
2464.230	NW WW	138,00

2465/.. - CIGARO

=350mA



built-up

built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH350 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref	Color	Price €
2465.1M	NW WW	98,00
2465.2M	NW WW	98,00
2465.4	NW WW	163,00
2465.14	NW WW	118,00
2465.16	NW WW	140,00
2465.28	NW WW	152,00
2465.56	NW WW	184,00
2465.13M	NW WW	152,00
2465.230	NW WW	148,00

2466/.. - CIGARO

=350mA



built-up

built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø28xH400 mm

35°

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Ref	Color	Price €
2466.1M	NW WW	102,00
2466.2M	NW WW	102,00
2466.14	NW WW	124,00
2466.4	NW WW	174,00
2466.16	NW WW	148,00
2466.13M	NW WW	162,00
2466.230	NW WW	158,00
2466.28	NW WW	160,00
2466.56	NW WW	194,00

INDOOR | Ceiling UP | Luminaires | CIGARO

2470/.. - CIGARO

~230V



built-up ceiling light - fixed - with LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø65xH130 mm

35°

Base Ø65xH45 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2470.1M

2470.2M

2470.42

2470.132

2470.142

2470.162

2470.233

2470.282

2470.562

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

160,00

160,00

194,00

216,00

170,00

182,00

208,00

190,00

202,00

built-up

2475/.. - CIGARO

=350mA



ceiling light - fixed - with base 005 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø60xH110 mm

35°

Base Ø60xH25 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2475.1M

2475.2M

2475.42

2475.132

2475.142

2475.162

2475.282

2475.233

2475.562

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

130,00

130,00

164,00

186,00

140,00

152,00

160,00


182,00

178,00

built-up

2471/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

2x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø170xH115 mm

35°

Base Ø170xH32 mm

Ø150xH30 mm

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2471.1M

2471.2M

2471.142

2471.42

2471.162

2471.282

2471.562

2471.233

2471.132

2471.562

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

411,21

400,54

420,54

468,54

444,54

472,54

492,54

440,54


444,54

built-up



2472/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø170xH282 mm

Base Ø170xH32 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2472.1M	● NW WW	513,21
2472.2M	● NW WW	502,54
2472.142	● NW WW	544,54
2472.42	● NW WW	634,54
2472.162	● NW WW	592,54
2472.282	● NW WW	628,54
2472.562	● NW WW	698,54
2472.233	● NW WW	598,54
2472.132	● NW WW	610,54

built-up
1x150mm - 1x200mm - 1x250mm

2473/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø300xH328 mm

Base Ø300xH28 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2473.1M	● NW WW	780,40
2473.2M	● NW WW	768,54
2473.142	● NW WW	842,54
2473.42	● NW WW	1.002,54
2473.162	● NW WW	926,54
2473.282	● NW WW	986,54
2473.562	● NW WW	1.114,54
2473.233	● NW WW	940,54
2473.132	● NW WW	960,54

built-up
1x 150mm - 2x 200mm - 1x 250mm - 1x 300mm

2474/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø350xH328 mm

Base Ø350xH28 mm

tube Ø28xH150 mm tube Ø28xH200 mm

tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2474.1M	● NW WW	1.004,00
2474.2M	● NW WW	1.004,00
2474.42	● NW WW	1.278,00
2474.132	● NW WW	1.263,00
2474.142	● NW WW	1.106,00
2474.162	● NW WW	1.237,00
2474.233	● NW WW	1.237,00
2474.282	● NW WW	1.226,00
2474.562	● NW WW	1.444,00

built-up
1x85mm - 3x 150mm - 1x 200mm - 1x 250mm - 1x 300mm

INDOOR | Ceiling UP | Pendants | CIGARO

2420.150/.. - CIGARO

=350mA



built-up
with extra thin cable Ø3mm

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

←→ Ø28xH150 mm Cable 1500 mm

∠ 45°


Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M | 23
Rood koper 28 | 56

Ref	Color	Price €
2420.150.1M.KX1	● \ NW WW	104,00
2420.150.2M.KX2	● \ NW WW	104,00
2420.150.14.KX2	● \ NW WW	116,00
2420.150.4.KX2	● \ NW WW	141,00
2420.150.16.KX2	● \ NW WW	130,00
2420.150.13M.KX2	● \ NW WW	134,00
2420.150.23.KX2	● \ NW WW	130,00
2420.150.230.KX2	● \ NW WW	133,00
2420.150.28.KX2	● \ NW WW	142,00
2420.150.56.KX2	● \ NW WW	156,00

2420.200/.. - CIGARO

=350mA



built-up
with extra thin cable Ø3mm

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

←→ Ø28xH200 mm Cable 1500 mm

∠ 45°


Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M | 23
Rood koper 28 | 56

Ref	Color	Price €
2420.200.1M.KX1	● \ NW WW	108,00
2420.200.2M.KX2	● \ NW WW	108,00
2420.200.14.KX2	● \ NW WW	122,00
2420.200.4.KX2	● \ NW WW	152,00
2420.200.16.KX2	● \ NW WW	138,00
2420.200.13M.KX2	● \ NW WW	144,00
2420.200.23.KX2	● \ NW WW	140,00
2420.200.230.KX2	● \ NW WW	139,00
2420.200.28.KX2	● \ NW WW	150,00
2420.200.56.KX2	● \ NW WW	176,00

2420.250/.. - CIGARO

=350mA



built-up
with extra thin cable Ø3mm

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

←→ Ø28xH250 mm Cable 1500 mm

∠ 45°


Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M | 23
Rood koper 28 | 56

Ref	Color	Price €
2420.250.1M.KX1	● \ NW WW	112,00
2420.250.2M.KX2	● \ NW WW	112,00
2420.250.4.KX2	● \ NW WW	163,00
2420.250.14.KX2	● \ NW WW	128,00
2420.250.16.KX2	● \ NW WW	146,00
2420.250.23.KX2	● \ NW WW	150,00
2420.250.28.KX2	● \ NW WW	158,00
2420.250.56.KX2	● \ NW WW	186,00
2420.250.13M.KX2	● \ NW WW	154,00
2420.250.230.KX2	● \ NW WW	146,00

2420.300/.. - CIGARO

=350mA



built-up
with extra thin cable Ø3mm

pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

←→ Ø28xH300 mm Cable 1500 mm

∠ 45°

Materials

Aluminium 1M | 2M | 14 | 230
Messing 4 | 16 | 13M | 23
Rood koper 28 | 56

Ref	Color	Price €
2420.300.1M.KX1	● \ NW WW	116,00
2420.300.2M.KX2	● \ NW WW	116,00
2420.300.14.KX2	● \ NW WW	134,00
2420.300.4.KX2	● \ NW WW	174,00
2420.300.16.KX2	● \ NW WW	154,00
2420.300.13M.KX2	● \ NW WW	164,00
2420.300.23.KX2	● \ NW WW	160,00
2420.300.230.KX2	● \ NW WW	155,00
2420.300.28.KX2	● \ NW WW	166,00
2420.300.56.KX2	● \ NW WW	196,00

2420.350/.. - CIGARO

=350mA



IP20



1.5 m



0.7040



0.5 m



5.6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø28xH350 mm Cable 1500 mm

45°

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref

Ref	Color	Price €
2420.350.1M.KX1	NW WW	120,00
2420.350.2M.KX2	NW WW	120,00
2420.350.14.KX2	NW WW	140,00
2420.350.4.KX2	NW WW	185,00
2420.350.16.KX2	NW WW	162,00
2420.350.13M.KX2	NW WW	174,00
2420.350.23.KX2	NW WW	170,00
2420.350.230.KX2	NW WW	164,00
2420.350.28.KX2	NW WW	174,00
2420.350.56.KX2	NW WW	206,00

built-up
with extra thin cable Ø3mm

2420.400/.. - CIGARO

=350mA



IP20



1.5 m



0.4833



0.5 m



5.6



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

Ø28xH400 mm Cable 1500 mm

45°

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56





Ref

Ref	Color	Price €
2420.400.1M.KX1	NW WW	124,00
2420.400.2M.KX2	NW WW	124,00
2420.400.4.KX2	NW WW	196,00
2420.400.14.KX2	NW WW	146,00
2420.400.16.KX2	NW WW	170,00
2420.400.23.KX2	NW WW	180,00
2420.400.28.KX2	NW WW	182,00
2420.400.56.KX2	NW WW	216,00
2420.400.13M.KX2	NW WW	184,00
2420.400.230.KX2	NW WW	172,00

built-up
with extra thin cable Ø3mm



P038/.. - STRAIN RELIEF - TREKONTLASTING

IP20    





Accessories for pendant lamps - strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20 mm

Materials

Aluminium 1M | 2M

Ref		Price €
P038.1M		9,88
P038.2M		9,88

built-up
to be fixed to rosette or ceiling base
for cable KX and K

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    


















Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm





Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 44 | 53 | 46 | 21
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref		Price €
P039.1		9,23
P039.1M		9,88
P039.2		9,23
P039.2M		9,88
P039.14		11,86
P039.11		9,23
P039.44		9,88
P039.4		14,50
P039.16		14,50
P039.13		17,13
P039.23		17,13
P039.53		9,88
P039.46		9,88
P039.28		19,77
P039.21		9,88

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    














Accessories for pendant lamps - strain relief for cable max. Ø6.5 mm

Dimensions

↔ Ø15xH20 mm

Materials


Aluminium 1 | 1M | 2 | 2M | 14 | 11
Messing 4 | 16 | 13 | 23
Rood koper 28

Ref		Price €
P040.1		9,23
P040.1M		9,88
P040.2		9,23
P040.2M		9,88
P040.14		11,86
P040.11		9,23
P040.4		14,50
P040.16		14,50
P040.13		17,13
P040.23		17,13
P040.28		19,77

built-up
to be fixed to rosette or ceiling base

61.10/.. - ROSETTE IN

S1 IP20    0.0719 



built-in

rosette to build in - round

Dimensions

↔ Ø60 mm  Ø40 mm

⊥ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Inox 316 5

Messing 4 | 16 | 13











Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
61.10.1		17,46
61.10.1M		18,33
61.10.2		17,46
61.10.2M		18,33
61.10.14		21,18
61.10.11		17,46
61.10.5		31,63
61.10.4		28,27
61.10.16		28,27
61.10.13		34,42

71.10/.. - ROSETTE IN

S1 IP20    0.0900 



built-in

rosette to build in - round

Dimensions

↔ Ø70 mm  Ø50 mm

⊥ 55 mm

Materials

Aluminium 1M | 2M



Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
71.10.1M		23,15
71.10.2M		23,15

81.10/.. - ROSETTE IN

S1 IP20    0.1011 



built-in

rosette to build in - round

Dimensions

↔ Ø80 mm  Ø60 mm

⊥ 55 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Inox 316 5

Messing 4 | 16 | 13 | 23












Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
81.10.1		26,73
81.10.1M		28,07
81.10.2		26,73
81.10.2M		28,07
81.10.14		30,92
81.10.11		26,73
81.10.5		40,86
81.10.4		42,79
81.10.16		42,79
81.10.13		51,12
81.10.23		51,12

91.10/.. - ROSETTE IN

S1 IP20    0.1267 



built-in

rosette to build in - round

Dimensions

↔ Ø90 mm  Ø60 mm

⊥ 55 mm

Materials

Aluminium 1M | 2M

Options

S2/.. SET FLAT SPRINGS

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
91.10.1M		29,49
91.10.2M		29,49

054B/.. - ROSETTE for textile cable

IP20    0.1267 



built-up










built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø64xH41 mm

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref		Price €
054B.1M		56,67
054B.2M		56,67
054B.14		61,94
054B.4		73,81
054B.16		73,81
054B.13		77,76
054B.23		77,76
054B.28		80,40
054B.282		76,40

055B/.. - ROSETTE for textile cable

IP20    0.1332 



built-up










built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø62xH30 mm

Materials

Aluminium	1M 2M 14
Aluminium / Roodkoper	282
Messing	4 16 13 23
Rood koper	28

Ref		Price €
055B.1M		55,35
055B.2M		55,35
055B.14		60,63
055B.4		72,49
055B.16		72,49
055B.13		76,44
055B.23		76,44
055B.28		79,08
055B.282		76,40

057/.. - ROSETTE for textile cable

IP20    0.0767 



built-up
the workload is 4 - 15 kg








built-up base - built-up base with strain relief for 1 textile cable + 2,25m steel cable

Dimensions

↔ Ø62xH30 mm

Materials

Aluminium	1M 2M 14
Messing	16 13 23
Rood koper	28

Ref		Price €
057.1M		63,26
057.2M		63,26
057.13		84,35
057.14		68,53
057.16		80,40
057.23		84,35
057.28		86,99

005/.. - ROSETTE UP



built-up



built-up base - round

Dimensions

↔ Ø60xH25 mm

Materials


Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119 | 53 | 46 | 21
 Messing 4 | 16 | 13 | 13M | 23

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
005.1	White	31,63
005.1M	White	32,95
005.2	Black	31,63
005.2M	Black	32,95
005.14	Grey	36,90
005.11	White	31,63
005.4	Gold	47,45
005.16	Gold	47,45
005.13	Black	57,99
005.13M	Black	57,99
005.23	Black	57,99
005.119	Black	46,13
005.53	Black	46,13
005.46	Black	44,10
005.21	Black	32,95

1653/.. - ROSETTE UP + DRIVER



built-up



built-up base - round - with driver 350mA 4,5W - dimmable phase cut - with LED driver

Dimensions

↔ Ø65xH45 mm

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
1653.1M	White	90,41
1653.2M	Black	90,41

1654/.. - ROSETTE UP + DRIVER

~230V



built-up



built-up base - square - with driver 350mA 4,5W - dimmable phase cut - with LED driver

Dimensions

↔ L65xB65xH40 mm

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING
 P038/.. STRAIN RELIEF - TREKONTLASTING

Ref	Color	Price €
1654.1M	White	90,41
1654.2M	Black	90,41

INDOOR | Ceiling UP | Pendants | CIGARO

2481/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
1x 200mm - 1x 250mm - 1x 300mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

←→ Ø250xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø250xH28 mm
 Glass Ø50xH150 mm Ø220xH26 mm
 tube Ø28xH200 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

Ref	Price €
2481.1M.KX1	747,00
2481.2M.KX2	747,00
2481.162.KX2	819,00
2481.282.KX2	852,00

2482/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

←→ Ø300xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø300xH28 mm
 Glass Ø50xH150 mm Ø270xH26 mm
 tube Ø28xH200 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

Ref	Price €
2482.1M.KX1	1.223,00
2482.2M.KX2	1.223,00
2482.162.KX2	1.343,00
2482.282.KX2	1.398,00

2483/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm
2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

pendant - fixed - down - with Rondobox base - with LED driver

Lamptype

7x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

←→ Ø350xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø350xH28 mm
 Glass Ø50xH150 mm Ø320xH26 mm
 tube Ø28xH200 mm

Materials

Aluminium 1M | 2M
 Aluminium / Messing 162
 Aluminium / Roodkoper 282

Ref	Price €
2483.1M.KX1	1.656,00
2483.2M.KX2	1.656,00
2483.162.KX2	1.824,00
2483.282.KX2	1.901,00



INDOOR | Ceiling UP | Pendants | CIGARO

2484/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1740 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2484.1M.KX1
2484.2M.KX2
2484.162.KX2
2484.282.KX2



Price €

840,00
840,00
912,00
945,00

2485/.. - CIGARO GLASS

~230V



built-up
with extra thin cable Ø3mm

pendant - fixed - down - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1740 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

Glass Ø50xH150 mm

tube Ø28xH200 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	162
Aluminium / Roodkoper	282

Ref

2485.1M.KX1
2485.2M.KX2
2485.162.KX2
2485.282.KX2




Price €

1.307,00
1.307,00
1.427,00
1.482,00

2477/.. - CIGARO SWIVEL

=350mA



built-up
3 x pendule - 5 x tube

pendant - directional - down - with swivel arm - without LED driver

Lamptype

8x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L900xB100xH500 mm Cable 1500 mm

35°

Materials

Aluminium / Roodkoper	MIX28
-----------------------	-------


Ref

2477.MIX28.KX2




Price €

1.600,00



2423/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

3x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø250xH1750 mm Cable 1500 mm
 ▲ 45° Base Ø250xH28 mm
 Ø220xH26 mm tube Ø28xH200 mm
 tube Ø28xH250 mm tube Ø28xH300 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562



Ref

Ref	Color	Price €
2423.1M.KX1	● \ NW WW	583,08
2423.2M.KX2	● \ NW WW	575,05
2423.42.KX2	● \ NW WW	728,05
2423.132.KX2	● \ NW WW	701,05
2423.142.KX2	● \ NW WW	623,05
2423.162.KX2	● \ NW WW	677,05
2423.282.KX2	● \ NW WW	713,05
2423.233.KX2	● \ NW WW	679,05
2423.562.KX2	● \ NW WW	797,05

built-up
 with extra thin cable Ø3mm
 1x 200mm - 1x 250mm - 1x 300mm

2425/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

5x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø300xH1800 mm Cable 1500 mm
 ▲ 45° Base Ø300xH28 mm
 Ø270xH26 mm tube Ø28xH150 mm
 tube Ø28xH200 mm tube Ø28xH250 mm
 tube Ø28xH300 mm tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562



Ref

Ref	Color	Price €
2425.1M.KX1	● \ NW WW	950,02
2425.2M.KX2	● \ NW WW	938,17
2425.142.KX2	● \ NW WW	1.018,17
2425.42.KX2	● \ NW WW	1.193,17
2425.162.KX2	● \ NW WW	1.110,17
2425.282.KX2	● \ NW WW	1.168,17
2425.562.KX2	● \ NW WW	1.298,17
2425.233.KX2	● \ NW WW	1.115,17
2425.132.KX2	● \ NW WW	1.148,17

built-up
 with extra thin cable Ø3mm
 1x 150mm - 1x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2427/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

7x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø350xH1800 mm Cable 1500 mm
 ▲ 45° Base Ø350xH28 mm
 Ø320xH26 mm tube Ø28xH150 mm
 tube Ø28xH200 mm tube Ø28xH250 mm
 tube Ø28xH300 mm tube Ø28xH350 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref



Ref	Color	Price €
2427.1M.KX1	● \ NW WW	1.224,58
2427.2M.KX2	● \ NW WW	1.212,72
2427.42.KX2	● \ NW WW	1.548,72
2427.132.KX2	● \ NW WW	1.488,72
2427.142.KX2	● \ NW WW	1.318,72
2427.162.KX2	● \ NW WW	1.440,72
2427.282.KX2	● \ NW WW	1.522,72
2427.233.KX2	● \ NW WW	1.449,72
2427.562.KX2	● \ NW WW	1.692,72

built-up
 with extra thin cable Ø3mm
 2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

INDOOR | Ceiling UP | Pendants | CIGARO

2428/.. - CIGARO

~230V



pendant - fixed - with Juba base - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB40xH1700 mm Cable 1500 mm

45°

Base L600xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

2428.1M.KX1
 2428.2M.KX2
 2428.42.KX2
 2428.132.KX2
 2428.142.KX2
 2428.162.KX2
 2428.282.KX2
 2428.233.KX2
 2428.562.KX2





Price €

977,31
 963,20
 1.183,20
 1.143,00
 1.033,20
 1.113,20
 1.173,20
 1.118,20
 1.303,20

built-up
with extra thin cable Ø3mm

2429/.. - CIGARO

~230V



pendant - fixed - with Juba base - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB40xH1750 mm Cable 1500 mm

45°

Base L1200xB40xH40 mm

tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

2429.1M.KX1
 2429.2M.KX2
 2429.42.KX2
 2429.132.KX2
 2429.142.KX2
 2429.162.KX2
 2429.233.KX2
 2429.282.KX2
 2429.562.KX2



Price €

960,00
 960,00
 1.126,00
 1.054,00
 956,00
 1.036,00
 1.046,00
 1.096,00
 1.226,00

built-up
with extra thin cable Ø3mm



2468/.. - CIGARO COMBI GLASS BZ

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2468.MIX13

NW | WW

2.478,90

Lamp type

11x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø400xH1900 mm Cable 1500 mm

∧ 45° Base Ø350xH28 mm

Glass Ø50xH150 mm Ø320xH26 mm

tube Ø28xH200 mm

Materials

Aluminium / Messing MIX13

built-up

with extra thin cable Ø3mm

2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm

2469/.. - CIGARO COMBI GLASS RC

~230V



pendant - fixed - down - with Rondobox base - with LED driver

Ref

Price €

2469.156

NW | WW

2.598,51

Lamp type

11x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø400xH1900 mm Cable 1500 mm

∧ 45° Base Ø350xH28 mm

Glass Ø50xH150 mm Ø320xH26 mm

tube Ø28xH200 mm

Materials

Rood koper 156

built-up

with extra thin cable Ø3mm


2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm



INDOOR | Ceiling UP | Pendants | CIGARO

2350.200/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH200 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Material	Price €
2350.200.1M.KX1.TR	White	NW WW	152,87
2350.200.2M.KX2.TR	Black	NW WW	152,87
2350.200.4.KX2.TR	Gold	NW WW	196,87
2350.200.14.KX2.TR	Grey	NW WW	166,87
2350.200.16.KX2.TR	Yellow	NW WW	182,87
2350.200.23.KX2.TR	Black	NW WW	184,87
2350.200.28.KX2.TR	Brown	NW WW	194,87
2350.200.56.KX2.TR	Orange	NW WW	220,87
2350.200.13M.KX2.TR	Brown	NW WW	188,87
2350.200.230.KX2.TR	Black	NW WW	183,87

built-up

2350.250/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH250 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Material	Price €
2350.250.1M.KX1.TR	White	NW WW	156,87
2350.250.2M.KX2.TR	Black	NW WW	156,87
2350.250.4.KX2.TR	Gold	NW WW	207,87
2350.250.14.KX2.TR	Grey	NW WW	172,87
2350.250.16.KX2.TR	Yellow	NW WW	190,87
2350.250.23.KX2.TR	Black	NW WW	194,87
2350.250.28.KX2.TR	Brown	NW WW	202,87
2350.250.56.KX2.TR	Orange	NW WW	230,87
2350.250.13M.KX2.TR	Brown	NW WW	198,87
2350.250.230.KX2.TR	Black	NW WW	190,87

built-up

2350.300/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH300 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Material	Price €
2350.300.1M.KX1.TR	White	NW WW	160,87
2350.300.2M.KX2.TR	Black	NW WW	160,87
2350.300.4.KX2.TR	Gold	NW WW	218,87
2350.300.14.KX2.TR	Grey	NW WW	178,87
2350.300.16.KX2.TR	Yellow	NW WW	198,87
2350.300.23.KX2.TR	Black	NW WW	204,87
2350.300.28.KX2.TR	Brown	NW WW	210,87
2350.300.56.KX2.TR	Orange	NW WW	240,87
2350.300.13M.KX2.TR	Brown	NW WW	208,87
2350.300.230.KX2.TR	Black	NW WW	199,87

built-up

2350.350/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

← Ø50xH350 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH250 mm

Materials



Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Material	Price €
2350.350.1M.KX1.TR	White	NW WW	175,62
2350.350.2M.KX2.TR	Black	NW WW	175,62
2350.350.14.KX2.TR	Grey	NW WW	195,62
2350.350.4.KX2.TR	Gold	NW WW	240,62
2350.350.16.KX2.TR	Yellow	NW WW	217,62
2350.350.13M.KX2.TR	Brown	NW WW	229,62
2350.350.23.KX2.TR	Black	NW WW	225,62
2350.350.230.KX2.TR	Black	NW WW	219,62
2350.350.28.KX2.TR	Brown	NW WW	229,62
2350.350.56.KX2.TR	Orange	NW WW	261,62

built-up

2350.400/.. - CIGARO SMOOTH GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

↔ Ø50xH400 mm

Cable 1500 mm

∠ 45°

Glass Ø50xH250 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M | 23

Rood koper

28 | 56

Ref		Price €
2350.400.1M.KX1.TR	NW WW	179,62
2350.400.2M.KX2.TR	NW WW	179,62
2350.400.14.KX2.TR	NW WW	201,62
2350.400.4.KX2.TR	NW WW	251,62
2350.400.16.KX2.TR	NW WW	225,62
2350.400.13M.KX2.TR	NW WW	239,62
2350.400.23.KX2.TR	NW WW	235,62
2350.400.230.KX2.TR	NW WW	227,62
2350.400.28.KX2.TR	NW WW	237,62
2350.400.56.KX2.TR	NW WW	271,62

built-up




CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2430.200/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH200 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Price €
2430.200.1M.KX1.TRR	NW WW	157,32
2430.200.2M.KX2.TRR	NW WW	157,32
2430.200.4.KX2.TRR	NW WW	201,32
2430.200.14.KX2.TRR	NW WW	171,32
2430.200.16.KX2.TRR	NW WW	187,32
2430.200.23.KX2.TRR	NW WW	189,32
2430.200.28.KX2.TRR	NW WW	199,32
2430.200.56.KX2.TRR	NW WW	225,32
2430.200.13M.KX2.TRR	NW WW	193,32
2430.200.230.KX2.TRR	NW WW	188,32

built-up

2430.250/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH250 mm 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials

Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Price €
2430.250.1M.KX1.TRR	NW WW	161,32
2430.250.2M.KX2.TRR	NW WW	161,32
2430.250.14.KX2.TRR	NW WW	177,32
2430.250.4.KX2.TRR	NW WW	212,32
2430.250.16.KX2.TRR	NW WW	195,32
2430.250.13M.KX2.TRR	NW WW	203,32
2430.250.23.KX2.TRR	NW WW	199,32
2430.250.230.KX2.TRR	NW WW	195,32
2430.250.28.KX2.TRR	NW WW	207,32
2430.250.56.KX2.TRR	NW WW	235,32

built-up

2430.300/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH300 mm 1500 mm
 ▲ 45° Glass Ø50xH150 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Price €
2430.300.1M.KX1.TRR	NW WW	165,32
2430.300.2M.KX2.TRR	NW WW	165,32
2430.300.4.KX2.TRR	NW WW	223,32
2430.300.14.KX2.TRR	NW WW	183,32
2430.300.16.KX2.TRR	NW WW	203,32
2430.300.23.KX2.TRR	NW WW	209,32
2430.300.28.KX2.TRR	NW WW	215,32
2430.300.56.KX2.TRR	NW WW	245,32
2430.300.13M.KX2.TRR	NW WW	213,32
2430.300.230.KX2.TRR	NW WW	204,32

built-up

2430.350/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - down - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

↔ Ø50xH350 mm Cable 1500 mm
 ▲ 45° Glass Ø50xH250 mm

Materials


Aluminium 1M | 2M | 14 | 230
 Messing 4 | 16 | 13M | 23
 Rood koper 28 | 56

Ref	Color	Price €
2430.350.1M.KX1.TRR	NW WW	176,00
2430.350.2M.KX2.TRR	NW WW	176,00
2430.350.4.KX2.TRR	NW WW	241,00
2430.350.14.KX2.TRR	NW WW	196,00
2430.350.16.KX2.TRR	NW WW	218,00
2430.350.23.KX2.TRR	NW WW	225,66
2430.350.28.KX2.TRR	NW WW	230,00
2430.350.56.KX2.TRR	NW WW	262,00
2430.350.13M.KX2.TRR	NW WW	230,00
2430.350.230.KX2.TRR	NW WW	219,66

built-up

2430.400/.. - CIGARO RIBBLE GLASS

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø50xH400 mm 1500 mm

45° Glass Ø50xH250 mm

Materials

Aluminium

Messing

Rood koper

1M | 2M | 14 | 230

4 | 16 | 13M | 23

28 | 56

Ref

- 2430.400.1M.KX1.TRR
- 2430.400.2M.KX2.TRR
- 2430.400.4.KX2.TRR
- 2430.400.14.KX2.TRR
- 2430.400.16.KX2.TRR
- 2430.400.23.KX2.TRR
- 2430.400.28.KX2.TRR
- 2430.400.56.KX2.TRR
- 2430.400.13M.KX2.TRR
- 2430.400.230.KX2.TRR



- NW | WW 179,66
- NW | WW 179,66
- NW | WW 251,66
- NW | WW 201,66
- NW | WW 225,66
- NW | WW 235,66
- NW | WW 237,66
- NW | WW 271,66
- NW | WW 239,66
- NW | WW 227,66

built-up



CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2442/.. - CIGARO


=350mA



1.5 m



0,5 m



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø56xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1647/..

ROSETTE UP + DRIVER

Ref

Price €

2442.1M.TX1		NW WW	466,00
2442.2M.TX2		NW WW	466,00
2442.4.TX2		NW WW	688,00
2442.14.TX2		NW WW	542,00
2442.16.TX2		NW WW	618,00
2442.28.TX2		NW WW	666,00
2442.56.TX2		NW WW	786,00
2442.13M.TX2		NW WW	658,00
2442.230.TX2		NW WW	642,00

built-up

2443/.. - CIGARO


=350mA



1.5 m



0,5 m



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2443.1M.TX1		NW WW	565,00
2443.2M.TX2		NW WW	565,00
2443.4.TX2		NW WW	855,00
2443.14.TX2		NW WW	655,00
2443.16.TX2		NW WW	755,00
2443.28.TX2		NW WW	815,00
2443.56.TX2		NW WW	965,00
2443.13M.TX2		NW WW	790,00
2443.230.TX2		NW WW	770,00

built-up

2444/.. - CIGARO


=350mA



1.5 m



0,5 m



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

← Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2444.1M.TX1		NW WW	782,00
2444.2M.TX2		NW WW	782,00
2444.4.TX2		NW WW	1.188,00
2444.14.TX2		NW WW	908,00
2444.16.TX2		NW WW	1.048,00
2444.28.TX2		NW WW	1.132,00
2444.56.TX2		NW WW	1.332,00
2444.13M.TX2		NW WW	1.118,00
2444.230.TX2		NW WW	1.090,00

built-up

2448/.. - CIGARO

=350mA



IP20




1.5 m



0,5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

45°

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 233

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2448.1M.TX1	NW WW	694,00
2448.2M.TX2	NW WW	694,00
2448.4.TX2	NW WW	1.090,00
2448.14.TX2	NW WW	848,00
2448.16.TX2	NW WW	958,00
2448.28.TX2	NW WW	1.042,00
2448.56.TX2	NW WW	1.211,00
2448.13M.TX2	NW WW	1.028,00
2448.233.TX2	NW WW	1.000,00

built-up



CEILING UP

PENDANTS

2447/.. - CIGARO

=350mA



IP20



1.5 m




3.5000



0,5 m



5,6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm



45°

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

Aluminium

1M | 2M | 14 | 230

Messing

4 | 16 | 13M

Rood koper

28 | 56

Options

1649/..

ROSETTE UP + DRIVER

Ref

Price €

2447.1M.TX1	● / \ NW WW	790,00
2447.2M.TX2	● / \ NW WW	790,00
2447.14.TX2	● / \ NW WW	912,00
2447.4.TX2	● / \ NW WW	1.132,00
2447.16.TX2	● / \ NW WW	1.028,00
2447.13M.TX2	● / \ NW WW	1.072,00
2447.230.TX2	● / \ NW WW	1.046,00
2447.28.TX2	● / \ NW WW	1.012,00
2447.56.TX2	● / \ NW WW	1.278,00

built-up



1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm

Materials

Aluminium 1M | 2M

Ref	Color	Price €
1647.1M	●	194,04
1647.2M	●	194,04

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA - with LED driver

Dimensions

↔ Ø70xH170 mm



Materials

Aluminium 1M | 2M

Ref	Color	Price €
1649.1M	●	227,12
1649.2M	●	227,12

built-up

029/.. - STEELCABLE HOLDER

IP20    



accessories for lighting systems - steelcable holder

Ref	Price €
029.2M	33,60
029.14	33,60

Dimensions
 ↳ Ø20xH48 mm

Materials
 Aluminium 2M | 14

built-up

031/.. - STEELCABLE HOLDER

IP20  



accessories for lighting systems - steelcable holder

Ref	Price €
031.2M	33,60
031.14	33,60

Dimensions
 ↳ Ø16xH34 mm

Materials
 Aluminium 2M | 14

2020/.. - METRO

IP20   



accessories for lighting systems - ceiling base for steel wire

Ref	Price €
2020.1	11,77
2020.1M	12,35
2020.2	11,77
2020.2M	12,35
2020.10	11,77

Dimensions
 ↳ Ø20xH30 mm

Materials
 Aluminium 1 | 1M | 2 | 2M | 10

S2494/.. - CIGARO

IP20  




supplement - housing with centre supply without driver + height controller + steel cable

Ref	Price €
S2494.1M	194,00
S2494.2M	194,00

Materials
 Aluminium 1M | 2M

2492/.. - CIGARO 13 TUBES

~230V



pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L364xB28xH200 mm Cable 1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2492.1M

2492.2M

2492.42

2492.132

2492.142

2492.162

2492.233

2492.282

2492.562



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

624,00

624,00

1.157,00

1.027,00

767,00

1.131,00

1.001,00


975,00

1.495,00

built-up

2499/.. - CIGARO 21 TUBES

~230V



pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L590xB28xH200 mm Cable 1500 mm

45°

L360xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2499.1M

2499.2M

2499.42

2499.132

2499.142

2499.162

2499.233

2499.282

2499.562



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

1.008,00

1.008,00

1.869,00

1.659,00

1.239,00

1.827,00

1.617,00



1.575,00

2.415,00

built-up

2493/.. - CIGARO 35 TUBES

~230V



pendant - fixed - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L980xB28xH200 mm 1500 mm

45°

L364xB35xH35 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2493.1M

2493.2M

2493.42

2493.132

2493.142

2493.162

2493.233

2493.282

2493.562



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW



NW | WW

Price €

1.680,00

1.680,00

3.120,00

2.766,00

2.070,00

3.050,00

2.700,00

2.630,00

4.030,00

built-up



Verkrijgbaar op aanvraag in andere combinaties en kleuren.
 Available on request in other combinations and colours.
 Disponible sur demande dans d'autres combinaisons et couleurs.
 Auf Anfrage in anderen Kombinationen und Farben erhältlich.

INDOOR | Ceiling UP | Pendants | CIGARO

2495/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L310xB90xH150 mm Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233


Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref	Price €
2495.1M	896,00
2495.2M	896,00
2495.42	1.784,00
2495.132	1.616,00
2495.142	1.184,00
2495.162	1.520,00
2495.233	1.520,00
2495.282	1.808,00
2495.562	2.144,00

2491/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L600xB90xH150 mm Cable 1500 mm

45°

L250xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233



Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref	Price €
2491.1M	1.525,00
2491.2M	1.525,00
2491.42	3.153,00
2491.132	2.845,00
2491.142	2.053,00
2491.162	2.669,00
2491.282	3.197,00
2491.233	2.669,00
2491.562	3.813,00

2490/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

9x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1270xB90xH150 mm Cable 1500 mm

45°

L420xB35xH35 mm

Materials

Aluminium 1M | 2M | 142 | 233



Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref	Price €
2490.1M	2.984,00
2490.2M	2.984,00
2490.42	6.092,00
2490.132	5.509,00
2490.142	3.992,00
2490.162	5.168,00
2490.233	5.168,00
2490.282	5.336,00
2490.562	7.352,00

2480/.. - CIGARO

~230V



built-up

pendant - fixed - with LED driver

Lamptype

12x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1064xB252xH200 mm Cable 1500 mm

45°

Ø60xH25 mm

Materials

Aluminium 1M | 2M | 142 | 233



Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref	Price €
2480.1M	4.380,00
2480.2M	4.380,00
2480.42	8.588,00
2480.132	8.490,00
2480.142	5.514,00
2480.162	6.824,00
2480.233	7.165,00
2480.282	7.605,00
2480.562	9.512,00

2496.1200.3/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.3.1M

2496.1200.3.2M

2496.1200.3.42

2496.1200.3.132

2496.1200.3.142

2496.1200.3.162

2496.1200.3.282

2496.1200.3.233

2496.1200.3.562

Price €

540,00

540,00

684,00

679,00

564,00

630,00

630,00



691,00

678,00

Add additional suspension, box or driver box. (not included in price)

2496.1200.4/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.4.1M

2496.1200.4.2M

2496.1200.4.42

2496.1200.4.233

2496.1200.4.562

2496.1200.4.132

2496.1200.4.142

2496.1200.4.162

2496.1200.4.282

Price €

647,00

647,00

839,00

786,00

834,00

822,00

674,00



770,00

770,00

Add additional suspension, box or driver box. (not included in price)

2496.1200.5/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm



45°

tube Ø28xH85 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

2496.1200.5.1M

2496.1200.5.2M

2496.1200.5.42

2496.1200.5.233

2496.1200.5.562

2496.1200.5.132

2496.1200.5.142

2496.1200.5.162

2496.1200.5.282

Price €

764,00

764,00

1.004,00

999,00

997,00


979,00

804,00

914,00

914,00



Add additional suspension, box or driver box. (not included in price)



INDOOR | Ceiling UP | Pendants | CIGARO

2496.1200.6A/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2496.1200.6A.1M	NW WW	881,00
2496.1200.6A.2M	NW WW	881,00
2496.1200.6A.42	NW WW	1.169,00
2496.1200.6A.233	NW WW	1.163,00
2496.1200.6A.562	NW WW	1.155,00
2496.1200.6A.132	NW WW	1.139,00
2496.1200.6A.142	NW WW	929,00
2496.1200.6A.162	NW WW	1.059,00
2496.1200.6A.282	NW WW	1.059,00

Add additional suspension, box or driver box.
(not included in price)

2496.1200.6B/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2496.1200.6B.1M	NW WW	881,00
2496.1200.6B.2M	NW WW	881,00
2496.1200.6B.42	NW WW	1.169,00
2496.1200.6B.233	NW WW	1.163,00
2496.1200.6B.562	NW WW	1.155,00
2496.1200.6B.132	NW WW	1.139,00
2496.1200.6B.142	NW WW	929,00
2496.1200.6B.162	NW WW	1.059,00
2496.1200.6B.282	NW WW	1.059,00

Add additional suspension, box or driver box.
(not included in price)

2496.1600.6A/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2496.1600.6A.1M	NW WW	901,00
2496.1600.6A.2M	NW WW	901,00
2496.1600.6A.42	NW WW	1.189,00
2496.1600.6A.132	NW WW	1.159,00
2496.1600.6A.142	NW WW	999,00
2496.1600.6A.162	NW WW	1.081,00
2496.1600.6A.233	NW WW	1.183,00
2496.1600.6A.282	NW WW	1.081,00
2496.1600.6A.562	NW WW	1.175,00

Add additional suspension, box or driver box.
(not included in price)

2496.1600.6B/.. - CIGARO EXCL. DRIVER

=350mA



pendant - fixed - without LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

tube Ø28xH85 mm

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2496.1600.6B.1M	NW WW	901,00
2496.1600.6B.2M	NW WW	901,00
2496.1600.6B.42	NW WW	1.189,00
2496.1600.6B.233	NW WW	1.183,00
2496.1600.6B.562	NW WW	1.175,00
2496.1600.6B.132	NW WW	1.159,00
2496.1600.6B.142	NW WW	1.009,00
2496.1600.6B.162	NW WW	1.081,00
2496.1600.6B.282	NW WW	1.081,00

Add additional suspension, box or driver box.
(not included in price)

2497.1200.3/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref


Ref	Color	Price €
2497.1200.3.1M	NW WW	655,00
2497.1200.3.2M	NW WW	655,00
2497.1200.3.42	NW WW	799,00
2497.1200.3.233	NW WW	806,00
2497.1200.3.562	NW WW	793,00
2497.1200.3.132	NW WW	794,00
2497.1200.3.142	NW WW	679,00
2497.1200.3.162	NW WW	745,00
2497.1200.3.282	NW WW	745,00

built-up

Option: with DALI driver on request

2497.1200.4/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref


Ref	Color	Price €
2497.1200.4.1M	NW WW	841,00
2497.1200.4.2M	NW WW	841,00
2497.1200.4.42	NW WW	979,00
2497.1200.4.233	NW WW	926,00
2497.1200.4.562	NW WW	974,00
2497.1200.4.132	NW WW	1.039,00
2497.1200.4.142	NW WW	919,00
2497.1200.4.162	NW WW	1.000,00
2497.1200.4.282	NW WW	910,00

built-up

Option: with DALI driver on request

2497.1200.5/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

Ref	Color	Price €
2497.1200.5.1M	NW WW	904,00
2497.1200.5.2M	NW WW	904,00
2497.1200.5.42	NW WW	1.144,00
2497.1200.5.233	NW WW	1.139,00
2497.1200.5.562	NW WW	1.137,00
2497.1200.5.132	NW WW	1.119,00
2497.1200.5.142	NW WW	944,00
2497.1200.5.162	NW WW	1.054,00
2497.1200.5.282	NW WW	1.054,00



built-up

Option: with DALI driver on request

INDOOR | Ceiling UP | Pendants | CIGARO

2497.1200.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562



Ref

Ref	Color	Price €
2497.1200.6A.1M	NW WW	1.121,00
2497.1200.6A.2M	NW WW	1.121,00
2497.1200.6A.42	NW WW	1.309,00
2497.1200.6A.233	NW WW	1.303,00
2497.1200.6A.562	NW WW	1.295,00
2497.1200.6A.132	NW WW	1.450,00
2497.1200.6A.142	NW WW	1.221,00
2497.1200.6A.162	NW WW	1.400,00
2497.1200.6A.282	NW WW	1.199,00

built-up
Option: with DALI driver on request

2497.1200.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562



Ref

Ref	Color	Price €
2497.1200.6B.1M	NW WW	1.121,00
2497.1200.6B.2M	NW WW	1.121,00
2497.1200.6B.142	NW WW	1.212,00
2497.1200.6B.42	NW WW	1.309,00
2497.1200.6B.162	NW WW	1.400,00
2497.1200.6B.282	NW WW	1.199,00
2497.1200.6B.562	NW WW	1.295,00
2497.1200.6B.233	NW WW	1.303,00
2497.1200.6B.132	NW WW	1.450,00

built-up
Option: with DALI driver on request

2497.1600.6A/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562



Ref

Ref	Color	Price €
2497.1600.6A.1M	NW WW	1.121,00
2497.1600.6A.2M	NW WW	1.121,00
2497.1600.6A.42	NW WW	1.329,00
2497.1600.6A.233	NW WW	1.323,00
2497.1600.6A.562	NW WW	1.315,00
2497.1600.6A.132	NW WW	1.299,00
2497.1600.6A.142	NW WW	1.139,00
2497.1600.6A.162	NW WW	1.221,00
2497.1600.6A.282	NW WW	1.221,00

built-up
Option: with DALI driver on request

2497.1600.6B/.. - CIGARO DRIVER INCL. ASSYM

~230V



pendant - fixed - feeding asymmetric - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L170xB85xH34 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562


Ref

Ref	Color	Price €
2497.1600.6B.1M	NW WW	1.041,00
2497.1600.6B.2M	NW WW	1.041,00
2497.1600.6B.42	NW WW	1.329,00
2497.1600.6B.233	NW WW	1.323,00
2497.1600.6B.562	NW WW	1.315,00
2497.1600.6B.132	NW WW	1.299,00
2497.1600.6B.142	NW WW	1.139,00
2497.1600.6B.162	NW WW	1.221,00
2497.1600.6B.282	NW WW	1.221,00

built-up
Option: with DALI driver on request

2498.1200.3/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

3x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562


Ref

Ref	Color	Price €
2498.1200.3.1M	NW WW	655,00
2498.1200.3.2M	NW WW	655,00
2498.1200.3.42	NW WW	799,00
2498.1200.3.233	NW WW	806,00
2498.1200.3.562	NW WW	793,00
2498.1200.3.132	NW WW	794,00
2498.1200.3.142	NW WW	679,00
2498.1200.3.162	NW WW	745,00
2498.1200.3.282	NW WW	745,00

built-up

2498.1200.4/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

4x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562


Ref

Ref	Color	Price €
2498.1200.4.1M	NW WW	787,00
2498.1200.4.2M	NW WW	787,00
2498.1200.4.142	NW WW	814,00
2498.1200.4.42	NW WW	979,00
2498.1200.4.162	NW WW	910,00
2498.1200.4.282	NW WW	910,00
2498.1200.4.562	NW WW	974,00
2498.1200.4.233	NW WW	926,00
2498.1200.4.132	NW WW	962,00

built-up

2498.1200.5/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

5x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

Ref	Color	Price €
2498.1200.5.1M	NW WW	904,00
2498.1200.5.2M	NW WW	904,00
2498.1200.5.42	NW WW	1.144,00
2498.1200.5.132	NW WW	1.119,00
2498.1200.5.142	NW WW	944,00
2498.1200.5.162	NW WW	1.054,00
2498.1200.5.233	NW WW	1.139,00
2498.1200.5.282	NW WW	1.054,00
2498.1200.5.562	NW WW	1.137,00

built-up


CEILING UP

PENDANTS

INDOOR | Ceiling UP | Pendants | CIGARO

2498.1200.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2498.1200.6A.1M	NW WW	1.021,00
2498.1200.6A.2M	NW WW	1.021,00
2498.1200.6A.42	NW WW	1.309,00
2498.1200.6A.233	NW WW	1.303,00
2498.1200.6A.562	NW WW	1.295,00
2498.1200.6A.132	NW WW	1.279,00
2498.1200.6A.142	NW WW	1.069,00
2498.1200.6A.162	NW WW	1.199,00
2498.1200.6A.282	NW WW	1.199,00

built-up

2498.1200.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1200xB30xH100 mm Cable 1500 mm

45°

L450xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2498.1200.6B.1M	NW WW	1.021,00
2498.1200.6B.2M	NW WW	1.021,00
2498.1200.6B.142	NW WW	1.069,00
2498.1200.6B.42	NW WW	1.309,00
2498.1200.6B.162	NW WW	1.199,00
2498.1200.6B.282	NW WW	1.199,00
2498.1200.6B.562	NW WW	1.295,00
2498.1200.6B.233	NW WW	1.303,00
2498.1200.6B.132	NW WW	1.279,00

built-up

2498.1600.6A/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm

Materials



Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2498.1600.6A.1M	NW WW	1.041,00
2498.1600.6A.2M	NW WW	1.041,00
2498.1600.6A.42	NW WW	1.329,00
2498.1600.6A.132	NW WW	1.299,00
2498.1600.6A.142	NW WW	1.139,00
2498.1600.6A.162	NW WW	1.221,00
2498.1600.6A.233	NW WW	1.323,00
2498.1600.6A.282	NW WW	1.221,00
2498.1600.6A.562	NW WW	1.315,00

built-up

2498.1600.6B/.. - CIGARO DRIVER INCL. CENTER

~230V



pendant - fixed - central feeding - with LED driver

Lamptype

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L1600xB30xH100 mm Cable 1500 mm

45°

L550xB35xH35 mm

tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
2498.1600.6B.1M	NW WW	1.041,00
2498.1600.6B.2M	NW WW	1.041,00
2498.1600.6B.42	NW WW	1.329,00
2498.1600.6B.132	NW WW	1.299,00
2498.1600.6B.142	NW WW	1.139,00
2498.1600.6B.162	NW WW	1.221,00
2498.1600.6B.233	NW WW	1.323,00
2498.1600.6B.282	NW WW	1.221,00
2498.1600.6B.562	NW WW	1.315,00

built-up

2500/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for driver 15W (3 LEDs 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2500.1M	●	115,00
2500.2M	●	115,00

2508/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for 2 drivers 15W (4-5-6 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2508.1M	●	140,00
2508.2M	●	140,00

2515/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with end feed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2515.1M	●	138,00
2515.2M	●	138,00

2519/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with midfeed for driver 17W (3-4 led's 4W) dimmable 350MA trailing edge - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2519.1M	●	138,00
2519.2M	●	138,00

2509/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with endfeed for DALI driver 17W (3-4 LEDs 4W)dimmable 350MA - with LED driver

Dimensions


↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2509.1M	●	150,00
2509.2M	●	150,00

2510/.. - CIGARO DRIVER



base for ceiling mounting - Rectangular base with endfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M

Ref		Price €
2510.1M	●	170,00
2510.2M	●	170,00

2517/.. - CIGARO DRIVER



built-up base for pendant - Rectangular base with midfeed for DALI driver 25W (4-5-6 LEDs 4W)dimmable 350MA - with LED driver

Dimensions

↔ L170xB85xH34 mm

Materials

Aluminium 1M | 2M


Ref		Price €
2517.1M	●	170,00
2517.2M	●	170,00



CEILING UP

PENDANTS





2435/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB40xD63 mm

L166xB40xD35 mm tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2435.1M	● NW WW	192,00
2435.2M	● NW WW	192,00
2435.142	● NW WW	208,00
2435.42	● NW WW	243,00
2435.162	● NW WW	226,00
2435.282	● NW WW	238,00
2435.562	● NW WW	262,00
2435.233	● NW WW	230,00
2435.132	● NW WW	234,00

built-up

2434/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB96xD63 mm

L146xB84xD35 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2434.1M	● NW WW	352,00
2434.2M	● NW WW	352,00
2434.142	● NW WW	396,00
2434.42	● NW WW	499,00
2434.162	● NW WW	426,00
2434.282	● NW WW	482,00
2434.562	● NW WW	562,00
2434.233	● NW WW	434,00
2434.132	● NW WW	466,00

built-up

2436/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB96xD63 mm

L146xB84xD35 mm tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132


Aluminium / Roodkoper 282 | 562

Ref		Price €
2436.1M	● NW WW	492,00
2436.2M	● NW WW	492,00
2436.142	● NW WW	536,00
2436.42	● NW WW	625,00
2436.162	● NW WW	596,00
2436.282	● NW WW	622,00
2436.562	● NW WW	702,00
2436.233	● NW WW	604,00
2436.132	● NW WW	606,00

built-up

2437/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L250xB164xD63 mm

L121xB152xD35 mm tube Ø28xH150 mm

tube Ø28xH200 mm tube Ø28xH250 mm

Materials

Aluminium 1M | 2M | 142 | 233

Aluminium / Messing 42 | 162 | 132

Aluminium / Roodkoper 282 | 562

Ref		Price €
2437.1M	● NW WW	690,00
2437.2M	● NW WW	690,00
2437.42	● NW WW	876,00
2437.132	● NW WW	864,00
2437.142	● NW WW	722,00
2437.162	● NW WW	786,00
2437.233	● NW WW	844,00
2437.282	● NW WW	862,00
2437.562	● NW WW	970,00

built-up

2438/.. - CIGARO

~230V



built-up



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm \angle 24°

L121xB152xD35 mm tube Ø28xH150 mm


tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

2438.1M
 2438.2M
 2438.142
 2438.42
 2438.162
 2438.282
 2438.562
 2438.233
 2438.132




Price €

642,00
 642,00
 718,00
 858,00
 784,00
 854,00
 960,00
 800,00
 818,00

2439/.. - CIGARO

~230V



built-up



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

L250xB164xD63 mm \angle 24°


L121xB152xD35 mm tube Ø28xH200 mm

Materials

Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

2439.1M
 2439.2M
 2439.42
 2439.132
 2439.142
 2439.162
 2439.233
 2439.282
 2439.562



Price €

660,00
 660,00
 865,00
 846,00
 630,00
 810,00
 822,00
 868,00
 1.000,00



2432/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

1x C35 E14 max. 5W

230V

Ref

Price €

Dimensions

← L250xB40xD63 mm

↘ L170xB40xD35 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

2432.1M



98,00

2432.2M



98,00

2432.142



118,00

2432.42



153,00

2432.162



121,00

2432.282



139,00

2432.562



162,00

2432.233



125,00

2432.132



129,00

built-up
Lamp not included

2433/.. - CIGARO

~230V



IP20



built-up wall light - fixed

Lamptype

3x C35 E14 max. 5W

230V

Ref

Price €

Dimensions

← L250xB112xD58 mm

↘ L100xB60xD30 mm

tube Ø28xH150 mm

tube Ø28xH250 mm

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

2433.1M



236,00

2433.2M



236,00

2433.142



282,00

2433.42



355,00

2433.162



316,00

2433.282



366,00

2433.562



422,00

2433.233



324,00

2433.132



332,00


built-up
Lamps not included



INDOOR | Wall UP | CIGARO

2479/.. - CIGARO

=350mA



built-up wall light - directional - up or down - built-up base - without LED driver

Lamptype


1x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

 L95xB28xD95 mm  24°

Materials


Aluminium 1M | 2M | 117 | 118 | 119

Ref		Price €
2479.1M	 NW WW	190,00
2479.2M	 NW WW	190,00
2479.117	 NW WW	199,00
2479.118	 NW WW	199,00
2479.119	 NW WW	199,00

built-up

2486/.. - CIGARO

=350mA



built-up wall light - directional - up or down - without LED driver

Lamptype






2x LED 410lm CRI90 4W 11,43Vf  350mA

Dimensions

 L95xB85xD95 mm  24°

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Ref		Price €
2486.1M	 NW WW	348,00
2486.2M	 NW WW	348,00
2486.117	 NW WW	365,00
2486.118	 NW WW	365,00
2486.119	 NW WW	365,00

built-up

2572/.. - CIGARO

=350mA






built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA







Dimensions

 L141xB112xD30 mm  35°

 L112xB30xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 119
Aluminium / Messing 162 | 132
Aluminium / Roodkoper 282

Ref		Price €
2572.1M	 NW WW	174,00
2572.2M	 NW WW	174,00
2572.119	 NW WW	188,00
2572.162	 NW WW	210,00
2572.282	 NW WW	218,00
2572.132	 NW WW	214,00

built-up

2574/.. - CIGARO

=350mA






built-up wall light - directional - with kneejoint - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf  350mA







Dimensions

 L141xB112xD30 mm  35°

 L112xB30xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M | 119
Aluminium / Messing 162 | 132
Aluminium / Roodkoper 282

Ref		Price €
2574.1M	 NW WW	172,00
2574.2M	 NW WW	172,00
2574.119	 NW WW	186,00
2574.162	 NW WW	208,00
2574.282	 NW WW	216,00
2574.132	 NW WW	212,00

built-up

2467/.. - CIGARO

~230V



reading lamp - directional - with dimmable switch - with LED driver

Lamp type

1x LED 410lm CRI90 4W 11,43Vf 350mA

Dimensions

L50xB150xH120 mm 24°

B50xH120xD30 mm tube Ø28xH85 mm

Materials

Aluminium 1M | 2M

Ref

2467.1M

● NW | WW

Price €

266,00

2467.2M


● NW | WW


266,00

built-up



Colours





Andere kleuren op aanvraag | Autres couleurs sur demande | Other colours on request
Andere Farben auf Anfrage



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.