

Design lovers go for

Cigaro



psmlighting
Delighted to help you

All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

2406/.. - CIGARO

=350mA



IP20



spotlight - directional - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH125 mm

22°

tube Ø28xH85 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
2406.14M.2M	NW WW	112,00
2406.1M	NW WW	104,00
2406.2M	NW WW	104,00
2406.4.2M	NW WW	144,00
2406.13.2M	NW WW	148,00
2406.14.2M	NW WW	112,00
2406.16.2M	NW WW	126,00
2406.28.2M	NW WW	134,00
2406.56.2M	NW WW	150,00

built-up



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up

built-up spot with adaptor - directional

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
8381.2406.14M.2M	NW WW	212,00
8381.2406.1M	NW WW	204,00
8381.2406.2M	NW WW	204,00
8381.2406.4.2M	NW WW	244,00
8381.2406.13.2M	NW WW	248,00
8381.2406.14.2M	NW WW	212,00
8381.2406.16.2M	NW WW	226,00
8381.2406.28.2M	NW WW	234,00
8381.2406.56.2M	NW WW	250,00

8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up

built-up spot with adaptor - directional

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
8382.2406.14M.2M	NW WW	237,00
8382.2406.1M	NW WW	229,00
8382.2406.2M	NW WW	229,00
8382.2406.4.2M	NW WW	269,00
8382.2406.13.2M	NW WW	273,00
8382.2406.14.2M	NW WW	237,00
8382.2406.16.2M	NW WW	251,00
8382.2406.28.2M	NW WW	259,00
8382.2406.56.2M	NW WW	275,00

8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up

built-up spot with adaptor - directional

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
8384.2406.14M.2M	NW WW	237,00
8384.2406.1M	NW WW	229,00
8384.2406.2M	NW WW	229,00
8384.2406.4.2M	NW WW	269,00
8384.2406.13.2M	NW WW	273,00
8384.2406.14.2M	NW WW	237,00
8384.2406.16.2M	NW WW	251,00
8384.2406.28.2M	NW WW	259,00
8384.2406.56.2M	NW WW	275,00

8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up

built-up spot with adaptor - directional

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
8388.2406.14M.2M	NW WW	348,00
8388.2406.1M	NW WW	340,00
8388.2406.2M	NW WW	340,00
8388.2406.4.2M	NW WW	380,00
8388.2406.13.2M	NW WW	384,00
8388.2406.14.2M	NW WW	348,00
8388.2406.16.2M	NW WW	362,00
8388.2406.28.2M	NW WW	370,00
8388.2406.56.2M	NW WW	386,00

8584.2406/.. - MYLA CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH135 mm

22°

Materials

aluminum

2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref

8584.2406.14M.2M

NW | WW

Price €

256,00

8584.2406.2M

NW | WW

248,00

8584.2406.4.2M

NW | WW

288,00

8584.2406.13.2M

NW | WW

292,00

8584.2406.14.2M

NW | WW

256,00

8584.2406.16.2M

NW | WW

270,00

8584.2406.28.2M

NW | WW

278,00

8584.2406.56.2M

NW | WW

294,00


built-up



For more info on Lucy & Myla 48V rail, visit www.psmighting.be.

2417/.. - CIGARO

~230V



built-up

built-up ceiling light - directional - with LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø65xH170 mm

22°

Base Ø65xH45 mm

Spot Ø28xH125 mm



Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 13 | 16
Red copper 28 | 56

Ref		Price €
2417.14M.2M	NW WW	194,00
2417.1M	NW WW	186,00
2417.2M	NW WW	186,00
2417.4.2M	NW WW	226,00
2417.13.2M	NW WW	230,00
2417.14.2M	NW WW	194,00
2417.16.2M	NW WW	208,00
2417.28.2M	NW WW	216,00
2417.56.2M	NW WW	232,00

2418/.. - CIGARO

=350mA



built-up

built-up ceiling light - directional - with base 005 - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø60xH150 mm

22°

Base Ø60xH25 mm

Spot Ø28xH125 mm


Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 13 | 16
Red copper 28 | 56

Ref		Price €
2418.14M.2M	NW WW	164,00
2418.1M	NW WW	156,00
2418.2M	NW WW	156,00
2418.4.2M	NW WW	196,00
2418.13.2M	NW WW	200,00
2418.14.2M	NW WW	164,00
2418.16.2M	NW WW	178,00
2418.28.2M	NW WW	186,00
2418.56.2M	NW WW	202,00

2424/.. - CIGARO

~230V



built-up

ceiling light - directional - with LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

L65xB65xH170 mm

22°

Base L65xB65xH45 mm

Spot Ø28xH125 mm



Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 13 | 16
Red copper 28 | 56

Ref		Price €
2424.1M	NW WW	184,00
2424.2M	NW WW	184,00
2424.4.2M	NW WW	224,00
2424.13.2M	NW WW	228,00
2424.14.2M	NW WW	192,00
2424.14M.2M	NW WW	192,00
2424.16.2M	NW WW	206,00
2424.28.2M	NW WW	214,00
2424.56.2M	NW WW	230,00

2426/.. - CIGARO

=350mA



built-up

ceiling light - directional - with base 025 - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

L60xB60xH150 mm

22°

Base L60xB60xH25 mm

Spot Ø28xH125 mm

Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 13 | 16
Red copper 28 | 56

Ref		Price €
2426.1M	NW WW	148,00
2426.2M	NW WW	148,00
2426.4.2M	NW WW	188,00
2426.13.2M	NW WW	192,00
2426.14.2M	NW WW	156,00
2426.14M.2M	NW WW	156,00
2426.16.2M	NW WW	170,00
2426.28.2M	NW WW	182,00
2426.56.2M	NW WW	194,00

2399/.. - CIGARO

=350mA



spotlight - directional - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø50xH97 mm

Ø40 mm

22°

tube Ø28xH85 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref

2399.14M.2M

NW | WW

Price €

150,00

2399.1M

NW | WW

140,00

2399.2M

NW | WW

140,00

2399.4.2M

NW | WW

188,00

2399.13.2M

NW | WW

192,00

2399.14.2M

NW | WW

150,00

2399.16.2M

NW | WW

166,00

2399.28.2M

NW | WW

174,00

2399.56.2M



NW | WW

186,00

semi built-in/up
with swivel - 360° directional

2419/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamp type

2x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø150xH157 mm

22°

Base Ø170xH32 mm

Ø150xH30 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref

2419.14M.2M

NW | WW

Price €

374,00

2419.1M

NW | WW

358,00

2419.2M

NW | WW

358,00

2419.4.2M

NW | WW

438,00

2419.13.2M

NW | WW

446,00

2419.14.2M

NW | WW

374,00

2419.16.2M

NW | WW

402,00

2419.28.2M

NW | WW

418,00

2419.56.2M


NW | WW

450,00

built-up

2421/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø170xH157 mm

22°

Base Ø170xH32 mm

Ø150xH30 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref

2421.14M.2M

NW | WW

Price €

522,00

2421.1M

NW | WW

498,00

2421.2M

NW | WW

498,00

2421.4.2M

NW | WW

618,00

2421.13.2M

NW | WW

630,00

2421.14.2M

NW | WW

522,00

2421.16.2M

NW | WW

564,00

2421.28.2M

NW | WW

562,00

2421.56.2M


NW | WW

610,00

built-up

2422/.. - CIGARO

~230V



built-up ceiling light - directional - with Rondobox base - with LED driver

Lamp type

5x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø300xH153 mm

22°

Base Ø300xH28 mm

Ø270xH26 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref

2422.14M.2M

NW | WW

Price €

930,00

2422.1M

NW | WW

850,00

2422.2M

NW | WW

850,00

2422.4.2M

NW | WW

1.050,00

2422.13.2M

NW | WW

1.070,00

2422.14.2M

NW | WW

930,00

2422.16.2M

NW | WW

960,00

2422.28.2M

NW | WW

1.000,00

2422.56.2M


NW | WW

1.078,00

built-up

2451/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamp type

2x LED 410lm CRI90 max. 4W

350mA

Dimensions

L200xB40xH165 mm

22°

Base L200xB40xH40 mm

Spot Ø28xH125 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper


28 | 56

Ref		Price €
2451.14M.2M	NW WW	381,00
2451.1M	NW WW	365,00
2451.2M	NW WW	365,00
2451.4.2M	NW WW	445,00
2451.13.2M	NW WW	453,00
2451.14.2M	NW WW	381,00
2451.16.2M	NW WW	409,00
2451.28.2M	NW WW	425,00
2451.56.2M	NW WW	457,00

built-up

2452/.. - CIGARO

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

L320xB40xH165 mm

22°

Base L320xB40xH40 mm

Spot Ø28xH125 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
2452.14M.2M	NW WW	513,00
2452.1M	NW WW	489,00
2452.2M	NW WW	489,00
2452.4.2M	NW WW	609,00
2452.13.2M	NW WW	621,00
2452.14.2M	NW WW	513,00
2452.16.2M	NW WW	555,00
2452.28.2M	NW WW	579,00
2452.56.2M	NW WW	627,00

built-up


2453/.. - CIGARO

2455/.. - CIGARO

~230V



IP20



built-up ceiling light - directional - with Texo base - with LED driver

Lamp type

4x LED 410lm CRI90 max. 4W

350mA

Dimensions

L215xB215xH157 mm 22°

Base L215xB215xH32 mm L185xB185xH30 mm

Spot Ø28xH125 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 13 | 16

Red copper 28 | 56

Ref		Price €
2455.14M.2M	NW WW	623,00
2455.1M	NW WW	591,00
2455.2M	NW WW	591,00
2455.4.2M	NW WW	751,00
2455.13.2M	NW WW	767,00
2455.14.2M	NW WW	623,00
2455.16.2M	NW WW	679,00
2455.28.2M	NW WW	711,00
2455.56.2M	NW WW	775,00

built-up

2456/.. - CIGARO

~230V



IP20



ceiling light - directional - with Juba base - with LED driver

Lamp type

5x LED 410lm CRI90 max. 4W

350mA

Dimensions

L1200xB40xH165 mm 22°

Base L1200xB40xH40 mm Spot Ø28xH125 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 13 | 16

Red copper 28 | 56

Ref		Price €
2456.14M.2M	NW WW	926,00
2456.1M	NW WW	886,00
2456.2M	NW WW	886,00
2456.4.2M	NW WW	1.086,00
2456.13.2M	NW WW	1.106,00
2456.14.2M	NW WW	926,00
2456.16.2M	NW WW	996,00
2456.28.2M	NW WW	1.036,00
2456.56.2M	NW WW	1.116,00

built-up



2460/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH85 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2460.14M

NW | WW

Price €

100,00

2460.1M

NW | WW

92,00

2460.2M

NW | WW

92,00

2460.4

NW | WW

140,00

2460.14

NW | WW

100,00

2460.16

NW | WW

122,00

2460.28

NW | WW

122,00

2460.56


NW | WW

138,00

built-up

2461/.. - CIGARO

=350mA



built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH150 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2461.14M

NW | WW

Price €

122,00

2461.1M

NW | WW

112,00

2461.2M

NW | WW

112,00

2461.4

NW | WW

156,00

2461.14

NW | WW

122,00

2461.16

NW | WW

133,00

2461.28

NW | WW

141,00

2461.56

NW | WW

166,00

built-up


2462/.. - CIGARO

=350mA



2464/.. - CIGARO

=350mA



built-up

built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH300 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2464.14M

NW | WW

Price €

146,00

2464.1M

NW | WW

128,00

2464.2M

NW | WW

128,00

2464.4

NW | WW

192,00

2464.14

NW | WW

146,00

2464.16

NW | WW

158,00

2464.28

NW | WW

162,00

2464.56

NW | WW

196,00

2465/.. - CIGARO

=350mA



built-up

built-up ceiling light - fixed - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH350 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2465.14M

NW | WW

Price €

151,00

2465.1M

NW | WW

132,00

2465.2M

NW | WW

132,00

2465.4

NW | WW

198,00

2465.14

NW | WW

151,00

2465.16

NW | WW

162,00

2465.28

2470/.. - CIGARO

~230V



built-up

built-up ceiling light - fixed - with LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø65xH130 mm

22°

Base Ø65xH45 mm

tube Ø28xH85 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper

28 | 56

Ref		Price €
2470.14M.2M	NW WW	182,00
2470.1M	NW WW	174,00
2470.2M	NW WW	174,00
2470.4.2M	NW WW	222,00
2470.13.2M	NW WW	226,00
2470.14.2M	NW WW	182,00
2470.16.2M	NW WW	204,00
2470.28.2M	NW WW	204,00
2470.56.2M	NW WW	216,00

2475/.. - CIGARO

=350mA



built-up

ceiling light - fixed - with base 005 - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø60xH110 mm

22°

Base Ø60xH25 mm

tube Ø28xH85 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16


Red copper

28 | 56

Ref		Price €
2475.14M.2M	NW WW	152,00
2475.1M	NW WW	144,00
2475.2M	NW WW	144,00
2475.4.2M	NW WW	192,00
2475.13.2M	NW WW	196,00
2475.14.2M	NW WW	152,00
2475.16.2M	NW WW	174,00
2475.28.2M	NW WW	174,00
2475.56.2M	NW WW	192,00

2471/.. - CIGARO

~230V



built-up

built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamp type

2x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø170xH115 mm

22°

Base Ø170xH32 mm

Ø150xH30 mm

tube Ø28xH85 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 13 | 16

Red copper


28 | 56

Ref		Price €
2471.14M.2M	NW WW	350,00
2471.1M	NW WW	334,00
2471.2M	NW WW	334,00
2471.4.2M	NW WW	430,00
2471.13.2M	NW WW	438,00
2471.14.2M	NW WW	350,00
2471.16.2M	NW WW	394,00
2471.28.2M	NW WW	394,00
2471.56.2M	NW WW	426,00



2472/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø170xH282 mm

22°

Base Ø170xH32 mm

Ø150xH30 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16

Red copper 28 | 56

Ref		Price €
2472.14M.2M	NW WW	569,00
2472.1M	NW WW	533,00
2472.2M	NW WW	533,00
2472.4.2M	NW WW	675,00
2472.14.2M	NW WW	569,00
2472.16.2M	NW WW	596,00
2472.28.2M	NW WW	617,00
2472.56.2M	NW WW	703,00

built-up

2473/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamp type

5x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø300xH328 mm

22°

Base Ø300xH28 mm

Ø270xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16

Red copper 28 | 56

Ref		Price €
2473.14M.2M	NW WW	986,00
2473.1M	NW WW	928,00
2473.2M	NW WW	928,00
2473.4.2M	NW WW	1.154,00
2473.14.2M	NW WW	986,00
2473.16.2M	NW WW	1.028,00
2473.28.2M	NW WW	1.068,00
2473.56.2M	NW WW	1.206,00

built-up

1x 150mm - 2x 200mm - 1x 250mm - 1x 300mm

2474/.. - CIGARO

~230V



built-up ceiling light - fixed - with Rondobox base - with LED driver

Lamp type

7x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø350xH328 mm

22°

Base Ø350xH28 mm

Ø320xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16

Red copper 28 | 56


Ref		Price €
2474.14M.2M	NW WW	1.300,00
2474.1M	NW WW	1.210,00
2474.2M	NW WW	1.210,00
2474.4.2M	NW WW	1.558,00
2474.14.2M	NW WW	1.300,00
2474.16.2M	NW WW	1.366,00
2474.28.2M	NW WW	1.412,00
2474.56.2M	NW WW	1.618,00

built-up

1x85mm - 3x 150mm - 1x 200mm - 1x 250mm - 1x 300mm

2420.150/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH162 mm

Cable 1500 mm

22°

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16


Red copper 28 | 56

built-up
with extra thin cable Ø3mm

Ref		Price €
2420.150.1M.KX1	NW WW	128,00
2420.150.2M.KX2	NW WW	128,00
2420.150.4.KX2	NW WW	180,00
2420.150.14.KX2	NW WW	138,00
2420.150.14M.KX2	NW WW	138,00
2420.150.16.KX2	NW WW	157,00
2420.150.28.KX2	NW WW	165,00
2420.150.56.KX2	NW WW	190,00

2420.200/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH212 mm

Cable 1500 mm

22°

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16



Red copper 28 | 56

built-up
with extra thin cable Ø3mm

Ref		Price €
2420.200.14M.KX2	NW WW	148,00
2420.200.1M.KX1	NW WW	136,00
2420.200.2M.KX2	NW WW	136,00
2420.200.4.KX2	NW WW	184,00
2420.200.14.KX2	NW WW	148,00
2420.200.16.KX2	NW WW	160,00
2420.200.28.KX2	NW WW	171,00
2420.200.56.KX2	NW WW	198,00

2420.250/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH262 mm

Cable 1500 mm

22°

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16



Red copper 28 | 56

built-up
with extra thin cable Ø3mm

Ref		Price €
2420.250.14M.KX2	NW WW	154,00
2420.250.1M.KX1	NW WW	140,00
2420.250.2M.KX2	NW WW	140,00
2420.250.4.KX2	NW WW	206,00
2420.250.14.KX2	NW WW	154,00
2420.250.16.KX2	NW WW	174,00
2420.250.28.KX2	NW WW	176,00
2420.250.56.KX2	NW WW	210,00

2420.300/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH312 mm

Cable 1500 mm

22°

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16


Red copper 28 | 56

built-up
with extra thin cable Ø3mm

Ref		Price €
2420.300.14M.KX2	NW WW	162,00
2420.300.1M.KX1	NW WW	144,00
2420.300.2M.KX2	NW WW	144,00
2420.300.4.KX2	NW WW	216,00
2420.300.14.KX2	NW WW	162,00
2420.300.16.KX2	NW WW	182,00
2420.300.28.KX2	NW WW	186,00
2420.300.56.KX2	NW WW	220,00

2420.350/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH362 mm

Cable 1500 mm



Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2420.350.14M.KX2

NW | WW

Price €

167,00

2420.350.1M.KX1

NW | WW

148,00

2420.350.2M.KX2

NW | WW

148,00

2420.350.4.KX2

NW | WW

222,00

2420.350.14.KX2

NW | WW

167,00

2420.350.16.KX2

NW | WW

186,00

2420.350.28.KX2

NW | WW

192,00

2420.350.56.KX2


NW | WW

226,00

built-up
with extra thin cable Ø3mm

2420.400/.. - CIGARO

=350mA



pendant - fixed - with 1,5m cable Ø3mm and strain relief on lampholder's side - without LED driver

Lamp type

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH412 mm

Cable 1500 mm



Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2420.400.14M.KX2

NW | WW

Price €

172,00

2420.400.1M.KX1

NW | WW

152,00

2420.400.2M.KX2

NW | WW

152,00

2420.400.4.KX2

NW | WW

234,00

2420.400.14.KX2

NW | WW

172,00

2420.400.16.KX2

NW | WW

196,00

2420.400.28.KX2

NW | WW

198,00

2420.400.56.KX2

NW | WW

232,00

built-up
with extra thin cable Ø3mm



2423/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø250xH1750 mm

Cable 1500 mm

22°

Base Ø250xH28 mm

Ø220xH26 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref		Price €
2423.1M.KX1	NW WW	561,00
2423.2M.KX2	NW WW	561,00
2423.4.2M.KX2	NW WW	727,00
2423.14.2M.KX2	NW WW	597,00
2423.14M.2M.KX2	NW WW	597,00
2423.16.2M.KX2	NW WW	648,00
2423.28.2M.KX2	NW WW	669,00
2423.56.2M.KX2	NW WW	781,00

built-up

with extra thin cable Ø3mm

1x 200mm - 1x 250mm - 1x 300mm

2425/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

5x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø300xH1800 mm

Cable 1500 mm

22°

Base Ø300xH28 mm

Ø270xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref		Price €
2425.1M.KX1	NW WW	1.024,00
2425.2M.KX2	NW WW	1.024,00
2425.4.2M.KX2	NW WW	1.310,00
2425.14.2M.KX2	NW WW	1.090,00
2425.14M.2M.KX2	NW WW	1.090,00
2425.16.2M.KX2	NW WW	1.173,00
2425.28.2M.KX2	NW WW	1.209,00
2425.56.2M.KX2	NW WW	1.356,00


built-up

with extra thin cable Ø3mm

1x 150mm - 1x200mm - 1x 250mm - 1x 300mm - 1x 350mm

2427/.. - CIGARO

~230V



pendant - fixed - with Rondobox base - with LED driver

Lamp type

7x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø350xH1800 mm

Cable 1500 mm

22°

Base Ø350xH28 mm

Ø320xH26 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

tube Ø28xH350 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref		Price €
2427.1M.KX1	NW WW	1.345,00
2427.2M.KX2	NW WW	1.345,00
2427.4.2M.KX2	NW WW	1.749,00
2427.14.2M.KX2	NW WW	1.435,00
2427.14M.2M.KX2	NW WW	1.435,00
2427.16.2M.KX2	NW WW	1.557,00
2427.28.2M.KX2	NW WW	1.603,00
2427.56.2M.KX2	NW WW	1.809,00

built-up

with extra thin cable Ø3mm

2x 150mm - 2x 200mm - 1x 250mm - 1x 300mm - 1x 350mm



2428/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

L600xB40xH1700 mm Cable 1500 mm

22°

Base L600xB40xH40 mm

tube Ø28xH200 mm

Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 16
Red copper 28 | 56


Ref

Price €

2428.1M.KX1	NW WW	677,00
2428.2M.KX2	NW WW	677,00
2428.4.2M.KX2	NW WW	821,00
2428.14.2M.KX2	NW WW	713,00
2428.14M.2M.KX2	NW WW	713,00
2428.16.2M.KX2	NW WW	749,00
2428.28.2M.KX2	NW WW	782,00
2428.56.2M.KX2	NW WW	863,00

2429/.. - CIGARO

~230V



*built-up
with extra thin cable Ø3mm*

pendant - fixed - with Juba base - with LED driver

Lamp type

5x LED 410lm CRI90 max. 4W

350mA

Dimensions

L1200xB40xH1750 mm Cable 1500 mm

22°

Base L1200xB40xH40 mm

tube Ø28xH200 mm

Materials

aluminum 1M | 2M | 14 | 14M
brass 4 | 16
Red copper 28 | 56

Ref

Price €

2429.1M.KX1	NW WW	1.026,00
2429.2M.KX2	NW WW	1.026,00
2429.4.2M.KX2	NW WW	1.286,00
2429.14.2M.KX2	NW WW	1.086,00
2429.14M.2M.KX2	NW WW	1.086,00
2429.16.2M.KX2	NW WW	1.146,00
2429.28.2M.KX2	NW WW	1.201,00
2429.56.2M.KX2	NW WW	1.336,00



2442/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø56xH312 mm

Cable 1500 mm

22°

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2442.14M.TX2

NW | WW

Price €

598,00

2442.1M.TX1

NW | WW

526,00

2442.2M.TX2

NW | WW

526,00

2442.4.TX2

NW | WW

702,00

2442.14.TX2

NW | WW

598,00

2442.16.TX2

NW | WW

678,00

2442.28.TX2

NW | WW

694,00

2442.56.TX2

NW | WW

798,00

built-up

2443/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

4x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

22°

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2443.14M.TX2

NW | WW

Price €

760,00

2443.1M.TX1

NW | WW

670,00

2443.2M.TX2

NW | WW

670,00

2443.4.TX2

NW | WW

890,00

2443.14.TX2

NW | WW

760,00

2443.16.TX2

NW | WW

860,00

2443.28.TX2

NW | WW

880,00

2443.56.TX2

NW | WW

1.010,00

built-up

2444/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

22°

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2444.14M.TX2

NW | WW

Price €

984,00

2444.1M.TX1

NW | WW

858,00

2444.2M.TX2

NW | WW

858,00

2444.4.TX2

NW | WW

1.166,00

2444.14.TX2

NW | WW

984,00

2444.16.TX2

NW | WW

1.104,00

2444.28.TX2

NW | WW

1.132,00

2444.56.TX2

NW | WW

1.334,00

built-up

2448/.. - CIGARO

=350mA



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

3x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

22°

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2448.14M.TX2

NW | WW

Price €

894,00

2448.1M.TX1

NW | WW

768,00

2448.2M.TX2

NW | WW

768,00

2448.4.TX2

NW | WW

1.076,00

2448.14.TX2

NW | WW

894,00

2448.16.TX2

NW | WW

1.014,00

2448.28.TX2

NW | WW

1.042,00

2448.56.TX2

NW | WW

1.244,00

built-up



2447/.. - CIGARO

≈350mA



IP20




1.5 m



0.5 m



5.6



pendant - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø84xH312 mm

Cable 1500 mm

22°

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

tube Ø28xH300 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

Price €

2447.14M.TX2	NW WW	1.048,00
2447.1M.TX1	NW WW	952,00
2447.2M.TX2	NW WW	952,00
2447.4.TX2	NW WW	1.356,00
2447.14.TX2	NW WW	1.048,00
2447.16.TX2	NW WW	1.164,00
2447.28.TX2	NW WW	1.210,00
2447.56.TX2	NW WW	1.416,00

built-up

2480/.. - CIGARO

~230V



LED C

IP20



1.5 m



0.5 m



5.6



pendant - fixed - with LED driver

Lamp type

12x LED 410lm CRI90 max. 4W

350mA

Dimensions

L1064xB252xH200 mm Cable 1500 mm

22°

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56


Ref

Price €

2480.14M.2M	NW WW	7.860,00
2480.1M	NW WW	6.780,00
2480.2M	NW WW	6.780,00
2480.4.2M	NW WW	11.980,00
2480.14.2M	NW WW	7.860,00
2480.16.2M	NW WW	9.910,00
2480.28.2M	NW WW	10.240,00
2480.56.2M	NW WW	10.850,00

built-up





2435/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB40xD63 mm

22°

L166xB40xD35 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper


28 | 56

Ref		Price €
2435.14M.2M	NW WW	240,00
2435.1M	NW WW	226,00
2435.2M	NW WW	226,00
2435.4.2M	NW WW	284,00
2435.14.2M	NW WW	240,00
2435.16.2M	NW WW	252,00
2435.28.2M	NW WW	254,00
2435.56.2M	NW WW	288,00

built-up

2434/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

2x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB96xD63 mm

22°

L146xB84xD35 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper


28 | 56

Ref		Price €
2434.1M	NW WW	454,00
2434.2M	NW WW	454,00
2434.4.2M	NW WW	592,00
2434.14.2M	NW WW	492,00
2434.14M.2M	NW WW	492,00
2434.16.2M	NW WW	522,00
2434.28.2M	NW WW	536,00
2434.56.2M	NW WW	624,00

built-up

2436/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB96xD63 mm

22°

L146xB84xD35 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper


28 | 56

Ref		Price €
2436.14M.2M	NW WW	632,00
2436.1M	NW WW	594,00
2436.2M	NW WW	594,00
2436.4.2M	NW WW	732,00
2436.14.2M	NW WW	632,00
2436.16.2M	NW WW	662,00
2436.28.2M	NW WW	676,00
2436.56.2M	NW WW	764,00

built-up

2437/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB164xD63 mm

22°

L121xB152xD35 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper


28 | 56

Ref		Price €
2437.14M.2M	NW WW	876,00
2437.1M	NW WW	818,00
2437.2M	NW WW	818,00
2437.4.2M	NW WW	1.044,00
2437.14.2M	NW WW	876,00
2437.16.2M	NW WW	918,00
2437.28.2M	NW WW	958,00
2437.56.2M	NW WW	1.096,00

built-up

2438/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB164xD63 mm

22°

L121xB152xD35 mm

tube Ø28xH150 mm

tube Ø28xH200 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16

Red copper 28 | 56

Ref


2438.14M.2M	NW WW	870,00
2438.1M	NW WW	814,00
2438.2M	NW WW	814,00
2438.4.2M	NW WW	1.022,00
2438.14.2M	NW WW	870,00
2438.16.2M	NW WW	904,00
2438.28.2M	NW WW	953,00
2438.56.2M	NW WW	1.084,00

Price €

built-up

2439/.. - CIGARO

~230V



built-up wall light - fixed - with LED driver

Lamp type

6x LED 410lm CRI90 max. 4W

350mA

Dimensions

L250xB164xD63 mm

22°

L121xB152xD35 mm

tube Ø28xH200 mm

Materials

aluminum 1M | 2M | 14 | 14M

brass 4 | 16


Red copper 28 | 56

Ref

2439.14M.2M	NW WW	890,00
2439.1M	NW WW	790,00
2439.2M	NW WW	790,00
2439.4.2M	NW WW	1.030,00
2439.14.2M	NW WW	890,00
2439.16.2M	NW WW	910,00
2439.28.2M	NW WW	963,00
2439.56.2M	NW WW	1.100,00

Price €

built-up



2432/.. - CIGARO

~230V



IP20



0,5 m



5,6



built-up wall light - fixed

Lamp type

1x C35 E14 max. 5W

230V

Dimensions

L250xB40xD63 mm

22°

L170xB40xD35 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2432.14M.2M

alu satin matt

Price €

146,00

2432.1M

white texture

132,00

2432.2M

black tex

132,00

2432.4.2M

shiny gold

190,00

2432.14.2M

alu satin

146,00

2432.16.2M

satin gold

158,00

2432.28.2M

rosé

160,00

2432.56.2M

red copper

194,00

built-up
Lamp not included

2433/.. - CIGARO

~230V




IP20



0,5 m



5,6



built-up wall light - fixed

Lamp type

3x C35 E14 max. 5W

230V

Dimensions

L250xB112xD58 mm

22°

L100xB60xD30 mm

tube Ø28xH150 mm

tube Ø28xH250 mm

Materials

aluminum

1M | 2M | 14 | 14M

brass

4 | 16

Red copper

28 | 56

Ref

2433.14M.2M

alu satin matt

Price €

370,00

2433.1M

white texture

338,00

2433.2M

black tex

338,00

2433.4.2M

shiny gold

470,00

2433.14.2M

alu satin

370,00

2433.16.2M

satin gold

392,00

2433.28.2M

rosé

424,00

2433.56.2M

red copper


508,00

built-up
Lamps not included



61.10/.. - ROSETTE IN

S1 IP20    0.0800 



built-in

rosette to build in - round

Dimensions

→ Ø60 mm  Ø40 mm

└┘ L 55 mm

Materials

aluminum 1 | 1M | 2 | 2M | 11 | 14

Inox 316 5

brass 4 | 13 | 16


Options

S2/.. SET FLAT SPRINGS

Ref		Price €
61.10.1	white gloss	15,84
61.10.1M	white texture	16,63
61.10.2	black matt	15,84
61.10.2M	black tex	16,63
61.10.4	shiny gold	25,64
61.10.5	inox 316	28,69
61.10.11	alu grey	15,84
61.10.13	bronze	31,22
61.10.14	alu satin	19,21
61.10.16	satin gold	25,64

71.10/.. - ROSETTE IN

S1 IP20   



built-in

rosette to build in - round

Dimensions

→ Ø70 mm  Ø50 mm

└┘ L 55 mm


Materials

aluminum 1M | 2M

Ref		Price €
71.10.1M	white texture	21,00
71.10.2M	black tex	21,00

81.10/.. - ROSETTE IN

S1 IP20    0.1500 



built-in

rosette to build in - round

Dimensions

→ Ø80 mm  Ø60 mm

└┘ L 55 mm

Materials

aluminum 1 | 1M | 2 | 2M | 11 | 14

Inox 316 5

brass 4 | 13 | 16 | 23


Options

S2/.. SET FLAT SPRINGS

Ref		Price €
81.10.1	white gloss	24,24
81.10.1M	white texture	25,46
81.10.2	black matt	24,24
81.10.2M	black tex	25,46
81.10.4	shiny gold	38,82
81.10.5	inox 316	37,06
81.10.11	alu grey	24,24
81.10.13	bronze	46,37
81.10.14	alu satin	28,04
81.10.16	satin gold	38,82
81.10.23	dark bronze	46,37

91.10/.. - ROSETTE IN

S1 IP20    0.1800 



built-in

rosette to build in - round

Dimensions

→ Ø90 mm  Ø60 mm

└┘ L 55 mm

Materials

aluminum 1M | 2M

Ref		Price €
91.10.1M	white texture	26,75
91.10.2M	black tex	26,75

054B/.. - ROSETTE for textile cable

IP20    0.1600 



built-up base - built-up base with strain relief for 1 textile cable

Dimensions

↔ Ø64xH41 mm

Materials

aluminum	1M 2M 14
brass	4 13 16 23
Red copper	28

Ref		Price €
054B.1M	white texture	51,40
054B.2M	black tex	51,40
054B.4	shiny gold	66,94
054B.13	bronze	70,53
054B.14	alu satin	56,19
054B.16	satin gold	66,94
054B.23	dark bronze	70,53
054B.28	rosé	72,92
054B.28.2M	rosé - black	69,30

built-up

055B/.. - ROSETTE for textile cable

IP20    0.2000 



built-up base - with strain relief for 1 textile cable

Dimensions

↔ Ø62xH30 mm

Materials


aluminum	1M 2M 14
brass	4 13 16 23
Red copper	28

Ref		Price €
055B.1M	white texture	50,21
055B.2M	black tex	50,21
055B.4	shiny gold	65,75
055B.13	bronze	69,33
055B.14	alu satin	54,99
055B.16	satin gold	65,75
055B.23	dark bronze	69,33
055B.28	rosé	71,73
055B.28.2M	rosé - black	69,30

built-up

005/.. - ROSETTE UP

IP20    0.1700 



built-up base - round

Dimensions

↔ Ø60xH25 mm

Materials

aluminum	1 1M 2 2M 11 14 21 46 53
brass	4 13 16 23 13M

Options

P040/..	STRAIN RELIEF - TREKONTLASTING
P039/..	STRAIN RELIEF - TREKONTLASTING

Ref		Price €
005.1	white gloss	28,69
005.1M	white texture	29,89
005.2	black matt	28,69
005.2M	black tex	29,89
005.4	shiny gold	43,04
005.11	alu grey	28,69
005.13	bronze	52,60
005.14	alu satin	33,47
005.16	satin gold	43,04
005.21	rust	29,89
005.23	dark bronze	52,60
005.46	grey-brown	40,00
005.53	bronze-brown	41,84
005.13M	bronze matt	52,60

built-up

1647/.. - ROSETTE UP + DRIVER



built-up base - round - with 1x TR89800255 | 15W - 350mA

Dimensions

Ø70xH170 mm

Materials

aluminum 1M | 2M

Ref		Price €
1647.1M	white texture	176,00
1647.2M	black tex	176,00

built-up

1649/.. - ROSETTE UP + DRIVER



built-up base - round - with 2x TR89800255 | 30W - 350mA

Dimensions

Ø70xH170 mm


Materials

aluminum 1M | 2M

Ref		Price €
1649.1M	white texture	206,00
1649.2M	black tex	206,00

built-up

1653/.. - ROSETTE UP + DRIVER



built-up base - round - with driver 350mA 5W - dimmable phase cut

Dimensions

Ø65xH45 mm


Materials

aluminum 1M | 2M

Ref		Price €
1653.1M	white texture	82,00
1653.2M	black tex	82,00

built-up

1654/.. - ROSETTE UP + DRIVER



built-up base - square - with driver 350mA 5W - dimmable phase cut

Dimensions

L65xB65xH45 mm

Materials

aluminum 1M | 2M

Ref		Price €
1654.1M	white texture	82,00
1654.2M	black tex	82,00

built-up

P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



strain relief

Dimensions

↔ Ø15xH20 mm

Materials

aluminum 1 | 1M | 2 | 2M | 11 | 14 | 21 | 44 | 46 | 53
brass 4 | 13 | 16 | 23
Red copper 28

Ref		Price €
P039.1	white gloss	8,37
P039.1M	white texture	8,97
P039.2	black matt	8,37
P039.2M	black tex	8,97
P039.4	shiny gold	13,15
P039.11	alu grey	8,37
P039.13	bronze	15,54
P039.14	alu satin	10,76
P039.16	satin gold	13,15
P039.21	rust	8,97
P039.23	dark bronze	15,54
P039.28	rosé	17,93
P039.44	anthracite grey	8,97
P039.46	grey-brown	8,97
P039.53	bronze-brown	8,97

built-up
to be fixed to rosette or ceiling base

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



strain relief

Dimensions

↔ Ø15xH20 mm

Materials

aluminum 1 | 1M | 2 | 2M | 11 | 14
brass 4 | 13 | 16 | 23
Red copper 28

Ref		Price €
P040.1	white gloss	8,37
P040.1M	white texture	8,97
P040.2	black matt	8,37
P040.2M	black tex	8,97
P040.4	shiny gold	13,15
P040.11	alu grey	8,37
P040.13	bronze	15,54
P040.14	alu satin	10,76
P040.16	satin gold	13,15
P040.23	dark bronze	15,54
P040.28	rosé	17,93

built-up
to be fixed to rosette or ceiling base

1790/.. - STRAIN RELIEF - TREKONTLASTING

IP20   



strain relief for cable Ø3mm

Dimensions

↔ Ø12xH20 mm

Materials

aluminum 1M | 2M

Ref		Price €
1790.1M	white texture	8,97
1790.2M	black tex	8,97

built-up

33M8/.. - BASE Ø30

III ZT S1 IP20



built-in base with swivel - round - M8 - without transformer

Dimensions

Ø33xH55 mm Ø30 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Brass 4 | 13 | 16

Options

S6.30/.. PLASTERKIT

Ref		Price €
33M8.1	white gloss	€ 30,83
33M8.1M	white texture	€ 31,44
33M8.2	black	€ 30,83
33M8.2M	black texture	€ 31,44
33M8.4	shiny gold	€ 34,75
33M8.11	metal grey	€ 30,83
33M8.13	bronze	€ 39,13
33M8.14	alu satin	€ 33,41
33M8.16	satin gold	€ 34,75

built-in

43M8/.. - BASE Ø39-40

III ZT S1 IP20



built-in base with swivel - round - M8 - without transformer

Dimensions

Ø43xH50 mm Ø39-40 mm

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
Brass 4 | 13 | 16

Options

S6.40/.. PLASTERKIT

Ref		Price €
43M8.1	white gloss	€ 30,83
43M8.1M	white texture	€ 31,44
43M8.2	black	€ 30,83
43M8.2M	black texture	€ 31,44
43M8.4	shiny gold	€ 34,75
43M8.11	metal grey	€ 30,83
43M8.13	bronze	€ 39,13
43M8.14	alu satin	€ 33,41
43M8.16	satin gold	€ 34,75

built-in

50M8/.. - BASE Ø39-40

III ZT S1 IP20



built-in base with swivel - round - directional - without transformer

Dimensions

Ø50xH50 mm Ø39-40 mm





∟ 60 mm

Materials


aluminum 1M | 2M | 14
brass 4 | 13 | 16

Ref		Price €
50M8.1M	white texture	36,00
50M8.2M	black tex	36,00
50M8.4	shiny gold	44,00
50M8.13	bronze	52,00
50M8.14	alu satin	38,00
50M8.16	satin gold	40,00

built-in



Other colours on request





Groendreef 60 | 9880 Aalter | Belgium | T +32 9 374 19 51 | www.psmlighting.be