



# Flavie

timeless classic lighting



**psmighting**

Delighted to help you

All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.




## INDOOR | Ceiling UP | Luminaires | FLAVIE

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3606/.. - FLAVIE

=500mA



built-up



built-up spot LED M10 - square - directional - without LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L40xB40xH120 mm

48°

Head L40xB40xH95 mm

L40xB40xH25 mm

#### Materials

Aluminium

1M | 2M | 14 | 47 | 77 | 119 | 230 | 127


Messing

16 | 23 | 13M

| Ref      | Price € |
|----------|---------|
| 3606.1M  | NW   WW |
| 3606.2M  | NW   WW |
| 3606.14  | NW   WW |
| 3606.16  | NW   WW |
| 3606.23  | NW   WW |
| 3606.77  | NW   WW |
| 3606.47  | NW   WW |
| 3606.119 | NW   WW |
| 3606.13M | NW   WW |
| 3606.230 | NW   WW |
| 3606.127 | NW   WW |

### 3607/.. - FLAVIE

=500mA



built-up



built-up spot LED M10 - square - directional - without LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L40xB40xH120 mm

48°

Head L40xB40xH95 mm

L60xB60xH25 mm

#### Materials

Aluminium

1M | 2M | 14 | 47 | 77 | 119 | 230 | 127

Messing

16 | 23 | 13M

| Ref      | Price € |
|----------|---------|
| 3607.1M  | NW   WW |
| 3607.2M  | NW   WW |
| 3607.14  | NW   WW |
| 3607.16  | NW   WW |
| 3607.23  | NW   WW |
| 3607.77  | NW   WW |
| 3607.47  | NW   WW |
| 3607.119 | NW   WW |
| 3607.13M | NW   WW |
| 3607.230 | NW   WW |
| 3607.127 | NW   WW |

### 3608/.. - FLAVIE

~230V



built-up



built-up spot LED M10 - square - directional - with LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L60xB60xH135 mm

48°

Head L40xB40xH95 mm

L60xB60xH40 mm

#### Materials

Aluminium

1M | 2M | 14 | 47 | 77 | 119 | 230 | 127

Messing

16 | 23 | 13M

| Ref      | Price € |
|----------|---------|
| 3608.1M  | NW   WW |
| 3608.2M  | NW   WW |
| 3608.14  | NW   WW |
| 3608.16  | NW   WW |
| 3608.23  | NW   WW |
| 3608.77  | NW   WW |
| 3608.47  | NW   WW |
| 3608.119 | NW   WW |
| 3608.13M | NW   WW |
| 3608.230 | NW   WW |
| 3608.127 | NW   WW |



## INDOOR | Ceiling UP | Luminaires | FLAVIE

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3610/.. - FLAVIE

~230V



built-up



built-up spot LED M10 - square - directional - with LED driver

#### Lamptype

2x LED 555lm CRI90 max. 5,8W



#### Dimensions

L200xB40xH135 mm

48°

Head L40xB40xH95 mm

L200xB40xH40 mm

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 233 | 127

Aluminium / Messing 132 | 162 | 232

| Ref      | Price € |
|----------|---------|
| 3610.1M  | NW   WW |
| 3610.2M  | NW   WW |
| 3610.14  | NW   WW |
| 3610.77  | NW   WW |
| 3610.47  | NW   WW |
| 3610.119 | NW   WW |
| 3610.132 | NW   WW |
| 3610.162 | NW   WW |
| 3610.232 | NW   WW |
| 3610.233 | NW   WW |
| 3610.127 | NW   WW |

### 3611/.. - FLAVIE

~230V



built-up



built-up spot LED M10 - square - directional - with LED driver

#### Lamptype

2x LED 555lm CRI90 max. 5,8W



#### Dimensions

L200xB40xH135 mm

48°

Head Ø40xH95 mm

L220xB40xH40 mm

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 233 | 127

Aluminium / Messing 132 | 162 | 232

| Ref      | Price € |
|----------|---------|
| 3611.1M  | NW   WW |
| 3611.2M  | NW   WW |
| 3611.14  | NW   WW |
| 3611.77  | NW   WW |
| 3611.47  | NW   WW |
| 3611.119 | NW   WW |
| 3611.132 | NW   WW |
| 3611.162 | NW   WW |
| 3611.232 | NW   WW |
| 3611.233 | NW   WW |
| 3611.127 | NW   WW |

### 3612/.. - FLAVIE

~230V



built-up



built-up spot LED M10 - square - directional - with LED driver

#### Lamptype

3x LED 555lm CRI90 max. 5,8W



#### Dimensions

L320xB40xH135 mm

48°

Head L40xB40xH95 mm

L320xB40xH40 mm

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 233 | 127

Aluminium / Messing 132 | 162 | 232

| Ref      | Price € |
|----------|---------|
| 3612.1M  | NW   WW |
| 3612.2M  | NW   WW |
| 3612.14  | NW   WW |
| 3612.77  | NW   WW |
| 3612.47  | NW   WW |
| 3612.119 | NW   WW |
| 3612.132 | NW   WW |
| 3612.162 | NW   WW |
| 3612.232 | NW   WW |
| 3612.233 | NW   WW |
| 3612.127 | NW   WW |







## INDOOR | Ceiling UP | Pendants | FLAVIE

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

### 3600.150/.. - FLAVIE PENDEL

=500mA



pendant - square - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L40xB40xH150 mm Cable 1500 mm

48°

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 230 | 127



Messing 16 | 23 | 13M

| Ref               | Price € |
|-------------------|---------|
| 3600.150.1M.TX1   | NW   WW |
| 3600.150.2M.TX2   | NW   WW |
| 3600.150.14.TX11  | NW   WW |
| 3600.150.16.TX2   | NW   WW |
| 3600.150.23.TX33  | NW   WW |
| 3600.150.77.TX1   | NW   WW |
| 3600.150.47.TX2   | NW   WW |
| 3600.150.119.TX33 | NW   WW |
| 3600.150.13M.TX43 | NW   WW |
| 3600.150.230.TX44 | NW   WW |
| 3600.150.127.TX33 | NW   WW |

**built-up**  
On request tige Ø6 shortenable with swivel B3

### 3600.250/.. - FLAVIE PENDEL

=500mA



pendant - square - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L40xB40xH250 mm Cable 1500 mm

48°

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 230 | 127



Messing 16 | 23 | 13M

| Ref               | Price € |
|-------------------|---------|
| 3600.250.1M.TX1   | NW   WW |
| 3600.250.2M.TX2   | NW   WW |
| 3600.250.14.TX11  | NW   WW |
| 3600.250.16.TX2   | NW   WW |
| 3600.250.23.TX33  | NW   WW |
| 3600.250.77.TX1   | NW   WW |
| 3600.250.47.TX2   | NW   WW |
| 3600.250.119.TX33 | NW   WW |
| 3600.250.13M.TX43 | NW   WW |
| 3600.250.230.TX44 | NW   WW |
| 3600.250.127.TX33 | NW   WW |

**built-up**  
On request tige Ø6 shortenable with swivel B3

### 3600.300/.. - FLAVIE PENDEL

=500mA



pendant - square - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

#### Lamptype

1x LED 555lm CRI90 max. 5,8W

#### Dimensions

L40xB40xH300 mm Cable 1500 mm

48°

#### Materials

Aluminium 1M | 2M | 14 | 47 | 77 | 119 | 230 | 127

Messing 16 | 23 | 13M

| Ref               | Price € |
|-------------------|---------|
| 3600.300.1M.TX1   | NW   WW |
| 3600.300.2M.TX2   | NW   WW |
| 3600.300.14.TX11  | NW   WW |
| 3600.300.16.TX2   | NW   WW |
| 3600.300.23.TX33  | NW   WW |
| 3600.300.77.TX1   | NW   WW |
| 3600.300.47.TX2   | NW   WW |
| 3600.300.119.TX33 | NW   WW |
| 3600.300.13M.TX43 | NW   WW |
| 3600.300.230.TX44 | NW   WW |
| 3600.300.127.TX33 | NW   WW |

**built-up**  
On request tige Ø6 shortenable with swivel B3



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

**3600.400/.. - FLAVIE PENDEL**

=500mA



pendant - square - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

**Lamptype**

1x LED 555lm CRI90 max. 5,8W



**Dimensions**

L40xB40xH400 mm

Cable 1500 mm



**Materials**

Aluminium

1M | 2M | 14 | 47 | 77 | 119 | 230 | 127

Messing

16 | 23 | 13M

**Ref**

**Price €**

3600.400.1M.TX1

NW | WW

3600.400.2M.TX2

NW | WW

3600.400.14.TX11

NW | WW

3600.400.16.TX2

NW | WW

3600.400.23.TX33

NW | WW

3600.400.77.TX1

NW | WW

3600.400.47.TX2

NW | WW

3600.400.119.TX33

NW | WW

3600.400.13M.TX43

NW | WW

3600.400.230.TX44

NW | WW

3600.400.127.TX33

NW | WW

**built-up**

On request tige Ø6 shortenable with swivel B3

CEILING UP

PENDANTS



INDOOR | Ceiling UP | Pendants | FLAVIE

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

| 3601.250/.. - FLAVIE HOOK PENDEL                                                                                                                                                                                                              |                                                                                   |                                                                                                                      |  | =500mA                                                                                                |  | IP20 |  | 1.5 m |  | 0,5 m |  | 5.6 |  | CE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------|----|
| <br><br><br><i>built-up</i><br>On request tige Ø6 shortenable with swivel B3 |  | pendant - square - fixed - with 1,5m textile cable and strain relief on lampholder's side - without LED driver       |  | <b>Ref</b> <span style="float:right"><b>Price €</b></span>                                            |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | <b>Lamptype</b>                                                                                                      |  | 3601.250.1M.TX1    |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | 1x LED 555lm CRI90 max. 5,8W        |  | 3601.250.2M.TX2    |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | <b>Dimensions</b>                                                                                                    |  | 3601.250.14.TX11   |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   |  L40xB40xH250 mm      Cable 1500 mm |  | 3601.250.16.TX2    |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   |  48°                                |  | 3601.250.23.TX33   |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | <b>Materials</b>                                                                                                     |  | 3601.250.77.TX1    |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | Aluminium                                                                                                            |  | 3601.250.47.TX2    |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   | Messing                                                                                                              |  | 3601.250.119.TX33  |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   |                                                                                                                      |  | 3601.250.13M.TX43  |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   |                                                                                                                      |  | 3601.250.230.TX44  |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |
|                                                                                                                                                                                                                                               |                                                                                   |                                                                                                                      |  | 3601.250.127.TX33  |                                                                                     |      |                                                                                     |       |                                                                                     |       |                                                                                     |     |                                                                                     |    |



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

## COLOURS



## TEXTILE CABLES



CEILING UP

PENDANTS





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.