



Franklin

timeless classic lighting



psmighting

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

T1177.470/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

1x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

L70xB60xH470

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1300/..

FRANKLIN - GRONDPIN

Ref

T1177.470.5

T1177.470.31MX

T1177.470.32X

T1177.470.37X

T1177.470.46X

T1177.470.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

T1177.670/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

1x LED 688lm CRI83 max. 5,76W

24V-DC

Dimensions

L70xB60xH670

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1300/..

FRANKLIN - GRONDPIN

Ref

T1177.670.5

T1177.670.31MX

T1177.670.32X

T1177.670.37X

T1177.670.46X

T1177.670.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

T1177.870/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

1x LED 1032lm CRI83 max. 8,64W

24V-DC

Dimensions

L70xB60xH870

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1300/..

FRANKLIN - GRONDPIN

Ref

T1177.870.5

T1177.870.31MX

T1177.870.32X

T1177.870.37X

T1177.870.46X

T1177.870.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

T1179.470/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

2x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

L123xB60xH470

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1301/..

FRANKLIN - GRONDPIN

Ref

T1179.470.5

T1179.470.31MX

T1179.470.32X

T1179.470.37X

T1179.470.46X

T1179.470.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1179.670/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

2x LED 688lm CRI83 max. 5,76W

24V-DC

Dimensions

L123xB60xH670

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1301/..

FRANKLIN - GRONDPIN

Ref

T1179.670.5

T1179.670.31MX

T1179.670.32X

T1179.670.37X

T1179.670.46X

T1179.670.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1179.870/.. - FRANKLIN

~230V



IP54



bollard - square - fixed - with transformer

Lamptype

2x LED 1032lm CRI83 max. 8,64W

24V-DC

Dimensions

L123xB60xH870

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1301/..

FRANKLIN - GRONDPIN

Ref

T1179.870.5

T1179.870.31MX

T1179.870.32X

T1179.870.37X

T1179.870.46X

T1179.870.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request



T1283.670/.. - FRANKLIN SENSOR

~230V



IP54



bollard - square - fixed - with built-in sensor - with transformer

Lamptype

1x LED 688lm CRI83 max. 5,76W

24V-DC

Dimensions

L70xB60xH670

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1300/..

FRANKLIN - GRONDPIN

Ref

T1283.670.5

NW | WW

T1283.670.31MX

NW | WW

T1283.670.32X

NW | WW

T1283.670.37X

NW | WW

T1283.670.46X

NW | WW

T1283.670.64X

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1283.870/.. - FRANKLIN SENSOR

~230V



IP54



bollard - square - fixed - with built-in sensor - with transformer

Lamptype

1x LED 1032lm CRI83 max. 8,64W

24V-DC

Dimensions

L70xB60xH870

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1300/..

FRANKLIN - GRONDPIN

Ref

T1283.870.5

NW | WW

T1283.870.31MX

NW | WW

T1283.870.32X

NW | WW

T1283.870.37X

NW | WW

T1283.870.46X

NW | WW

T1283.870.64X

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1284.670/.. - FRANKLIN SENSOR

~230V



IP54



bollard - square - fixed - with built-in sensor - with transformer

Lamptype

2x LED 688lm CRI83 max. 5,76W

24V-DC

Dimensions

L123xB60xH670

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1301/..

FRANKLIN - GRONDPIN

Ref

T1284.670.5

NW | WW

T1284.670.31MX

NW | WW

T1284.670.32X

NW | WW

T1284.670.37X

NW | WW

T1284.670.46X

NW | WW

T1284.670.64X

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1284.870/.. - FRANKLIN SENSOR

~230V



IP54



bollard - square - fixed - with built-in sensor - with transformer

Lamptype

2x LED 1032lm CRI83 max. 8,64W

24V-DC

Dimensions

L123xB60xH870

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5

Options

T1301/..

FRANKLIN - GRONDPIN

Ref

T1284.870.5

NW | WW

T1284.870.31MX

NW | WW

T1284.870.32X

NW | WW

T1284.870.37X

NW | WW

T1284.870.46X

NW | WW

T1284.870.64X

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request



T1122.450/.. - FRANKLIN Y

~230V



IP54



3,1400

0,5 m

5,6



bollard - square - fixed - with transformer

Lamptype

2x LED 516lm CRI83 max. 4,32W

24V-DC

Dimensions

L90xB85xH450

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Ref

T1122.450.31MX

T1122.450.32X

T1122.450.37X

T1122.450.46X

T1122.450.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1122.650/.. - FRANKLIN Y

~230V



IP54



4,6500

0,5 m

4,6



bollard - square - fixed - with transformer

Lamptype

2x LED 860lm CRI83 max. 7,2W

24V-DC

Dimensions

L90xB85xH650

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Ref

T1122.650.31MX

T1122.650.32X

T1122.650.37X

T1122.650.46X

T1122.650.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1122.850/.. - FRANKLIN Y

~230V



IP54



5,8000

0,5 m

4,6



bollard - square - fixed - with transformer

Lamptype

2x LED 1204lm CRI83 max. 10,0W

24V-DC

Dimensions

L90xB85xH850

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Ref

T1122.850.31MX

T1122.850.32X

T1122.850.37X

T1122.850.46X

T1122.850.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on request

T1300/.. - FRANKLIN - GRONDPIN

IP20   0.7500 



spike

Ref

Price €

Dimensions

T1300

↔ L120xB120xH250



built-in

T1301/.. - FRANKLIN - GRONDPIN

IP20   0.0700 



spike

Ref

Price €

Dimensions

T1301

↔ L170xB120xH250



built-in



W1264/.. - FRANKLIN

~230V



IP54



1.9700

0,5 m

5,6



built-up wall light - square - fixed - with transformer

Lamptype

2x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

B130xH250xD40

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Options

C50/..

NUMBER/ST

C96/..

NUMBER/ST

L50.A/..

LETTER

Ref

W1264.5

W1264.5BB

W1264.31MX

W1264.32X

W1264.37X

W1264.46X

W1264.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1323/.. - FRANKLIN

~230V



IP54



2.8000

0,5 m

5,6



built-up wall light - square - fixed - with transformer

Lamptype

2x LED 516lm CRI83 max. 4,32W

24V-DC

Dimensions

B130xH350xD37

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Options

C50/..

NUMBER/ST

C96/..

NUMBER/ST

L50.A/..

LETTER

Ref

W1323.5

W1323.5BB

W1323.31MX

W1323.32X

W1323.37X

W1323.46X

W1323.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
frontplate on request brass / chrome / satin
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1268/.. - FRANKLIN

~230V



IP54



1.1800

0,5 m

5,6



built-up wall light - square - fixed - down - with transformer

Lamptype

1x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

B225xH38xD80

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1268.5

W1268.5BB

W1268.31MX

W1268.32X

W1268.37X

W1268.46X

W1268.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1327/.. - FRANKLIN

~230V



IP54



1.5500

0,5 m

5,6



built-up wall light - square - fixed - down - with transformer

Lamptype

1x LED 516lm CRI83 max. 4,32W

24V-DC

Dimensions

B320xH38xD80

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1327.5

W1327.5BB

W1327.31MX

W1327.32X

W1327.37X

W1327.46X

W1327.64X

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1679/.. - FRANKLIN

~230V



IP54



built-up wall light - square - fixed - with transformer

Lamp type

1x LED 860lm CRI83 max. 7,2W

24V-DC

Dimensions

B650xH70xD80

Materials

Inox

Ref

W1679.32X

Price €

NW | WW



built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request



W1265/.. - FRANKLIN

~230V



IP54



built-up wall light - square - fixed - with transformer

Lamptype

1x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

B35xH225xD80

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1265.5

W1265.5BB

W1265.31MX

W1265.32X

W1265.37X

W1265.46X

W1265.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1326/.. - FRANKLIN

~230V



IP54



built-up wall light - square - fixed - with transformer

Lamptype

1x LED 516lm CRI83 max. 4,32W

24V-DC

Dimensions

B38xH320xD80

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1326.5

W1326.5BB

W1326.31MX

W1326.32X

W1326.37X

W1326.46X

W1326.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1328/.. - FRANKLIN Y

~230V



IP54



built-up wall light - square - fixed - with transformer

Lamptype

2x LED 516lm CRI83 max. 4,32W

24V-DC

Dimensions

B90xH320xD85

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1328.5

W1328.5BB

W1328.31MX

W1328.32X

W1328.37X

W1328.46X

W1328.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

W1279/.. - FRANKLIN Y

~230V



IP54



built-up wall light - square - fixed - with transformer

Lamptype

2x LED 344lm CRI83 max. 2,88W

24V-DC

Dimensions

B90xH225xD85

Materials

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1279.5

W1279.5BB

W1279.31MX

W1279.32X

W1279.37X

W1279.46X

W1279.64X

Price €

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

NW | WW

built-up
transfo IP67 - ledstrip IP65 - other dimensions on
request

Coulours



Andere kleuren op aanvraag - Autres couleurs sur demande - Andere Farben auf Anfrage
Other colours on request



WALL UP



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.