



# Franklin

lighting the way to exteriors



**psmlighting**

Delighted to help you





All information in this catalogue is without engagement.  
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.  
Read instructions carefully. The general psmighting sales conditions are always applicable.  
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.



**T1177.470/.. - FRANKLIN**

~230V



IP54



bollard - square - fixed - with transformer

**Lamp type**

1x LED 344lm CRI83 max. 2,88W

24V-DC

**Dimensions**

L70xB60xH470 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1177.470.5  
T1177.470.31MX  
T1177.470.32X  
T1177.470.37X  
T1177.470.46X  
T1177.470.64X

**Price €**

NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW

*built-up*  
*transfo IP67 - ledstrip IP65 - other dimensions on request*

**T1177.670/.. - FRANKLIN**

~230V



IP54



bollard - square - fixed - with transformer

**Lamp type**

1x LED 688lm CRI83 max. 5,76W

24V-DC

**Dimensions**

L70xB60xH670 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1177.670.31MX  
T1177.670.32X  
T1177.670.37X  
T1177.670.64X  
T1177.670.5  
T1177.670.46X

**Price €**

NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW

*built-up*  
*transfo IP67 - ledstrip IP65 - other dimensions on request*

**T1177.870/.. - FRANKLIN**

~230V



IP54



bollard - square - fixed - with transformer

**Lamp type**

1x LED 1032lm CRI83 max. 8,64W

24V-DC

**Dimensions**

L70xB60xH870 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1177.870.5  
T1177.870.31MX  
T1177.870.32X  
T1177.870.37X  
T1177.870.46X  
T1177.870.64X

**Price €**

NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW  
NW | WW

*built-up*  
*transfo IP67 - ledstrip IP65 - other dimensions on request*

T1179.470/.. - FRANKLIN

~230V



bollard - square - fixed - with transformer

**Lamptype**

2x LED 344lm CRI83 max. 2,88W

24V-DC

**Dimensions**

L 123xB60xH470 mm

**Materials**

Inox 316 31MX | 32X | 37X | 64X | 46X 5

**Ref**

T1179.470.5  
T1179.470.31MX  
T1179.470.32X  
T1179.470.37X  
T1179.470.46X  
T1179.470.64X


**Price €**

● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request*

T1179.670/.. - FRANKLIN

~230V



bollard - square - fixed - with transformer

**Lamptype**

2x LED 688lm CRI83 max. 5,76W

24V-DC

**Dimensions**

L 123xB60xH670 mm

**Materials**

Inox 316 31MX | 32X | 37X | 64X | 46X 5

**Ref**

T1179.670.5  
T1179.670.31MX  
T1179.670.32X  
T1179.670.37X  
T1179.670.46X  
T1179.670.64X


**Price €**

● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request*

T1179.870/.. - FRANKLIN

~230V



bollard - square - fixed - with transformer

**Lamptype**

2x LED 1032lm CRI83 max. 8,64W

24V-DC

**Dimensions**

L 123xB60xH870 mm

**Materials**

Inox 316 31MX | 32X | 37X | 64X | 46X 5

**Ref**

T1179.870.5  
T1179.870.31MX  
T1179.870.32X  
T1179.870.37X  
T1179.870.46X  
T1179.870.64X

**Price €**

● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW  
● NW | WW


*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request*





**T1283.670/.. - FRANKLIN SENSOR**

~230V



bollard - square - fixed - with built-in sensor - with transformer

**Lamp type**

1x LED 688lm CRI83 max. 5,76W 24V-DC

**Dimensions**

↔ L70xB60xH670 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1283.670.5	● NW   WW
T1283.670.31MX	● NW   WW
T1283.670.32X	● NW   WW
T1283.670.37X	● NW   WW
T1283.670.46X	● NW   WW
T1283.670.64X	● NW   WW

**Price €**

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request*

**T1283.870/.. - FRANKLIN SENSOR**

~230V



bollard - square - fixed - with built-in sensor - with transformer

**Lamp type**

1x LED 1032lm CRI83 max. 8,64W 24V-DC

**Dimensions**

↔ L70xB60xH870 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1283.870.5	● NW   WW
T1283.870.31MX	● NW   WW
T1283.870.32X	● NW   WW
T1283.870.37X	● NW   WW
T1283.870.46X	● NW   WW
T1283.870.64X	● NW   WW

**Price €**

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request*

**T1284.670/.. - FRANKLIN SENSOR**

~230V



bollard - square - fixed - with built-in sensor - with transformer

**Lamp type**

2x LED 688lm CRI83 max. 5,76W 24V-DC

**Dimensions**

↔ L123xB60xH670 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1284.670.5	● NW   WW
T1284.670.31MX	● NW   WW
T1284.670.32X	● NW   WW
T1284.670.37X	● NW   WW
T1284.670.46X	● NW   WW
T1284.670.64X	● NW   WW

**Price €**

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request*

**T1284.870/.. - FRANKLIN SENSOR**

~230V



bollard - square - fixed - with built-in sensor - with transformer

**Lamp type**

2x LED 1032lm CRI83 max. 8,64W 24V-DC

**Dimensions**

↔ L123xB60xH870 mm

**Materials**

Inox 31MX | 32X | 37X | 64X | 46X  
Inox 316 5

**Ref**

T1284.870.5	● NW   WW
T1284.870.31MX	● NW   WW
T1284.870.32X	● NW   WW
T1284.870.37X	● NW   WW
T1284.870.46X	● NW   WW
T1284.870.64X	● NW   WW

**Price €**

*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request*



T1122.450/.. - FRANKLIN Y

~230V



IP54



bollard - square - fixed - with transformer

**Lamptype**

2x LED 516lm CRI83 max. 4,32W

24V-DC

**Dimensions**

L90xB85xH450 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

**Ref**

T1122.450.31MX

T1122.450.32X

T1122.450.37X

T1122.450.46X

T1122.450.64X

**Price €**

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
transfo IP67 - ledstrip IP65 - other dimensions on request

T1122.650/.. - FRANKLIN Y

~230V



IP54



bollard - square - fixed - with transformer

**Lamptype**

2x LED 860lm CRI83 max. 7,2W

24V-DC

**Dimensions**

L90xB85xH650 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

**Ref**

T1122.650.31MX

T1122.650.32X

T1122.650.37X

T1122.650.46X

T1122.650.64X

**Price €**

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
transfo IP67 - ledstrip IP65 - other dimensions on request

T1122.850/.. - FRANKLIN Y

~230V



IP54



bollard - square - fixed - with transformer

**Lamptype**

2x LED 1204lm CRI83 max. 10,0W

24V-DC

**Dimensions**

L90xB85xH850 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

**Ref**

T1122.850.31MX

T1122.850.32X

T1122.850.37X

T1122.850.46X

T1122.850.64X

**Price €**

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

*built-up*  
transfo IP67 - ledstrip IP65 - other dimensions on request



W1679/.. - FRANKLIN

~230V



built-up wall light - square - fixed - with transformer

Ref

Price €

**Lamptype**

W1679.32X

● NW | WW

1x LED 860lm CRI83 max. 7,2W

▶ 24V-DC


**Dimensions**

↔ B650xH70xD80 mm

**Materials**

Inox

32X



*built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request*









**W1264/.. - FRANKLIN**

~230V



IP54



built-up wall light - square - fixed - with transformer

**Lamptype**

2x LED 344lm CRI83 max. 2,88W



**Dimensions**

↔ B130xH250xD40 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

**Ref**

W1264.5

W1264.5BB

W1264.31MX

W1264.32X

W1264.37X

W1264.46X

W1264.64X

**Price €**

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request

**W1323/.. - FRANKLIN**

~230V



IP54



built-up wall light - square - fixed - with transformer

**Lamptype**

2x LED 516lm CRI83 max. 4,32W



**Dimensions**

↔ B130xH350xD37 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

**Ref**

W1323.5

W1323.5BB

W1323.31MX

W1323.32X

W1323.37X

W1323.46X

W1323.64X

**Price €**

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up  
frontplate on request brass / chrome / satin  
transfo IP67 - ledstrip IP65 - other dimensions on request

**W1268/.. - FRANKLIN**

~230V



IP54



built-up wall light - square - fixed - down - with transformer

**Lamptype**

1x LED 344lm CRI83 max. 2,88W



**Dimensions**

↔ B225xH38xD80 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

**Ref**

W1268.5

W1268.5BB

W1268.31MX

W1268.32X

W1268.37X

W1268.46X

W1268.64X

**Price €**

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request

**W1327/.. - FRANKLIN**

~230V



IP54



built-up wall light - square - fixed - down - with transformer

**Lamptype**

1x LED 516lm CRI83 max. 4,32W



**Dimensions**

↔ B320xH38xD80 mm

**Materials**

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

**Ref**

W1327.5

W1327.5BB

W1327.31MX

W1327.32X

W1327.37X

W1327.46X

W1327.64X

**Price €**

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on request



# OUTDOOR | Wall UP | FRANKLIN

## W1265/.. - FRANKLIN

~230V



IP54



built-up wall light - square - fixed - with transformer

### Lamptype

1x LED 344lm CRI83 max. 2,88W

24V-DC

### Dimensions

B35xH225xD80 mm

### Materials

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

### Ref

W1265.5

W1265.5BB

W1265.31MX

W1265.32X

W1265.37X

W1265.46X

W1265.64X

### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request

## W1326/.. - FRANKLIN

~230V



IP54



built-up wall light - square - fixed - with transformer

### Lamptype

1x LED 516lm CRI83 max. 4,32W

24V-DC

### Dimensions

B38xH320xD80 mm

### Materials

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

### Ref

W1326.5

W1326.5BB

W1326.31MX

W1326.32X

W1326.37X

W1326.46X

W1326.64X

### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request

## W1328/.. - FRANKLIN Y

~230V



IP54



built-up wall light - square - fixed - with transformer

### Lamptype

2x LED 516lm CRI83 max. 4,32W

24V-DC

### Dimensions

B90xH320xD85 mm

### Materials

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

### Ref

W1328.5

W1328.5BB

W1328.31MX

W1328.32X

W1328.37X

W1328.46X

W1328.64X

### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request

## W1279/.. - FRANKLIN Y

~230V



IP54



built-up wall light - square - fixed - with transformer

### Lamptype

2x LED 344lm CRI83 max. 2,88W

24V-DC

### Dimensions

B90xH225xD85 mm

### Materials

Inox

31MX | 32X | 37X | 64X | 46X

Inox 316

5 | 5BB

### Ref

W1279.5

W1279.5BB

W1279.31MX

W1279.32X

W1279.37X

W1279.46X

W1279.64X

### Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up  
transfo IP67 - ledstrip IP65 - other dimensions on  
request

T1300/.. - FRANKLIN - GRONDPIN

IP20   0.7500 



spike  
**Dimensions**  
 L120xB120xH250 mm

**Ref**  
 T1300

**Price €**



built-in

T1301/.. - FRANKLIN - GRONDPIN

IP20   0.0700 



spike  
**Dimensions**  
 L170xB120xH250 mm

**Ref**  
 T1301

**Price €**



built-in

Colours



Other colours on request







**psmlighting**  
Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.