



# Iconic.

Designed to be timeless.



**psmlighting**  
100% Made in Belgium

All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

### 4600.J.E27.SH/.. - ICONIC SH - TX

~230V



IP20



1,5 m

0,8800

0,5 m

4,6



pendant - with 1,5m textile cable and strain relief on lampholder's side  
Pendelleuchte - mit 1,5m Textilkabel und Zugentlastung an Fassung

#### Lamptype

1x A60 E27 max. 15W 230V

#### Dimensions

Ø218xH1662 - Cable 1500

Glass - Ø218xH125

#### Materials

glass BZ | MW | SG | TR

#### Ref

|                         |             |
|-------------------------|-------------|
| 4600.J.E27.SH.TR.1M.TX1 | transparent |
| 4600.J.E27.SH.TR.2M.TX2 | transparent |
| 4600.J.E27.SH.TR.16.TXM | transparent |
| 4600.J.E27.SH.SG.2M.TX2 | smokey grey |
| 4600.J.E27.SH.BZ.53.TXJ | bronze      |
| 4600.J.E27.SH.MW.1M.TX1 | mat white   |
| 4600.J.E27.SH.MW.2M.TX2 | mat white   |

built-up

### 4601.J.E27.SH/.. - ICONIC SH - B3

~230V



IP20



0,8 m

0,5 m

4,6



pendant with swivel - rod can be shortened  
Pendelleuchte mit Kugelgelenk - kürzbare Stange

#### Lamptype

1x A60 E27 max. 15W 230V

#### Dimensions

Ø218xH962 - Bar 800

Glass - Ø218xH125

#### Materials

glass BZ | MW | SG | TR

#### Ref

|                     |             |
|---------------------|-------------|
| 4601.J.E27.SH.TR.1M | transparent |
| 4601.J.E27.SH.TR.2M | transparent |
| 4601.J.E27.SH.TR.16 | transparent |
| 4601.J.E27.SH.SG.2M | smokey grey |
| 4601.J.E27.SH.BZ.53 | bronze      |
| 4601.J.E27.SH.MW.1M | mat white   |
| 4601.J.E27.SH.MW.2M | mat white   |

built-up



### 4603.J.E27.SH/.. - ICONIC SH - TX

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 3x 1,5m textile cable on Juba base  
Pendelleuchte - mit 3x 1,5m Textilkabel auf Basis Juba

#### Lamp type

3x A60 E27 max. 15W

230V

#### Dimensions

L918xB218xH1702 - Cable 1500

Glass - Ø218xH125

Base - L900xB50xH40

#### Materials

glass

BZ | MW | SG | TR

#### Ref

|                         |             |
|-------------------------|-------------|
| 4603.J.E27.SH.TR.1M.TX1 | transparent |
| 4603.J.E27.SH.TR.2M.TX2 | transparent |
| 4603.J.E27.SH.TR.16.TXM | transparent |
| 4603.J.E27.SH.SG.2M.TX2 | smokey grey |
| 4603.J.E27.SH.BZ.53.TXJ | bronze      |
| 4603.J.E27.SH.MW.1M.TX1 | mat white   |
| 4603.J.E27.SH.MW.2M.TX2 | mat white   |

built-up

### 4605.J.E27.SH/.. - ICONIC SH

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 5x 1,5m textile cable on base Juba  
Pendelleuchte - mit 5x 1,5m Textilkabel auf Basis Juba

#### Lamp type

5x A60 E27 max. 15W

230V

#### Dimensions

L1800xB218xH1702 - Cable 1500

Glass - Ø218xH125

Base - L1800xB50xH40

#### Materials

glass

BZ | MW | SG | TR

#### Ref

|                          |             |
|--------------------------|-------------|
| 4605.J.E27.SH.TR.1M.TX1  | transparent |
| 4605.J.E27.SH.TR.2M.TX2  | transparent |
| 4605.J.E27.SH.SG.2M.TX2  | smokey grey |
| 4605.J.E27.SH.BZ.53.TXJ  | bronze      |
| 4605.J.E27.SH.TR.216.TXM | transparent |
| 4605.J.E27.SH.MW.1M.TX1  | mat white   |
| 4605.J.E27.SH.MW.2M.TX2  | mat white   |

built-up



## 4606.J.E27.SH/.. - ICONIC SH

~230V



IP20



0,8 m



0,5 m



pendant with swivel - rod can be shortened  
Pendelleuchte mit Kugelgelenk - kürzbare Stange

### Lamptype

3x A60 E27 max. 15W

230V

### Dimensions

L900xB218xH1015 - Bar 800

Glass - Ø218xH125

Base - L450xB60xH30

### Materials

glass

BZ | MW | SG | TR

### Ref

4606.J.E27.SH.TR.1M

transparent

4606.J.E27.SH.TR.2M

transparent

4606.J.E27.SH.SG.2M

smokey grey

4606.J.E27.SH.BZ.53

bronze

4606.J.E27.SH.MW.1M

mat white

4606.J.E27.SH.MW.2M

mat white

built-up

## 4607.J.E27.SH/.. - ICONIC SH

~230V




IP20



0,8 m



0,5 m



pendant with swivel - rod can be shortened  
Pendelleuchte mit Kugelgelenk - kürzbare Stange

### Lamptype

5x A60 E27 max. 15W

230V

### Dimensions

L1600xB218xH1015 - Bar 800

Glass - Ø218xH125

Base - L450xB60xH30

### Materials

glass

BZ | MW | SG | TR

### Ref

4607.J.E27.SH.TR.1M

transparent

4607.J.E27.SH.TR.2M

transparent

4607.J.E27.SH.SG.2M

smokey grey

4607.J.E27.SH.BZ.53

bronze

4607.J.E27.SH.MW.1M

mat white

4607.J.E27.SH.MW.2M

mat white

built-up



## 4608.J.E27.SH/.. - ICONIC SH

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 3x 1,5m textile cable on base Rondo Box  
Pendelleuchte - mit 3x 1,5m Textilkabel auf Basis Rondo Box

### Lamptype

3x A60 E27 max. 15W 230V

### Dimensions

Ø428xH1690 - Cable 1500

Glass - Ø218xH125

Base - Ø350xH28

### Materials

glass BZ | MW | SG | TR

### Ref

|                          |             |
|--------------------------|-------------|
| 4608.J.E27.SH.TR.1M.TX1  | transparent |
| 4608.J.E27.SH.TR.2M.TX2  | transparent |
| 4608.J.E27.SH.SG.2M.TX2  | smokey grey |
| 4608.J.E27.SH.BZ.53.TXJ  | bronze      |
| 4608.J.E27.SH.TR.216.TXM | transparent |
| 4608.J.E27.SH.MW.1M.TX1  | mat white   |
| 4608.J.E27.SH.MW.2M.TX2  | mat white   |

built-up

## 4609.J.E27.SH/.. - ICONIC SH

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 5x 1,5m textile cable on base Rondo Box  
Pendelleuchte - mit 5x 1,5m Textilkabel auf Basis Rondo Box

### Lamptype

5x A60 E27 max. 15W 230V

### Dimensions

Ø500xH1690 - Cable 1500

Glass - Ø218xH125

Base - Ø400xH28

### Materials

glass BZ | MW | SG | TR

### Ref

|                          |             |
|--------------------------|-------------|
| 4609.J.E27.SH.TR.1M.TX1  | transparent |
| 4609.J.E27.SH.TR.2M.TX2  | transparent |
| 4609.J.E27.SH.SG.2M.TX2  | smokey grey |
| 4609.J.E27.SH.BZ.53.TXJ  | bronze      |
| 4609.J.E27.SH.TR.216.TXM | transparent |
| 4609.J.E27.SH.MW.1M.TX1  | mat white   |
| 4609.J.E27.SH.MW.2M.TX2  | mat white   |

built-up



### 4611.G.E27/.. - ICONIC - TX

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 1,5m textile cable and strain relief on lampholder's side  
Pendelleuchte - mit 1,5m Textilkabel und Zugentlastung an Fassung

#### Lamp type

1x ST64 E27 max. 8W 230V

or 1x IT-30 E27 max. 6W 230V

#### Dimensions

Ø200xH1800 - Cable 1500

Glass - Ø200xH300

#### Materials

glass BZ | MW | ST | TR

#### Ref

4611.G.E27.TR.1M.TX1 transparent

4611.G.E27.TR.2M.TX2 transparent

4611.G.E27.TR.16.TXM transparent

4611.G.E27.ST.2M.TX2 steel

4611.G.E27.BZ.53.TXJ bronze

4611.G.E27.MW.1M.TX1 mat white

4611.G.E27.MW.2M.TX2 mat white

built-up

### 4612.G.E27/.. - ICONIC - B3

~230V



IP20



0,8 m



0,5 m



4,6



pendant with swivel - rod can be shortened  
Pendelleuchte mit Kugelgelenk - kürzbare Stange

#### Lamp type

1x ST64 E27 max. 8W 230V

or 1x IT-30 E27 max. 6W 230V

#### Dimensions

Ø200xH1100 - Bar 800

Glass - Ø200xH300

#### Materials

glass BZ | MW | ST | TR

#### Ref

4612.G.E27.TR.1M transparent

4612.G.E27.TR.2M transparent

4612.G.E27.TR.16 transparent

4612.G.E27.ST.2M steel

4612.G.E27.BZ.53 bronze

4612.G.E27.MW.1M mat white

4612.G.E27.MW.2M mat white

built-up



### 4613.G.E27/.. - ICONIC

~230V



IP20



1,5 m



pendant - with 3x 1,5m textile cable on Juba base  
Pendelleuchte - mit 3x 1,5m Textilkabel auf Basis Juba

#### Lamp type

3x ST64 E27 max. 8W 230V

or 3x IT-30 E27 max. 6W 230V

#### Dimensions

L900xB200xH1840 - Cable 1500

Glass - Ø200xH300

Base - L900xB50xH40

#### Materials

glass

BZ | MW | ST | TR

#### Ref

4613.G.E27.TR.1M.TX1 transparent

4613.G.E27.TR.2M.TX2 transparent

4613.G.E27.TR.16.TXM transparent

4613.G.E27.ST.2M.TX2 steel

4613.G.E27.BZ.53.TXJ bronze

4613.G.E27.MW.1M.TX1 mat white

4613.G.E27.MW.2M.TX2 mat white

built-up

### 4615.G.E27/.. - ICONIC

~230V



IP20



1,5 m



pendant - with 5x 1,5m textile cable on base Juba  
Pendelleuchte - mit 5x 1,5m Textilkabel auf Basis Juba

#### Lamp type

5x ST64 E27 max. 8W 230V

or 5x IT-30 E27 max. 6W 230V

#### Dimensions

L1800xB200xH1840 - Cable 1500

Glass - Ø200xH300

Base - L1800xB50xH40

#### Materials

glass

BZ | MW | ST | TR

#### Ref

4615.G.E27.TR.1M.TX1 transparent

4615.G.E27.TR.2M.TX2 transparent

4615.G.E27.ST.2M.TX2 steel

4615.G.E27.BZ.53.TXJ bronze

4615.G.E27.TR.216.TXM transparent

4615.G.E27.MW.1M.TX1 mat white

4615.G.E27.MW.2M.TX2 mat white

built-up



### 4616.G.E27/.. - ICONIC

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 3x 1,5m textile cable on base Rondo Box  
Pendelleuchte - mit 3x 1,5m Textilkabel auf Basis Rondo Box

#### Lamp type

3x ST64 E27 max. 8W 230V

or 3x IT-30 E27 max. 6W 230V

#### Dimensions

Ø410xH1828 - Cable 1500

Glass - Ø200xH300

Base - Ø350xH28

#### Materials

glass

BZ | MW | ST | TR

#### Ref

4616.G.E27.TR.1M.TX1 transparent

4616.G.E27.TR.2M.TX2 transparent

4616.G.E27.ST.2M.TX2 steel

4616.G.E27.BZ.53.TXJ bronze

4616.G.E27.TR.216.TXM transparent

4616.G.E27.MW.1M.TX1 mat white

4616.G.E27.MW.2M.TX2 mat white

built-up

### 4617.G.E27/.. - ICONIC

~230V



IP20



1,5 m



0,5 m



4,6



pendant - with 5x 1,5m textile cable on base Rondo Box  
Pendelleuchte - mit 5x 1,5m Textilkabel auf Basis Rondo Box

#### Lamp type

5x ST64 E27 max. 8W 230V

or 5x IT-30 E27 max. 6W 230V

#### Dimensions

Ø480xH1828 - Cable 1500

Glass - Ø200xH300

Base - Ø400xH28

#### Materials

glass

BZ | MW | ST | TR

#### Ref

4617.G.E27.TR.1M.TX1 transparent

4617.G.E27.TR.2M.TX2 transparent

4617.G.E27.ST.2M.TX2 steel

4617.G.E27.BZ.53.TXJ bronze

4617.G.E27.TR.216.TXM transparent

4617.G.E27.MW.1M.TX1 mat white

4617.G.E27.MW.2M.TX2 mat white

built-up





4602.J.E27.SH/.. - ICONIC SH

~230V



IP20



table lamp - directional - with switch - cable and plug  
Tischleuchte - schwenkbar - mit Schalter - Kabel und Stecker

Lamp type

1x A60 E27 max. 15W 230V

Dimensions

Ø220xH550 - Bar 300

Glass - Ø218xH125

Base - Ø160xH21

Materials

glass BZ | MW | SG | TR

Ref

|                     |             |
|---------------------|-------------|
| 4602.J.E27.SH.TR.1M | transparent |
| 4602.J.E27.SH.TR.2M | transparent |
| 4602.J.E27.SH.SG.2M | smokey grey |
| 4602.J.E27.SH.BZ.53 | bronze      |
| 4602.J.E27.SH.MW.1M | matte white |
| 4602.J.E27.SH.MW.2M | matte white |

built-up

4604.J.E27.SH/.. - ICONIC SH

~230V



IP20



floorlamp - directional - with switch - cable and plug  
Stehleuchte - schwenkbar - mit Schalter - Kabel und Stecker

Lamp type

1x A60 E27 max. 15W 230V

Dimensions

Ø220xH1245 - Bar 1000

Glass - Ø218xH125

Base - Ø160xH21

Materials

glass BZ | MW | SG | TR

Ref


|                     |             |
|---------------------|-------------|
| 4604.J.E27.SH.TR.1M | transparent |
| 4604.J.E27.SH.TR.2M | transparent |
| 4604.J.E27.SH.SG.2M | smokey grey |
| 4604.J.E27.SH.BZ.53 | bronze      |
| 4604.J.E27.SH.MW.1M | matte white |
| 4604.J.E27.SH.MW.2M | matte white |

built-up






### Colours - short glass



TRANSPARENT  
**TR**



SMOKEY GREY  
**SG**



BRONZE  
**BZ**



MAT WHITE  
**MW**

### Colours - long glass



TRANSPARENT  
**TR**



STEEL  
**ST**



BRONZE  
**BZ**



MAT WHITE  
**MW**


### Colours - socket & textile cable




WHITE TEXTURE  
**1M**




BLACK TEXTURE  
**2M**



BRONZE BROWN  
**53**



BLACK TEXTURE  
**216** MAT GOLD SATIN



WHITE  
**TX1**



BLACK  
**TX2**



JUTE  
**TXJ**



BRASS  
**TXM**







Groendreef 60 | 9880 Aalter | Belgium | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)