



# Iconic

Designed to be timeless.



**psmighting**

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

4600.J.E27.SH/.. - ICONIC SH

~230V



IP20



1.5 m



1.2200



0,5 m



4.6



built-up



pendant - with 1,5m textile cable and strain relief on lampholder's side

**Lamptype**

1x A60 E27 max. 15W

230V

**Dimensions**

Ø218xH1662

Cable 1500

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

Messing

16

**Ref**

**Price €**

4600.J.E27.SH.1M.TR.TX1



4600.J.E27.SH.1M.



MW.TX1



4600.J.E27.SH.2M.TR.TX2



4600.J.E27.SH.2M.SG.TX2



4600.J.E27.SH.2M.



MW.TX2



4600.J.E27.SH.16.TR.TXM



4600.J.E27.SH.53.BZ.TXJ



4601.J.E27.SH/.. - ICONIC SH

~230V



IP20



0.8 m



0,5 m



4.6



built-up



pendant with swivel - rod can be shortened

**Lamptype**

1x A60 E27 max. 15W

230V

**Dimensions**

Ø218xH962

Tige 800

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

Messing

16

**Ref**

**Price €**

4601.J.E27.SH.1M.TR



4601.J.E27.SH.1M.MW



4601.J.E27.SH.2M.TR



4601.J.E27.SH.2M.SG



4601.J.E27.SH.2M.MW



4601.J.E27.SH.16.TR




4601.J.E27.SH.53.BZ



### 4603.J.E27.SH/.. - ICONIC SH

~230V



built-up

pendant - with 3x 1,5m textile cable on Juba base

#### Lamptype

3x A60 E27 max. 15W

230V

#### Dimensions

L918xB218xH1702

Cable 1500

Base L900xB50xH40

Glass Ø218xH125

#### Materials

Aluminium

1M | 2M | 53

Messing

16


#### Ref

#### Price €

|                         |  |
|-------------------------|--|
| 4603.J.E27.SH.1M.TR.TX1 |  |
| 4603.J.E27.SH.1M.       |  |
| MW.TX1                  |  |
| 4603.J.E27.SH.2M.TR.TX2 |  |
| 4603.J.E27.SH.2M.SG.TX2 |  |
| 4603.J.E27.SH.2M.       |  |
| MW.TX2                  |  |
| 4603.J.E27.SH.16.TR.TXM |  |
| 4603.J.E27.SH.53.BZ.TXJ |  |

### 4605.J.E27.SH/.. - ICONIC SH

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

#### Lamptype

5x A60 E27 max. 15W

230V

#### Dimensions

L1800xB218xH1702

Cable 1500

Base L1800xB50xH40

Glass Ø218xH125

#### Materials

Aluminium

1M | 2M | 53

Aluminium / Messing

216

#### Ref

#### Price €

|                         |  |
|-------------------------|--|
| 4605.J.E27.SH.1M.TR.TX1 |  |
| 4605.J.E27.SH.1M.       |  |
| MW.TX1                  |  |
| 4605.J.E27.SH.2M.TR.TX2 |  |
| 4605.J.E27.SH.2M.SG.TX2 |  |
| 4605.J.E27.SH.2M.       |  |
| MW.TX2                  |  |
| 4605.J.E27.SH.53.BZ.TXJ |  |
| 4605.J.E27.SH.216.      |  |
| TR.TXM                  |  |

4606.J.E27.SH/.. - ICONIC SH

~230V



IP20




0.8 m



0.5 m



4.6



pendant with swivel - rod can be shortened

**Lamptype**

3x A60 E27 max. 15W

230V

**Dimensions**

L900xB218xH1015

Tige 800

Base L450xB60xH30

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

**Ref**

**Price €**

4606.J.E27.SH.1M.TR



4606.J.E27.SH.1M.MW



4606.J.E27.SH.2M.TR



4606.J.E27.SH.2M.SG



4606.J.E27.SH.2M.MW



4606.J.E27.SH.53.BZ



built-up

4607.J.E27.SH/.. - ICONIC SH

~230V



IP20




0.8 m



0.5 m



4.6



pendant with swivel - rod can be shortened

**Lamptype**

5x A60 E27 max. 15W

230V

**Dimensions**

L1600xB218xH1015

Tige 800

Base L450xB60xH30

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

**Ref**

**Price €**

4607.J.E27.SH.1M.TR



4607.J.E27.SH.1M.MW



4607.J.E27.SH.2M.TR



4607.J.E27.SH.2M.SG



4607.J.E27.SH.2M.MW



4607.J.E27.SH.53.BZ



built-up







4608.J.E27.SH/.. - ICONIC SH

~230V



IP20



1.5 m



0,5 m



pendant - with 3x 1,5m textile cable on base Rondo Box

**Lamptype**

3x A60 E27 max. 15W

230V

**Dimensions**

Ø428xH1690

Cable 1500

Base Ø350xH28

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

Aluminium / Messing

216

**Ref**

**Price €**

4608.J.E27.SH.1M.TR.TX1



4608.J.E27.SH.1M.



MW.TX1

4608.J.E27.SH.2M.TR.TX2



4608.J.E27.SH.2M.SG.TX2



4608.J.E27.SH.2M.



MW.TX2

4608.J.E27.SH.53.BZ.TXJ



4608.J.E27.SH.216.



TR.TXM

built-up

4609.J.E27.SH/.. - ICONIC SH

~230V



IP20



1.5 m



0,5 m



pendant - with 5x 1,5m textile cable on base Rondo Box

**Lamptype**

5x A60 E27 max. 15W

230V

**Dimensions**

Ø500xH1690

Cable 1500

Base Ø400xH28

Glass Ø218xH125

**Materials**

Aluminium

1M | 2M | 53

Aluminium / Messing

216

**Ref**

**Price €**

4609.J.E27.SH.1M.TR.TX1



4609.J.E27.SH.1M.



MW.TX1

4609.J.E27.SH.2M.TR.TX2



4609.J.E27.SH.2M.SG.TX2



4609.J.E27.SH.2M.



MW.TX2

4609.J.E27.SH.53.BZ.TXJ



4609.J.E27.SH.216.



TR.TXM

built-up





4611.G.E27/.. - ICONIC

~230V



IP20



1.5 m



1.5400



0,5 m



4.6



pendant - with 1,5m textile cable and strain relief on lampholder's side

**Lamptype**

1x ST64 E27 max. 8W

230V

OR 1x IT-30 E27 max. 6W

230V

**Dimensions**

Ø200xH1800

Cable 1500

Glass Ø200xH300

**Materials**

Aluminium

1M | 2M | 53

Messing

16

**Ref**

**Price €**

4611.G.E27.1M.TR.TX1



4611.G.E27.1M.MW.TX1



4611.G.E27.2M.TR.TX2



4611.G.E27.2M.ST.TX2



4611.G.E27.2M.MW.TX2



4611.G.E27.16.TR.TXM



4611.G.E27.53.BZ.TXJ



built-up

4612.G.E27/.. - ICONIC

~230V



IP20



0.8 m



0,5 m



4.6



pendant with swivel - rod can be shortened

**Lamptype**

1x ST64 E27 max. 8W

230V

OR 1x IT-30 E27 max. 6W

230V

**Dimensions**

Ø200xH1100

Tige 800

Glass Ø200xH300

**Materials**

Aluminium

1M | 2M | 53

Messing

16

**Ref**

**Price €**

4612.G.E27.1M.TR



4612.G.E27.1M.MW



4612.G.E27.2M.TR



4612.G.E27.2M.ST



4612.G.E27.2M.MW



4612.G.E27.16.TR



4612.G.E27.53.BZ




built-up

CEILING UP

PENDANTS

## 4613.G.E27/.. - ICONIC

~230V



built-up

pendant - with 3x 1,5m textile cable on Juba base

### Lamptype

3x ST64 E27 max. 8W

230V

OR 3x IT-30 E27 max. 6W

230V

### Dimensions

L900xB200xH1840

Cable 1500

Base L900xB50xH40

Glass Ø200xH300

### Materials

Aluminium

1M | 2M | 53

Messing

16

### Ref

### Price €

4613.G.E27.1M.TR.TX1



4613.G.E27.1M.MW.TX1



4613.G.E27.2M.TR.TX2



4613.G.E27.2M.ST.TX2



4613.G.E27.2M.MW.TX2



4613.G.E27.16.TR.TXM




4613.G.E27.53.BZ.TXJ



## 4615.G.E27/.. - ICONIC

~230V



built-up

pendant - with 5x 1,5m textile cable on base Juba

### Lamptype

5x ST64 E27 max. 8W

230V

OR 5x IT-30 E27 max. 6W

230V

### Dimensions

L1800xB200xH1840

Cable 1500

Base L1800xB50xH40

Glass Ø200xH300

### Materials

Aluminium

1M | 2M | 53

Aluminium / Messing

216

### Ref

### Price €

4615.G.E27.1M.TR.TX1



4615.G.E27.1M.MW.TX1



4615.G.E27.2M.TR.TX2



4615.G.E27.2M.ST.TX2



4615.G.E27.2M.MW.TX2



4615.G.E27.53.BZ.TXJ




4615.G.E27.216.TR.TXM





## 4616.G.E27/.. - ICONIC

~230V



pendant - with 3x 1,5m textile cable on base Rondo Box

### Lamptype

3x ST64 E27 max. 8W 230V  
OR 3x IT-30 E27 max. 6W 230V

### Dimensions

Ø410xH1828 Cable 1500  
Base Ø350xH28 Glass Ø200xH300

### Materials


Aluminium 1M | 2M | 53  
Aluminium / Messing 216

| Ref                   | Price € |
|-----------------------|---------|
| 4616.G.E27.1M.TR.TX1  |         |
| 4616.G.E27.1M.MW.TX1  |         |
| 4616.G.E27.2M.TR.TX2  |         |
| 4616.G.E27.2M.ST.TX2  |         |
| 4616.G.E27.2M.MW.TX2  |         |
| 4616.G.E27.53.BZ.TXJ  |         |
| 4616.G.E27.216.TR.TXM |         |

built-up

## 4617.G.E27/.. - ICONIC

~230V



pendant - with 5x 1,5m textile cable on base Rondo Box

### Lamptype

5x ST64 E27 max. 8W 230V  
OR 5x IT-30 E27 max. 6W 230V

### Dimensions

Ø480xH1828 Cable 1500  
Base Ø400xH28 Glass Ø200xH300

### Materials

Aluminium 1M | 2M | 53  
Aluminium / Messing 216

| Ref                   | Price € |
|-----------------------|---------|
| 4617.G.E27.1M.TR.TX1  |         |
| 4617.G.E27.1M.MW.TX1  |         |
| 4617.G.E27.2M.TR.TX2  |         |
| 4617.G.E27.2M.ST.TX2  |         |
| 4617.G.E27.2M.MW.TX2  |         |
| 4617.G.E27.53.BZ.TXJ  |         |
| 4617.G.E27.216.TR.TXM |         |

built-up







4602.J.E27.SH/.. - ICONIC SH

~230V




table lamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø220xH550

Tige 300

Base Ø160xH21

Glass Ø218xH125

Materials

Aluminium

1M | 2M | 53

| Ref                 | Price € |
|---------------------|---------|
| 4602.J.E27.SH.1M.TR |         |
| 4602.J.E27.SH.1M.MW |         |
| 4602.J.E27.SH.2M.TR |         |
| 4602.J.E27.SH.2M.SG |         |
| 4602.J.E27.SH.2M.MW |         |
| 4602.J.E27.SH.53.BZ |         |

built-up

4604.J.E27.SH/.. - ICONIC SH

~230V



floorlamp - directional - with switch - cable and plug

Lamptype

1x A60 E27 max. 15W

230V

Dimensions

Ø220xH1245

Tige 1000

Base Ø160xH21

Glass Ø218xH125

Materials


Aluminium

1M | 2M | 53

| Ref                 | Price € |
|---------------------|---------|
| 4604.J.E27.SH.1M.TR |         |
| 4604.J.E27.SH.1M.MW |         |
| 4604.J.E27.SH.2M.TR |         |
| 4604.J.E27.SH.2M.SG |         |
| 4604.J.E27.SH.2M.MW |         |
| 4604.J.E27.SH.53.BZ |         |

built-up



Colours - socket & textile cable



Colours - long glass



Colours - short glass









**psmlighting**

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.