

INDOOR DOWNLIGHTS

INDOOR DOWNLIGHTS

Index

Ø

Ø30	6
Ø38	7
Ø38-39	8
Ø39-40	8-9
Ø48	9
Ø48-49	10
Ø49	11
Ø50	11-12
Ø60	13
Ø63	12
Ø64	16
Ø65	16-19
Ø65-70 INOX 316	14-15
Ø65	18-19
Ø70	21-22
Ø72-75	23
Ø72 FLUX INOX 316	56
Ø80	27-45
Ø80 PUNCHED	29-35
Ø82 FLUX INOX 316	57
Ø84 TOLEDO	48-49
Ø92 FLUX INOX 316	58
Ø100 AR70	49-51
70x70 FOX	60
72X72 ZOOM	61
93X93 SPINNER X	64-66
108X108 CAMERA	62
118X118 SPINNER	69-72
152X152 SPINNER X	74
193X193 SPINNER X	65-68
198X198 SPINNER	76
223X223 SPINNER X	71-73
235X235 CAMERA	63
303X303 SPINNER	75

123

300V/..	14-15
301V-302V-303V/..	14-15

A

AQUA GRANDE	51
AQUANODOT/..	38
ARCA35/..	13
ARCA50/..	23
ARIA/..	30

B

BORA50/..	43
-----------	----

C

CAMBIO/..	33-34
CAMERA IN	63
CANO35/..	17
CANO50/..	36
COCO50/..	42-43

D

D33/..	6
D43/..	7
DECO50/..	45
DISCO/..	22
DIVA35/..	17
DIVA50/..	31-32
DIVA50.LN/..	35
DIVAAR70/..	50-51

F

FLUX INOX 316 Ø72	56
FLUX INOX 316 Ø82	57
FLUX INOX 316 Ø92	58
FOCUS35/..	11
FOX.DIR/..	60
FOX.FIX/..	60

G

GALA/..	42
---------	----

H

HERO50/..	44
-----------	----

I

INCA	53
INCA X	53

K

KOZA	24-26
KUBO50/..	41
KUBOGLAS50/..	41

M

MAESTRO	20
MAESTRO.E27/..	40
MANTA IN	46-47

O

OLIVIA	20-52-59
ONO/..	22

P

PICO20OUT/..	16
PICO35/..	16
PICO35DOWN/..	17
PICO50/..	27-28
PICO50.LN/..	29
PICOAR70/..	49-50
PICODOWN50/..	28

Q

QUORUM	55
--------	----

R

RAL	5
RIO35/..	10

S

SENSA/..	36
SIRA35/..	18
SIRA50/..	37
SPINNER	76
SPINNER X	74-75
SPINNER X AR70	69-71
SPINNER X AR70 GU10	72-73
SPINNER X DS	64-65
SPINNER X FORUM	66-68
ST33/..	6
ST43/..	6

ST50X50/..	6
------------	---

T

TOBY/..	21
TOLEDO Ø84	48-49
TORPEDO	54

VARIO35/..	19
------------	----

VARIO50/..	44
------------	----

VIDRIO/..	39
-----------	----

Y

YOKO/..	21
---------	----

Z


ZENO35/..	18
-----------	----

ZENO50/..	40
-----------	----

ZIA35/..	7-10
----------	------


ZIA50/..	11-12
----------	-------

ZOOM	61
------	----



*Wachten tot het stukwerk volledig uitgedroogd is vooraleer de spots te monteren !
Attendre jusqu' à ce que le plâtre s'est complètement asséché avant d'installer les spots !
Wait until plaster is completely dried out before installing the downlights !
Warten bis das Stückmörtel vollständig trocken ist, bevor die Einbaustrahler zu installieren.*

003.RALSTOCK/.. - RAL COLOUR STOCK



supplement - fixed price RAL colour NET PRICE!
 Supplement - Preis für RAL Farbe gilt als NETTOPREIS!

Ref cat (NET)

003.RALSTOCK[HG]
 003.RALSTOCK[MT]
 003.RALSTOCK[ST]
 003.RALSTOCK[TX]

S1/.. - SET TORSION SPRINGS




supplement - set torsion springs
 Supplement - Set Torsionfedern

Ref

S1

built-in

S2/.. - SET FLAT SPRINGS



supplement - set flat springs
 Supplement - Set Blattfedern

Ref

S2

built-in

ST33/.. - STARLIGHT Ø30

~12V S1 IP20 0,0400 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type	1x QT9-ax G4 max. 20W -	12V
Dimensions	↳ Ø33xH30 ↳ Ø30 ↳ 50	
Options	S6.30 - PLASTERKIT	
Materials	aluminium 1 2 11 14 1M 2M brass 4 13 16	

Ref cat (CAS)	
ST33.1	white
ST33.1M	white tex
ST33.2	black
ST33.2M	black tex
ST33.4	shiny gold
ST33.11	alu grey
ST33.13	bronze
ST33.14	alu satin
ST33.16	satin gold

built-in

ST43/.. - STARLIGHT Ø30

~12V S1 IP20 0,0450 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type	1x QT9-ax G4 max. 20W -	12V
Dimensions	↳ Ø43xH30 ↳ Ø30 ↳ 50	
Options	S6.30 - PLASTERKIT	
Materials	aluminium 1 2 11 14 1M 2M brass 4 13 16	

Ref cat (CAS)	
ST43.1	white
ST43.1M	white tex
ST43.2	black
ST43.2M	black tex
ST43.4	shiny gold
ST43.11	alu grey
ST43.13	bronze
ST43.14	alu satin
ST43.16	satin gold

built-in

ST50X50/.. - STARLIGHT Ø30

~12V S1 IP20 0,0600 0,5 m 05.20.02



downlight for veranda profiles - square - without transformer
Einbaustrahler für Verandaprofilen - viereckig - ohne Trafo

Lamp type	1x QT9-ax G4 max. 20W -	12V
Dimensions	↳ L50xB50xH30 ↳ Ø30 ↳ 50	
Options	S6.30 - PLASTERKIT	
Materials	aluminium 1 2 11 14 1M 2M brass 4 13 16	

Ref cat (CAS)	
ST50X50.1	white
ST50X50.1M	white tex
ST50X50.2	black
ST50X50.2M	black tex
ST50X50.4	shiny gold
ST50X50.11	alu grey
ST50X50.13	bronze
ST50X50.14	alu satin
ST50X50.16	satin gold

built-in

D33/.. - DOWNLIGHT Ø30

~12V S1 IP20 0,0600 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type	1x QT9-ax G4 max. 20W -	12V
Dimensions	↳ Ø33xH45 ↳ Ø30 ↳ 65	
Options	S6.30 - PLASTERKIT	
Materials	aluminium 1 2 11 14 1M 2M brass 4 13 16	

Ref cat (CAS)	
D33.1	white
D33.1M	white tex
D33.2	black
D33.2M	black tex
D33.4	shiny gold
D33.11	alu grey
D33.13	bronze
D33.14	alu satin
D33.16	satin gold

built-in

D43/.. - DOWNLIGHT Ø39-40

~12V S1 IP20



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type
1x QT9-ax G4 max. 20W - 12V

Dimensions
Ø43xH50
Ø39-40 70

Options
S6.40 - PLASTERKIT

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)	
D43.1	white
D43.1M	white tex
D43.2	black
D43.2M	black tex
D43.4	shiny gold
D43.11	alu grey
D43.13	bronze
D43.14	alu satin
D43.16	satin gold

built-in

ZIA35C/.. - Ø38

~12V S1 IP20



downlight for veranda profiles - square - without transformer
Einbaustrahler für Verandaprofilen - viereckig - ohne Trafo

Lamp type
1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions
L41,5xB41,5xH43
Ø38 53

Options
S6.40 - PLASTERKIT

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)	
ZIA35C.1	white
ZIA35C.1M	white tex
ZIA35C.2	black
ZIA35C.2M	black tex
ZIA35C.4	shiny gold
ZIA35C.11	alu grey
ZIA35C.13	bronze
ZIA35C.14	alu satin
ZIA35C.16	satin gold

built-in

ZIA35CG/.. - Ø38

~12V S1 IP20



downlight for veranda profiles - square - without transformer
Einbaustrahler für Verandaprofilen - viereckig - ohne Trafo

Lamp type
1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions
L54xB54xH43
Ø38 53

Options
S6.40 - PLASTERKIT

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)	
ZIA35CG.1	white
ZIA35CG.1M	white tex
ZIA35CG.2	black
ZIA35CG.2M	black tex
ZIA35CG.4	shiny gold
ZIA35CG.11	alu grey
ZIA35CG.13	bronze
ZIA35CG.14	alu satin
ZIA35CG.16	satin gold

built-in

ZIA35CL/.. - Ø38

~12V S1 IP20



downlight for veranda profiles - square - to match with LED-bulb MR11 - without transformer
Einbaustrahler für Verandaprofilen - viereckig - angepasst für LED-leuchtmittel MR11 - ohne Trafo

Lamp type
1x QR-CB 35 GU4/GZ4 max. 4W - 12V

Dimensions
L41,5xB41,5xH43
Ø38 53

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M


Ref cat (CAS)	
ZIA35CL.1	white
ZIA35CL.1M	white tex
ZIA35CL.2	black
ZIA35CL.2M	black tex
ZIA35CL.11	alu grey
ZIA35CL.14	alu satin

built-in
for retrofit Led

INDOOR | Ceiling IN | Downlights | ZIA VERANDA

ZIA35P/.. - Ø38-39

~12V S1 IP20 0,0600 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø41xH43

Ø38-39 53

Options

S6.40 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16


Ref cat (CAS)

ZIA35P.1	white
ZIA35P.1M	white tex
ZIA35P.2	black
ZIA35P.2M	black tex
ZIA35P.4	shiny gold
ZIA35P.11	alu grey
ZIA35P.13	bronze
ZIA35P.14	alu satin
ZIA35P.16	satin gold

built-in

ZIA35PL/.. - Ø38-39

~12V S1 IP20 0,0600 0,5 m 05.20.02



downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer
Einbaustrahler für Verandaprofilen - rund - angepasst für LED-leuchtmittel MR11 - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø41xH43

Ø38-39 53

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (STD)

ZIA35PL.1	white
ZIA35PL.1M	white tex
ZIA35PL.2	black
ZIA35PL.2M	black tex
ZIA35PL.11	alu grey
ZIA35PL.14	alu satin

built-in
for retrofit Led

ZIA35VT/.. - Ø39-40

~12V S1 IP20 0,0500 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø52xH43

Ø39-40 53

Options

S6.40 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16 | 23

Ref cat (CAS)

ZIA35VT.1	white
ZIA35VT.1M	white tex
ZIA35VT.2	black
ZIA35VT.2M	black tex
ZIA35VT.4	shiny gold
ZIA35VT.11	alu grey
ZIA35VT.13	bronze
ZIA35VT.16	satin gold
ZIA35VT.23	dark bronze

built-in

ZIA35M/.. - Ø39-40

~12V S1 IP20 0,0500 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø44,5xH43

Ø39-40 53

Options

S6.40 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

ZIA35M.1	white
ZIA35M.1M	white tex
ZIA35M.2	black
ZIA35M.2M	black tex
ZIA35M.4	shiny gold
ZIA35M.11	alu grey
ZIA35M.13	bronze
ZIA35M.14	alu satin
ZIA35M.16	satin gold

built-in

ZIA35ML/.. - Ø39-40

~12V S1 IP20 0,2100 0,5 m 05.20.02



downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer
Einbaustrahler für Verandaprofilen - rund - angepasst für LED-leuchtmittel MR11 - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø44,5xH43

Ø39-40 53

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

ZIA35ML.1	white
ZIA35ML.1M	white tex
ZIA35ML.2	black
ZIA35ML.2M	black tex
ZIA35ML.11	alu grey
ZIA35ML.14	alu satin

built-in
for retrofit Led

ZIA35VTL/.. - Ø39-40

~12V S1 IP20 0,2020 0,5 m 05.20.02



downlight for veranda profiles - round - to match with LED-bulb MR11 - without transformer
Einbaustrahler für Verandaprofilen - rund - angepasst für LED-leuchtmittel MR11 - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø52xH43

Ø39-40 53

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

ZIA35VTL.1	white
ZIA35VTL.1M	white tex
ZIA35VTL.2	black
ZIA35VTL.2M	black tex
ZIA35VTL.11	alu grey
ZIA35VTL.14	alu satin

built-in
for retrofit Led

ZIA35V/.. - Ø48

~12V S2 IP20 0,0800 0,5 m 05.20.02



downlight for veranda profiles - round - twin wall - without transformer
Einbaustrahler für Verandaprofilen - rund - doppelwandig - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø52xH43

Ø48 53

Options

S6.50 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

ZIA35V.1	white
ZIA35V.1M	white tex
ZIA35V.2	black
ZIA35V.2M	black tex
ZIA35V.4	shiny gold
ZIA35V.11	alu grey
ZIA35V.13	bronze
ZIA35V.14	alu satin
ZIA35V.16	satin gold

built-in



ZIA35/.. - Ø48-49

~12V S2 IP20 0,0800 0,5 m 05.20.02



downlight for veranda profiles - round - twin wall - without transformer
Einbaustrahler für Verandaprofilen - rund - doppelwandig - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø58xH43

Ø48 53

Options

S6.50 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

ZIA35.1	white
ZIA35.1M	white tex
ZIA35.2	black
ZIA35.2M	black tex
ZIA35.4	shiny gold
ZIA35.11	alu grey
ZIA35.13	bronze
ZIA35.14	alu satin
ZIA35.16	satin gold

built-in

RIO35/.. - Ø48-49

~12V S1 IP20 0,1600 0,5 m 05.20.02



downlight for veranda profiles - round - directional - without transformer
Einbaustrahler für Verandaprofilen - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø54xH62

Ø48-49 70

Options

S6.50 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

RIO35.1	white
RIO35.1M	white tex
RIO35.2	black
RIO35.2M	black tex
RIO35.4	shiny gold
RIO35.11	alu grey
RIO35.13	bronze
RIO35.14	alu satin
RIO35.16	satin gold

built-in

FOCUS35/.. - Ø49

~12V S2 IP20 0,1200 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø59xH50

Ø49 65

Options

S6.50 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

FOCUS35.1	white
FOCUS35.1M	white tex
FOCUS35.2	black
FOCUS35.2M	black tex
FOCUS35.4	shiny gold
FOCUS35.11	alu grey
FOCUS35.13	bronze
FOCUS35.14	alu satin
FOCUS35.16	satin gold

built-in

ZIA50V/.. - Ø49

~12V S1 IP20 0,0870 0,5 m 05.20.02



downlight for veranda profiles - round - without transformer
Einbaustrahler für Verandaprofilen - rund - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø54,5xH55

Ø49 65

Options

S6.50 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

ZIA50V.1	white
ZIA50V.1M	white tex
ZIA50V.2	black
ZIA50V.2M	black tex
ZIA50V.4	shiny gold
ZIA50V.11	alu grey
ZIA50V.13	bronze
ZIA50V.14	alu satin
ZIA50V.16	satin gold

built-in

ZIA50VL.ES50/.. - Ø50

~230V S1 IP20 0,5 m 05.20.02



downlight for veranda profiles - round - for ledbulb GU10
Einbaustrahler für Verandaprofilen - rund - für Ledleuchte GU10

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø54,5xH90

Ø50 100

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (STD)

ZIA50VL.ES50.1	white
ZIA50VL.ES50.1M	white tex
ZIA50VL.ES50.2	black
ZIA50VL.ES50.2M	black tex
ZIA50VL.ES50.4	shiny gold
ZIA50VL.ES50.11	alu grey
ZIA50VL.ES50.13	bronze
ZIA50VL.ES50.14	alu satin
ZIA50VL.ES50.16	satin gold

built-in

ZIA50VL/.. - Ø50

~12V S1 IP20 0,1200 0,5 m 05.20.02



downlight for veranda profiles - round - for ledbulb - without transformer
Einbaustrahler für Verandaprofilen - rund - für Ledleuchte - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 35W - 12V

Dimensions

Ø54,5xH55

Ø50 65

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (STD)

ZIA50VL.1	white
ZIA50VL.1M	white tex
ZIA50VL.2	black
ZIA50VL.2M	black tex
ZIA50VL.4	shiny gold
ZIA50VL.11	alu grey
ZIA50VL.13	bronze
ZIA50VL.14	alu satin
ZIA50VL.16	satin gold

built-in
for retrofit Led

INDOOR | Ceiling IN | Downlights | ZIA VERANDA




ZIA50V.ES50/.. - Ø50

~230V  S1 IP20    0,0800  0,5 m  05.20.02 






downlight for veranda profiles - round
Einbaustrahler für Verandaprofilen - rund

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø54,5xH90
 Ø50  100

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (STD)

ZIA50V.ES50.1	white
ZIA50V.ES50.1M	white tex
ZIA50V.ES50.2	black
ZIA50V.ES50.2M	black tex
ZIA50V.ES50.4	shiny gold
ZIA50V.ES50.11	alu grey
ZIA50V.ES50.13	bronze
ZIA50V.ES50.14	alu satin
ZIA50V.ES50.16	satin gold

built-in




ZIA50/.. - Ø63

~12V   S2 IP20    0,0810  0,5 m  05.20.02 






downlight for veranda profiles - round - twin wall - without transformer
Einbaustrahler für Verandaprofilen - rund - doppelwandig - ohne Trafo

Lamp type

 1x QR-CB 51 GU5,3/GX5,3 max. 50W  -  12V

Dimensions

 Ø73xH55
 Ø63  65

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

ZIA50.1	white
ZIA50.1M	white tex
ZIA50.2	black
ZIA50.2M	black tex
ZIA50.4	shiny gold
ZIA50.11	alu grey
ZIA50.13	bronze
ZIA50.14	alu satin
ZIA50.16	satin gold

built-in




ZIA50GR/.. - Ø63

~12V   S2 IP20    0,0470  0,5 m  05.20.02 






downlight for veranda profiles - round - twin wall - without transformer
Einbaustrahler für Verandaprofilen - rund - doppelwandig - ohne Trafo

Lamp type

 1x QR-CB 51 GU5,3/GX5,3 max. 50W  -  12V

Dimensions

 Ø83xH55
 Ø63  65

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

ZIA50GR.1	white
ZIA50GR.1M	white tex
ZIA50GR.2	black
ZIA50GR.2M	black tex
ZIA50GR.11	alu grey
ZIA50GR.14	alu satin

built-in

ZIA50.ES50/.. - Ø63

~230V  S2 IP20    0,0900  0,5 m  05.20.02 






downlight for veranda profiles - round - for hispot 50W GU10
Einbaustrahler für Verandaprofilen - rund - für Hochvoltspot 50W GU10

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø73xH90
 Ø63  100

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (STD)

ZIA50.ES50.1	white
ZIA50.ES50.1M	white tex
ZIA50.ES50.2	black
ZIA50.ES50.2M	black tex
ZIA50.ES50.4	shiny gold
ZIA50.ES50.11	alu grey
ZIA50.ES50.13	bronze
ZIA50.ES50.14	alu satin
ZIA50.ES50.16	satin gold

built-in

ARCA35/.. - Ø60

~12V   S2 IP20   0,1500 0,5 m 05.20.02 



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W  -  12V

Dimensions

Ø72xH50

Ø60  65

Options

S6.60 - PLASTERKIT

Materials


aluminium
brass

Ref cat (CAS)

ARCA35.1	white
ARCA35.1M	white tex
ARCA35.2	black
ARCA35.2M	black tex
ARCA35.4	shiny gold
ARCA35.11	alu grey
ARCA35.13	bronze
ARCA35.14	alu satin
ARCA35.16	satin gold

1 | 2 | 11 | 14 | 1M | 2M
4 | 13 | 16

built-in



INDOOR | Ceiling IN | Downlights | Ø65-70 INOX 316

301V/.. - Ø65-70 INOX 316

~12V S2 IP20 0,1452 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø85xH55

Ø65-70 65

Options

300V.12V - FITTING IP54

S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 37X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

301V.5	inox 316
301V.5B	inox 316 1x coated
301V.5BB	inox 316 2x coated
301V.31MX	white texture
301V.32X	black texture
301V.33MX	brown texture
301V.37X	grey texture
301V.64X	black grey



Max. H
67 mm

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

302V/.. - Ø65-70 INOX 316

~12V S2 IP20 0,1500 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø85xH55

Ø65-70 65

Options

300V.12V - FITTING IP54

S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 37X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

302V.5	inox 316
302V.5B	inox 316 1x coated
302V.5BB	inox 316 2x coated
302V.31MX	white texture
302V.32X	black texture
302V.33MX	brown texture
302V.37X	grey texture
302V.64X	black grey




Max. H
67 mm

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

303V/.. - Ø65-70 INOX 316

~12V S2 IP20 0,2330 0,5 m 05.20.02



downlight - square - fixed - without transformer
Einbaustrahler - viereckig - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L85xB85xH55

Ø65-70 65

Options

300V.12V - FITTING IP54

S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

303V.5	inox 316
303V.5B	inox 316 1x coated
303V.5BB	inox 316 2x coated
303V.31MX	white texture
303V.32X	black texture
303V.33MX	brown texture
303V.64X	black grey



Max. H
67 mm

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

300V.12V/.. - FITTING IP54

~12V IP54 0,0400 1 m 05.20.02



supplement for downlight - waterproof fitting
Supplement für Einbaustrahler - wasserdichte Fassung

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 9W - 12V

Ref

300V.12V



301V.230V/.. - Ø65-70 INOX 316

~230V  S2 IP20   0,2200 1 m 05.20.02 




downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

Ø85xH85
Ø65-70  95

Options

300V.230V - FITTING IP54
S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 37X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

301V.230V.5	inox 316
301V.230V.5B	inox 316 1x coated
301V.230V.5BB	inox 316 2x coated
301V.230V.31MX	white texture
301V.230V.32X	black texture
301V.230V.33MX	brown texture
301V.230V.37X	grey texture
301V.230V.64X	black grey

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend



302V.230V/.. - Ø65-70 INOX 316

~230V  S2 IP20   0,2200 1 m 05.20.02 




downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

Ø85xH85
Ø65-70  95

Options

300V.230V - FITTING IP54
S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 37X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

302V.230V.5	inox 316
302V.230V.5B	inox 316 1x coated
302V.230V.5BB	inox 316 2x coated
302V.230V.31MX	white texture
302V.230V.32X	black texture
302V.230V.33MX	brown texture
302V.230V.37X	grey texture
302V.230V.64X	black grey

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

303V.230V/.. - Ø65-70 INOX 316

~230V  S2 IP20   0,2300 1 m 05.20.02 




downlight - square - fixed
Einbaustrahler - viereckig - fest

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

L85xB85xH85
Ø65-70  95

Options

300V.230V - FITTING IP54
S6.65 - PLASTERKIT

Materials

INOX 316 5 | 5B | 32X | 37X | 5BB | 64X | 31MX | 33MX

Ref cat (CAS)

303V.230V.5	inox 316
303V.230V.5B	inox 316 1x coated
303V.230V.5BB	inox 316 2x coated
303V.230V.31MX	white texture
303V.230V.32X	black texture
303V.230V.33MX	brown texture
303V.230V.37X	grey texture
303V.230V.64X	black grey

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

300V.230V/.. - FITTING IP54

~230V  IP54   0,0400 1 m 05.20.02 



supplement for downlight - waterproof fitting
Supplement für Einbaustrahler - wasserdichte Fassung

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

Ø40xH30

Ref

300V.230V

FOCUS50/.. - Ø64

~12V S2 IP20 0,1800 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø78xH60

Ø64 70

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

FOCUS50.1	white
FOCUS50.1M	white tex
FOCUS50.2	black
FOCUS50.2M	black tex
FOCUS50.4	shiny gold
FOCUS50.11	alu grey
FOCUS50.13	bronze
FOCUS50.14	alu satin
FOCUS50.16	satin gold

built-in

FOCUS50.ES50/.. - Ø64

~230V S2 IP20 0,2200 0,5 m 05.20.02



downlight - round - fixed - with gu10 lampholder
Einbaustrahler - rund - fest - mit GU10 Fassung

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø78xH90

Ø64 100

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16 | 23

Ref cat (STD)

FOCUS50.ES50.1	white
FOCUS50.ES50.1M	white tex
FOCUS50.ES50.2	black
FOCUS50.ES50.2M	black tex
FOCUS50.ES50.4	shiny gold
FOCUS50.ES50.11	alu grey
FOCUS50.ES50.13	bronze
FOCUS50.ES50.14	alu satin
FOCUS50.ES50.16	satin gold
FOCUS50.ES50.23	dark bronze

built-in

PICO200OUT/.. - Ø65

~12V S2 IP20 0,1900 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 20W - 12V

Dimensions

Ø75xH43

Ø65 53

Options

S6.65 - PLASTERKIT

Materials

brass 20
INOX 32X | 31MX
INOX 316 5 | 5B | 5BB

Ref

PICO200UT.5	inox 316
PICO200UT.5B	inox 316 1x coated
PICO200UT.5BB	inox 316 2x coated
PICO200UT.20	brass
PICO200UT.31MX	white texture
PICO200UT.32X	black texture

built-in

Max. 20W



PICO35/.. - Ø65

~12V S2 IP20 0,1900 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø75xH43

Ø65 53

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

PICO35.1	white
PICO35.1M	white tex
PICO35.2	black
PICO35.2M	black tex
PICO35.4	shiny gold
PICO35.11	alu grey
PICO35.13	bronze
PICO35.14	alu satin
PICO35.16	satin gold
PICO35.23	dark bronze
PICO35.45	sun gold

built-in

PICO35DOWN/.. - Ø65

~12V S2 IP20 0,2000 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø75xH62

Ø65 72

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

PICO35DOWN.1	white
PICO35DOWN.1M	white tex
PICO35DOWN.2	black
PICO35DOWN.2M	black tex
PICO35DOWN.4	shiny gold
PICO35DOWN.11	alu grey
PICO35DOWN.13	bronze
PICO35DOWN.14	alu satin
PICO35DOWN.16	satin gold
PICO35DOWN.23	dark bronze
PICO35DOWN.45	sun gold

built-in

DIVA35/.. - Ø65

~12V S2 IP20 0,2100 0,5 m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø75xH48

Ø65 58

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

DIVA35.1	white
DIVA35.1M	white tex
DIVA35.2	black
DIVA35.2M	black tex
DIVA35.4	shiny gold
DIVA35.11	alu grey
DIVA35.13	bronze
DIVA35.14	alu satin
DIVA35.16	satin gold
DIVA35.23	dark bronze
DIVA35.45	sun gold

built-in

DIVA35OUT/.. - Ø65

~12V S2 IP20 0,2100 0,5 m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø75xH48

Ø65 58

Options

300V.12V - FITTING IP54

Materials

brass 20
INOX 32X | 31MX
INOX 316 5 | 5B | 5BB

Ref cat (CAS)

DIVA35OUT.5	inox 316
DIVA35OUT.5B	inox 316 1x coated
DIVA35OUT.5BB	inox 316 2x coated
DIVA35OUT.20	brass
DIVA35OUT.31MX	white texture
DIVA35OUT.32X	black texture

built-in

CANO35/.. - Ø65

~12V S2 IP20 0,2300 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W - 12V

Dimensions

Ø75xH33

Ø65 43

Coverplate - D100

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

CANO35.1	white
CANO35.1M	white tex
CANO35.2	black
CANO35.2M	black tex
CANO35.4	shiny gold
CANO35.11	alu grey
CANO35.13	bronze
CANO35.14	alu satin
CANO35.16	satin gold
CANO35.23	dark bronze
CANO35.45	sun gold

built-in

SIRA35CH/.. - Ø65

~12V   S2 IP20    0,1700  0,5 m  05.20.02 




downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W  -  12V

Dimensions

Ø75xH70

Ø65  80

Options

S6.65 - PLASTERKIT

Materials

aluminium	1	2	11	14	1M	2M	45	
brass				4	7	13	16	23
INOX 316								5

Ref cat (CAS)

SIRA35CH.1.7	white
SIRA35CH.1M.7	white tex
SIRA35CH.2.7	black
SIRA35CH.2M.7	black tex
SIRA35CH.4.7	shiny gold
SIRA35CH.5.7	inox 316
SIRA35CH.7.7	chrome
SIRA35CH.11.7	alu grey
SIRA35CH.13.7	bronze
SIRA35CH.14.7	alu satin
SIRA35CH.16.7	satin gold
SIRA35CH.23.7	dark bronze
SIRA35CH.45.7	sun gold

built-in



SIRA35M/.. - Ø65

~12V   S2 IP20    0,1700  0,5 m  05.20.02 



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W  -  12V

Dimensions

Ø75xH70

Ø65  80

Options

S6.65 - PLASTERKIT

Materials

aluminium	1	2	11	14	1M	2M	45	
brass				4	7	13	16	23

Ref cat (CAS)

SIRA35M.1	white
SIRA35M.1M	white tex
SIRA35M.2	black
SIRA35M.2M	black tex
SIRA35M.4.14	shiny gold
SIRA35M.7.14	chrome
SIRA35M.11	alu grey
SIRA35M.13.14	bronze
SIRA35M.14	alu satin
SIRA35M.16.14	satin gold
SIRA35M.23.14	dark bronze
SIRA35M.45	sun gold

built-in

ZENO35/.. - Ø65 - M10


  S2 IP20    0,1900 



built-in base for spotlight or pendant - round - down - without transformer
Einbaubasis für Aufbaustrahler oder Pendelleuchte - rund - down - ohne Trafo

Dimensions

Ø75xH33

Ø65  40

Options

S6.65 - PLASTERKIT

Materials

aluminium	1	2	11	14	1M	2M	45
brass				4	13	16	23

Ref cat (BAS)

ZENO35.1	white
ZENO35.1M	white tex
ZENO35.2	black
ZENO35.2M	black tex
ZENO35.4	shiny gold
ZENO35.11	alu grey
ZENO35.13	bronze
ZENO35.14	alu satin
ZENO35.16	satin gold
ZENO35.23	dark bronze
ZENO35.45	sun gold

built-in

ZENO35B3/.. - Ø65 - B3



built-in base for pendant with swivel - round - down - without transformer
Einbaubasis für Pendelleuchte mit Kugelgelenk - rund - down - ohne Trafo

Dimensions

Ø75xH33

Ø65 ∟ 40

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16 | 23

Ref cat (BAS)

ZENO35B3.1	white
ZENO35B3.1M	white tex
ZENO35B3.2	black
ZENO35B3.2M	black tex
ZENO35B3.4	shiny gold
ZENO35B3.11	alu grey
ZENO35B3.13	bronze
ZENO35B3.14	alu satin
ZENO35B3.16	satin gold
ZENO35B3.23	dark bronze

built-in
Max. 300gr

VARIO2X35/.. - 2xØ65



downlight - square - directional - without transformer
Einbaustrahler - viereckig - schwenkbar - ohne Trafo

Lamp type

2x QR-CB 35 GU4/GZ4 max. 35W A+ - D 12V

Dimensions

L162xB87xH65

2xØ65 ∟ 75 [78]

Options

S7.65V - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

VARIO2X35.1	white
VARIO2X35.1M	white tex
VARIO2X35.2	black
VARIO2X35.2M	black tex
VARIO2X35.11	alu grey
VARIO2X35.14	alu satin

built-in

VARIO35/.. - Ø65



downlight - square - directional - without transformer
Einbaustrahler - viereckig - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 35 GU4/GZ4 max. 35W A+ - D 12V

Dimensions

L87xB87xH65

Ø65 ∟ 75

Options

S6.65 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

VARIO35.1	white
VARIO35.1M	white tex
VARIO35.2	black
VARIO35.2M	black tex
VARIO35.11	alu grey
VARIO35.14	alu satin

built-in

1810/.. - OLIVIA

~12V/=350mA S2 IP20 0,7400 1 m 05.20.50



semi built-in and built-up ceiling light - without transformer - without LED driver
Halbeinbau und Halbaufbau Deckenleuchte - ohne Trafo - ohne Driver LED

Lamp type

1x QR-LP111 G53 max. 50W - 12V
1x powered 350mA max. 1W - 350mA

Dimensions

Ø162xH100
Ø65 50

Options

S6.65 - PLASTERKIT


Ref cat (STD)

1810.1M	B CW WW
1810.2M.B	B CW WW
1810.11M.B	B CW WW
1810.14.B	B CW WW

built-in
only dimmable on 2 circuits
nur dimmbar bei 2 Stromkreise

5039/.. - MAESTRO

~230V S2 IP20 0,1800 0,5 m 05.20.02



built-in ceiling light
Einbau Deckenleuchte

Lamp type

1x A60 E27 max. 30W - 230V

Dimensions

Ø80xH50
Ø65

Materials

aluminium 14 | 1M | 2M

Ref cat (STD)

5039.1M	white tex
5039.2M	black tex
5039.14	alu satin

built-in



TOBY/.. - Ø70

~12V S2 IP20 0,2360 0,5 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø80xH55

Ø70 L 65

Options

S1 - SET TORSION SPRINGS

S6.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

TOBY.1	white
TOBY.1M	white tex
TOBY.2	black
TOBY.2M	black tex
TOBY.4	shiny gold
TOBY.11	alu grey
TOBY.13	bronze
TOBY.14	alu satin
TOBY.16	satin gold
TOBY.21	rust
TOBY.23	dark bronze
TOBY.45	sun gold

built-in

TOBY.ES50/.. - Ø70

~230V S2 IP20 0,3000 1 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø80xH85

Ø70 L 95

Options

S1 - SET TORSION SPRINGS

S6.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

TOBY.ES50.1	white
TOBY.ES50.1M	white tex
TOBY.ES50.2	black
TOBY.ES50.2M	black tex
TOBY.ES50.4	shiny gold
TOBY.ES50.11	alu grey
TOBY.ES50.13	bronze
TOBY.ES50.14	alu satin
TOBY.ES50.16	satin gold
TOBY.ES50.21	rust
TOBY.ES50.23	dark bronze
TOBY.ES50.45	sun gold

built-in

YOKO/.. - Ø70

~12V S2 IP20 0,2800 0,5 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø80xH75

Ø70 L 85

Options

S6.70 - PLASTERKIT

SLA_AC_D36 - LEDMODULE AC

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23


Ref cat (CAS)

YOKO.1	white
YOKO.1M	white tex
YOKO.2	black
YOKO.2M	black tex
YOKO.4	shiny gold
YOKO.11	alu grey
YOKO.13	bronze
YOKO.14	alu satin
YOKO.16	satin gold
YOKO.21	rust
YOKO.23	dark bronze
YOKO.45	sun gold

built-in

YOKO.ES50/.. - Ø70

~230V S2 IP20 0,3600 1 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø80xH85

Ø70 L 95

Options

S1 - SET TORSION SPRINGS

S6.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

YOKO.ES50.1	white
YOKO.ES50.1M	white tex
YOKO.ES50.2	black
YOKO.ES50.2M	black tex
YOKO.ES50.4	shiny gold
YOKO.ES50.11	alu grey
YOKO.ES50.13	bronze
YOKO.ES50.14	alu satin
YOKO.ES50.16	satin gold
YOKO.ES50.21	rust
YOKO.ES50.23	dark bronze
YOKO.ES50.45	sun gold

built-in

INDOOR | Ceiling IN | Downlights | Ø70

DISCO/.. - Ø70

~12V S2 IP20 0,2700 0,5m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

→ Ø80xH75

Ø70 85

Options

S6.70 - PLASTERKIT

SLA_AC_D36 - LEDMODULE AC

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

DISCO.1	white
DISCO.1M	white tex
DISCO.2	black
DISCO.2M	black tex
DISCO.4	shiny gold
DISCO.11	alu grey
DISCO.13	bronze
DISCO.14	alu satin
DISCO.16	satin gold
DISCO.23	dark bronze
DISCO.45	sun gold

built-in

DISCO.ES50/.. - Ø70

~230V S2 IP20 0,3500 1m 05.20.02



downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

→ Ø80xH85

Ø70 95

Options

S6.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

DISCO.ES50.1	white
DISCO.ES50.1M	white tex
DISCO.ES50.2	black
DISCO.ES50.2M	black tex
DISCO.ES50.4	shiny gold
DISCO.ES50.11	alu grey
DISCO.ES50.13	bronze
DISCO.ES50.14	alu satin
DISCO.ES50.16	satin gold
DISCO.ES50.23	dark bronze
DISCO.ES50.45	sun gold

built-in

ONO/.. - Ø70 - M10

S2 IP20 0,2200



built-in base for spotlight or pendant - round - without transformer
Einbaubasis für Aufbaustrahler oder Pendelleuchte - rund - ohne Trafo

Dimensions

→ Ø80xH33

Ø70 40

Options

S1 - SET TORSION SPRINGS

S6.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (BAS)

ONO.1	white
ONO.1M	white tex
ONO.2	black
ONO.2M	black tex
ONO.4	shiny gold
ONO.11	alu grey
ONO.13	bronze
ONO.14	alu satin
ONO.16	satin gold
ONO.23	dark bronze
ONO.45	sun gold

built-in

ONO.B3/.. - Ø70 - M10

S2 IP20



built-in base for pendant with swivel - round - without transformer
Einbaubasis für Pendelleuchte mit Kugelgelenk - rund - ohne Trafo

Dimensions

→ Ø80xH33

Ø70 40

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (BAS)

ONO.B3.1	white
ONO.B3.1M	white tex
ONO.B3.2	black
ONO.B3.2M	black tex
ONO.B3.4	shiny gold
ONO.B3.11	alu grey
ONO.B3.13	bronze
ONO.B3.14	alu satin
ONO.B3.16	satin gold
ONO.B3.23	dark bronze
ONO.B3.45	sun gold

built-in

ARCA50/.. - Ø72-75

~12V S2 IP20 0,1800 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 35W - 12V

Dimensions

Ø87xH62

Ø72-75

Options

S6.75 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16 | 23

Ref cat (CAS)

ARCA50.1	white
ARCA50.1M	white tex
ARCA50.2	black
ARCA50.2M	black tex
ARCA50.4	shiny gold
ARCA50.11	alu grey
ARCA50.13	bronze
ARCA50.14	alu satin
ARCA50.16	satin gold
ARCA50.23	dark bronze

built-in

ARCA50.ES50/.. - Ø72-75

~230V S2 IP20 0,2000 0,5 m 05.20.02



downlight - round - fixed - GU10 - 230V
Einbaustrahler - rund - fest - GU10 - 230V

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø87xH90

Ø72-75

Options

S1 - SET TORSION SPRINGS

S6.80 - PLASTERKIT


Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16 | 23

Ref cat (STD)

ARCA50.ES50.1	white
ARCA50.ES50.1M	white tex
ARCA50.ES50.2	black
ARCA50.ES50.2M	black tex
ARCA50.ES50.4	shiny gold
ARCA50.ES50.11	alu grey
ARCA50.ES50.13	bronze
ARCA50.ES50.14	alu satin
ARCA50.ES50.16	satin gold
ARCA50.ES50.23	dark bronze

built-in



1474.DICRO.S1/.. - KOZA

~12V S1 IP20 0,1850 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø87xH120
 Ø80 130

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1474.DICRO.S1.1M	white tex
1474.DICRO.S1.2M	black tex
1474.DICRO.S1.11	alu grey
1474.DICRO.S1.14	alu satin
1474.DICRO.S1.45	sun gold

built-in

1474.DICRO.S2/.. - KOZA

~12V S2 IP20 0,1850 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø87xH120
 Ø80 130

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1474.DICRO.S2.1M	white tex
1474.DICRO.S2.2M	black tex
1474.DICRO.S2.11	alu grey
1474.DICRO.S2.14	alu satin
1474.DICRO.S2.45	sun gold

built-in

1479.DICRO.S1/.. - KOZA

~12V S1 IP20 0,2150 0,5 m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø87xH120
 Ø80 130

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1479.DICRO.S1.1M	white tex
1479.DICRO.S1.2M	black tex
1479.DICRO.S1.11	alu grey
1479.DICRO.S1.14	alu satin
1479.DICRO.S1.45	sun gold

built-in

1479.DICRO.S2/.. - KOZA

~12V S2 IP20 0,2950 0,5 m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø87xH120
 Ø80 130

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1479.DICRO.S2.1M	white tex
1479.DICRO.S2.2M	black tex
1479.DICRO.S2.11	alu grey
1479.DICRO.S2.14	alu satin
1479.DICRO.S2.45	sun gold

built-in

1474.ES50.S1/.. - KOZA

~230V S1 IP20 0,2800 1 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø87xH135
 Ø80 145

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1474.ES50.S1.1M	white tex
1474.ES50.S1.2M	black tex
1474.ES50.S1.11	alu grey
1474.ES50.S1.14	alu satin
1474.ES50.S1.45	sun gold

built-in

1474.ES50L.S2/.. - KOZA

~230V S2 IP20 0,2300 1 m 05.20.02



downlight - round - fixed - without support and cable clamp
Einbaustrahler - rund - fest - ohne Bügel und Kabelklemme

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø87xH110
 Ø80 120

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (STD)

1474.ES50L.S2.1M	white tex
1474.ES50L.S2.2M	black tex
1474.ES50L.S2.11	alu grey
1474.ES50L.S2.14	alu satin
1474.ES50L.S2.45	sun gold

built-in

without U-clamp, with terminal block on request
ohne U-Bügel, mit Zugentlastung auf Anfrage

1474.ES50L.S1/.. - KOZA

~230V S1 IP20 0,1750 1 m 05.20.02



downlight - round - fixed - without support and cable clamp
Einbaustrahler - rund - fest - ohne Bügel und Kabelklemme

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø87xH110
 Ø80 120

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (STD)

1474.ES50L.S1.1M	white tex
1474.ES50L.S1.2M	black tex
1474.ES50L.S1.11	alu grey
1474.ES50L.S1.14	alu satin
1474.ES50L.S1.45	sun gold

built-in

without U-clamp, with terminal block on request
ohne U-Bügel, mit Zugentlastung auf Anfrage

1479.ES50.S1/.. - KOZA

~230V S1 IP20 0,2500 0,5 m 05.20.02



downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø87xH135
 Ø80 145

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1479.ES50.S1.1M	white tex
1479.ES50.S1.2M	black tex
1479.ES50.S1.11	alu grey
1479.ES50.S1.14	alu satin
1479.ES50.S1.45	sun gold

built-in

1479.ES50.S2/.. - KOZA

~230V



S2

IP20



0,2500

0,5 m

05.20.02



downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø87xH135

Ø80 L 145

Options

S6.80 - PLASTERKIT

Materials

aluminium 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

1479.ES50.S2.1M	white tex
1479.ES50.S2.2M	black tex
1479.ES50.S2.11	alu grey
1479.ES50.S2.14	alu satin
1479.ES50.S2.45	sun gold

built-in



PICO50/.. - Ø80

~12V S2 IP20 0,2400 0,5 m 05.20.02



built-in



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH55

Ø80 65

Options

PICODOWNRING - Ø80
S1 - SET TORSION SPRINGS
S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

PICO50.1 white
PICO50.1M white tex
PICO50.2 black
PICO50.2M black tex
PICO50.4 shiny gold
PICO50.11 alu grey
PICO50.13 bronze
PICO50.14 alu satin
PICO50.16 satin gold
PICO50.21 rust
PICO50.23 dark bronze
PICO50.45 sun gold

PICO50.S1/.. - Ø80

~12V S1 IP20 0,2600 0,5 m 05.20.02



built-in



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH55

Ø80 65

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23
INOX 316 5 | 5B | 5BB

Ref cat (CAS)

PICO50.S1.1 white
PICO50.S1.1M white tex
PICO50.S1.2 black
PICO50.S1.2M black tex
PICO50.S1.4 shiny gold
PICO50.S1.5 inox 316
PICO50.S1.5B inox 316 1x coated
PICO50.S1.5BB inox 316 2x coated
PICO50.S1.11 alu grey
PICO50.S1.13 bronze
PICO50.S1.14 alu satin
PICO50.S1.16 satin gold
PICO50.S1.21 rust
PICO50.S1.23 dark bronze
PICO50.S1.45 sun gold



INDOOR | Ceiling IN | Downlights | Ø80 CONVERTIBLE

PICO50OUT/.. - Ø80

~12V S2 IP20 0,2600 0,5 m 05.20.02



downlight - round - fixed - for outside use - without transformer
Einbaustrahler - rund - fest - für Aussengebrauch - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH55 65

Options

300V.12V - FITTING IP54
S1 - SET TORSION SPRINGS

Materials

ALU ANODISE 21A | 32A | 37A | 46A | 31MA
brass 20
INOX 32X | 46X | 31MX
INOX 316 5 | 5B | 5BB

Ref

PICO50OUT.5	inox 316
PICO50OUT.5B	inox 316 1x coated
PICO50OUT.5BB	inox 316 2x coated
PICO50OUT.20	brass
PICO50OUT.21A	rust anodised
PICO50OUT.31MA	white texture ano
PICO50OUT.32A	black texture ano
PICO50OUT.37A	grey text ano
PICO50OUT.46A	grey-brown ano
PICO50OUT.31MX	white texture
PICO50OUT.32X	black texture
PICO50OUT.46X	grey-brown

built-in

PICODOWN50/.. - Ø80

~12V S2 IP20 0,2300 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH70
 80

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23
INOX 316 5

Ref cat (CAS)

PICODOWN50.1	white
PICODOWN50.1M	white tex
PICODOWN50.2	black
PICODOWN50.2M	black tex
PICODOWN50.4	shiny gold
PICODOWN50.5	inox 316
PICODOWN50.11	alu grey
PICODOWN50.13	bronze
PICODOWN50.14	alu satin
PICODOWN50.16	satin gold
PICODOWN50.23	dark bronze
PICODOWN50.45	sun gold

built-in

PICODOWNRING/.. - Ø80

IP20 0,0200



supplement
Supplement

Materials

aluminium 2 | 1M | 2M

Ref cat (STD)

PICODOWNRING.1M	white tex
PICODOWNRING.2	black
PICODOWNRING.2M	black tex

PICO50LN/.. - Ø80 PUNCHED

~12V S2 IP20 0,1790 0,5 m 05.20.02



downlight punched - round - fixed - without transformer
Einbaustrahler gestanz - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH55

Ø80 65

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

PICO50LN.1 white
PICO50LN.1M white tex
PICO50LN.2 black
PICO50LN.2M black tex
PICO50LN.4 shiny gold
PICO50LN.11 alu grey
PICO50LN.13 bronze
PICO50LN.14 alu satin
PICO50LN.16 satin gold

built-in
not compatible with adaption ring and torsion springs!
nicht verwendbar mit Adapterring und Torsionfedern!

PICO50LNOUT/.. - Ø80 PUNCHED

~12V S2 IP20 0,1900 0,5 m 05.20.02



downlight punched - round - fixed - for outside use - without transformer
Einbaustrahler gestanz - rund - fest - für Aussengebrauch - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH55 Ø80 65

Options

300V.12V - FITTING IP54
S1 - SET TORSION SPRINGS

Materials

INOX 32X | 31MX
INOX 316 5 | 5B | 5BB
red copper 30

Ref

PICO50LNOUT.5 inox 316
PICO50LNOUT.5B inox 316 1x coated
PICO50LNOUT.5BB inox 316 2x coated
PICO50LNOUT.30 red copper
PICO50LNOUT.31MX white texture
PICO50LNOUT.32X black texture

built-in
not compatible with adaption ring
nicht verwendbar mit Adapterring

PICO50.ESS50LN/.. - Ø80 PUNCHED

~230V S2 IP20 0,2600 1 m 05.20.02



downlight punched - round - fixed
Einbaustrahler gestanz - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 125

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

PICO50.ESS50LN.1 white
PICO50.ESS50LN.1M white tex
PICO50.ESS50LN.2 black
PICO50.ESS50LN.2M black tex
PICO50.ESS50LN.4 shiny gold
PICO50.ESS50LN.11 alu grey
PICO50.ESS50LN.13 bronze
PICO50.ESS50LN.14 alu satin
PICO50.ESS50LN.16 satin gold

built-in
not compatible with adaption ring and torsion springs!
nicht verwendbar mit Adapterring und Torsionfedern!

PICO50.ESS50LNOUT/.. - Ø80 PUNCHED

~230V S2 IP20 0,2400 1 m 05.20.02



downlight punched - round - fixed - for outside use
Einbaustrahler gestanz - rund - fest - für Aussengebrauch

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 125

Options

300V.230V - FITTING IP54
S1 - SET TORSION SPRINGS

Materials

INOX 32X | 31MX
INOX 316 5 | 5B | 5BB
red copper 30

Ref

PICO50.ESS50LNOUT.5 inox 316
PICO50.ESS50LNOUT.5B inox 316 1x coated
PICO50.ESS50LNOUT.5BBinox 316 2x coated
PICO50.ESS50LNOUT.30 red copper
PICO50.ESS50LNOUT.31MX white texture
PICO50.ESS50LNOUT.32Xblack texture

built-in
not compatible with adaption ring
nicht verwendbar mit Adapterring

INDOOR | Ceiling IN | Downlights | Ø80 CONVERTIBLE

ARIA.S1/.. - Ø80

~230V



S1

IP20



0,3200

1 m

05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø90xH90

Ø80 L 100

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45

brass 4 | 13 | 16 | 23

INOX 5

INOX 316 5B | 5BB

Ref cat (CAS)

ARIA.S1.1	white
ARIA.S1.1M	white tex
ARIA.S1.2	black
ARIA.S1.2M	black tex
ARIA.S1.4	shiny gold
ARIA.S1.5	inox 316
ARIA.S1.5B	inox 316 1x coated
ARIA.S1.5BB	inox 316 2x coated
ARIA.S1.11	alu grey
ARIA.S1.13	bronze
ARIA.S1.14	alu satin
ARIA.S1.16	satin gold
ARIA.S1.23	dark bronze
ARIA.S1.45	sun gold

built-in

ARIAOUT/.. - Ø80

~230V



S2

IP20



0,3200

1 m

05.20.02



downlight - round - fixed - for outside use
Einbaustrahler - rund - fest - für Aussengebrauch

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø90xH90

Ø80 L 100

Options

S1 - SET TORSION SPRINGS

Materials

ALU ANODISE 21A | 32A | 44A | 46A | 31MA | 33MA

brass 20

INOX 32X | 44X | 46X | 31MX | 33MX

INOX 316 5 | 5B | 5BB

Ref

ARIAOUT.5	inox 316
ARIAOUT.5B	inox 316 1x coated
ARIAOUT.5BB	inox 316 2x coated
ARIAOUT.20	brass
ARIAOUT.21A	rust anodised
ARIAOUT.31MA	white texture ano
ARIAOUT.32A	black texture ano
ARIAOUT.33MA	textured brown ano
ARIAOUT.44A	anthracite grey texture ano
ARIAOUT.46A	grey-brown ano
ARIAOUT.31MX	white texture
ARIAOUT.32X	black texture
ARIAOUT.33MX	brown texture
ARIAOUT.44X	anthracite grey texture
ARIAOUT.46X	grey-brown

built-in

DIVA50/.. - Ø80

~12V S2 IP20 0,2790 0,5 m 05.20.02



Max. H
67 mm

downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH62

Ø80 72

Options

S1 - SET TORSION SPRINGS

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

DIVA50.1	white
DIVA50.1M	white tex
DIVA50.2	black
DIVA50.2M	black tex
DIVA50.4	shiny gold
DIVA50.11	alu grey
DIVA50.13	bronze
DIVA50.14	alu satin
DIVA50.16	satin gold
DIVA50.21	rust
DIVA50.23	dark bronze
DIVA50.45	sun gold

built-in

DIVA50.S1/.. - Ø80

~12V S1 IP20 0,2900 0,5 m 05.20.02



downlight - round - directional - without transformer
Einbaustrahler - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH62

Ø80 72

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23
INOX 316 5 | 5B | 5BB

Ref cat (CAS)

DIVA50.S1.1	white
DIVA50.S1.1M	white tex
DIVA50.S1.2	black
DIVA50.S1.2M	black tex
DIVA50.S1.4	shiny gold
DIVA50.S1.5	inox 316
DIVA50.S1.5B	inox 316 1x coated
DIVA50.S1.5BB	inox 316 2x coated
DIVA50.S1.11	alu grey
DIVA50.S1.13	bronze
DIVA50.S1.14	alu satin
DIVA50.S1.16	satin gold
DIVA50.S1.21	rust
DIVA50.S1.23	dark bronze
DIVA50.S1.45	sun gold

built-in

DIVA50OUT/.. - Ø80

~12V S2 IP20 0,2700 0,5 m 05.20.02



downlight - round - directional - for outside use - without transformer
Einbaustrahler - rund - schwenkbar - für Aussengebrauch - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH62

Ø80 72

Options

300V.12V - FITTING IP54

S1 - SET TORSION SPRINGS

Materials

ALU ANODISE 21A | 32A | 46A | 31MA

brass 20

INOX 32X | 46X | 31MX

INOX 316 5 | 5B | 5BB

Ref

DIVA50OUT.5	inox 316
DIVA50OUT.5B	inox 316 1x coated
DIVA50OUT.5BB	inox 316 2x coated
DIVA50OUT.20	brass
DIVA50OUT.21A	rust anodised
DIVA50OUT.31MA	white texture ano
DIVA50OUT.32A	black texture ano
DIVA50OUT.46A	grey-brown ano
DIVA50OUT.31MX	white texture
DIVA50OUT.32X	black texture
DIVA50OUT.46X	grey-brown

built-in



CAMBIO/.. - Ø80

~230V S2 IP20 0,3490 1 m 05.20.02



downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø90xH115
 Ø80 125

Options

S1 - SET TORSION SPRINGS
S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

CAMBIO.1	white
CAMBIO.1M	white tex
CAMBIO.2	black
CAMBIO.2M	black tex
CAMBIO.4	shiny gold
CAMBIO.11	alu grey
CAMBIO.13	bronze
CAMBIO.14	alu satin
CAMBIO.16	satin gold
CAMBIO.23	dark bronze
CAMBIO.45	sun gold

built-in

CAMBIO.S1/.. - Ø80

~230V S1 IP20 0,5000 1 m 05.20.02



downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø90xH115
 Ø80 125

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23
INOX 316 5 | 5B | 5BB

Ref cat (CAS)

CAMBIO.S1.1	white
CAMBIO.S1.1M	white tex
CAMBIO.S1.2	black
CAMBIO.S1.2M	black tex
CAMBIO.S1.4	shiny gold
CAMBIO.S1.5	inox 316
CAMBIO.S1.5B	inox 316 1x coated
CAMBIO.S1.5BB	inox 316 2x coated
CAMBIO.S1.11	alu grey
CAMBIO.S1.13	bronze
CAMBIO.S1.14	alu satin
CAMBIO.S1.16	satin gold
CAMBIO.S1.23	dark bronze
CAMBIO.S1.45	sun gold

built-in




CAMBIODOWN.ES50/.. - Ø80

~230V  S2 IP20    0,2100 1 m 05.20.02 






downlight - round - directional
Einbaustrahler - rund - schwenkbar

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø90xH115
 Ø80  125

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

CAMBIODOWN.ES50.1 white
CAMBIODOWN.ES50.1M white tex
CAMBIODOWN.ES50.2 black
CAMBIODOWN.ES50.2M black tex
CAMBIODOWN.ES50.4 shiny gold
CAMBIODOWN.ES50.11 alu grey
CAMBIODOWN.ES50.13 bronze
CAMBIODOWN.ES50.14 alu satin
CAMBIODOWN.ES50.16 satin gold
CAMBIODOWN.ES50.21 rust
CAMBIODOWN.ES50.23 dark bronze
CAMBIODOWN.ES50.45 sun gold

built-in



CAMBIOOUT/.. - Ø80

~230V  S2 IP20    0,3400 1 m 05.20.02 






downlight - round - directional - for outside use
Einbaustrahler - rund - schwenkbar - für Aussengebrauch

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø90xH115
 Ø80  125

Options

300V.230V - FITTING IP54
S1 - SET TORSION SPRINGS


Materials

ALU ANODISE 21A | 32A | 46A | 31MA
brass 20
INOX 32X | 46X | 31MX
INOX 316 5 | 5B | 5BB

Ref

CAMBIOOUT.5 inox 316
CAMBIOOUT.5B inox 316 1x coated
CAMBIOOUT.5BB inox 316 2x coated
CAMBIOOUT.20 brass
CAMBIOOUT.21A rust anodised
CAMBIOOUT.31MA white texture ano
CAMBIOOUT.32A black texture ano
CAMBIOOUT.46A grey-brown ano
CAMBIOOUT.31MX white texture
CAMBIOOUT.32X black texture
CAMBIOOUT.46X grey-brown

built-in



DIVA50LN/.. - Ø80 PUNCHED

~12V S2 IP20 0,1916 0,5 m 05.20.02



downlight punched - round - directional - without transformer
Einbaustrahler gestanz - rund - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH62

Ø80 72

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

DIVA50LN.1	white
DIVA50LN.1M	white tex
DIVA50LN.2	black
DIVA50LN.2M	black tex
DIVA50LN.4	shiny gold
DIVA50LN.11	alu grey
DIVA50LN.13	bronze
DIVA50LN.14	alu satin
DIVA50LN.16	satin gold

built-in
not compatible with adaption ring and torsion springs!
nicht verwendbar mit Adapterring und Torsionfedern!

DIVA50LNOUT/.. - Ø80 PUNCHED

~12V S2 IP20 0,1540 0,5 m 05.20.02



downlight punched - round - directional - for outside use - without transformer
Einbaustrahler gestanz - rund - schwenkbar - für Aussengebrauch - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH62

Ø80 72

Options

300V.12V - FITTING IP54
S1 - SET TORSION SPRINGS

Materials

INOX 316 5 | 5B | 5BB
red copper 30

Ref

DIVA50LNOUT.5	inox 316
DIVA50LNOUT.5B	inox 316 1x coated
DIVA50LNOUT.5BB	inox 316 2x coated
DIVA50LNOUT.30	red copper

built-in
not compatible with adaption ring
nicht verwendbar mit Adapterring

DIVA50.E550.LN/.. - Ø80 PUNCHED

~230V S2 IP20 0,2800 1 m 05.20.02



downlight punched - round - directional
Einbaustrahler gestanz - rund - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 125

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16

Ref cat (CAS)

DIVA50.E550.LN.1	white
DIVA50.E550.LN.1M	white tex
DIVA50.E550.LN.2	black
DIVA50.E550.LN.2M	black tex
DIVA50.E550.LN.4	shiny gold
DIVA50.E550.LN.11	alu grey
DIVA50.E550.LN.13	bronze
DIVA50.E550.LN.14	alu satin
DIVA50.E550.LN.16	satin gold

built-in
not compatible with adaption ring and torsion springs!
nicht verwendbar mit Adapterring und Torsionfedern!

DIVA50ES50LNOUT/.. - Ø80 PUNCHED

~230V S2 IP20 0,2500 1 m 05.20.02



downlight punched - round - directional - for outside use
Einbaustrahler gestanz - rund - schwenkbar - für Aussengebrauch

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 125

Options

300V.230V - FITTING IP54
S1 - SET TORSION SPRINGS

Materials

INOX 316 5 | 5B | 5BB
red copper 30

Ref

DIVA50ES50LNOUT.5	inox 316
DIVA50ES50LNOUT.5B	inox 316 1x coated
DIVA50ES50LNOUT.5BB	inox 316 2x coated
DIVA50ES50LNOUT.30	red copper

built-in
not compatible with adaption ring
nicht verwendbar mit Adapterring

INDOOR | Ceiling IN | Downlights | Ø80 CONVERTIBLE

CANO50/.. - Ø80

~12V S2 IP20 0,3200 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH33

Ø80 40

Options

S6.80 - PLASTERKIT

Materials

aluminium	1	2	11	14	1M	21	2M	45
brass						4	13	16 23

Ref cat (CAS)

CANO50.1	white
CANO50.1M	white tex
CANO50.2	black
CANO50.2M	black tex
CANO50.4	shiny gold
CANO50.11	alu grey
CANO50.13	bronze
CANO50.14	alu satin
CANO50.16	satin gold
CANO50.21	rust
CANO50.23	dark bronze
CANO50.45	sun gold

built-in
use coolfit lamp
Coolfit-Lampe verwenden

SENSA/.. - Ø80

~230V S2 IP20 0,3200 1 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø90xH115

Ø80 125

Options

S6.80 - PLASTERKIT

Materials

aluminium	1	2	11	14	1M	2M
brass						4 13 16 23
INOX 316						5 5B 5BB

Ref cat (CAS)

SENSA.1	white
SENSA.1M	white tex
SENSA.2	black
SENSA.2M	black tex
SENSA.4	shiny gold
SENSA.5	inox 316
SENSA.5B	inox 316 1x coated
SENSA.5BB	inox 316 2x coated
SENSA.11	alu grey
SENSA.13	bronze
SENSA.14	alu satin
SENSA.16	satin gold
SENSA.23	dark bronze

built-in

SIRA50CH/.. - Ø80

~12V S2 IP20 0,2200 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH80

Ø80 90

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45
brass 4 | 7 | 13 | 16 | 23
INOX 316 5

Ref cat (CAS)

SIRA50CH.1.7	white
SIRA50CH.1M.7	white tex
SIRA50CH.2.7	black
SIRA50CH.2M.7	black tex
SIRA50CH.4.7	shiny gold
SIRA50CH.5.7	inox 316
SIRA50CH.7.7	chrome
SIRA50CH.11.7	alu grey
SIRA50CH.13.7	bronze
SIRA50CH.14.7	alu satin
SIRA50CH.16.7	satin gold
SIRA50CH.21.7	rust
SIRA50CH.23.7	dark bronze
SIRA50CH.45.7	sun gold

built-in

CH = chrome reflector

CH = Chromreflektor

SIRA50M/.. - Ø80

~12V S2 IP20 0,2200 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH80

Ø80 90

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16

Ref cat (CAS)

SIRA50M.1	white
SIRA50M.1M	white tex
SIRA50M.1M.14	white tex
SIRA50M.2	black
SIRA50M.2M	black tex
SIRA50M.4.14	shiny gold
SIRA50M.11	alu grey
SIRA50M.13.14	bronze
SIRA50M.14	alu satin
SIRA50M.16.14	satin gold
SIRA50M.45	sun gold

built-in

M = mat chrome reflector

M = Chromreflektor matt

AQUANODOTIP20/.. - Ø80

~12V S2 IP20 0,1700 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø89xH80

Ø80 90

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 21 | 2M | 45

Ref cat (CAS)

AQUANODOTIP20.1 white
AQUANODOTIP20.1M white tex
AQUANODOTIP20.2 black
AQUANODOTIP20.2M black tex
AQUANODOTIP20.11 alu grey
AQUANODOTIP20.14 alu satin
AQUANODOTIP20.21 rust
AQUANODOTIP20.45 sun gold

built-in

AQUANODOT.ES50/.. - Ø80

~230V S2 IP20 0,1900 0,5 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 120

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45

Ref cat (CAS)

AQUANODOT.ES50.1 white
AQUANODOT.ES50.1M white tex
AQUANODOT.ES50.2 black
AQUANODOT.ES50.2M black tex
AQUANODOT.ES50.11 alu grey
AQUANODOT.ES50.14 alu satin
AQUANODOT.ES50.45 sun gold

built-in

AQUANODOTIP44/.. - Ø80

~12V S2 IP44 0,2600 0,5 m 05.20.02



downlight - round - fixed - without transformer
Einbaustrahler - rund - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 35W - 12V

Dimensions

Ø89xH80

Ø80 90

Options

S6.80 - PLASTERKIT

Materials

ALU ANODISE 1MA | 2MA | 31A | 11MA

Ref cat (CAS)

AQUANODOTIP44.1MA white tex ano
AQUANODOTIP44.2MA black tex ano
AQUANODOTIP44.11MA grey tex ano
AQUANODOTIP44.31A white structure ano

built-in
bathrooms - showers
Badezimmer - Duschen

AQUANODOT.ANO.ES50/.. - Ø80

~230V S2 IP44 0,1900 0,5 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø89xH115

Ø80 120

Materials

ALU ANODISE 1MA | 2MA | 11MA

Ref cat (CAS)

AQUANODOT.ANO.ES50.1MA white tex ano
AQUANODOT.ANO.ES50.2MA black tex ano
AQUANODOT.ANO.ES50.11MA grey tex ano

built-in
bathrooms - showers
Badezimmer - Duschen

VIDRIO/.. - Ø80

~230V  S2 IP20   0,3620 1 m 05.20.02 




downlight - round
Einbaustrahler - rund

Lamp type

1x TC-SEI E27 max. 11W A - B 230V

Dimensions

Ø90xH130
Ø80  65

Options

S6.80 - PLASTERKIT
VIDRIOGLASS - Ø80

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

VIDRIO.1	white
VIDRIO.1M	white tex
VIDRIO.2	black
VIDRIO.2M	black tex
VIDRIO.4	shiny gold
VIDRIO.11	alu grey
VIDRIO.13	bronze
VIDRIO.14	alu satin
VIDRIO.16	satin gold
VIDRIO.23	dark bronze
VIDRIO.45	sun gold

built-in
glass Ø50xH84
Glas Ø50xH84

VIDRIO50/.. - Ø80

~12V   S2 IP20   0,2200 0,5 m 05.20.02 




downlight - round - without transformer
Einbaustrahler - rund - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W A+ - E 12V

Dimensions

Ø89xH135
Ø80  65
Glass - Ø50xH79

Options

S6.80 - PLASTERKIT
VIDRIOGLASS - Ø80

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (CAS)

VIDRIO50.1	white
VIDRIO50.1M	white tex
VIDRIO50.2	black
VIDRIO50.2M	black tex
VIDRIO50.4	shiny gold
VIDRIO50.11	alu grey
VIDRIO50.13	bronze
VIDRIO50.14	alu satin
VIDRIO50.16	satin gold
VIDRIO50.23	dark bronze
VIDRIO50.45	sun gold

built-in
glass Ø50xH84
Glas Ø50xH84

VIDRIOGLASS/.. - Ø80

IP20  0,0850 




accessory for downlight
Zubehör für Einbaustrahler

Dimensions


Ø50xH84

Ref cat (STD)

VIDRIOGLASS



ZENO50/.. - Ø80 - M10



built-in base for spotlight or pendant - round - without transformer
Einbaubasis für Aufbaustrahler oder Pendelleuchte - rund - ohne Trafo

Dimensions

Ø89xH33

Ø80 L 40

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (BAS)

ZENO50.1	white
ZENO50.1M	white tex
ZENO50.2	black
ZENO50.2M	black tex
ZENO50.4	shiny gold
ZENO50.11	alu grey
ZENO50.13	bronze
ZENO50.14	alu satin
ZENO50.16	satin gold
ZENO50.23	dark bronze
ZENO50.45	sun gold

built-in

ZENO50B3/.. - Ø80 - B3



built-in base for pendant with swivel - round - without transformer
Einbaubasis für Pendelleuchte mit Kugelgelenk - rund - ohne Trafo

Dimensions

Ø89xH33

Ø80 L 40

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M | 45
brass 4 | 13 | 16 | 23

Ref cat (BAS)

ZENO50B3.1	white
ZENO50B3.1M	white tex
ZENO50B3.2	black
ZENO50B3.2M	black tex
ZENO50B3.4	shiny gold
ZENO50B3.11	alu grey
ZENO50B3.13	bronze
ZENO50B3.14	alu satin
ZENO50B3.16	satin gold
ZENO50B3.23	dark bronze
ZENO50B3.45	sun gold

built-in
Max. 300gr

MAESTRO.RB.E27/.. - Ø80



downlight - round - fixed - with E27 lampholder
Einbaustrahler - rund - fest - mit E27 Fassung

Lamp type

1x ST64 E27 max. 40W A - E 230V

Dimensions

Ø89xH95

Ø80 L 100

Materials

aluminium 1 | 2 | 14 | 1M | 2M | 45

Ref cat (CAS)

MAESTRO.RB.E27.1	white
MAESTRO.RB.E27.1M	white tex
MAESTRO.RB.E27.2	black
MAESTRO.RB.E27.2M	black tex
MAESTRO.RB.E27.14	alu satin
MAESTRO.RB.E27.45	sun gold

built-in

MAESTRO.SB.E27/.. - Ø80



downlight - square - fixed - with E27 lampholder
Einbaustrahler - viereckig - fest - mit E27 Fassung

Lamp type

1x ST64 E27 max. 40W A - E 230V

Dimensions

L100xB100xH95

Ø80 L 100

Materials

aluminium 1 | 2 | 14 | 1M | 2M | 45

Ref cat (CAS)

MAESTRO.SB.E27.1	white
MAESTRO.SB.E27.1M	white tex
MAESTRO.SB.E27.2	black
MAESTRO.SB.E27.2M	black tex
MAESTRO.SB.E27.14	alu satin
MAESTRO.SB.E27.45	sun gold

built-in

KUBO50/.. - Ø80

~12V S2 IP20 0,2300 0,5 m 05.20.02



downlight - square - fixed - second colour inside plate - without transformer
Einbaustrahler - viereckig - fest - zweite Farbe der Innenplatte - ohne Trafo

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions
L88xB88xH54
Ø80 65

Options
S6.80 - PLASTERKIT

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)	
KUBO50.1.1	white
KUBO50.1.2	white
KUBO50.1M.1M	white tex
KUBO50.2.2	black
KUBO50.2M.2M	black tex
KUBO50.4.2	shiny gold
KUBO50.5.2	inox 316
KUBO50.5.5	inox 316
KUBO50.11.2	alu grey
KUBO50.11.5	alu grey
KUBO50.11.11	alu grey
KUBO50.11.14	alu grey
KUBO50.13.2	bronze
KUBO50.14.2	alu satin
KUBO50.14.11	alu satin
KUBO50.14.14	alu satin
KUBO50.16.2	satin gold
KUBO50.16.14	satin gold

built-in

KUBO.ES50/.. - Ø80

~230V S2 IP20 0,3000 1 m 05.20.02



downlight - square - fixed - second colour inside plate
Einbaustrahler - viereckig - fest - zweite Farbe der Innenplatte

Lamp type
1x QPAR 51 GU10 max. 20W - 230V

Dimensions
L88xB88xH97-105
Ø80 110

Options
S6.80 - PLASTERKIT

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)	
KUBO.ES50.1.1	white
KUBO.ES50.1M.1M	white tex
KUBO.ES50.2.2	black
KUBO.ES50.2M.2M	black tex
KUBO.ES50.4.2	shiny gold
KUBO.ES50.5.5	inox 316
KUBO.ES50.11.11	alu grey
KUBO.ES50.13.2	bronze
KUBO.ES50.14.14	alu satin
KUBO.ES50.16.2	satin gold

built-in

KUBOGLAS50/.. - Ø80

~12V S2 IP20 0,6122 0,5 m 05.20.02



downlight - square - fixed - second color inside plate - with glass - without transformer
Einbaustrahler - viereckig - fest - zweite Farbe für Innenplatte - mit Glass - ohne Trafo

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions
L88xB88xH54
Ø80 65

Options
S6.80 - PLASTERKIT


Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)	
KUBOGLAS50.1.1	white
KUBOGLAS50.1M.1M	white tex
KUBOGLAS50.2.2	black
KUBOGLAS50.2M.2M	black tex
KUBOGLAS50.4.2	shiny gold
KUBOGLAS50.5.2	inox 316
KUBOGLAS50.5.5	inox 316
KUBOGLAS50.11.2	alu grey
KUBOGLAS50.11.11	alu grey
KUBOGLAS50.13.2	bronze
KUBOGLAS50.14.2	alu satin
KUBOGLAS50.14.14	alu satin
KUBOGLAS50.16.2	satin gold

built-in

GALA/.. - Ø80

~12V S2 IP20 0,2600 0,5 m 05.20.02



square - fixed - without transformer
viereckig - fest - ohne Trafo

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L88xB88xH54

Ø80 L 65

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

GALA.1	white
GALA.1M	white tex
GALA.2	black
GALA.2M	black tex
GALA.4	shiny gold
GALA.5	inox 316
GALA.11	alu grey
GALA.13	bronze
GALA.14	alu satin
GALA.16	satin gold

built-in

COCO50/.. - Ø80

~12V S2 IP20 0,2400 0,5 m 05.20.02



downlight - square - fixed - second colour inside plate -
without transformer

Einbaustrahler - viereckig - fest - zweite Farbe der Innenplatte
- ohne Trafo

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L88xB88xH62

Ø80 L 72

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

COCO50.1	white
COCO50.1M.1M	white tex
COCO50.2.2	black
COCO50.2M.2M	black tex
COCO50.4.2	shiny gold
COCO50.5.2	inox 316
COCO50.5.14	inox 316
COCO50.11.2	alu grey
COCO50.11.11	alu grey
COCO50.13.2	bronze
COCO50.14.2	alu satin
COCO50.14.11	alu satin
COCO50.14.14	alu satin
COCO50.16.2	satin gold

built-in



COCO.E550/.. - Ø80

~230V  S2 IP20   0,2600 1 m 05.20.02 



downlight - square - fixed - second colour inside plate
Einbaustrahler - viereckig - fest - zweite Farbe der Innenplatte

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

L88xB88xH97-105

Ø80  110

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

COCO.E550.1.1 white
COCO.E550.1M.1M white tex
COCO.E550.2.1 black
COCO.E550.2.2 black
COCO.E550.2M.2M black tex
COCO.E550.4.2 shiny gold
COCO.E550.5.2 inox 316
COCO.E550.11.11 alu grey
COCO.E550.13.2 bronze
COCO.E550.14.14 alu satin
COCO.E550.16.2 satin gold

built-in

BORA50/.. - Ø80 - M10


  S2 IP20   0,3300 



built-in base for spotlight or pendant - square - second colour inside plate - without transformer
Einbaubasis für Aufbaustrahler oder Pendelleuchte - viereckig - zweite Farbe der Innenplatte - ohne Trafo

Dimensions

L88xB88xH42

Ø80  42

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (BAS)

BORA50.1.1 white
BORA50.1M.1M white tex
BORA50.2.2 black
BORA50.2M.2M black tex
BORA50.4.2 shiny gold
BORA50.5.5 inox 316
BORA50.5.14 inox 316
BORA50.11.2 alu grey
BORA50.11.11 alu grey
BORA50.13.2 bronze
BORA50.14.2 alu satin
BORA50.14.14 alu satin
BORA50.16.2 satin gold
BORA50.16.16 satin gold

built-in



INDOOR | Ceiling IN | Downlights | Ø80 VARIO-HERO

HERO50/.. - Ø80

~12V S2 IP20 0,1600 0,5 m 05.20.02



downlight - square - fixed - without transformer
Einbaustrahler - viereckig - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L100xB100xH70
 Ø80 L 80

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

HERO50.1	white
HERO50.1M	white tex
HERO50.2	black
HERO50.2M	black tex
HERO50.11	alu grey
HERO50.14	alu satin

built-in

HERO.ES50/.. - Ø80

~230V S2 IP20 0,2100 1 m 05.20.02



downlight - square - fixed
Einbaustrahler - viereckig - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L100xB100xH110
 Ø80 L 120

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

HERO.ES50.1	white
HERO.ES50.1M	white tex
HERO.ES50.2	black
HERO.ES50.2M	black tex
HERO.ES50.11	alu grey
HERO.ES50.14	alu satin

built-in

VARIO.ES50/.. - Ø80

~230V S2 IP20 0,2200 1 m 05.20.02



downlight - square - directional
Einbaustrahler - viereckig - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L100xB100xH110
 Ø80 L 120

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

VARIO.ES50.1	white
VARIO.ES50.1M	white tex
VARIO.ES50.2	black
VARIO.ES50.2M	black tex
VARIO.ES50.11	alu grey
VARIO.ES50.14	alu satin

built-in

VARIO50/.. - Ø80

~12V S2 IP20 0,1600 0,5 m 05.20.02



downlight - square - directional - without transformer
Einbaustrahler - viereckig - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L100xB100xH70
 Ø80 L 80

Options

S6.80 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref cat (CAS)

VARIO50.1	white
VARIO50.1M	white tex
VARIO50.2	black
VARIO50.2M	black tex
VARIO50.11	alu grey
VARIO50.14	alu satin

built-in

DECO50/.. - Ø80 - M10

III S2 IP20    0,1200 



built-in base for spotlight or pendant - square
Einbaubasis für Aufbaustrahler oder Pendelleuchte - viereckig

Dimensions

L100xB100xH33

Ø80 L 40

Options

S6.80 - PLASTERKIT

Materials

aluminium

Ref cat (BAS)

DECO50.1

white

DECO50.1M

white tex

DECO50.2

black

DECO50.2M

black tex

DECO50.11


alu grey

DECO50.14

alu satin


1 | 2 | 11 | 14 | 1M | 2M

built-in



W3154/.. - MANTA IN DOUCHE

~12V S1 IP65 0,4400 0,5 m 05.20.02



semi built-in and built-up ceiling light - round - fixed - with mat glass - without transformer
Halbeinbau und Halbaufbau Deckenleuchte - rund - fest - mit mattem Glas - ohne Trafo

Lamp type
1x QT12 GY6,35 max. 20W - 12V

Dimensions
Ø100xH103
Ø82 ∟ 90

Options
S3147 - MANTA spare ring + glass


Materials
ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref
W3154.1MA white tex ano
W3154.2MA black tex ano
W3154.11MA grey tex ano
W3154.22A matt gold ano

semi built-in/up
ring + flat glass H25mm
Ring + flaches Glas H25mm
for showers
für Duschen

W3159/.. - MANTA IN

~230V S1 IP65 0,5 05.20.02



semi built-in and built-up ceiling light - round - fixed - with mat glass
Halbeinbau und Halbaufbau Deckenleuchte - rund - fest - mit mattem Glas

Lamp type
1x QPAR 51 GU10 max. 20W - 230V

Dimensions
Ø100xH138
Ø82 ∟ 90

Options
S3148 - MANTA spare ring + glass


Materials
ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref
W3159.1MA white tex ano
W3159.2MA black tex ano
W3159.11MA grey tex ano
W3159.22A matt gold ano

semi built-in/up
ring + flat glass H60mm
Ring + flaches Glas H60mm

W3155/.. - MANTA IN DOUCHE

~12V S1 IP65 0,4700 0,5 m 05.20.02



semi built-in and built-up ceiling light - round - fixed - with mat high glass - without transformer
Halbeinbau und Halbaufbau Deckenleuchte - rund - fest - mit mattem hohem Glas - ohne Trafo

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 35W - 12V

Dimensions
Ø100xH120
Ø82 ∟ 90

Options
S3149 - MANTA spare ring + glass


Materials
ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref
W3155.1MA white tex ano
W3155.2MA black tex ano
W3155.11MA grey tex ano
W3155.22A matt gold ano

semi built-in/up
ring + glass H42mm
Ring + Glas H42mm
for showers
für Duschen

W3158/.. - MANTA IN

~230V S1 IP65 0,4950 0,5 05.20.02



semi built-in and built-up ceiling light - round - fixed - with mat high glass
Halbeinbau und Halbaufbau Deckenleuchte - rund - fest - mit mattem hohem Glas

Lamp type
1x QPAR 51 GU10 max. 20W - 230V

Dimensions
Ø100xH140
Ø82 ∟ 90

Options
S3150 - MANTA spare ring + glass


Materials
ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref
W3158.1MA white tex ano
W3158.2MA black tex ano
W3158.11MA grey tex ano
W3158.22A matt gold ano

semi built-in/up
ring + glass H62mm
Ring + Glas H62mm

W3160/.. - MANTA IN

~230V  S1 IP65       



semi built-in and built-up ceiling light - round - fixed - with mat high glass
Halbeinbau und Halbaufbau Deckenleuchte - rund - fest - mit mattem hohem Glas

Lamp type

1x TC-SEI E27 max. 12W  -  230V

Dimensions

Ø100xH158

Ø82  90

Options

S3151 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3160.1MA

white tex ano

W3160.2MA

black tex ano

W3160.11MA

grey tex ano

W3160.22A

matt gold ano

semi built-in/up
ring + glass H80mm
Ring + Glas H80mm

INDOOR | Ceiling IN | Downlights | TOLEDO





3060/.. - TOLEDO Ø84

~230V  S2 IP20    0,1950  0,5 m  05.20.02 





downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

⌀ 1x TCR-TSE GX53 max. 5W  -  230V
or ⌀ 1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

→ Ø95xH44,5
 Ø84  50

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3060.1	white
3060.1M	white tex
3060.2M	black tex
3060.14	alu satin

built-in




3066/.. - TOLEDO Ø84

~230V  S2 IP20    0,0850  0,5 m  05.20.02 





downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

⌀ 1x TCR-TSE GX53 max. 5W  -  230V
or ⌀ 1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

→ Ø90xH18,5
 Ø84  30

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3066.1	white
3066.1M	white tex
3066.2M	black tex
3066.14	alu satin

built-in



3067/.. - TOLEDO Ø84

~230V  S2 IP20    0,1100  0,5 m  05.20.02 





downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

⌀ 1x TCR-TSE GX53 max. 5W  -  230V
or ⌀ 1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

→ Ø90xH28,5
 Ø84  40

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3067.1	white
3067.1M	white tex
3067.2M	black tex
3067.14	alu satin

built-in

3068/.. - TOLEDO Ø84

~230V  S3 IP20    0,3750  0,5 m  05.20.02 





downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

⌀ 1x TCR-TSE GX53 max. 5W  -  230V
or ⌀ 1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

→ Ø105xH51
 Ø84  70

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3068.1	white
3068.1M	white tex
3068.2M	black tex
3068.14	alu satin

built-in

3074/.. - TOLEDO Ø84

~230V  S2 IP20    0,1100  0,5 m  05.20.02 



downlight - square - fixed
Einbaustrahler - viereckig - fest

Lamp type

1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

L92xB92xH18,5

Ø84  30

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3074.1	white
3074.1M	white tex
3074.2M	black tex
3074.14	alu satin

built-in

3075/.. - TOLEDO Ø84

~230V  S2 IP20    0,1500  0,5 m  05.20.02 



downlight - square - fixed
Einbaustrahler - viereckig - fest

Lamp type

1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

L92xB92xH28,5

Ø84  40

Options

S6.87 - PLASTERKIT

Materials

aluminium 1 | 14 | 1M | 2M

Ref cat (BAS)

3075.1	white
3075.1M	white tex
3075.2M	black tex
3075.14	alu satin

built-in

W3068/.. - TOLEDO Ø84

~230V  S3 IP44    0,4250  0,5 m  05.20.02 



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W  -  230V

Dimensions

Ø105xH51

Ø84  60

Options

2320.230V - A: LED CASSETTE 230V 3,6W IP65

S6.87 - PLASTERKIT

Materials

ALU ANODISE 32A | 36A

Ref cat (BAS)

W3068.32A	black texture ano
W3068.36A	alu grey ano

built-in

PICOAR70.GU10/.. - AR70 Ø100

~230V  S2 IP20    0,2100  0,5 m  05.20.02 




downlight - fixed
Einbaustrahler - fest

Lamp type

1x QPAR70 GU10 max. 7W  230V

Dimensions

Ø109xH80

Ø100  100

Materials

aluminium 14 | 1M | 2M | 11M

Ref cat (STD)

PICOAR70.GU10.1M	white tex
PICOAR70.GU10.2M	black tex
PICOAR70.GU10.11M	grey tex
PICOAR70.GU10.14	alu satin

built-in
also available with xicato LED module
verfügbar mit xicato LED Modul

INDOOR | Ceiling IN | Downlights | Ø100 AR70

PICOAR70/.. - AR70 Ø100

~12V S2 IP20 0,1558 0,5 05.20.02



downlight - fixed - without transformer
Einbaustrahler - fest - ohne Trafo

Lamp type

1x QR-LP70 BA15d max. 50W - 12V

Dimensions

Ø109xH80
Ø100 100

Options

S1 - SET TORSION SPRINGS
S6.100 - PLASTERKIT

Materials

aluminium 14 | 1M | 2M | 11M

Ref cat (STD)

PICOAR70.1M	white tex
PICOAR70.2M	black tex
PICOAR70.11M	grey tex
PICOAR70.14	alu satin

built-in
also available with xicato LED module
verfügbar mit xicato LED Modul

DIVAAR70.GU10/.. - AR70 Ø100

~230V S2 IP20 0,1500 0,5 05.20.02



downlight - directional
Einbaustrahler - schwenkbar

Lamp type

1x QPAR70 GU10 max. 7W 230V

Dimensions

Ø109xH80
Ø100 100

Materials

aluminium 14 | 1M | 2M | 11M

Ref cat (STD)

DIVAAR70.GU10.1M	white tex
DIVAAR70.GU10.2M	black tex
DIVAAR70.GU10.11M	grey tex
DIVAAR70.GU10.14	alu satin

built-in
also available with xicato LED module
verfügbar mit xicato LED Modul



DIVAAR70/.. - AR70 Ø100

~12V S2 IP20 0,1780 0,5 05.20.02



downlight - directional - without transformer
Einbaustrahler - schwenkbar - ohne Trafo

Lamp type

1x QR-LP70 BA15d max. 50W - **12V**

Dimensions

Ø109xH80
 Ø100 L 100

Options

S1 - SET TORSION SPRINGS
S6.100 - PLASTERKIT

Materials

aluminium 14 | 1M | 2M | 11M

Ref cat (STD)

DIVAAR70.1M	white tex
DIVAAR70.2M	black tex
DIVAAR70.11M	grey tex
DIVAAR70.14	alu satin

built-in
also available with xicato LED module
verfügbar mit xicato LED Modul

AQUAGR/.. - AQUA GRANDE

~230V S1 IP20 0,4660 0,5 m 05.20.02



downlight - round - fixed
Einbaustrahler - rund - fest

Lamp type

1x QPAR 51 GU10 max. 35W - **230V**

Dimensions

Ø110xH100
 Ø100 L 120

Options

S6.100 - PLASTERKIT

Materials

aluminium 1 | 11 | 14 | 1M | 2M
brass 16

Ref cat (CAS)

AQUAGR.1	white
AQUAGR.1M	white tex
AQUAGR.2M	black tex
AQUAGR.11	alu grey
AQUAGR.14	alu satin
AQUAGR.16	satin gold

built-in

1840.DISCO/.. - OLIVIA

~12V/=350mA S1 IP20 0,3700 1 m 05.20.50



downlight - directional - disco directional spot included - without transformer - without LED driver
Einbaustrahler - schwenkbar - inklusive schwenkbarer Spot disco - ohne Trafo - ohne Driver LED

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V
 1x powered 350mA max. 1W - 350mA

Dimensions

Ø110
 Ø100 125

Options

1845 - OLIVIA
S6.100 - PLASTERKIT

Materials

aluminium 1M | 2M

Ref cat (STD)

1840.DISCO.1M.B	white tex
1840.DISCO.1M.CW	white tex
1840.DISCO.2M.A	black tex
1840.DISCO.2M.B	black tex
1840.DISCO.2M.CW	black tex

built-in
only dimmable on 2 circuits
nur dimmbar bei 2 Stromkreise

1840.YOKO/.. - OLIVIA

~12V/=350mA S1 IP20 0,4100 1 m 05.20.50



downlight - fixed - yoko fixed spot included - without transformer - without LED driver
Einbaustrahler - fest - inklusive fester Spot yoko - ohne Trafo - ohne Driver LED

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V
 1x powered 350mA max. 1W - 350mA

Dimensions

Ø110
 Ø100 125

Options

1845 - OLIVIA
S6.100 - PLASTERKIT

Materials

aluminium 1M | 2M

Ref cat (STD)

1840.YOKO.1M.B	white tex
1840.YOKO.1M.CW	white tex
1840.YOKO.2M.A	black tex
1840.YOKO.2M.B	black tex
1840.YOKO.2M.CW	black tex

built-in
only dimmable on 2 circuits
nur dimmbar bei 2 Stromkreise

1845/.. - OLIVIA

S1 IP20 0,4100



built-in base for cassette
Einbaubasis für Kassette

Dimensions

L270xB142
 2xØ100 [130]

Options

1840/DISCO - OLIVIA
1840/YOKO - OLIVIA
1840/ZUMBA - OLIVIA
1845/A - OLIVIA SJABLOON
1845/B - OLIVIA PLASTERKIT

Materials

aluminium 1M | 2M | 11M



Ref cat (STD)

1845.1M	white tex
1845.2M	black tex
1845.11M	grey tex

built-in
frame to combine with Olivia 1840 (downlight not included)
Frame zu kombinieren mit Olivia 1840 (exklusiv Einbaustrahler)

1845B/.. - OLIVIA PLASTERKIT

IP00



plasterkit - for 1845
Einputzrahmen - für 1845

Dimensions

L370xB250
 260x130

Ref

1845B

built-in

1475/.. - INCA

~12V S1 IP20 0,4750 1 m 05.20.02



downlight - directional - without transformer
Einbaustrahler - schwenkbar - ohne Trafo

Lamp type

- 1x QR-LP111 G53 max. 50W A - C 12V
- 1x PAR 36 screw max. 50W E 12V

Dimensions

- Ø180xH80
- Ø162 100

Options

1808/B - OLIVIA-INCA plasterkit

Materials

aluminium 14 | 1M | 2M

Ref cat (STD)

- 1475.1M white tex
- 1475.2M black tex
- 1475.14 alu satin

built-in

1477/.. - INCA X

~12V S1 IP20 0,6000 1 m 05.20.02



downlight - directional - without transformer
Einbaustrahler - schwenkbar - ohne Trafo

Lamp type

- 1x QR-LP111 G53 max. 50W A - C 12V

Dimensions

- Ø170xH115
- Ø162 135

Options

1808/B - OLIVIA-INCA plasterkit


Materials

aluminium 1M | 2M

Ref cat (STD)

- 1477.1M white tex
- 1477.2M black tex

built-in



1490/.. - TORPEDO

~12V S2 IP20 1,3250 1 m 05.20.02



built-in ceiling light - directional - without transformer
Einbau Deckenleuchte - schwenkbar - ohne Trafo

Lamp type

1x QR-LP111 G53 max. 20W - 12V

Dimensions

Ø200xH85
Ø180 JL 100



Max. H
67 mm

Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

1490.1M	white tex
1490.2M	black tex
1490.14	alu satin

built-in

1492/.. - TORPEDO

~12V S2 IP20 2,1710 1 m 05.20.02



built-in ceiling light - directional - without transformer
Einbau Deckenleuchte - schwenkbar - ohne Trafo

Lamp type

2x QR-LP111 G53 max. 20W - 12V

Dimensions

L375xB200xH85
Ø2x180 JL 100 [175]



Max. H
67 mm


Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

1492.1M	white tex
1492.2M	black tex
1492.14	alu satin

built-in



1480/.. - QUORUM

~230V



IP20



1,6750



1 m



05.20.50



downlight - directional - without transformer - with electronic gear
 Einbaustrahler - schwenkbar - ohne Trafo - mit elektronischem Vorschaltgerät

Ref cat (STD)

1480.14

alu satin

Lamptype

1x QR-LP111 G53 max. 20W A - C 12V

1x TL16-R 2GX13 max. 22W A - B 230V

Dimensions

Ø290xH140

Ø255 $\sqrt{\text{L}}$ 160

Materials

aluminium

14

Max. H
67 mm

built-in



INDOOR | Ceiling IN | Downlights | Ø72 FLUX INOX

3161/.. - FLUX INOX 316 Ø72

~12V S1 IP44 0,2450 0,5 m 05.20.02



downlight - round - fixed - with clear glass - without transformer
Einbaustrahler - rund - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø88xH71
Ø72 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)

3161.5	inox 316
3161.5BB	inox 316 2x coated
3161.31MX	white texture
3161.32X	black texture
3161.33MX	brown texture
3161.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3162/.. - FLUX INOX 316 Ø72

~12V S1 IP44 0,2750 0,5 m 05.20.02



downlight - square - fixed - with clear glass - without transformer
Einbaustrahler - viereckig - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L88xB88xH80
Ø72 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)

3162.5	inox 316
3162.5BB	inox 316 2x coated
3162.31MX	white texture
3162.32X	black texture
3162.33MX	brown texture
3162.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3163/.. - FLUX INOX 316 Ø72

~230V S1 IP44 0,2800 0,5 m 05.20.02



downlight - round - fixed - with clear glass
Einbaustrahler - rund - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø88xH85
Ø72 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)


3163.5	inox 316
3163.5BB	inox 316 2x coated
3163.31MX	white texture
3163.32X	black texture
3163.33MX	brown texture
3163.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3164/.. - FLUX INOX 316 Ø72

~230V S1 IP44 0,2950 0,5 m 05.20.02



downlight - square - fixed - with clear glass
Einbaustrahler - viereckig - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L88xB88xH85
Ø72 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)


3164.5	inox 316
3164.5BB	inox 316 2x coated
3164.31MX	white texture
3164.32X	black texture
3164.33MX	brown texture
3164.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3166/.. - FLUX INOX 316 Ø82

~12V S1 IP44



downlight - round - fixed - with clear glass - without transformer
Einbaustrahler - rund - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø95xH71
Ø82 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB


Ref cat (STD)

3166.5	inox 316
3166.5BB	inox 316 2x coated
3166.31MX	white texture
3166.32X	black texture
3166.33MX	brown texture
3166.37X	grey texture

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3167/.. - FLUX INOX 316 Ø82

~12V S1 IP44



downlight - square - fixed - with clear glass - without transformer
Einbaustrahler - viereckig - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L95xB95xH71
Ø82 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB


Ref cat (STD)

3167.5	inox 316
3167.5BB	inox 316 2x coated
3167.31MX	white texture
3167.32X	black texture
3167.33MX	brown texture
3167.37X	grey texture

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3168/.. - FLUX INOX 316 Ø82

~230V S1 IP44



downlight - round - fixed - with clear glass
Einbaustrahler - rund - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø95xH82
Ø82 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB


Ref cat (STD)

3168.5	inox 316
3168.5BB	inox 316 2x coated
3168.31MX	white texture
3168.32X	black texture
3168.33MX	brown texture
3168.37X	grey texture

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3169/.. - FLUX INOX 316 Ø82

~230V S1 IP44



downlight - square - fixed - with clear glass
Einbaustrahler - viereckig - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L95xB95xH82
Ø82 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB


Ref cat (STD)

3169.5	inox 316
3169.5BB	inox 316 2x coated
3169.31MX	white texture
3169.32X	black texture
3169.33MX	brown texture
3169.37X	grey texture

built-in
Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3171/.. - FLUX INOX 316 Ø92

~12V S1 IP44



downlight - round - fixed - with clear glass - without transformer
Einbaustrahler - rund - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

Ø108xH71
Ø92 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)


3171.5	inox 316
3171.5BB	inox 316 2x coated
3171.31MX	white texture
3171.32X	black texture
3171.33MX	brown texture
3171.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3172/.. - FLUX INOX 316 Ø92

~12V S1 IP44



downlight - square - fixed - with clear glass - without transformer
Einbaustrahler - viereckig - fest - mit klarem Glas - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L108xB108xH71
Ø92 100

Options

300V/12V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)

3172.5	inox 316
3172.5BB	inox 316 2x coated
3172.31MX	white texture
3172.32X	black texture
3172.33MX	brown texture
3172.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3173/.. - FLUX INOX 316 Ø92

~230V S1 IP44



downlight - round - fixed - with clear glass
Einbaustrahler - rund - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

Ø108xH85
Ø92 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)


3173.5	inox 316
3173.5BB	inox 316 2x coated
3173.31MX	white texture
3173.32X	black texture
3173.33MX	brown texture
3173.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

3174/.. - FLUX INOX 316 Ø92

~230V S1 IP44



downlight - square - fixed - with clear glass
Einbaustrahler - viereckig - fest - mit klarem Glas

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L108xB108xH85
Ø92 100

Options

300V/230V - FITTING IP54
S2 - SET FLAT SPRINGS

Materials

INOX 32X | 37X | 31MX | 33MX
INOX 316 5 | 5BB

Ref cat (STD)

3174.5	inox 316
3174.5BB	inox 316 2x coated
3174.31MX	white texture
3174.32X	black texture
3174.33MX	brown texture
3174.37X	grey texture

built-in

Code 5BB for application in coastal areas
Kode 5BB anzuwenden in der Küstengegend

1808/.. - OLIVIA

~12V/=350mA S1 IP20 0,8650 1 m 05.20.50



downlight - without transformer - without LED driver
Einbaustrahler - ohne Trafo - ohne Driver LED

Lamp type

- 1x QR-LP111 G53 max. 50W - 12V
- 1x powered 350mA max. 1W - 350mA

Dimensions

- Ø165xH140
- Ø162 150

Options

1808/B - OLIVIA-INCA plasterkit

Materials

aluminium 1M | 2M


Ref cat (STD)

- 1808.1M.WW white tex
- 1808.1M.B white tex
- 1808.1M.CW white tex
- 1808.2M.WW black tex
- 1808.2M.A black tex
- 1808.2M.B black tex
- 1808.2M.CW black tex
- 1808.2M.GR black tex

built-in
only dimmable on 2 circuits
nur dimmbar bei 2 Stromkreise

1808B/.. - OLIVIA-INCA plasterkit

IP00 0,0850



plasterkit
Einputzrahmen

Dimensions

- L305xB305
- Ø162

Options

1478 - INCA X
1808 - OLIVIA

Ref

1808B

built-in

1810/.. - OLIVIA

~12V/=350mA S2 IP20 0,7400 1 m 05.20.50



semi built-in and built-up ceiling light - without transformer -
without LED driver
Halbeinbau und Halbaufbau Deckenleuchte - ohne Trafo -
ohne Driver LED

Lamp type

- 1x QR-LP111 G53 max. 50W - 12V
- 1x powered 350mA max. 1W - 350mA

Dimensions

- Ø162xH100
- Ø65 50

Options

S6.65 - PLASTERKIT

Ref cat (STD)

- 1810.1M B | CW | WW
- 1810.2M.B B | CW | WW
- 1810.11M.B B | CW | WW
- 1810.14.B B | CW | WW

built-in
only dimmable on 2 circuits
nur dimmbar bei 2 Stromkreise

FOX.DIR/.. - 70x70

~12V S1 IP20 0,3000 0,5 m 05.20.02



downlight - square - directional - without transformer
Einbaustrahler - viereckig - schwenkbar - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L80xB80xH85-105
 70x70 115

Options

S9.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

FOX.DIR.1.1 white
FOX.DIR.1.2 white
FOX.DIR.1M.1M white tex
FOX.DIR.2.2 black
FOX.DIR.2M.2M black tex
FOX.DIR.4.2 shiny gold
FOX.DIR.5.11 inox 316
FOX.DIR.11.11 alu grey
FOX.DIR.13.2 bronze
FOX.DIR.16.2 satin gold

built-in

FOX.DIR.ES50/.. - 70x70

~230V S1 IP20 0,2900 1 m 05.20.02



downlight - square - directional
Einbaustrahler - viereckig - schwenkbar

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L80xB80xH95-115
 70x70 125

Options

S9.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

FOX.DIR.ES50.1.1 white
FOX.DIR.ES50.1M.1M white tex
FOX.DIR.ES50.2.2 black
FOX.DIR.ES50.2M.2M black tex
FOX.DIR.ES50.4.2 shiny gold
FOX.DIR.ES50.5.11 inox 316
FOX.DIR.ES50.11.11 alu grey
FOX.DIR.ES50.13.2 bronze
FOX.DIR.ES50.16.2 satin gold

built-in

FOX.FIX/.. - 70x70

~12V S1 IP20 0,2600 0,5 m 05.20.02



downlight - square - fixed - without transformer
Einbaustrahler - viereckig - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L80xB80xH95-110
 70x70 115

Options

S9.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

FOX.FIX.1.1 white
FOX.FIX.1.2 white
FOX.FIX.1.14 white
FOX.FIX.1M.1M white tex
FOX.FIX.2.2 black
FOX.FIX.2M.2M black tex
FOX.FIX.4.2 shiny gold
FOX.FIX.5.11 inox 316
FOX.FIX.11.11 alu grey
FOX.FIX.13.2 bronze
FOX.FIX.16.2 satin gold

built-in

FOX.FIX.ES50/.. - 70x70

~230V S1 IP20 0,3600 1 m 05.20.02



downlight - square - fixed
Einbaustrahler - viereckig - fest

Lamp type

1x QPAR 51 GU10 max. 20W - 230V

Dimensions

L80xB80xH105-120
 70x70 125

Options

S9.70 - PLASTERKIT

Materials

aluminium 1 | 2 | 11 | 1M | 2M
brass 4 | 13 | 16
INOX 316 5

Ref cat (CAS)

FOX.FIX.ES50.1.1 white
FOX.FIX.ES50.1.14 white
FOX.FIX.ES50.1M.1M white tex
FOX.FIX.ES50.2.2 black
FOX.FIX.ES50.2M black tex
FOX.FIX.ES50.4.2 shiny gold
FOX.FIX.ES50.5.11 inox 316
FOX.FIX.ES50.11.11 alu grey
FOX.FIX.ES50.13.2 bronze
FOX.FIX.ES50.16.2 satin gold

built-in

859/.. - ZOOM

~12V S1 IP20 0,2360 0,5 m 05.20.02



downlight - square - fixed - without transformer
Einbaustrahler - viereckig - fest - ohne Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 50W - 12V

Dimensions

L89,5xB89,5xH55

72x72 JL 75

Materials

aluminium 1 | 2M | 40
brass 4 | 16

Ref cat (STD)

859.1	white
859.2M	black tex
859.4	shiny gold
859.16	satin gold
859.40	anodised alu

built-in



945ES50.S1/.. - CAMERA IN ES50

~230V  S1 IP20     0,7900  0,5 m  05.20.02 






built-in ceiling and wall light - square - directional
Decken- und Wandleuchte für Einbau - viereckig - schwenkbar

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L120xB120xH65
 108x108  85

Materials

aluminium 47
INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

945ES50.S1.1M	white tex
945ES50.S1.2M	black tex
945ES50.S1.14	alu satin
945ES50.S1.47	black - white inside

built-in

945ES50.S2/.. - CAMERA IN ES50

~230V   S2 IP20     0,8000  0,5 m  05.20.02 






built-in ceiling and wall light - square - directional - without transformer
Decken- und Wandleuchte für Einbau - viereckig - schwenkbar - ohne Trafo

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L120xB120xH65
 108x108  85

Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

945ES50.S2.1M	white tex
945ES50.S2.2M	black tex
945ES50.S2.14	alu satin

built-in


945A/.. - CAMERA IN BOX ZT

IP20    0,1270 



built-in box - no room for transformer
Einbaudose - kein Platz für Trafo

Dimensions

 L110xB105xH80

Ref cat (STD)

945A


945B/.. - CAMERA IN BOX VT

~230V  IP20    0,1600 



built-in box - with room for transformer
Einbaudose - mit Platz für Trafo

Dimensions

 L185xB103xH80

Ref cat (STD)

945B

948ES50/.. - CAMERA IN ES50

~230V  S1 IP20      






built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L320xB320xH65
 235x235  85

Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

948ES50.1M	white tex
948ES50.2M	black tex
948ES50.14	alu satin

built-in
2x105VA - use coolfit lamp
Coolfit-Lampe verwenden




946/.. - CAMERA IN

~12V   S1 IP20       






built-in ceiling and wall light - square - directional - without transformer
Decken- und Wandleuchte für Einbau - viereckig - schwenkbar - ohne Trafo

Lamp type

 2x QR-CB 51 GU5,3/GX5,3 max. 35W  -  12V

Dimensions

 L210xB120xH65
 198x108  85

Options

S10.198 - PLASTERKIT

Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

946.1M	white tex
946.2M	black tex
946.14	alu satin

built-in

946ES50/.. - CAMERA IN ES50

~230V  S1 IP20      






built-in ceiling and wall light - square - directional
Decken- und Wandleuchte für Einbau - viereckig - schwenkbar

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L210xB120xH65
 198x108  85

Materials

INOX / ALUMINIUM 14 | 1M | 2M

Ref cat (STD)

946ES50.1M	white tex
946ES50.2M	black tex
946ES50.14	alu satin

built-in
use coolfit lamp
Coolfit-Lampe verwenden




1881DS.ES50/.. - SPINNER X DS

~230V  S4 IP20      




built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L102xB102xH122

 93x93  147

Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)

1881DS.ES50.1M	white tex
1881DS.ES50.2.14	black
1881DS.ES50.2M	black tex
1881DS.ES50.11.14.2	alu grey

built-in


1882DS.ES50/.. - SPINNER X DS

~230V  S4 IP20      




built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L196xB102xH122

 185x93  147

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1882DS.ES50.1M	white tex
1882DS.ES50.2.14	black
1882DS.ES50.2M	black tex
1882DS.ES50.11.14.2	alu grey

built-in




1883DS.ES50/.. - SPINNER X DS

~230V  S4 IP20      




built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L278xB102xH122

 269x93  147

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1883DS.ES50.1M	white tex
1883DS.ES50.2.14	black
1883DS.ES50.2M	black tex
1883DS.ES50.11.14.2	alu grey

built-in

1884DS.ES50/.. - SPINNER X DS

~230V  S4 IP20      






built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L362xB102xH122

 353x93  147

Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)

1884DS.ES50.1M	white tex
1884DS.ES50.2.14	black
1884DS.ES50.2M	black tex
1884DS.ES50.11.14.2	alu grey

built-in

1889DS.ES50/.. - SPINNER X DS

~230V



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L202xB202xH122

193x193 └─┬─┘ 147

Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)

1889DS.ES50.1M	white tex
1889DS.ES50.2.14	black
1889DS.ES50.2M	black tex
1889DS.ES50.11.14.2	alu grey

built-in



1881.ES50/.. - SPINNER X FORUM

~230V  S4 IP20    0,7300 1 m 05.20.02 




built-in ceiling light - square
Einbau Deckenleuchte - viereckig

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L102xB102xH122

 93x93  147

Options

1850 - SPINNER X DOWNRING

1881/A - SPINNER X FORUM plasterkit

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1881.ES50.1M	white tex
1881.ES50.2.14	black
1881.ES50.2M	black tex
1881.ES50.11.14.2	alu grey

built-in


1881A/.. - SPINNER X FORUM plasterkit

IP00   0,0750 



plasterkit 1 module
Einputzrahmen 1 Modul

Dimensions

 L225xB225

 94x94

Ref

1881A

built-in

1882.ES50/.. - SPINNER X FORUM

~230V  S4 IP20    1,0400 1 m 05.20.02 




built-in ceiling light - square
Einbau Deckenleuchte - viereckig

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L196xB102xH122

 185x93  147

Options

1850 - SPINNER X DOWNRING

1882/A - SPINNER X FORUM plasterkit

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1882.ES50.1M	white tex
1882.ES50.2.14	black
1882.ES50.2M	black tex
1882.ES50.11.14.2	alu grey

built-in


1882A/.. - SPINNER X FORUM plasterkit

IP00   0,1250 



plasterkit 2 modules
Einputzrahmen 2 Moduln

Dimensions

 L320xB225

 186x94

Ref

1882A

built-in

1883.ES50/.. - SPINNER X FORUM

~230V  S4 IP20    1,3300 1 m 05.20.02 



built-in

built-in ceiling light - square
Einbau Deckenleuchte - viereckig

Lamp type
 3x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions
 L278xB102xH122
 269x93  147

Options
1850 - SPINNER X DOWNRING
1883/A - SPINNER X FORUM plasterkit

Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1883.ES50.1M white tex
1883.ES50.2.14 black
1883.ES50.2M black tex
1883.ES50.11.14.2 alu grey



1883A/.. - SPINNER X FORUM plasterkit

IP00   0,1950 



built-in

plasterkit 3 modules
Einputzrahmen 3 Moduln

Dimensions
 L400xB225
 269x94

Ref
1883A

1884.ES50/.. - SPINNER X FORUM

~230V  IP20    1,6500 1 m 05.20.02 



built-in

built-in ceiling light - square
Einbau Deckenleuchte - viereckig

Lamp type
 4x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions
 L362xB102xH122
 353x93  147

Options
1850 - SPINNER X DOWNRING
1884/A - SPINNER X FORUM plasterkit

Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1884.ES50.1M white tex
1884.ES50.2.14 black
1884.ES50.2M black tex
1884.ES50.11.14.2 alu grey

1884A/.. - SPINNER X FORUM plasterkit

IP00   



built-in


plasterkit 4 modules
Einputzrahmen 4 Moduln

Dimensions
 L485xB225
 353x94

Ref
1884A


1889A/.. - SPINNER X FORUM plasterkit

IP00   



plasterkit
Einputzrahmen

Dimensions

 L300xB300

 194x194

Ref

1889A

built-in




1889.ES50/.. - SPINNER X FORUM

~230V  S4 IP20     0,5 m  






built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L202xB202xH122

 193x193  147

Options

1850 - SPINNER X DOWNRING

1889/A - SPINNER X FORUM plasterkit

Materials

aluminium

2 | 11 | 1M | 2M

Ref cat (STD)

1889.ES50.1M

white tex

1889.ES50.2.14

black

1889.ES50.2M

black tex

1889.ES50.11.14.2

alu grey

built-in



1871/.. - SPINNER X AR70

~12V S4 IP20 0,8050 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type

1x QR-LP70 BA15d max. 50W - 12V

Dimensions

L127xB127xH92
 118x118 117

Options

1871/A - SPINNER X AR70 plasterkit

Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)

1871.1M.1M	white tex
1871.2.14	black
1871.2M.2M	black tex
1871.11.14	alu grey

built-in

1871A/.. - SPINNER X AR70 plasterkit

IP00 0,1250



plasterkit 1 module
Einputzrahmen 1 Modul

Dimensions

L260xB225
 118x118

Ref

1871A

built-in

1872/.. - SPINNER X AR70

~12V S4 IP20 1,2900 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type

2x QR-LP70 BA15d max. 50W - 12V

Dimensions

L230xB127xH92
 222x118 117

Options

1872/A - SPINNER X AR70 plasterkit

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1872.1M.1M	white tex
1872.2.14	black
1872.2M.2M	black tex
1872.11.14	alu grey

built-in

1872A/.. - SPINNER X AR70 plasterkit

IP00 0,1550



plasterkit 2 modules
Einputzrahmen 2 Moduln

Dimensions

L364xB225
 222x118

Ref

1872A

built-in

1873/.. - SPINNER X AR70

~12V IP20 1,8000 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type

3x QR-LP70 BA15d max. 50W - 12V

Dimensions

L335xB127xH92
 326x118 117

Options

1873/A - SPINNER X AR70 plasterkit

Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)

1873.1M.1M	white tex
1873.2.14	black
1873.2M.2M	black tex
1873.11.14	alu grey

built-in

1873A/.. - SPINNER X AR70 plasterkit

IP00 0,1230



plasterkit 3 modules
Einputzrahmen 3 Moduln

Dimensions

L468xB225
 326x118

Ref

1873A

built-in

1874/.. - SPINNER X AR70

~230V IP20 2,5400 1 m 05.20.02



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

4x QPAR70 GU10 max. 7W 230V

Dimensions

L440xB127xH92
 430x118 117

Options

1874/A - SPINNER X AR70 plasterkit

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1874.1M.1M	white tex
1874.2.14	black
1874.2M.2M	black tex
1874.11.14	alu grey

built-in

1874A/.. - SPINNER X AR70 plasterkit

IP00 0,1550



plasterkit 4 modules
Einputzrahmen 4 Moduln

Dimensions

L572xB225
 430x118


Ref

1874A

built-in

1879/.. - SPINNER X AR70

~12V S4 IP20 2,8750 0,5 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type

4x QR-LP70 BA15d max. 50W - 12V

Dimensions

L242xB242xH95
 233x233 120

Options

1879/A - SPINNER X AR70 plasterkit

Materials

aluminium 2 | 11 | 1M | 2M


Ref cat (STD)

1879.1M.1M	white tex
1879.2.14	black
1879.2M.2M	black tex
1879.11.14	alu grey

built-in

1879A/.. - SPINNER X AR70 plasterkit

IP00 0,1450



plasterkit
Einputzrahmen

Dimensions

L375xB375
 234x234

Ref

1879A

built-in



1871.GU10/.. - SPINNER X AR70 GU10

~230V  S4 IP20      



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type
1x QPAR70 GU10 max. 7W  **230V**

Dimensions
L127xB127xH92
118x118  117

Materials
aluminium **2 | 11 | 1M | 2M**

Ref cat (STD)	
1871.GU10.1M.1M	white tex
1871.GU10.2.2	black
1871.GU10.2.14	black
1871.GU10.2M.2M	black tex
1871.GU10.11.14	alu grey

built-in

1872.GU10/.. - SPINNER X AR70 GU10

~230V  S4 IP20       



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type
2x QPAR70 GU10 max. 7W  **230V**

Dimensions
L230xB127xH92
222x118  117

Materials
aluminium **2 | 11 | 1M | 2M**

Ref cat (STD)	
1872.GU10.1M.1M	white tex
1872.GU10.2.2	black
1872.GU10.2.14	black
1872.GU10.2M.2M	black tex
1872.GU10.11.14	alu grey

built-in

1873.GU10/.. - SPINNER X AR70 GU10

~230V  S4 IP20      



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type
3x QPAR70 GU10 max. 7W  **230V**

Dimensions
L335xB127xH92
326x118  117


Materials
aluminium **2 | 11 | 1M | 2M**

Ref cat (STD)	
1873.GU10.1M.1M	white tex
1873.GU10.2.2	black
1873.GU10.2.14	black
1873.GU10.2M.2M	black tex
1873.GU10.11.14	alu grey

built-in


1874.GU10/.. - SPINNER X AR70 GU10

~230V  S4 IP20      



built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type
4x QPAR70 GU10 max. 7W  **230V**

Dimensions
L440xB127xH92
430x118  117


Materials
aluminium **2 | 11 | 1M | 2M**

Ref cat (STD)	
1874.GU10.1M.1M	white tex
1874.GU10.2.2	black
1874.GU10.2.14	black
1874.GU10.2M.2M	black tex
1874.GU10.11.14	alu grey

built-in

1879.GU10/.. - SPINNER X AR70 GU10

~230V  S4 IP20    0,5 m  05.20.02 




built-in ceiling light - square - directional
Einbau Deckenleuchte - viereckig - schwenkbar

Lamp type

4x QPAR70 GU10 max. 7W  230V

Dimensions

L242xB242xH95

233x233  120


Materials

aluminium 2 | 11 | 1M | 2M

Ref cat (STD)


1879.GU10.1M.1M	white tex
1879.GU10.2.2	black
1879.GU10.2.14	black
1879.GU10.2M.2M	black tex
1879.GU10.11.14	alu grey

built-in



1851/.. - SPINNER X

~12V S4 IP20 1,1050 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type
1x QR-LP111 G53 max. 50W - 12V

Dimensions
L160xB160xH95
152x152 $\sqrt{120}$

Options
1851/A - SPINNER X plasterkit


Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1851.1M.1M white tex
1851.2.14 black
1851.2M.2M black tex
1851.11.14 alu grey

built-in

1851A/.. - SPINNER X plasterkit

IP00 1,1340



plasterkit 1 module
Einputzrahmen 1 Modul

Dimensions
L300xB300
152x152

Ref
1851A

built-in

1852/.. - SPINNER X

~12V S4 IP20 1,8850 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type
2x QR-LP111 G53 max. 50W - 12V

Dimensions
L306xB160xH95
298x152 $\sqrt{120}$

Options
1852/A - SPINNER X plasterkit

Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1852.1M.1M white tex
1852.2.14 black
1852.2M.2M black tex
1852.11.14 alu grey

built-in

1852A/.. - SPINNER X plasterkit

IP00 0,2100



plasterkit 2 modules
Einputzrahmen 2 Moduln


Dimensions
L300xB450
298x152

Ref
1852A

built-in

1853/.. - SPINNER X

~12V S4 IP20 2,9850 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type
3x QR-LP111 G53 max. 50W - 12V

Dimensions
L455xB160xH95
446x152 $\sqrt{120}$

Options
1853/A - SPINNER X plasterkit

Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1853.1M.1M white tex
1853.2.14 black
1853.2M.2M black tex
1853.11.14 alu grey

built-in

1853A/.. - SPINNER X plasterkit

IP00 0,2700



plasterkit 3 modules
Einputzrahmen 3 Modul



Dimensions
L597xB300
446x152

Ref
1853A

built-in

1859/.. - SPINNER X

~12V S4 IP20 4,2600 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Lamp type
4x QR-LP111 G53 max. 50W - 12V

Dimensions
L312xB312xH95
303x303 $\sqrt{120}$

Options
1859/A - SPINNER X plasterkit


Materials
aluminium 2 | 11 | 1M | 2M

Ref cat (STD)
1859.1M.1M white tex
1859.2.14 black
1859.2M.2M black tex
1859.11.14 alu grey

built-in

1859A/.. - SPINNER X plasterkit

IP00 0,2300



plasterkit
Einputzrahmen

Dimensions
L450xB450
304x304

Ref
1859A

built-in

950/.. - SPINNER

~12V S4 IP20 1,8000 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Ref cat (STD)

950.1M	white tex
950.2M	black tex
950.14	alu satin

Lamp type


	1x QR-LP111 G53 max. 50W A - C	12V
	1x PAR 36 screw max. 50W E	12V

Dimensions

L214xB210xH85
 198x198 105

Materials

INOX / ALUMINIUM 14 | 1M | 2M



built-in

952/.. - SPINNER

~12V S4 IP20 2,7100 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Ref cat (STD)

952.1M	white tex
952.2M	black tex
952.14	alu satin

Lamp type

	2x QR-LP111 G53 max. 50W A - C	12V
	2x PAR 36 screw max. 50W E	12V

Dimensions

L355xB214xH87
 340x198 105

Materials

INOX / ALUMINIUM 14 | 1M | 2M



built-in

1445/.. - SPINNER

~12V S4 IP20 5,8400 1 m 05.20.02



built-in ceiling light - square - directional - without transformer
Einbau Deckenleuchte - viereckig - schwenkbar - ohne Trafo

Ref cat (STD)

1445.1M	white tex
1445.2M	black tex
1445.14	alu satin

Lamp type

	3x QR-LP111 G53 max. 50W A - C	12V
or	3x PAR 36 screw max. 50W E	12V

Dimensions

L500xB215xH200
 485x200 220

Materials

INOX / ALUMINIUM 14 | 1M | 2M



built-in





