

INDOOR LUMINAIRES

INDOOR LUMINAIRES

Index

B

BETAPLUS	103-105
BRIDGE	87

C

CALYPSO	81
CAMELEON	8
CAMERA TWIN	88-89
CAMERA UP	88
CANVAS	59
CAPUCINE	44-46
CAPUCINE XL	47-49
CLARA	23
CLARA XICATO	24
CUBIC	73-74
CUPIDO	70-72

E

EQUAL	4-7
-------	-----

F

FARFALLE	21
FIXER XICATO	121-126
FLOU	14-102

J

JACOB	13
JACOBINE	50-51

K

KOX	14
-----	----

L

LOBBY	83-84
LUXOR UP	128-132

M

MAESTRO	17-20
MAMBO	87
MANTA UP	90-92
MERO	9-12
MONA LISA	33
MONET CARREE	100
MONET ROND	94
MONET STRIP LED	101

N

NOTRE DAME	35
------------	----

O

OLIVIA	28-32
OLIVIA MINI	25-27
OPERA	82

P

PLAZA	81
POLINA	15
POLO	133-135
PULA	118-120

R

RETRO	85
RICHARD	57-58
RINGO	36-39

S

SHAKE GLASS	16
SPINNER X	113-114
SPINNER X AR70	110-112
SPINNER X DS	106-107
SPINNER X FORUM	108-109
STELLA	59-69

T

THINDR	52-56
THINDR CROSS	55
TITUS 230V	78
TITUS Round	79
TITUS SQ	80
TOLEDO	95-99
TORPEDO	127
TUBO	22
TWIPE	34

V

VICTOR	40-43
VOLTA	115-116

W

WING LED	136
----------	-----

Z

ZOOM CLICK + VOLTA	74-77
--------------------	-------


2071/.. - EQUAL

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø80xH130
Tube - Ø80xH120

Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77

Ref

2071.1M	white tex
2071.2M	black tex
2071.29	black - gold inside
2071.47	black - white inside
2071.77	white - black inside
2071.49	white - gold inside

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage

2072/.. - EQUAL

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L170xB80xH130
Tube - Ø80xH120

Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77

Ref

2072.1M	white tex
2072.2M	black tex
2072.29	black - gold inside
2072.47	black - white inside
2072.77	white - black inside
2072.49	white - gold inside

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage

2073/.. - EQUAL

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L260xB80xH130
Tube - Ø80xH120

Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77

Ref

2073.1M	white tex
2073.2M	black tex
2073.29	black - gold inside
2073.47	black - white inside
2073.77	white - black inside
2073.49	white - gold inside

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage

2073T/.. - EQUAL

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L170xB170xH130
Tube - Ø80xH120

Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77

Ref

2073T.1M	white tex
2073T.2M	black tex
2073T.29	black - gold inside
2073T.47	black - white inside
2073T.77	white - black inside
2073T.49	white - gold inside

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage

2074SQ../. - EQUAL

~230V  IP20    0.5 m  05.20.02 



built-up ceiling light - round - fixed - down
 Aufbau Deckenleuchte - rund - fest - down

Lamp type

4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

L 170xB170xH130
 Tube - Ø80xH120


Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77

Ref

2074SQ.1M	white tex
2074SQ.2M	black tex
2074SQ.29	black - gold inside
2074SQ.47	black - white inside
2074SQ.77	white - black inside
2074SQ.49	white - gold inside

*built-up
 standard with YOKO-cassette - other cassettes on
 request
 Standard mit YOKO-Kassette - andere Kassetten auf
 Anfrage*



2081/.. - EQUAL

~230V  IP20     





built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions

 Ø80xH150  36° reflector
Tube - Ø80xH140

Ref

2081.1M	NW WW
2081.2M	NW WW
2081.29	NW WW
2081.47	NW WW
2081.77	NW WW

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage



2082/.. - EQUAL

~230V  IP20     





built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 2x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions

 L170xB80xH150  36° reflector
Tube - Ø80xH140

Ref

2082.1M	NW WW
2082.2M	NW WW
2082.29	NW WW
2082.47	NW WW
2082.77	NW WW

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage



2083/.. - EQUAL

~230V  IP20      



built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 3x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions

 L260xB80xH150  36° reflector
Tube - Ø80xH140







Ref

2083.1M	NW WW
2083.2M	NW WW
2083.29	NW WW
2083.47	NW WW
2083.77	NW WW

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage



2083T/.. - EQUAL

~230V  IP20     



built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 3x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions

 L170xB170xH150  36° reflector
Tube - Ø80xH140

Ref

2083T.1M	NW WW
2083T.2M	NW WW
2083T.29	NW WW
2083T.47	NW WW
2083T.77	NW WW

built-up

standard with YOKO-cassette - other cassettes on request
Standard mit YOKO-Kassette - andere Kassetten auf Anfrage

2084SQ../.. - EQUAL

~230V



IP20



0,5 m



built-up ceiling light - round - fixed - down
 Aufbau Deckenleuchte - rund - fest - down

Lamp type

4x LED AC 700lm CRI92 max. 9,5W A+ 230V

Dimensions

L170xB170xH150 \wedge 36° reflector
 Tube - Ø80xH140

Ref

2084SQ.1M	NW WW
2084SQ.2M	NW WW
2084SQ.29	NW WW
2084SQ.47	NW WW
2084SQ.77	NW WW

built-up
 standard with YOKO-cassette - other cassettes on request
 Standard mit YOKO-Kassette - andere Kassetten auf Anfrage




1511.ZXO/.. - CAMELEON DIM LED

~230V  IP20   0,5000 0,5 m 05.20.50 





built-up ceiling light - round - directional - down
 Aufbau Deckenleuchte - rund - schwenkbar - down

Lamp type

 1x LED 850lm CRI90 max. 10W 230V

Dimensions

 Ø90xH120  60° reflector

Ref

1511.ZXO.1M	NW WW
1511.ZXO.2M	NW WW
1511.ZXO.14	NW WW
1511.ZXO.29	NW WW
1511.ZXO.45	NW WW
1511.ZXO.55	NW WW
1511.ZXO.59	NW WW

built-up

WW 2700K 12,5W - NW 3000K 11,7W - 1000lm


1510.ZXO/.. - CAMELEON DIM LED

~230V  IP20   0,4300 0,5 m 05.20.50 





built-up ceiling light - round - fixed - down
 Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x LED 850lm CRI90 max. 10W 230V

Dimensions


 Ø90xH120  90° reflector

Ref

1510.ZXO.1M	NW WW
1510.ZXO.2M	NW WW
1510.ZXO.14	NW WW
1510.ZXO.29	NW WW
1510.ZXO.45	NW WW
1510.ZXO.52	NW WW

built-up

WW 2700K 12,5W - NW 3000K 11,7W - 1000lm



1837.ES50/.. - MERO ES50

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø70xH130

Materials

aluminium 14 | 1M | 29 | 2M | 45 | 49

Ref

1837.ES50.1M	white tex
1837.ES50.2M	black tex
1837.ES50.14	alu satin
1837.ES50.29	black - gold inside
1837.ES50.45	sun gold
1837.ES50.49	white - gold inside

built-up

1837.SLA/.. - MERO SLA

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x LED AC 700lm CRI92 max. 9,5W A+ 230V

Dimensions

Ø70xH130

Ref

1837.SLA.1M	NW WW
1837.SLA.2M	NW WW
1837.SLA.14	NW WW
1837.SLA.29	NW WW
1837.SLA.45	NW WW
1837.SLA.49	NW WW

built-up



1834.250/.. - MERO

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø60xH250

Materials

aluminium 1M | 29 | 2M | 49

Ref

1834.250.1M	white tex
1834.250.2M	black tex
1834.250.29	black - gold inside
1834.250.49	white - gold inside

built-up

1834.300/.. - MERO

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø60xH300

Materials

aluminium 1M | 29 | 2M | 49

Ref

1834.300.1M	white tex
1834.300.2M	black tex
1834.300.29	black - gold inside
1834.300.49	white - gold inside

built-up

1834.400/.. - MERO

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø60xH400

Materials

aluminium 1M | 29 | 2M | 49

Ref

1834.400.1M	white tex
1834.400.2M	black tex
1834.400.29	black - gold inside
1834.400.49	white - gold inside

built-up

1834.675/.. - MERO

~230V  IP20   0.5 m  05.20.02 




built-up ceiling light - round - fixed - down
Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions

 Ø60xH400

Materials

aluminium 1M | 29 | 2M | 49

Ref

1834.675.1M	white tex
1834.675.2M	black tex
1834.675.29	black - gold inside
1834.675.49	white - gold inside

built-up

1834.900/.. - MERO

~230V  IP20    0.5 m  05.20.02 



built-up ceiling light - round - fixed - down
 Aufbau Deckenleuchte - rund - fest - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø60xH900

Materials

aluminium 1M | 29 | 2M | 49

Ref

1834.900.1M

1834.900.2M

1834.900.29

1834.900.49


white tex

black tex

black - gold inside

white - gold inside

built-up



1837C/.. - MERO 230V

~230V



IP20



0,3950

0,5 m

05.20.50



built-up ceiling light - fixed - down
 Aufbau Deckenleuchte - fest - down

Lamp type

1x LED 850lm CRI90 max. 10W

230V

Dimensions

Ø70xH130

Base - Ø60xH25

Ref

1837C.1M

NW | WW

1837C.2M

NW | WW

1837C.14

NW | WW

1837C.29

NW | WW

1837C.45

NW | WW

1837C.49

NW | WW

built-up

1839/.. - MERO XICATO

~230V



0,5 m

05.20.50



built-up ceiling light - fixed - down - with XICATO LED module
 - with LED driver
 Aufbau Deckenleuchte - fest - down - mit LED-Modul XICATO
 - mit Driver LED

Lamp type

1x Led 2000lm CRI80 max. 15,2W A - A+ 700mA

Dimensions

Ø120xH350

Ref

1839.1M

NW | WW

1839.2M

NW | WW







1839.14

NW | WW

built-up






3983.200/.. - JACOB

~230V   IP20   0,5 m  



built-up ceiling light - round - fixed - down - with LED driver
 Aufbau Deckenleuchte - rund - fest - down - mit Driver LED



Lamptype
 1x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 Ø40xH200  48° reflector

Ref	
3983.200.1M	NW WW
3983.200.2M	NW WW
3983.200.16	NW WW
3983.200.29	NW WW
3983.200.45	NW WW


built-up


3983.300/.. - JACOB

~230V   IP20   0,5 m  



built-up ceiling light - round - fixed - down - with LED driver
 Aufbau Deckenleuchte - rund - fest - down - mit Driver LED

Lamptype
 1x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 Ø40xH300  48° reflector

Ref	
3983.300.1M	NW WW
3983.300.2M	NW WW
3983.300.16	NW WW
3983.300.29	NW WW
3983.300.45	NW WW

built-up

3983.400/.. - JACOB

~230V   IP20   0,5 m  



built-up ceiling light - round - fixed - down - with LED driver
 Aufbau Deckenleuchte - rund - fest - down - mit Driver LED

Lamptype
 1x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 Ø40xH400  48° reflector

Ref	
3983.400.1M	NW WW
3983.400.2M	NW WW
3983.400.16	NW WW
3983.400.29	NW WW
3983.400.45	NW WW

built-up

5228/.. - FLOU

~230V



IP20



0,7800



0,5 m



built-up ceiling light - round - fixed - with led
 Aufbau Deckenleuchte - rund - fest - mit Led

Lamp type

1x LED 850lm CRI90 max. 10W 230V

Dimensions

Ø90xD130 30° reflector

Ref

5228.1M	NW WW
5228.2M.1M	NW WW
5228.2M	NW WW
5228.2M.45	NW WW
5228.14	NW WW
5228.45.45	NW WW
5228.53.53	WW

built-up

WW 2700K 12,5W - NW 3000K 11,7W - 1000lm

1758/.. - KOX

~230V



IP20



0,5770



0,5 m



built-up ceiling light - round - fixed - down
 Aufbau Deckenleuchte - rund - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø100xH110

Materials

aluminium 14 | 1M | 2M | 11M

Ref

1758.1M	white tex
1758.2M	black tex
1758.11M	grey tex
1758.14	alu satin

built-up

no room for transformer
 Aria 230V

1759/.. - KOX

~230V



IP20



0,5500



0,5 m



built-up ceiling light - round - directional - down
 Aufbau Deckenleuchte - rund - schwenkbar - down

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø100xH110

Materials

aluminium 14 | 1M | 2M | 11M

Ref

1759.1M	white tex
1759.2M	black tex
1759.11M	grey tex
1759.14	alu satin

built-up

no room for transformer
 Cambio 230V

5074/.. - POLINA

~230V



built-up ceiling light - round - fixed - glass H250
 Aufbau Deckenleuchte - rund - fest - Glas H250

Lamp type

1x A60 E27 max. 60W A E 230V
 or 1x ST64 E27 max. 60W A E 230V

Dimensions

Ø132xH285
 Ø100xH27

Materials

INOX 32X | 46X | 64X | 31MX | 33MX

Ref

5074.31MX	white texture
5074.32X	black texture
5074.33MX	brown texture
5074.46X	grey-brown
5074.64X	black grey

built-up

5075/.. - POLINA

~230V



built-up ceiling light - round - fixed - glass H320
 Aufbau Deckenleuchte - rund - fest - Glas H320

Lamp type

1x A60 E27 max. 60W A E 230V
 or 1x ST64 E27 max. 60W A E 230V

Dimensions

Ø132xH355
 Ø100xH27


Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX

Ref

5075.31MX	white texture
5075.32X	black texture
5075.33MX	brown texture
5075.46X	grey-brown
5075.53X	bronze-brown
5075.64X	black grey

built-up



5558.E27/.. - SHAKE GLASS

~230V  IP20       



built-up ceiling light - fixed - down - with glass
Aufbau Deckenleuchte - fest - down - mit Glas

Lamp type

1x A60 E27 max. 12W  230V

Dimensions

Ø160xH150

Ø105xH30

Materials

glass ST | TR

Ref

5558.E27.TR.1M.TX1	transparent
5558.E27.TR.2M.TX2	transparent
5558.E27.TR.14.TX11	transparent
5558.E27.TR.16.TXM	transparent
5558.E27.TR.28.TXRK	transparent
5558.E27.ST.1M.TX1	silver transparent
5558.E27.ST.2M.TX2	silver transparent
5558.E27.ST.14.TX11	silver transparent
5558.E27.ST.16.TXM	silver transparent
5558.E27.ST.28.TXRK	silver transparent

built-up

5559.E27/.. - SHAKE GLASS

~230V  IP20       



built-up ceiling light - fixed - down - with glass
Aufbau Deckenleuchte - fest - down - mit Glas

Lamp type

1x A60 E27 max. 12W  230V

Dimensions

Ø180xH230

Ø105xH30

Materials

glass ST | TR

Ref

5559.E27.TR.1M.TX1	transparent
5559.E27.TR.2M.TX2	transparent
5559.E27.TR.14.TX11	transparent
5559.E27.TR.16.TXM	transparent
5559.E27.TR.28.TXRK	transparent
5559.E27.ST.1M.TX1	silver transparent
5559.E27.ST.2M.TX2	silver transparent
5559.E27.ST.14.TX11	silver transparent
5559.E27.ST.16.TXM	silver transparent
5559.E27.ST.28.TXRK	silver transparent

built-up







5037/.. - MAESTRO

~230V  IP20     0,2300  0,5 m  05.20.02 




built-up ceiling or wall light - directional - with E27 lampholder
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit E27 Fassung

Lamp type

 1x A60 E27 max. 10,5W  230V
or  1x ST64 E27 max. 7,7w  230V

Dimensions

 Ø60xH132
Base - Ø60xH25
Housing - Ø46xH62
Bar - H45

Materials

aluminium 14 | 1M | 2M | 46
brass 13 | 16

Ref

5037.1M	white tex
5037.2M	black tex
5037.13	bronze
5037.14	alu satin
5037.16	satin gold
5037.46	grey-brown

built-up

5038/.. - MAESTRO

~230V  IP20    0,2400  0,5 m  05.20.02 




built-up ceiling light - fixed - with E27 lampholder
Aufbau Deckenleuchte - fest - mit E27 Fassung

Lamp type

 1x A60 E27 max. 10,5W  230V

Dimensions

 Ø80xH87
Base - Ø80xH25
Housing - Ø45xH62

Materials

aluminium 14 | 1M | 2M | 46

Ref

5038.1M	white tex
5038.2M	black tex
5038.14	alu satin
5038.46	grey-brown

built-up

5038B/.. - MAESTRO

~230V  IP20    0,2900  0,5 m  05.20.02 





built-up ceiling light - fixed - with E27 lampholder
Aufbau Deckenleuchte - fest - mit E27 Fassung

Lamp type

 1x A60 E27 max. 10,5W  230V

Dimensions

 Ø80xH87
 Ø60xH25
Coverplate - Ø80xH2
Housing - Ø40xH60

Materials

aluminium 14 | 1M | 2M | 46

Ref

5038B.1M	white tex
5038B.2M	black tex
5038B.14	alu satin
5038B.46	grey-brown

built-up

5058B/.. - MAESTRO

~230V IP20 0,7200 0,5 m 05.20.02 CE



built-up ceiling light - directional - with E27 lampholder on kneejoint
 Aufbau Deckenleuchte - schwenkbar - mit E27 Fassung mit Kniegelenk

Ref	
5058B.1M	white tex
5058B.2M	black tex
5058B.46	grey-brown

Lamptype
 2x ST64 E27 max. 40W **A** - **E** 230V

Dimensions
 Ø60xL540xH175
 Base - Ø80xH25

Materials
 aluminium 1M | 2M | 46

built-up

5050.5/.. - MAESTRO

~230V IP20 2,0000 0,5 m 05.20.02 CE



built-up ceiling light - fixed - with 5 lampholders E27
 Aufbau Deckenleuchte - fest - mit 5 E27-Fassungen

Ref	
5050.5.1M	white tex
5050.5.2M	black tex
5050.5.46	grey-brown
5050.5.RAL 9001[MT]	Cream

Lamptype
 5x A60 E27 max. 30W **A** - **E** 230V
 or 5x ST64 E27 max. 40W **A** - **E** 230V

Dimensions
 Ø60xL1000xH130
 Base - Ø60xH40

Materials
 aluminium 1M | 2M | 46 | RAL 9001

built-up

5058/.. - MAESTRO

~230V IP20 0,5 m 05.20.02 CE



built-up ceiling light - fixed - with E27 lampholder
 Aufbau Deckenleuchte - fest - mit E27 Fassung

Ref	
5058.1M	white tex
5058.2M	black tex
5058.46	grey-brown

Lamptype
 2x ST64 E27 max. 40W **A** - **E** 230V


Dimensions
 Ø60xL400xH115 - Bar 100
 Base - Ø60xH40

Materials
 aluminium 1M | 2M | 46

built-up

5008/.. - MAESTRO

~230V



ceiling light for lampshade - fixed - with E27 lampholder
Deckenleuchte für Lampenschirm - fest - mit E27 Fassung

Lamp type

1x A60 E27 max. 60W A - E 230V

Dimensions

Ø80xH87

Materials

aluminium 14 | 1M | 2M | 46

Ref

5008.1M	white tex
5008.2M	black tex
5008.14	alu satin
5008.46	grey-brown

*built-up
lampshade not included
Lampenschirm nicht einbegriffen*

5009/.. - MAESTRO

~230V



ceiling light for lampshade - with E27 lampholder on
kneejoint
Deckenleuchte für Lampenschirm - mit E27 Fassung mit
Kniegelenk

Lamp type

3x A60 E27 max. 60W A - E 230V

Dimensions

Ø80xL180xH87

Materials

aluminium 2 | 14 | 1M | 2M | 46

Ref

5009.1M	white tex
5009.2	black
5009.2M	black tex
5009.14	alu satin
5009.46	grey-brown

*built-up
lampshade not included
Lampenschirm nicht einbegriffen*

5001../.. - MAESTRO

~230V



ceiling light for lampshade - with E27 lampholder
Deckenleuchte für Lampenschirm - mit E27 Fassung

Lamp type

1x A60 E27 max. 60W A E 230V

Dimensions

Ø60xH90
Coverplate - Ø80

Materials

aluminium 14 | 1M | 2M | 46

Ref

5001.1M	white tex
5001.2M	black tex
5001.14	alu satin
5001.46	grey-brown

built-up
lampshade not included
Lampenschirm nicht einbegriffen

5001.10../.. - MAESTRO

~230V



ceiling light for lampshade - with E27 lampholder
Deckenleuchte für Lampenschirm - mit E27 Fassung

Lamp type

1x A60 E27 max. 60W A E 230V

Dimensions

Ø60xH190 - Bar 100
Coverplate - Ø80
Bar - L100

Materials

aluminium 14 | 1M | 2M | 46

Ref

5001.10.1M	white tex
5001.10.2M	black tex
5001.10.14	alu satin
5001.10.46	grey-brown

built-up
lampshade not included
Lampenschirm nicht einbegriffen

5006../.. - MAESTRO

~230V



ceiling light for lampshade - with E27 lampholder
Deckenleuchte für Lampenschirm - mit E27 Fassung

Lamp type

1x A60 E27 max. 60W A E 230V

Dimensions

L60xB60xH90
Coverplate - L85xB85

Materials

aluminium 14 | 1M | 2M | 46

Ref

5006.1M	white tex
5006.2M	black tex
5006.14	alu satin
5006.46	grey-brown

built-up
lampshade not included
Lampenschirm nicht einbegriffen

5006.10../.. - MAESTRO

~230V



ceiling light for lampshade - with E27 lampholder
Deckenleuchte für Lampenschirm - mit E27 Fassung

Lamp type

1x A60 E27 max. 60W A E 230V

Dimensions

L60xB60xH190 - Bar 100
Coverplate - L85xB85
Bar - L100

Materials

aluminium 14 | 1M | 2M | 46

Ref

5006.10.1M	white tex
5006.10.2M	black tex
5006.10.14	alu satin
5006.10.46	grey-brown

built-up
lampshade not included
Lampenschirm nicht einbegriffen

1368/.. - FARFALLE

~230V



built-up ceiling light - fixed
Aufbau Deckenleuchte - fest

Lamp type

1x A60 E27 max. 10,5W A - E 230V

Dimensions

Ø320xH70

Materials

aluminium 1M | 2M | 45 | 78 | 79 | 81 | 93


Ref

1368.1M	white tex
1368.2M	black tex
1368.45	sun gold
1368.93	bronze-brown
1368.78	pastel blue
1368.79	pastel pink
1368.81	pastel green

built-up

1369/.. - FARFALLE

~230V



built-up ceiling light - fixed
Aufbau Deckenleuchte - fest

Lamp type

1x A60 E27 max. 10,5W A - E 230V

Dimensions

Ø390xH70

Materials

aluminium 1M | 2M | 45 | 78 | 79 | 81 | 93

Ref

1369.1M	white tex
1369.2M	black tex
1369.45	sun gold
1369.93	bronze-brown
1369.78	pastel blue
1369.79	pastel pink
1369.81	pastel green

built-up



5200.E27/.. - TUBO

~230V



built-up ceiling light - fixed - down
 Aufbau Deckenleuchte - fest - down

Lamp type

1x G125 E27 max. 6W **A+** - **E** **230V**

Dimensions

Ø85xH93

Housing - Ø55

Materials

INOX 304 1M | 2M | 45 | 11M

Ref

5200.E27.1M	white tex
5200.E27.2M	black tex
5200.E27.11M	grey tex
5200.E27.45	sun gold

built-up

5200.ES50/.. - TUBO

~230V



built-up ceiling light - fixed - down
 Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** **230V**

Dimensions

Ø85xH93

Housing - Ø55

Materials

INOX 304 1M | 2M | 45 | 11M

Ref

5200.ES50.1M	white tex
5200.ES50.2M	black tex
5200.ES50.11M	grey tex
5200.ES50.45	sun gold

built-up

3403/.. - CLARA

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø80xH137

Materials

aluminium 14 | 1M | 29 | 2M
red copper 28

Ref

3403.1M white tex
3403.2M black tex
3403.14 alu satin
3403.28 rosé
3403.29 black - gold inside

built-up

3402.ES50/.. - CLARA

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR70 GU10 max. 7W **A+** 230V

Dimensions

Ø122xH165

Materials

aluminium 14 | 1M | 29 | 2M | 47
red copper 28


Ref

3402.ES50.1M white tex
3402.ES50.2M black tex
3402.ES50.14 alu satin
3402.ES50.28 rosé
3402.ES50.29 black - gold inside
3402.ES50.47 black - white inside

built-up

3402/.. - CLARA

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 40W **A+** - **E** 230V

Dimensions

Ø122xH165

Materials

aluminium 14 | 1M | 29 | 2M | 47
red copper 28

Ref

3402.1M white tex
3402.2M black tex
3402.14 alu satin
3402.28 rosé
3402.29 black - gold inside
3402.47 black - white inside

built-up

3400.IP20/.. - CLARA XICATO

~230V



built-up ceiling light - fixed - down - with LED driver
 Aufbau Deckenleuchte - fest - down - mit Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W A - A+ 500mA

Dimensions

Ø122xH165 40° reflector
 Reflector - Ø111

Ref

3400.IP20.1M	NW WW
3400.IP20.2M	NW WW
3400.IP20.14	NW WW
3400.IP20.28	NW WW

built-up

3401.IP20/.. - CLARA XICATO

=500mA



built-up ceiling light - fixed - down - without LED driver
 Aufbau Deckenleuchte - fest - down - ohne Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W A - A+ 500mA

Dimensions

Ø122xH165 40° reflector
 Reflector - Ø111

Ref

3401.IP20.1M	NW WW
3401.IP20.2M	NW WW
3401.IP20.14	NW WW
3401.IP20.28	NW WW

built-up

1911.ES50/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W **A** - **E** 230V

Dimensions

Ø100xH140

Ø60

Materials

aluminium 14 | 1M | 2M

brass 13 | 23

Ref

1911.ES50.1M	white tex
1911.ES50.2M	black tex
1911.ES50.13	bronze
1911.ES50.14	alu satin
1911.ES50.23	dark bronze

built-up

1911.E27/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x TC-SEI E27 max. 11W **A** - **B** 230V

Dimensions

Ø100xH140

Ø60

Materials

aluminium 14 | 1M | 2M

brass 13 | 23

Ref

1911.E27.1M	white tex
1911.E27.2M	black tex
1911.E27.13	bronze
1911.E27.14	alu satin
1911.E27.23	dark bronze

built-up

1912.ES50/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

2x QPAR 51 GU10 max. 20W **A** - **E** 230V

Dimensions

L400xB100xH140

L360xB60

Materials

aluminium 14 | 1M | 2M

brass 13 | 23

Ref

1912.ES50.1M	white tex
1912.ES50.2M	black tex
1912.ES50.13	bronze
1912.ES50.14	alu satin
1912.ES50.23	dark bronze

built-up

1912.E27/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

2x TC-SEI E27 max. 11W **A** - **B** 230V

Dimensions

L400xB100xH140

L360xB60

Materials

aluminium 14 | 1M | 2M

brass 13 | 23


Ref

1912.E27.1M	white tex
1912.E27.2M	black tex
1912.E27.13	bronze
1912.E27.14	alu satin
1912.E27.23	dark bronze

built-up

1913.ES50/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

3x QPAR 51 GU10 max. 20W **A** - **E** 230V

Dimensions

L600xB100xH140
L560xB60

Materials

aluminium 14 | 1M | 2M
brass 13 | 23


Ref

1913.ES50.1M	white tex
1913.ES50.2M	black tex
1913.ES50.13	bronze
1913.ES50.14	alu satin
1913.ES50.23	dark bronze

built-up

1913.E27/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

3x TC-SEI E27 max. 11W **A** - **B** 230V

Dimensions

L600xB100xH140
L560xB60

Materials

aluminium 14 | 1M | 2M
brass 13 | 23


Ref

1913.E27.1M	white tex
1913.E27.2M	black tex
1913.E27.13	bronze
1913.E27.14	alu satin
1913.E27.23	dark bronze

built-up

1914.ES50/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

4x QPAR 51 GU10 max. 20W **A** - **E** 230V

Dimensions

L800xB100xH140
L760xB60

Materials

aluminium 14 | 1M | 2M
brass 13 | 23


Ref

1914.ES50.1M	white tex
1914.ES50.2M	black tex
1914.ES50.13	bronze
1914.ES50.14	alu satin
1914.ES50.23	dark bronze

built-up

1914.E27/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

4x TC-SEI E27 max. 11W **A** - **B** 230V

Dimensions

L800xB100xH140
L760xB60

Materials

aluminium 14 | 1M | 2M
brass 13 | 23


Ref

1914.E27.1M	white tex
1914.E27.2M	black tex
1914.E27.13	bronze
1914.E27.14	alu satin
1914.E27.23	dark bronze

built-up

1915.ES50/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

4x QPAR 51 GU10 max. 20W A - E 230V

Dimensions

L400xB400xH140

L360xB360

Materials

aluminium 14 | 1M | 2M

brass 13 | 23


Ref

1915.ES50.1M	white tex
1915.ES50.2M	black tex
1915.ES50.13	bronze
1915.ES50.14	alu satin
1915.ES50.23	dark bronze

built-up

1915.E27/.. - OLIVIA MINI

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

4x TC-SEI E27 max. 11W A - B 230V

Dimensions

L400xB400xH140

L360xB360

Materials

aluminium 14 | 1M | 2M

brass 13 | 23

Ref

1915.E27.1M	white tex
1915.E27.2M	black tex
1915.E27.13	bronze
1915.E27.14	alu satin
1915.E27.23	dark bronze

built-up

1811.E27/.. - OLIVIA

~230V



built-up ceiling light - fixed - down - with E27 lampholder
Aufbau Deckenleuchte - fest - down - mit E27 Fassung

Lamp type

1x A60 E27 max. 40W A - E 230V

Dimensions

Ø162xH154

Ø140

Materials

aluminium 1M | 29 | 2M | 47 | 11M

Ref

1811.E27.1M	white tex
1811.E27.2M.7	black tex
1811.E27.2M.52	black tex
1811.E27.11M	grey tex
1811.E27.11M.14	grey tex
1811.E27.29	black - gold inside
1811.E27.47	black - white inside

built-up

1812.E27/.. - OLIVIA

~230V



built-up ceiling light - fixed - down - with E27 lampholder
Aufbau Deckenleuchte - fest - down - mit E27 Fassung

Lamp type

2x A60 E27 max. 40W A - E 230V

Dimensions

L365xB162xH154

L280xB80

Materials

aluminium 1M | 29 | 2M | 47 | 11M


Ref

1812.E27.1M	white tex
1812.E27.2M.7	black tex
1812.E27.2M.52	black tex
1812.E27.11M	grey tex
1812.E27.11M.14	grey tex
1812.E27.29	black - gold inside
1812.E27.47	black - white inside

built-up

1813.E27/.. - OLIVIA

~230V



built-up ceiling light - fixed - down - with E27 lampholder
Aufbau Deckenleuchte - fest - down - mit E27 Fassung

Lamp type

3x A60 E27 max. 40W A - E 230V

Dimensions

L560xB162xH154

L475xB80

Materials

aluminium 1M | 29 | 2M | 47 | 11M

Ref

1813.E27.1M	white tex
1813.E27.2M.7	black tex
1813.E27.2M.52	black tex
1813.E27.11M	grey tex
1813.E27.11M.14	grey tex
1813.E27.29	black - gold inside
1813.E27.47	black - white inside

built-up

1814.E27/.. - OLIVIA

~230V



built-up ceiling light - down - with E27 lampholder
Aufbau Deckenleuchte - down - mit E27 Fassung

Lamp type

4x A60 E27 max. 40W A - E 230V

Dimensions

L760xB162xH154

L670xB80

Materials

aluminium 1M | 29 | 2M | 47 | 11M

Ref

1814.E27.1M	white tex
1814.E27.2M.7	black tex
1814.E27.2M.52	black tex
1814.E27.11M	grey tex
1814.E27.11M.14	grey tex
1814.E27.29	black - gold inside
1814.E27.47	black - white inside

built-up



1815.E27/.. - OLIVIA

~230V



built-up ceiling light - fixed - down - with E27 lampholder
 Aufbau Deckenleuchte - fest - down - mit E27 Fassung

Lamp type

3x A60 E27 max. 40W A - E 230V

Dimensions

L370xB370xH154

L275xB275

Materials

aluminium 1M | 29 | 2M | 47 | 11M

Ref

1815.E27.1M	white tex
1815.E27.2M.7	black tex
1815.E27.2M.52	black tex
1815.E27.11M	grey tex
1815.E27.11M.14	grey tex
1815.E27.29	black - gold inside
1815.E27.47	black - white inside

built-up

1816.E27/.. - OLIVIA

~230V



built-up ceiling light - fixed - down - with E27 lampholder
 Aufbau Deckenleuchte - fest - down - mit E27 Fassung

Lamp type

4x A60 E27 max. 40W A - E 230V

Dimensions

L365xB365xH154

L280xB280

Materials

aluminium 1M | 29 | 2M | 47 | 11M

Ref

1816.E27.1M	white tex
1816.E27.2M.7	black tex
1816.E27.2M.52	black tex
1816.E27.11M	grey tex
1816.E27.11M.14	grey tex
1816.E27.29	black - gold inside
1816.E27.47	black - white inside

built-up



1811/.. - OLIVIA

~230V    IP20    1,6500  1 m  05.20.50 





built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED

Lamp type

-  1x QR-LP111 G53 max. 50W A - C 12V
-  1x powered 350mA max. 1W A - A+ 350mA

Dimensions

-  Ø162xH154
-  Ø140

Ref

1811.1M	B CW WW
1811.2M.B	B CW WW
1811.11M.B	B CW WW
1811.14.B	B CW WW
1811.2M.7.B	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise


1812/.. - OLIVIA

~230V    IP20    2,2550  1 m  05.20.50 





built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED

Lamp type

-  2x QR-LP111 G53 max. 35W A - C 12V
-  2x powered 350mA max. 1W A - A+ 350mA

Dimensions

-  L365xB162xH154
-  L280xB80

Ref

1812.1M.B	B CW WW
1812.2M.B	B CW WW
1812.11M.B	B CW WW
1812.2M.7.B	B CW WW
1812.11M.14	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise


1813/.. - OLIVIA

~230V    IP20    5,6800  1 m  05.20.50 





built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED

Lamp type

-  3x QR-LP111 G53 max. 35W A - C 12V
-  3x powered 350mA max. 1W A - A+ 350mA

Dimensions

-  L560xB162xH154
-  L475xB80

Ref

1813.1M.B	B CW WW
1813.2M.B	B CW WW
1813.11M.B	B CW WW
1813.2M.7.B	B CW WW
1813.11M.14	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise



1814/.. - OLIVIA

~230V    IP20    5,6800  1 m  05.20.50 





built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED

Lamp type

-  4x QR-LP111 G53 max. 35W A - C 12V
-  4x powered 350mA max. 1W A - A+ 350mA

Dimensions

-  L760xB162xH154
-  L670xB80

Ref

1814.1M.B	B CW WW
1814.2M.B	B CW WW
1814.11M.B	B CW WW
1814.2M.7.B	B CW WW
1814.11M.14	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise

1815/.. - OLIVIA



~230V    IP20   4,0550  1 m 05.20.50 




built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED

Lamp type

 3x QR-LP111 G53 max. 35W  12V

 3x powered 350mA max. 1W  350mA

Dimensions

 L370xB370xH154

 L275xB275

Ref

1815.1M.B	B CW WW
1815.2M.B	B CW WW
1815.11M.B	B CW WW
1815.2M.7.B	B CW WW
1815.11M.14	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise

1816/.. - OLIVIA



~230V    IP20   5,3400  1 m 05.20.50 




built-up ceiling light - fixed - with transformer - with LED driver
 Aufbau Deckenleuchte - fest - mit Trafo - mit Driver LED


Lamp type

 4x QR-LP111 G53 max. 35W  12V

 4x powered 350mA max. 1W  350mA

Dimensions

 L365xB365xH154

 L280xB280

Ref

1816.1M.B	B CW WW
1816.2M.B	B CW WW
1816.11M.B	B CW WW
1816.2M.7.B	B CW WW
1816.11M.14	B CW WW

built-up
 only dimmable on 2 circuits
 nur dimmbar bei 2 Stromkreise




Dome in glass covered with gold leaf on the inside

Glaskuppel mit Blattgold innen

4066/.. - MONA LISA Ø300 - B3

~230V



built-up ceiling light - black mat outside - papyrus leaf gold inside - with mounting on the ceiling
 Aufbau Deckenleuchte - matt Schwarz an der Aussenseite - Papyrus Blattgold an der Innenseite - Befestigung an der Decke

Ref

4066.2M

black tex

Lamptype

1x G80 E27 max. 6W ▶ ▶ **230V**

Dimensions

Ø300xH150


Materials

aluminium **2M**

built-up
 mounting on the ceiling
 Befestigung an der Decke

4063/.. - MONA LISA Ø450

~230V



built-up ceiling light - black mat outside - papyrus leaf gold inside - with mounting on the ceiling
 Aufbau Deckenleuchte - matt Schwarz an der Aussenseite - Papyrus Blattgold an der Innenseite - Befestigung an der Decke

Ref

4063.2M

black tex

Lamptype

1x G95 E27 max. 6W ▶ ▶ **230V**

Dimensions

Ø450xH150

Materials

aluminium **2M**

built-up
 mounting on the ceiling
 Befestigung an der Decke

4059/.. - MONA LISA Ø550

~230V



built-up ceiling light - black mat outside - papyrus leaf gold inside - with mounting on the ceiling
 Aufbau Deckenleuchte - matt Schwarz an der Aussenseite - Papyrus Blattgold an der Innenseite - Befestigung an der Decke

Ref

4059.2M

black tex

Lamptype

1x G125 E27 max. 6W ▶ ▶ **230V**

Dimensions

Ø550xH200

Materials

aluminium **2M**

built-up
 mounting on the ceiling
 Befestigung an der Decke

1801.LED/.. - TWIPE LED

~230V



built-up ceiling light - fixed - down - with LED driver
 Aufbau Deckenleuchte - fest - down - mit Driver LED

Lamp type

1x Led 1300lm CRI80 max. 9,5W A - A+ 700mA

Dimensions

Ø200xH400 40° reflector
 Ø90

Ref

1801.LED.1M	NW
1801.LED.2M	NW
1801.LED.11M	NW

built-up

other °angle reflector on demand - phase-cut
 andere °Winkel Reflektor auf Anfrage -
 Phasenabschnitt
 wall light on request
 Wandleuchte auf Anfrage

1802.LED/.. - TWIPE LED

~230V



built-up ceiling light - fixed - down - with LED driver
 Aufbau Deckenleuchte - fest - down - mit Driver LED

Lamp type

2x Led 1300lm CRI80 max. 9,5W A - A+ 700mA

Dimensions

L405xB400 40° reflector
 L265xB60

Materials

aluminium 1M | 2M | 11M

Ref

1802.LED.1M.NW	white tex
1802.LED.2M.NW	black tex
1802.LED.11M.NW	grey tex

built-up

other °angle reflector on demand - phase-cut
 andere °Winkel Reflektor auf Anfrage -
 Phasenabschnitt
 wall light on request
 Wandleuchte auf Anfrage



2487/.. - NOTRE DAME

~230V



built-up ceiling light - with electronic gear
Aufbau Deckenleuchte - mit elektronischem Vorschaltgerät

Lamp type

○ 1x TL16-R 2GX13 max. 55W A - B 230V

Dimensions

↔ Ø510xH310

↖ Ø75

Materials

aluminium 14 | 1M | 2M | 46


Ref

2487.1M	white tex
2487.2M	black tex
2487.14	alu satin
2487.46	grey-brown

built-up

2487.LED/.. - NOTRE DAME LED

~230V



built-up ceiling light - with LED driver
Aufbau Deckenleuchte - mit Driver LED

Lamp type

⚡ 1x Led 1800lm max. 13W A 700mA

Dimensions

↔ Ø510xH310

↖ Ø75

Materials

aluminium 14 | 1M | 2M | 46

Ref

2487.LED.1M.NW	white tex
2487.LED.2M.NW	black tex
2487.LED.14.NW	alu satin
2487.LED.46.NW	grey-brown

built-up

2488/.. - NOTRE DAME

~230V



built-up ceiling light - with transformer - with electronic gear
Aufbau Deckenleuchte - mit Trafo - mit elektronischem Vorschaltgerät

Lamp type

○ 1x TL16-R 2GX13 max. 55W A - B 230V

⚡ 1x QR-LP111 G53 max. 50W A - C 12V

Dimensions

↔ Ø510xH310

↖ Ø75

Materials

aluminium 14 | 1M | 2M


Ref

2488.1M	white tex
2488.2M	black tex
2488.14	alu satin

built-up

2488.LED/.. - NOTRE DAME LED

~230V



built-up ceiling light - with transformer - with LED driver
Aufbau Deckenleuchte - mit Trafo - mit Driver LED

Lamp type

⚡ 1x Led 1800lm max. 13W A 700mA

⚡ 1x QR-LP111 G53 max. 50W A - C 12V

Dimensions

↔ Ø510xH310

↖ Ø75

Materials

aluminium 14 | 1M | 2M

Ref

2488.LED.1M.NW	white tex
2488.LED.2M.NW	black tex
2488.LED.14.NW	alu satin

built-up

3230/.. - RINGO

~230V



built-up ceiling light - directional - with base 025
 Aufbau Deckenleuchte - schwenkbar - mit Basis 025

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L60xB60xH90

L60xB60xH25

Materials

aluminium 14 | 1M | 2M

Ref

3230.1M	white tex
3230.2M	black tex
3230.14	alu satin

built-up

3231/.. - RINGO

~230V



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L85xB85xH90

L60xB60

Materials

aluminium 14 | 1M | 2M

Ref

3231.1M	white tex
3231.2M	black tex
3231.14	alu satin

built-up

3232/.. - RINGO

~230V



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L200xB85xH90

L175xB60

Materials

aluminium 14 | 1M | 2M


Ref

3232.1M	white tex
3232.2M	black tex
3232.14	alu satin

built-up

3233/.. - RINGO

~230V



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L300xB85xH90

L275xB60

Materials

aluminium 14 | 1M | 2M

Ref

3233.1M	white tex
3233.2M	black tex
3233.14	alu satin

built-up

3234/.. - RINGO

~230V



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L400xB85xH90

L375xB60

Materials

aluminium 14 | 1M | 2M

Ref

3234.1M	white tex
3234.2M	black tex
3234.14	alu satin

built-up

3235/.. - RINGO

~230V



built-up ceiling light - square - directional - with Texo base
 Aufbau Deckenleuchte - viereckig - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L200xB200xH90

L185xB185

Materials

aluminium 14 | 1M | 2M

Ref

3235.1M	white tex
3235.2M	black tex
3235.14	alu satin

built-up



3240/.. - RINGO

~230V



built-up ceiling light - directional - with base 005
 Aufbau Deckenleuchte - schwenkbar - mit Basis 005

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø60xH90

Materials

aluminium 14 | 1M | 2M

Ref

3240.1M	white tex
3240.2M	black tex
3240.14	alu satin

built-up

3241/.. - RINGO

~230V



built-up ceiling light - directional - with base 020
 Aufbau Deckenleuchte - schwenkbar - mit Basis 020

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø60xH105

Materials

aluminium 14 | 1M | 2M


Ref

3241.1M	white tex
3241.2M	black tex
3241.14	alu satin

built-up

3242/.. - RINGO

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø100xH90

Ø80

Materials

aluminium 14 | 1M | 2M


Ref

3242.1M	white tex
3242.2M	black tex
3242.14	alu satin

built-up

3243/.. - RINGO

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø150xH90

Ø125

Materials

aluminium 14 | 1M | 2M

Ref

3243.1M	white tex
3243.2M	black tex
3243.14	alu satin

built-up

3244/.. - RINGO

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø200xH90

Ø175

Materials

aluminium 14 | 1M | 2M


Ref

3244.1M	white tex
3244.2M	black tex
3244.14	alu satin

built-up

3245/.. - RINGO

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø250xH90

Ø220


Materials

aluminium 14 | 1M | 2M

Ref

3245.1M	white tex
3245.2M	black tex
3245.14	alu satin

built-up



3210/.. - VICTOR

~230V



built-up ceiling light - directional - with base 025
Aufbau Deckenleuchte - schwenkbar - mit Basis 025

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L60xB60xH105

L60xB60

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3210.1M	white tex
3210.2M	black tex
3210.14	alu satin
3210.33M	brown texture
3210.46	grey-brown

built-up

3211/.. - VICTOR

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L85xB85xH110

L60xB60

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3211.1M	white tex
3211.2M	black tex
3211.14	alu satin
3211.33M	brown texture
3211.46	grey-brown

built-up

3212/.. - VICTOR

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L200xB85xH110

L175xB60

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3212.1M	white tex
3212.2M	black tex
3212.14	alu satin
3212.33M	brown texture
3212.46	grey-brown

built-up

3213/.. - VICTOR

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L300xB85xH110

L275xB60

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3213.1M	white tex
3213.2M	black tex
3213.14	alu satin
3213.33M	brown texture
3213.46	grey-brown


built-up

3214/.. - VICTOR

~230V



IP20



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L400xB85xH110

L375xB60

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3214.1M	white tex
3214.2M	black tex
3214.14	alu satin
3214.33M	brown texture
3214.46	grey-brown

built-up

3203/.. - VICTOR

~230V



IP20



built-up ceiling light - directional - with Texo base
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L215xB215xH110

L185xB185

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3203.1M	white tex
3203.2M	black tex
3203.14	alu satin
3203.33M	brown texture
3203.46	grey-brown

built-up



3220/.. - VICTOR

~230V



built-up ceiling light - directional - with base 005
Aufbau Deckenleuchte - schwenkbar - mit Basis 005

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø60xH100

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3220.1M	white tex
3220.2M	black tex
3220.14	alu satin
3220.33M	brown texture
3220.46	grey-brown

built-up

3221/.. - VICTOR

~230V



built-up ceiling light - directional - with base 020
Aufbau Deckenleuchte - schwenkbar - mit Basis 020

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø60xH115

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3221.1M	white tex
3221.2M	black tex
3221.14	alu satin
3221.33M	brown texture
3221.46	grey-brown

built-up

3222/.. - VICTOR

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø100xH100

Ø80

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3222.1M	white tex
3222.2M	black tex
3222.14	alu satin
3222.33M	brown texture
3222.46	grey-brown

built-up

3223/.. - VICTOR

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

2x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø150xH100

Ø125

Materials

aluminium 14 | 1M | 2M | 46 | 33M


Ref

3223.1M	white tex
3223.2M	black tex
3223.14	alu satin
3223.33M	brown texture
3223.46	grey-brown

built-up

3224/.. - VICTOR

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø200xH100

Ø175

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3224.1M

3224.2M

3224.14

3224.33M

3224.46

white tex

black tex

alu satin


brown texture

grey-brown

built-up

3225/.. - VICTOR

~230V



built-up ceiling light - directional - with Rondobox base
 Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

Ø250xH100

Ø220

Materials

aluminium 14 | 1M | 2M | 46 | 33M

Ref

3225.1M

3225.2M

3225.14

3225.33M

3225.46

white tex

black tex

alu satin

brown texture

grey-brown

built-up



4500/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 005
Aufbau Deckenleuchte - schwenkbar - mit Basis 005

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V
or 1x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø60xH120
Ø60xH25

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4500.1M	white tex
4500.2M	black tex
4500.33M	brown texture
4500.46	grey-brown

built-up

4501/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V
or 1x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø100xH120
Ø80

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4501.1M	white tex
4501.2M	black tex
4501.33M	brown texture
4501.46	grey-brown

built-up

4502/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V
or 2x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø150xH120
Ø125

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4502.1M	white tex
4502.2M	black tex
4502.33M	brown texture
4502.46	grey-brown

built-up

4503/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V
or 3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø200xH120
Ø175

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4503.1M	white tex
4503.2M	black tex
4503.33M	brown texture
4503.46	grey-brown

built-up

4503X/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E ▶ 230V
or 3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø250xH120
Ø220

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4503X.1M	white tex
4503X.2M	black tex
4503X.33M	brown texture
4503X.46	grey-brown

built-up

4504/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E ▶ 230V
or 4x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø250xH120
Ø220

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4504.1M	white tex
4504.2M	black tex
4504.33M	brown texture
4504.46	grey-brown

built-up

4510/.. - CAPUCINE

~230V



built-up ceiling light - directional - with base 025
Aufbau Deckenleuchte - schwenkbar - mit Basis 025

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E ▶ 230V
or 1x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L60xB60xH120
L60xB60

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4510.1M	white tex
4510.2M	black tex
4510.33M	brown texture
4510.46	grey-brown

built-up

4511/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E ▶ 230V
1x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L85xB85xH125
L60xB60

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4511.1M	white tex
4511.2M	black tex
4511.33M	brown texture
4511.46	grey-brown

built-up

4512/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V
or 2x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L200xB85xH125
L175xB60

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4512.1M white tex
4512.2M black tex
4512.33M brown texture
4512.46 grey-brown

built-up

4513/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V
or 3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L300xB85xH125
L275xB60

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4513.1M white tex
4513.2M black tex
4513.33M brown texture
4513.46 grey-brown

built-up

4514/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V
or 4x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L400xB85xH125
L375xB60

Materials

aluminium 1M | 2M | 46 | 33M


Ref

4514.1M white tex
4514.2M black tex
4514.33M brown texture
4514.46 grey-brown

built-up

4515/.. - CAPUCINE

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V
or 4x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L200xB200xH125
L185xB185

Materials

aluminium 1M | 2M | 46 | 33M

Ref

4515.1M white tex
4515.2M black tex
4515.33M brown texture
4515.46 grey-brown



built-up




4530/.. - CAPUCINE XL

~230V  IP20    0,3500 0,5 m 05.20.50 



built-up ceiling light - directional - with base 005
Aufbau Deckenleuchte - schwenkbar - mit Basis 005

Lamptype
 1x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions
 Ø60xH205  36° reflector
 Ø60xH25
 Spot - Ø55xH130

Ref	
4530.1M	NW WW
4530.2M	NW WW
4530.4	NW WW
4530.14	NW WW
4530.16	NW WW
4530.45	NW WW

built-up


4531/.. - CAPUCINE XL

~230V  IP20    0,5 m 05.20.50 



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamptype
 1x LED AC 700lm CRI92 max. 9,5W  230V


Dimensions
 Ø100xH205  36° reflector
 Ø80xH25
 Spot - Ø55xH130

Ref	
4531.1M	NW WW
4531.2M	NW WW
4531.4	NW WW
4531.14	NW WW
4531.16	NW WW
4531.45	NW WW



built-up




4532/.. - CAPUCINE XL

~230V  IP20    0,5 m 05.20.50 



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamptype
 2x LED AC 700lm CRI92 max. 9,5W  230V

Dimensions
 Ø150xH205  36° reflector
 Ø125xH25
 Spot - Ø55xH130

Ref	
4532.1M	NW WW
4532.2M	NW WW
4532.4	NW WW
4532.14	NW WW
4532.16	NW WW
4532.45	NW WW



built-up



4533/.. - CAPUCINE XL

~230V  IP20    0,5 m 05.20.50 



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamptype
 3x LED AC 700lm CRI92 max. 9,5W  230V


Dimensions
 Ø250xH206  36° reflector
 Ø220
 Spot - Ø55xH130

Ref	
4533.1M	NW WW
4533.2M	NW WW
4533.4	NW WW
4533.14	NW WW
4533.16	NW WW
4533.45	NW WW

built-up

4534/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Rondobox base
Aufbau Deckenleuchte - schwenkbar - mit Basis Rondobox

Lamp type

4x LED AC 700lm CRI92 max. 9,5W **A+** 230V

Dimensions

Ø250xH206 \wedge 36° reflector

Ø220xH25

Spot - Ø55xH130


Ref

4534.1M	NW WW
4534.2M	NW WW
4534.4	NW WW
4534.14	NW WW
4534.16	NW WW
4534.45	NW WW

built-up

4535/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with base 025
Aufbau Deckenleuchte - schwenkbar - mit Basis 025

Lamp type

1x LED AC 700lm CRI92 max. 9,5W **A+** 230V

Dimensions

L60xB60xH205 \wedge 36° reflector

L60xB60xH25

Spot - Ø55xH130


Ref

4535.1M	NW WW
4535.2M	NW WW
4535.4	NW WW
4535.14	NW WW
4535.16	NW WW
4535.45	NW WW

built-up

4536/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

1x LED AC 700lm CRI92 max. 9,5W **A+** 230V

Dimensions

L85xB85xH210 \wedge 36° reflector

L60xB60xH30

Spot - Ø55xH130

Ref

4536.1M	NW WW
4536.2M	NW WW
4536.4	NW WW
4536.14	NW WW
4536.16	NW WW
4536.45	NW WW

built-up

4537/.. - CAPUCINE XL

~230V



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

2x LED AC 700lm CRI92 max. 9,5W **A+** 230V

Dimensions

L200xB85xH210 \wedge 36° reflector

L175xB60xH30

Spot - Ø55xH130

Ref

4537.1M	NW WW
4537.2M	NW WW
4537.4	NW WW
4537.14	NW WW
4537.16	NW WW
4537.45	NW WW

built-up

4538/.. - CAPUCINE XL

~230V



IP20



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

3x LED AC 700lm CRI92 max. 9,5W A+ 230V

Dimensions

L300xB85xH210 \wedge 36° reflector

L275xB60xH30

Spot - Ø55xH130

Ref

4538.1M	NW WW
4538.2M	NW WW
4538.4	NW WW
4538.14	NW WW
4538.16	NW WW
4538.45	NW WW


built-up

4539/.. - CAPUCINE XL

~230V



IP20



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x LED AC 700lm CRI92 max. 9,5W A+ 230V

Dimensions

L400xB85xH210 \wedge 36° reflector

L375xB60xH30

Spot - Ø55xH130

Ref

4539.1M	NW WW
4539.2M	NW WW
4539.4	NW WW
4539.14	NW WW
4539.16	NW WW
4539.45	NW WW


built-up

4540/.. - CAPUCINE XL

~230V



IP20



built-up ceiling light - directional - with Texo base
Aufbau Deckenleuchte - schwenkbar - mit Texo Basis

Lamp type

4x LED AC 700lm CRI92 max. 9,5W A+ 230V

Dimensions

L215xB215xH210 \wedge 36° reflector

L375xB60xH30

Spot - Ø55xH130

Ref

4540.1M	NW WW
4540.2M	NW WW
4540.4	NW WW
4540.14	NW WW
4540.16	NW WW
4540.45	NW WW

built-up

4520/.. - JACOBINE

=350mA



built-up ceiling light - directional - with base 025 - without LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Basis 025 - ohne Driver LED

Ref

4520.1M	NW WW
4520.2M	NW WW
4520.14	NW WW

Lamp type

1x led 467lm CRI80 max. 3,8W A - A+ 350mA


Dimensions

L60xB60xH150 \wedge 48° reflector
 L60xB60

built-up

4521/.. - JACOBINE

=350mA



built-up ceiling light - directional - with Texo base - without LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis - ohne Driver LED

Ref

4521.1M	NW WW
4521.2M	NW WW
4521.14	NW WW


Lamp type

1x led 467lm CRI80 max. 3,8W A - A+ 350mA

Dimensions



L85xB85xH150 \wedge 48° reflector
 L60xB60

built-up





4522/.. - JACOBINE

~230V       



built-up ceiling light - directional - with Texo base - with LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis - mit Driver LED

Lamp type
 2x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L215xB130xH150  48° reflector
 L180xB100

Ref	
4522.1M	NW WW
4522.2M	NW WW
4522.14	NW WW
4522.29	WW



built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

4523/.. - JACOBINE

~230V       



built-up ceiling light - directional - with Texo base - with LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis - mit Driver LED

Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L300xB130xH150  48° reflector
 L270xB100

Ref	
4523.1M	NW WW
4523.2M	NW WW
4523.14	NW WW



built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

4524/.. - JACOBINE

~230V       



built-up ceiling light - directional - with Texo base - with LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis - mit Driver LED

Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA



Dimensions
 L385xB130xH150  48° reflector
 L355xB100

Ref	
4524.1M	NW WW
4524.2M	NW WW
4524.14	NW WW


built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt


4525/.. - JACOBINE

~230V       



built-up ceiling light - directional - with Texo base - with LED driver
 Aufbau Deckenleuchte - schwenkbar - mit Texo Basis - mit Driver LED





Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L210xB210xH150  48° reflector
 L180xB180

Ref	
4525.1M	NW WW
4525.2M	NW WW
4525.14	NW WW


built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

1743.AS.3/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - feeding asymmetric - with LED driver
 Aufbau Deckenleuchte - fest - Energiequelle asymmetrisch - mit Driver LED





Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L500xB45xH380
 Frame - L500xB300

Ref	
1743S.3.1M	NW WW
1743S.3.2M	NW WW
1743S.3.47	NW WW
1743S.3.49	NW WW
1743S.3.1M.16	NW WW
1743S.3.49.16	NW WW
1743S.3.2M.16	NW WW
1743S.3.47.16	NW WW



built-up

1743.CEN.3/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED





Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L500xB45xH380
 Frame - L500xB300

Ref	
1743.CEN.3.1M	NW WW
1743.CEN.3.2M	NW WW
1743.CEN.3.47	NW WW
1743.CEN.3.49	NW WW
1743.CEN.3.1M.16	NW WW
1743.CEN.3.49.16	NW WW
1743.CEN.3.2M.16	NW WW
1743.CEN.3.47.16	NW WW

built-up

1744.CEN.3/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L500xB45xH380
 Frame - L500xB300

Ref	
1744.CEN.3.1M	NW WW
1744.CEN.3.2M	NW WW
1744.CEN.3.47	NW WW
1744.CEN.3.49	NW WW
1744.CEN.3.1M.16	NW WW
1744.CEN.3.49.16	NW WW
1744.CEN.3.2M.16	NW WW
1744.CEN.3.47.16	NW WW


built-up

1746.CEN.5/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type
 5x led 467lm CRI80 max. 3,8W  -  350mA





Dimensions
 L500xB45xH380
 Frame - L500xB300

Ref	
1746.CEN.5.1M	NW WW
1746.CEN.5.2M	NW WW
1746.CEN.5.47	NW WW
1746.CEN.5.49	NW WW
1746.CEN.5.1M.16	NW WW
1746.CEN.5.49.16	NW WW
1746.CEN.5.2M.16	NW WW
1746.CEN.5.47.16	NW WW

built-up





1745.AS.5/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - feeding asymmetric - with LED driver
 Aufbau Deckenleuchte - fest - Energiequelle asymmetrisch - mit Driver LED





Lamp type
 5x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L700xB45xH380
 Frame - L700xB300

Ref	
1745S.5.1M	NW WW
1745S.5.2M	NW WW
1745S.5.47	NW WW
1745S.5.49	NW WW
1745S.5.1M.16	NW WW
1745S.5.49.16	NW WW
1745S.5.2M.16	NW WW
1745S.5.47.16	NW WW



built-up

1745.CEN.5/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED





Lamp type
 5x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L700xB45xH380
 Frame - L700xB300

Ref	
1745.CEN.5.1M	NW WW
1745.CEN.5.2M	NW WW
1745.CEN.5.47	NW WW
1745.CEN.5.49	NW WW
1745.CEN.5.1M.16	NW WW
1745.CEN.5.49.16	NW WW
1745.CEN.5.2M.16	NW WW
1745.CEN.5.47.16	NW WW



built-up

1747.AS.7/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - feeding asymmetric - with LED driver
 Aufbau Deckenleuchte - fest - Energiequelle asymmetrisch - mit Driver LED

Lamp type
 7x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L900xB45xH380
 Frame - L900xB300

Ref	
1747S.7.1M	NW WW
1747S.7.2M	NW WW
1747S.7.47	NW WW
1747S.7.49	NW WW
1747S.7.1M.16	NW WW
1747S.7.49.16	NW WW
1747S.7.2M.16	NW WW
1747S.7.47.16	NW WW



built-up

1747.CEN.7/.. - THINDR

~230V  IP20   



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED





Lamp type
 7x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L900xB45xH380
 Frame - L900xB300

Ref	
1747.CEN.7.1M	NW WW
1747.CEN.7.2M	NW WW
1747.CEN.7.47	NW WW
1747.CEN.7.49	NW WW
1747.CEN.7.1M.16	NW WW
1747.CEN.7.49.16	NW WW
1747.CEN.7.2M.16	NW WW
1747.CEN.7.47.16	NW WW



built-up

1749.AS.9/.. - THINDR

~230V  IP20  0,5 m  



built-up ceiling light - fixed - feeding asymmetric - with LED driver
 Aufbau Deckenleuchte - fest - Energiequelle asymmetrisch - mit Driver LED




Lamp type
 9x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L1200xB45xH380
 Frame - L1200xB300

Ref	
1749S.9.1M	NW WW
1749S.9.2M	NW WW
1749S.9.47	NW WW
1749S.9.49	NW WW
1749S.9.1M.16	NW WW
1749S.9.49.16	NW WW
1749S.9.2M.16	NW WW
1749S.9.47.16	NW WW



built-up

1749.CEN.9/.. - THINDR

~230V  IP20  0,5 m  



built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type
 9x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L1200xB45xH380
 Frame - L1200xB300

Ref	
1749.CEN.9.1M	NW WW
1749.CEN.9.2M	NW WW
1749.CEN.9.47	NW WW
1749.CEN.9.49	NW WW
1749.CEN.9.1M.16	NW WW
1749.CEN.9.49.16	NW WW
1749.CEN.9.2M.16	NW WW
1749.CEN.9.47.16	NW WW



built-up

1757.CEN.7/.. - THINDR CROSS

=350mA   IP20  0,5 m  



built-up ceiling light - fixed - central feeding - without LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - ohne Driver LED





Lamp type
 7x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L700xB45xH380
 Frame - L700xB300

Ref	
1757.CEN.7.1M	NW WW
1757.CEN.7.2M	NW WW
1757.CEN.7.47	NW WW
1757.CEN.7.49	NW WW
1757.CEN.7.1M.16	NW WW
1757.CEN.7.49.16	NW WW
1757.CEN.7.2M.16	NW WW
1757.CEN.7.47.16	NW WW

built-up




1733.CEN.3/.. - THINDR

~230V  IP20  0,5 m  




built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type

 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions





 L300xB45xH380
 Frame - L300xB300


Ref

1733.CEN.3.1M	NW WW
1733.CEN.3.2M	NW WW
1733.CEN.3.47	NW WW
1733.CEN.3.49	NW WW
1733.CEN.3.1M.16	NW WW
1733.CEN.3.49.16	NW WW
1733.CEN.3.2M.16	NW WW
1733.CEN.3.47.16	NW WW

built-up




1735.CEN.5/.. - THINDR

~230V  IP20  0,5 m  




built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type

 5x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions




 L500xB45xH500
 Frame - L500xB500


Ref

1735.CEN.5.1M	NW WW
1735.CEN.5.2M	NW WW
1735.CEN.5.47	NW WW
1735.CEN.5.49	NW WW
1735.CEN.5.1M.16	NW WW
1735.CEN.5.49.16	NW WW
1735.CEN.5.2M.16	NW WW
1735.CEN.5.47.16	NW WW

built-up




1737.CEN.7/.. - THINDR

~230V  IP20  0,5 m  




built-up ceiling light - fixed - central feeding - with LED driver
 Aufbau Deckenleuchte - fest - Zentrale Energiequelle - mit Driver LED

Lamp type

 7x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

 L700xB45xH700
 Frame - L700xB700

Ref

1737.CEN.7.1M	NW WW
1737.CEN.7.2M	NW WW
1737.CEN.7.47	NW WW
1737.CEN.7.49	NW WW
1737.CEN.7.1M.16	NW WW
1737.CEN.7.49.16	NW WW
1737.CEN.7.2M.16	NW WW
1737.CEN.7.47.16	NW WW

built-up

4078/.. - RICHARD ES50

~230V



built-up ceiling light - square - fixed - down
Aufbau Deckenleuchte - viereckig - fest - down

Lamp type

1x QPAR70 GU10 max. 7W A+ 230V
or 1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L80xB80xH95

Materials

aluminium 1M | 2M

Ref

4078.1M white tex
4078.2M black tex

built-up

4080/.. - RICHARD AR70

~230V



built-up ceiling light - square - fixed - down
Aufbau Deckenleuchte - viereckig - fest - down

Lamp type

1x QPAR70 GU10 max. 8W A+ 230V
or 1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L90xB90xH95

Materials

aluminium 1M | 2M

Ref

4080.1M white tex
4080.2M black tex

built-up

4077/.. - RICHARD AR70

~230V



built-up ceiling light - square - fixed - down
Aufbau Deckenleuchte - viereckig - fest - down

Lamp type

1x QPAR70 GU10 max. 8W A+ 230V
or 1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L100xB100xH100

Materials

aluminium 1M | 2M

Ref

4077.1M white tex
4077.2M black tex

built-up

4085/.. - RICHARD AR111

~230V



built-up ceiling light - square - fixed - down
Aufbau Deckenleuchte - viereckig - fest - down

Lamp type

1x QPAR111 GU10 max. 12W A+ - D 230V

Dimensions

L120xB120xH120

Materials

aluminium 1M | 2M

Ref

4085.1M white tex
4085.2M black tex

built-up

4079/.. - RICHARD SLA

~230V



IP20



built-up ceiling light - square - fixed - down - with LED module
 Aufbau Deckenleuchte - viereckig - fest - down - mit LED-Modul

Ref

4079.1M

NW | WW

4079.2M

NW | WW

Lamptype

1x LED AC 700lm CRI92 max. 9,5W A+ 230V






Dimensions

L80xB80xH110 \wedge 36° reflector

built-up



1419W/.. - CANVAS

~230V   IP20   1,8200 1 m 05.20.50 



ceiling light - with opal white glass
Deckenleuchte - mit opalweißem Glas

Lamp type
1x LED 1000lm CRI80 max. 12W 230V

Dimensions
B200xH200xD63 180° reflector
L125xB115

Materials
aluminium 14 | 1M | 2M

Ref
1419W.1M.WW white tex
1419W.2M.WW black tex
1419W.14.WW alu satin

built-up

8315/.. - STELLA

~230V  IP20    0,5 m 05.20.02 



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type
1x QPAR 51 GU10 max. 20W A+ - E 230V
or 1x QPAR70 GU10 max. 7W A+ 230V

Dimensions
L123xB48xH142
L123xB48xH47
Bar - L55

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref
8315.1M white tex
8315.2M black tex
8315.4.2M shiny gold
8315.14 alu satin
8315.16.2M satin gold
8315.45 sun gold

built-up
lightbulb not included
Leuchtmittel nicht einbegriffen

8316/.. - STELLA

~230V  IP20    0,4300 0,5 m 05.20.02 



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type
1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions
L123xB48xH227
L123xB48xH47
Bar - L55

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref
8316.1M white tex
8316.2M black tex
8316.4 shiny gold
8316.14 alu satin
8316.16 satin gold
8316.45 sun gold

built-up

8317/.. - STELLA

~230V   IP20    0,7500 0,5 m 05.20.50 



built-up ceiling light - directional - With Jacob - with LED driver
Aufbau Deckenleuchte - schwenkbar - mit Jacob - mit Driver LED

Lamp type
1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions
L123xB48xH187 48° reflector
L123xB48xH47
Bar - L55

Ref
8317.1M NW | WW
8317.2M NW | WW
8317.2M.29 NW | WW
8317.4.2M NW | WW
8317.14 NW | WW
8317.16.2M NW | WW
8317.45.45 NW | WW

built-up


INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => Kugelgelenk Farbe 11




8318/.. - STELLA

~230V   IP20   0,5600 0,5 m 05.20.50 





built-up ceiling light - fixed - with round Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Runde Zia Led - mit Driver LED

Lamp type

 2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

 L183xB48xH65  48° reflector


Ref

8318.1M	NW WW
8318.2M	NW WW
8318.4.2M	NW WW
8318.14	NW WW
8318.16.2M	NW WW
8318.45.45	NW WW

built-up




8319/.. - STELLA

~230V   IP20   0,5 m 05.20.50 





built-up ceiling light - fixed - with round Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Runde Zia Led - mit Driver LED

Lamp type

 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

 L183xB48xH65  48° reflector


Ref

8319.1M	NW WW
8319.2M	NW WW
8319.4.2M	NW WW
8319.14	NW WW
8319.16.2M	NW WW
8319.45.45	NW WW

built-up




8343/.. - STELLA

~230V   IP20   0,5 m 05.20.50 





built-up ceiling light - fixed - with square Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Viereckige Zia Led - mit Driver LED

Lamp type

 2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions






 L183xB48xH47  48° reflector


Ref

8343.1M	NW WW
8343.2M	NW WW
8343.4.2M	NW WW
8343.14	NW WW
8343.16.2M	NW WW
8343.45.45	NW WW

built-up




8344/.. - STELLA

~230V   IP20   0,5 m 05.20.50 



built-up ceiling light - fixed - with square Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Viereckige Zia Led - mit Driver LED

Lamp type

 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

 L183xB48xH47  48° reflector

Ref


8344.1M	NW WW
8344.2M	NW WW
8344.4.2M	NW WW
8344.14	NW WW
8344.16.2M	NW WW
8344.45.45	NW WW

built-up

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => K ugelgelenk Farbe 11

8320/.. - STELLA



rectangular base for built-up spot or pendant
rechteckige Basis f ur Aufbaustrahler oder H ngelampe

Dimensions

L183xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8320.1M	white tex
8320.2M	black tex
8320.4.2M	shiny gold
8320.14	alu satin
8320.16.2M	satin gold
8320.45	sun gold

built-up
spots to be ordered separately
Spotlights separat zu bestellen

8321/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

or 2x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L183xB48xH142

L183xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8321.1M	white tex
8321.2M	black tex
8321.4.2M	shiny gold
8321.14	alu satin
8321.16.2M	satin gold
8321.45	sun gold

built-up

8322/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L183xB48xH227

L183xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8322.1M	white tex
8322.2M	black tex
8322.4.2M	shiny gold
8322.14	alu satin
8322.16.2M	satin gold
8322.45	sun gold

built-up

8323/.. - STELLA

~230V



built-up ceiling light - directional - With Jacob - with LED
driver
Aufbau Deckenleuchte - schwenkbar - mit Jacob - mit Driver
LED

Lamp type

2x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L183xB48xH187 48° reflector

L183xB48xH47

Bar - L55

Ref

8323.1M	NW WW
8323.2M	NW WW
8323.2M.29	NW WW
8323.4.2M	NW WW
8323.14	NW WW
8323.16.2M	NW WW
8323.45.45	NW WW


built-up

INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => Kugelgelenk Farbe 11

8324/.. - STELLA



rectangular base for built-up spot or pendant
rechteckige Basis fur Aufbaustrahler oder Hangelampe

Dimensions

L243xB48xH47

Materials


aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8324.1M	white tex
8324.2M	black tex
8324.4.2M	shiny gold
8324.14	alu satin
8324.16.2M	satin gold
8324.45	sun gold

*built-up
spots to be ordered separately
Spotlights separat zu bestellen*

8325/.. - STELLA



rectangular base for built-up spot or pendant
rechteckige Basis fur Aufbaustrahler oder Hangelampe

Dimensions

L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8325.1M	white tex
8325.2M	black tex
8325.4.2M	shiny gold
8325.14	alu satin
8325.16.2M	satin gold
8325.45	sun gold

*built-up
spots to be ordered separately
Spotlights separat zu bestellen*

8326/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V
or 2x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L243xB48xH142

L243xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8326.1M	white tex
8326.2M	black tex
8326.4.2M	shiny gold
8326.14	alu satin
8326.16.2M	satin gold
8326.45	sun gold

built-up

8327/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L243xB48xH227

L243xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8327.1M	white tex
8327.2M	black tex
8327.4	shiny gold
8327.14	alu satin
8327.16	satin gold
8327.45	sun gold

built-up




INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => Kugelgelenk Farbe 11

8328/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type

3x QPAR 51 GU10 max. 20W **A+** - **E** 230V
or 3x QPAR70 GU10 max. 7W **A+** 230V

Dimensions

L243xB48xH142
L243xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16



Ref

8328.1M	white tex
8328.2M	black tex
8328.4.2M	shiny gold
8328.14	alu satin
8328.16.2M	satin gold
8328.45	sun gold

built-up

8329/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type

3x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

L243xB48xH227
L243xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8329.1M	white tex
8329.2M	black tex
8329.4	shiny gold
8329.14	alu satin
8329.16	satin gold
8329.45	sun gold

built-up

8330/.. - STELLA

~230V



built-up ceiling light - directional - With Jacob - with LED driver
Aufbau Deckenleuchte - schwenkbar - mit Jacob - mit Driver LED

Lamp type

2x led 467lm CRI80 max. 3,8W **A+** - **A+** 350mA

Dimensions

L243xB48xH187 \wedge 48° reflector
L243xB48xH47

Bar - L55


Ref

8330.1M	NW WW
8330.2M	NW WW
8330.2M.29	NW WW
8330.4.2M	NW WW
8330.14	NW WW
8330.16.2M	NW WW
8330.45.45	NW WW

built-up

8331/.. - STELLA

~230V



built-up ceiling light - directional - With Jacob - with LED driver
Aufbau Deckenleuchte - schwenkbar - mit Jacob - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W **A+** - **A+** 350mA

Dimensions

L243xB48xH187 \wedge 48° reflector
L243xB48xH47

Bar - L55

Ref

8331.1M	NW WW
8331.2M	NW WW
8331.2M.29	NW WW
8331.4.2M	NW WW
8331.14	NW WW
8331.16.2M	NW WW
8331.45.45	NW WW


built-up

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => Kugelgelenk Farbe 11

8332/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

or 4x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L303xB48xH142

L303xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45

brass 4 | 16


Ref

8332.1M	white tex
8332.2M	black tex
8332.4.2M	shiny gold
8332.14	alu satin
8332.16.2M	satin gold
8332.45	sun gold

built-up

8333/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L303xB48xH227

L303xB48xH47

Bar - L55

Materials


aluminium 14 | 1M | 2M | 45

brass 4 | 16

Ref

8333.1M	white tex
8333.2M	black tex
8333.4.2M	shiny gold
8333.14	alu satin
8333.16.2M	satin gold
8333.45	sun gold

built-up




INDOOR | Ceiling UP | Luminaires | STELLA

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => K ugelgelenk Farbe 11

8334/.. - STELLA

~230V



built-up ceiling light - directional - with Capa spotlight
Aufbau Deckenleuchte - schwenkbar - mit Capa Strahler

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V
or 3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L363xB48xH142
L363xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16



Ref

8334.1M	white tex
8334.2M	black tex
8334.4.2M	shiny gold
8334.14	alu satin
8334.16.2M	satin gold
8334.45	sun gold

built-up

8335/.. - STELLA

~230V



built-up ceiling light - directional - With Capa X
Aufbau Deckenleuchte - schwenkbar - mit Capa X

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L363xB48xH227
L363xB48xH47

Bar - L55

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8335.1M	white tex
8335.2M	black tex
8335.4.2M	shiny gold
8335.14	alu satin
8335.16.2M	satin gold
8335.45	sun gold

built-up

8336/.. - STELLA

~230V



built-up ceiling light - directional - With Jacob - with LED driver
Aufbau Deckenleuchte - schwenkbar - mit Jacob - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L363xB48xH187 \wedge 48° reflector
L363xB48xH47

Bar - L55

Ref

8336.1M	NW WW
8336.2M	NW WW
8336.2M.29	NW WW
8336.4.2M	NW WW
8336.14	NW WW
8336.16.2M	NW WW
8336.45.45	NW WW


built-up

Built-up spot with rod colour 14 => joint colour 11

Aufbaustrahler mit Stange Farbe 14 => Kugelgelenk Farbe 11

8337/.. - STELLA

~230V



built-up ceiling light - fixed - with round Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Runde Zia Led - mit Driver LED

Ref

8337.1M	NW WW
8337.2M	NW WW
8337.14	NW WW
8337.45	NW WW

Lamp type

3x led 467lm CRI80 max. 3,8W A - A+ 350mA

Dimensions


L363xB48xH65 48° reflector



built-up

8338/.. - STELLA

~230V



built-up ceiling light - fixed - with square Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Viereckige Zia Led - mit Driver LED

Ref

8338.1M	NW WW
8338.2M	NW WW
8338.14	NW WW
8338.45	NW WW

Lamp type

3x led 467lm CRI80 max. 3,8W A - A+ 350mA

Dimensions


L363xB48xH65 48° reflector



built-up

8339/.. - STELLA

~230V



built-up ceiling light - fixed - with 3 round recessed spotlights - with LED driver
 Aufbau Deckenleuchte - fest - mit 3 runden Einbaustrahlern - mit Driver LED

Ref

8339.1M	NW WW
8339.2M	NW WW
8339.14	NW WW
8339.45	NW WW

Lamp type

3x led 467lm CRI80 max. 3,8W A - A+ 350mA

Dimensions


L363xB48xH45 48° reflector



built-up





8340/.. - STELLA




~230V   IP20     



built-up ceiling light - fixed - with round Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Runde Zia Led - mit Driver LED

Ref
 8340.1M NW | WW
 8340.2M NW | WW


Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L200xB200xH65  48° reflector
 L170xB170xH45

built-up



8341/.. - STELLA




~230V   IP20      



built-up ceiling light - fixed - with square Zia Led - with LED driver
 Aufbau Deckenleuchte - fest - mit Viereckige Zia Led - mit Driver LED

Ref
 8341.1M NW | WW
 8341.2M NW | WW

Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L200xB200xH65  48° reflector
 L170xB170xH45

built-up



8342/.. - STELLA




~230V   IP20     



built-up ceiling light - fixed - with 4 round recessed spotlights - with LED driver
 Aufbau Deckenleuchte - fest - mit 4 runden Einbaustrahlern - mit Driver LED

Ref
 8342.1M NW | WW
 8342.2M NW | WW

Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L200xB200xH47  48° reflector
 L170xB170xH45

built-up



8345/.. - STELLA




~230V   IP20       



built-up ceiling light - directional - with 4 round recessed spotlights - with LED driver
 Aufbau Deckenleuchte - schwenkbar - mit 4 runden Einbaustrahlern - mit Driver LED

Ref
 8345.1M NW | WW
 8345.2M NW | WW
 8345.29 NW | WW
 8345.49 NW | WW

Lamp type
 4x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions
 L200xB200xH65  48° reflector
 L170xB170xH45

built-up

621.ES50/.. - CUPIDO I

~230V



IP20



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø140xH115

Ø100

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

621.ES50.1.1	white
621.ES50.1M	white tex
621.ES50.2.7	black
621.ES50.2.40	black
621.ES50.2M	black tex
621.ES50.11.40	alu grey
621.ES50.14.40	alu satin

built-up

622.ES50/.. - CUPIDO II

~230V



IP20



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

2x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø240xH105

Ø175

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

622.ES50.1.1	white
622.ES50.1M	white tex
622.ES50.2.7	black
622.ES50.2.40	black
622.ES50.2M	black tex
622.ES50.11.40	alu grey
622.ES50.14.40	alu satin

built-up

623.ES50/.. - CUPIDO III

~230V



IP20



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

3x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø320xH105

Ø215

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

623.ES50.1.1	white
623.ES50.1M	white tex
623.ES50.2.7	black
623.ES50.2.40	black
623.ES50.2M	black tex
623.ES50.11.40	alu grey
623.ES50.14.40	alu satin

built-up

624.ES50/.. - CUPIDO IV

~230V



IP20



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

4x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

Ø320xH105

Ø245

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

624.ES50.1.1	white
624.ES50.1M	white tex
624.ES50.2.7	black
624.ES50.2.40	black
624.ES50.2M	black tex
624.ES50.11.40	alu grey
624.ES50.14.40	alu satin

built-up

621.AR70/.. - CUPIDO I

~230V   IP20    0.5 m  05.20.02 



built-up ceiling light - directional - cone Ø78 H85 - without transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - ohne Trafo

Lamp type
 1x QPAR70 GU10 max. 7W  230V

Dimensions
 Ø140xH130
 Ø100

Materials
 aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref	
621.AR70.1.1	white
621.AR70.1M	white tex
621.AR70.2.7	black
621.AR70.2.40	black
621.AR70.2M	black tex
621.AR70.11.40	alu grey
621.AR70.14.40	alu satin

built-up

625.AR70/.. - CUPIDO I

~230V  IP20    0.5 m  05.20.02 



built-up ceiling light - directional - cone Ø78 H85
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85

Lamp type
 1x QPAR70 GU10 max. 7W  230V

Dimensions
 Ø140xH160
 Ø100

Materials
 aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref	
625.AR70.1.1	white
625.AR70.1M	white tex
625.AR70.2.7	black
625.AR70.2.40	black
625.AR70.2M	black tex
625.AR70.11.40	alu grey
625.AR70.14.40	alu satin

built-up

622.AR70/.. - CUPIDO II

~230V   IP20    0.5 m  05.20.02 



built-up ceiling light - directional - cone Ø78 H85 - without transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - ohne Trafo

Lamp type
 2x QPAR70 GU10 max. 7W  230V

Dimensions
 Ø240xH120
 Ø175

Materials
 aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref	
622.AR70.1.1	white
622.AR70.1M	white tex
622.AR70.2.7	black
622.AR70.2.40	black
622.AR70.2M	black tex
622.AR70.11.40	alu grey
622.AR70.14.40	alu satin

built-up

623.AR70/.. - CUPIDO III

~230V   IP20    2.5250  0.5 m  05.20.02 



built-up ceiling light - directional - cone Ø78 H85 - without transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - ohne Trafo

Lamp type
 3x QPAR70 GU10 max. 7W  230V

Dimensions
 Ø320xH132
 Ø215

Materials
 aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref	
623.AR70.1.1	white
623.AR70.1M	white tex
623.AR70.2.7	black
623.AR70.2.40	black
623.AR70.2M	black tex
623.AR70.11.40	alu grey
623.AR70.14.40	alu satin

built-up

624.AR70/.. - CUPIDO IV

~230V



IP20



0,5 m



built-up ceiling light - directional - cone Ø78 H85 - without transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - ohne Trafo

Lamp type

4x QPAR70 GU10 max. 7W A+ 230V

Dimensions

Ø320xH132

Ø245

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

624.AR70.1.1	white
624.AR70.1M	white tex
624.AR70.2.7	black
624.AR70.2.40	black
624.AR70.2M	black tex
624.AR70.11.40	alu grey
624.AR70.14.40	alu satin

built-up




978/.. - CUBIC

~230V   IP20     0,4450  0,5 m  05.20.02 



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref
978.14 alu satin

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 50W  12V

Dimensions
L60xB60xH180
L60xB60xH67

Materials
aluminium 14

built-up
with LED-transfo
mit LED-Trafo


979/.. - CUBIC

~12V   IP20     0,2550  0,5 m  05.20.02 



built-up ceiling light - directional - without transformer
Aufbau Deckenleuchte - schwenkbar - ohne Trafo

Ref
979.14 alu satin

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 50W  12V

Dimensions
L60xB60xH102
L60xB60xH25

Materials
aluminium 14

built-up


981/.. - CUBIC

~230V   IP20     0,5500  0,5 m  05.20.02 



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref
981.14 alu satin

Lamp type
1x QR-CB 51 GU5,3/GX5,3 max. 50W  12V

Dimensions
L115xB70xH125
L93xB50xH43

Materials
aluminium 14

built-up
with LED-transfo
mit LED-Trafo


982/.. - CUBIC

~230V   IP20     1,2000  0,5 m  05.20.02 



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref
982.14 alu satin

Lamp type
2x QR-CB 51 GU5,3/GX5,3 max. 50W  12V

Dimensions
L200xB125xH125
L160xB95xH31

Materials
aluminium 14

built-up
with LED-transfo
mit LED-Trafo



983/.. - CUBIC

~230V   IP20     2,0000  0,5 m  05.20.02 



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref
983.14 alu satin

Lamp type
3x QR-CB 51 GU5,3/GX5,3 max. 50W  -  12V

Dimensions
L340xB125xH125
L302xB95xH32

Materials
aluminium 14

built-up
with LED-transfo
mit LED-trafo



984/.. - CUBIC

~230V   IP20     2,3600  0,5 m  05.20.02 



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref
984.14 alu satin

Lamp type
4x QR-CB 51 GU5,3/GX5,3 max. 50W  -  12V

Dimensions
L215xB215xH125
L193xB170xH32

Materials
aluminium 14

built-up
with LED-transfo
mit LED-Trafo

616.ES50.45/.. - ZOOM CLICK + VOLTA

~230V  IP20     1,3950  1 m  05.20.02 



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Ref
616.ES50.45.1.1 white
616.ES50.45.1M.1M white tex
616.ES50.45.2.7 black
616.ES50.45.2.40 black
616.ES50.45.2M.1M black tex
616.ES50.45.11.40 alu grey
616.ES50.45.14.40 alu satin

Lamp type
1x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L180xB180xH115
L140xB140

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M

built-up

617.ES50.45/.. - ZOOM CLICK + VOLTA

~230V  IP20     2,4200  1 m  05.20.02 



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Ref
617.ES50.45.1.1 white
617.ES50.45.1M.1M white tex
617.ES50.45.2.7 black
617.ES50.45.2.40 black
617.ES50.45.2M.1M black tex
617.ES50.45.2M.14.40 black tex
617.ES50.45.11.40 alu grey
617.ES50.45.14.40 alu satin

Lamp type
2x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L340xB200xH115
L270xB130

Materials
aluminium 1 | 2 | 11 | 14 | 1M | 2M

built-up

618.ES50.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

3x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

L480xB200xH115
L410xB130

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

618.ES50.45.1.1 white
618.ES50.45.1M.1M white tex
618.ES50.45.2.7 black
618.ES50.45.2.40 black
618.ES50.45.2M.1M black tex
618.ES50.45.11.40 alu grey
618.ES50.45.14.40 alu satin

built-up

619.ES50.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

4x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

L620xB200xH115
L550xB130

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

619.ES50.45.1.1 white
619.ES50.45.1M.1M white tex
619.ES50.45.2.7 black
619.ES50.45.2.40 black
619.ES50.45.2M.1M black tex
619.ES50.45.2M.14.40 black tex
619.ES50.45.11.40 alu grey
619.ES50.45.14.40 alu satin

built-up

620.ES50.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø65 H70
Aufbau Deckenleuchte - schwenkbar - Kelch Ø65 H70

Lamp type

4x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

L340xB340xH115
L260xB260

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

620.ES50.45.1.1 white
620.ES50.45.1M.1M white tex
620.ES50.45.2.7 black
620.ES50.45.2.40 black
620.ES50.45.2M.1M black tex
620.ES50.45.2M.14.40 black tex
620.ES50.45.11.40 alu grey
620.ES50.45.14.40 alu satin

built-up

616.AR70.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø78 H85 - with transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - mit Trafo

Lamp type

1x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L180xB180xH130

L140xB140

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

616.AR70.45.1.1	white
616.AR70.45.1M.1M	white tex
616.AR70.45.2.7	black
616.AR70.45.2.40	black
616.AR70.45.2M.1M	black tex
616.AR70.45.11.40	alu grey
616.AR70.45.14.40	alu satin

built-up
 with LED-transformer
 mit LED-Trafo

617.AR70.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø78 H85 - with transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - mit Trafo

Lamp type

2x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L340xB200xH130

L270xB130

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

617.AR70.45.1.1	white
617.AR70.45.1M.1M	white tex
617.AR70.45.2.7	black
617.AR70.45.2.40	black
617.AR70.45.2M.1M	black tex
617.AR70.45.11.40	alu grey
617.AR70.45.14.40	alu satin

built-up
 with LED-transformer
 mit LED-Trafo

618.AR70.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø78 H85 - with transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - mit Trafo

Lamp type

3x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L480xB200xH130

L410xB130

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M


Ref

618.AR70.45.1.1	white
618.AR70.45.1M.1M	white tex
618.AR70.45.2.7	black
618.AR70.45.2.40	black
618.AR70.45.2M.1M	black tex
618.AR70.45.11.40	alu grey
618.AR70.45.14.40	alu satin

built-up
 with LED-transformer
 mit LED-Trafo

619.AR70.45/.. - ZOOM CLICK + VOLTA

~230V



built-up ceiling light - directional - cone Ø78 H85 - with transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - mit Trafo

Lamp type

4x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L620xB200xH130

L550xB130

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

619.AR70.45.1.1	white
619.AR70.45.1M.1M	white tex
619.AR70.45.2.7	black
619.AR70.45.2.40	black
619.AR70.45.2M.1M	black tex
619.AR70.45.11.40	alu grey
619.AR70.45.14.40	alu satin

built-up
 with LED-transformer
 mit LED-Trafo

620.AR70.45/.. - ZOOM CLICK + VOLTA

~230V



IP20



4.3800 0,5 m 05.20.02



built-up ceiling light - directional - cone Ø78 H85 - with transformer
 Aufbau Deckenleuchte - schwenkbar - Kelch Ø78 H85 - mit Trafo

Lamp type

4x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L340xB340xH130

L260xB260

Materials

aluminium 1 | 2 | 11 | 14 | 1M | 2M

Ref

620.AR70.45.1.1	white
620.AR70.45.1M.1M	white tex
620.AR70.45.2.7	black
620.AR70.45.2.40	black
620.AR70.45.2M.1M	black tex
620.AR70.45.11.40	alu grey
620.AR70.45.14.40	alu satin

built-up
 with LED-transformer
 mit LED-Trafo



911/.. - TITUS 230V

~230V IP20 0,5900 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

1x QT14 G9 max. 33W A - E 230V

Dimensions

L125xB125xH90
L90xB90xH30

Materials

aluminium 14 | 1M | 2M
brass 13 | 16
INOX 316 5


Ref

911.1M white tex
911.2M black tex
911.5 inox 316
911.13 bronze
911.14 alu satin
911.16 satin gold

built-up

912/.. - TITUS 230V

~230V IP20 2,5600 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

2x QT14 G9 max. 33W A - E 230V

Dimensions

L300xB170xH85
L225xB100xH25

Materials

aluminium 14 | 1M | 2M
brass 13 | 16
INOX 316 5


Ref

912.1M white tex
912.2M black tex
912.5 inox 316
912.13 bronze
912.14 alu satin
912.16 satin gold

built-up

913/.. - TITUS 230V

~230V IP20 1,6250 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

3x QT14 G9 max. 33W A - E 230V

Dimensions

L370xB170xH85
L290xB100xH25

Materials

aluminium 14 | 1M | 2M
brass 13 | 16
INOX 316 5

Ref

913.1M white tex
913.2M black tex
913.5 inox 316
913.13 bronze
913.14 alu satin
913.16 satin gold

built-up

914/.. - TITUS 230V

~230V IP20 2,9000 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

4x QT14 G9 max. 33W A - E 230V

Dimensions

L300xB300xH85
L220xB220xH25

Materials

aluminium 14 | 1M | 2M
brass 13 | 16
INOX 316 5

Ref

914.1M white tex
914.2M black tex
914.5 inox 316
914.13 bronze
914.14 alu satin
914.16 satin gold

built-up

995/.. - TITUS Round

~230V  IP20     0,8140 1 m 05.20.02 



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

1x QT14 G9 max. 33W  230V

Dimensions

Ø140xH90

Ø100

Materials

aluminium 14 | 1M | 2M

brass 13 | 16

Ref

995.1M	white tex
995.2M	black tex
995.13	bronze
995.14	alu satin
995.16	satin gold

built-up

996/.. - TITUS Round

~230V  IP20     1,4060 1 m 05.20.02 



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

2x QT14 G9 max. 33W  230V

Dimensions

Ø200xH90

Ø160

Materials

aluminium 14 | 1M | 2M

brass 13 | 16


Ref

996.1M	white tex
996.2M	black tex
996.13	bronze
996.14	alu satin
996.16	satin gold

built-up

997/.. - TITUS Round

~230V  IP20     2,1610 1 m 05.20.02 



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

3x QT14 G9 max. 33W  230V

Dimensions

Ø245xH90

Ø190

Materials

aluminium 14 | 1M | 2M

brass 13 | 16


Ref

997.1M	white tex
997.2M	black tex
997.13	bronze
997.14	alu satin
997.16	satin gold

built-up

998/.. - TITUS Round

~230V  IP20     2,8600 1 m 05.20.02 



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

4x QT14 G9 max. 33W  230V

Dimensions

Ø300xH90

Ø220

Materials

aluminium 14 | 1M | 2M

brass 13 | 16

Ref

998.1M	white tex
998.2M	black tex
998.13	bronze
998.14	alu satin
998.16	satin gold

built-up

1901/.. - TITUS SQ

~230V IP20 0,8300 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

1x QT14 G9 max. 33W A - E 230V

Dimensions

L130xB130xH90
L110xB110xH30

Materials

aluminium 14 | 1M | 2M
brass 13 | 16


Ref

1901.1M white tex
1901.2M black tex
1901.13 bronze
1901.14 alu satin
1901.16 satin gold

built-up

1902/.. - TITUS SQ

~230V IP20 1,9900 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

2x QT14 G9 max. 33W A - E 230V

Dimensions

L300xB170xH90
L220xB100xH25

Materials

aluminium 14 | 1M | 2M
brass 13 | 16


Ref

1902.1M white tex
1902.2M black tex
1902.13 bronze
1902.14 alu satin
1902.16 satin gold

built-up

1903/.. - TITUS SQ

~230V IP20 1,9700 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

3x QT14 G9 max. 33W A - E 230V

Dimensions

L390xB170xH90
L310xB100xH25

Materials

aluminium 14 | 1M | 2M
brass 13 | 16

Ref

1903.1M white tex
1903.2M black tex
1903.13 bronze
1903.14 alu satin
1903.16 satin gold

built-up

1904/.. - TITUS SQ

~230V IP20 2,6750 1 m 05.20.02 CE



built-up ceiling light - fixed - with glass
Aufbau Deckenleuchte - fest - mit Glas

Lamp type

4x QT14 G9 max. 33W A - E 230V

Dimensions

L300xB300xH90
L220xB220xH25

Materials


aluminium 14 | 1M | 2M
brass 13 | 16

Ref

1904.1M white tex
1904.2M black tex
1904.13 bronze
1904.14 alu satin
1904.16 satin gold

built-up

973.ES50/.. - CALYPSO

~230V  IP20    1,7000  0,5 m  




built-up ceiling light - directional
Aufbau Deckenleuchte - schwenkbar

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L211xB211xH155

 L100xB100xH20

Materials








aluminium 14 | 1M | 2M

Ref

973.ES50.1M	white tex
973.ES50.2M	black tex
973.ES50.14	alu satin

built-up
use coolfit lamp
Coolfit-Lampe verwenden

1287.ES50/.. - PLAZA

~230V  IP20    0,4400  0,5 m  




built-up ceiling light - directional
Aufbau Deckenleuchte - schwenkbar

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø60xH200

 Ø56


Materials

aluminium 14 | 1M | 2M

Ref

1287.ES50.1M	white tex
1287.ES50.2M	black tex
1287.ES50.14	alu satin

built-up



954/.. - OPERA

~230V   IP20     1,0150  1 m  05.20.02 



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type

1x QR-LP111 G53 max. 50W  12V
or 1x PAR 36 screw max. 50W  12V

Dimensions

L170xB177xH90
L170xB40

Materials

aluminium 14 | 1M | 2M

Ref

954.1M white tex
954.2M black tex
954.14 alu satin

built-up
with LED-transformer
mit LED-Trafo

953/.. - OPERA

~230V   IP20     1,7050  1 m  05.20.02 



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type

2x QR-LP111 G53 max. 35W  12V
or 2x PAR 36 screw max. 50W  12V

Dimensions

L310xB177xH90
L310xB40

Materials

aluminium 14 | 1M | 2M

Ref

953.1M white tex
953.2M black tex
953.14 alu satin

built-up
with LED-transformer
mit LED-Trafo

955/.. - OPERA

~230V   IP20     2,4600  1 m  05.20.02 



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type

3x QR-LP111 G53 max. 35W  12V
or 3x PAR 36 screw max. 50W  12V

Dimensions

L460xB177xH90
L460xB40

Materials

aluminium 14 | 1M | 2M

Ref

955.1M white tex
955.2M black tex
955.14 alu satin

built-up
with LED-transformer
mit LED-Trafo


956/.. - OPERA

~230V   IP20     3,2000  1 m  05.20.02 



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type

4x QR-LP111 G53 max. 35W  12V
or 4x PAR 36 screw max. 50W  12V

Dimensions

L605xB177xH90
L605xB40

Materials

aluminium 14 | 1M | 2M

Ref

956.1M white tex
956.2M black tex
956.14 alu satin

built-up
with LED-transformer
mit LED-Trafo

1286/.. - LOBBY

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref

1286.14

alu satin

Lamp type

1x QR-LP111 G53 max. 50W A - C 12V

Dimensions

Ø115xH275

Ø70xH8

Materials

aluminium 14

built-up
tube Ø40 - with LED-transformer
Rohr Ø40 - mit LED-Trafo

1412/.. - LOBBY

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref

1412.2M

black tex

1412.14

alu satin

Lamp type

2x QR-LP111 G53 max. 30W A - C 12V

Dimensions

L300xB225xH410

Ø90xH8

Materials

aluminium 14 | 2M

built-up
tube Ø40 - with LED-transformer
Rohr Ø40 - mit LED-Trafo

1413/.. - LOBBY

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref

1413.14

alu satin

Lamp type

3x QR-LP111 G53 max. 35W A - C 12V

Dimensions

L300xB300xH410

Ø90xH8

Materials

aluminium 14

built-up
tube Ø40 - with LED-transformer
Rohr Ø40 - mit LED-Trafo

1414/.. - LOBBY

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Ref

1414.14

alu satin

Lamp type

4x QR-LP111 G53 max. 35W A - C 12V

Dimensions

L280xB280xH410

Ø90xH8

Materials

aluminium 14

built-up
tube Ø40 - with LED-transformer
Rohr Ø40 - mit LED-Trafo

1415LED/.. - LOBBY LED

~230V



IP20



built-up ceiling light - directional
Aufbau Deckenleuchte - schwenkbar

Lamp type

1x 42LED # 2000lm CRI80 max. 16W **A+** 230V

Dimensions

L370xB370xH450

Ø90xH8

Materials

aluminium 14 | 1M | 2M

Ref

1415LED.1M.NW white tex

1415LED.2M.NW black tex

1415LED.14.NW alu satin

built-up
tube Ø40 - phase-cut
Rohr Ø40 - Phasenabschnitt

1416LED/.. - LOBBY LED

~230V



IP20



built-up ceiling light - directional
Aufbau Deckenleuchte - schwenkbar

Lamp type

2x led 1500lm max. 16W **A+** 230V

Dimensions

L730xB210xH440

Ø90xH8

Materials

aluminium 14 | 1M | 2M

Ref

1416LED.1M.NW white tex

1416LED.2M.NW black tex

1416LED.14.NW alu satin

built-up
tube Ø40 - phase-cut
Rohr Ø40 - Phasenabschnitt



1450/.. - RETRO

~230V



IP20



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type

2x QR-LP111 G53 max. 20W A - C 12V

Dimensions

L340xB145xH220

L80xB30

Materials

aluminium 10 | 1M | 2M

Ref

1450.1M

1450.2M

1450.10.2

white tex

black tex

alu grey

built-up
with LED-transformer
mit LED-Trafo

1451/.. - RETRO

~230V



IP20



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type

4x QR-LP111 G53 max. 20W A - C 12V

Dimensions

L340xB290xH220

L180xB80

Materials

aluminium 10 | 1M | 2M

Ref

1451.1M

1451.2M

1451.10.2

white tex

black tex

alu grey

built-up
with Led-transformer
mit LED-Trafo





1800/.. - BRIDGE PLAFOND

~230V   IP20    2,7800  1 m  05.20.02 



built-up ceiling light - directional - with transformer
 Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type
 2x QR-LP111 G53 max. 20W  12V

Dimensions
 L350xB190xH123
 L180xB40








Materials
 aluminium 1M | 2M | 11M

Ref	
1800.1M	white tex
1800.2M	black tex
1800.2M.7	black tex
1800.11M	grey tex

built-up
 with LED-transformer
 mit LED-Trafo






3052.LED/.. - MAMBO

~230V   IP20    1 m  05.20.50 



built-up ceiling light - fixed - down
 Aufbau Deckenleuchte - fest - down

Lamp type
 2x Led 500lm CRI80 max. 4W  230V

Dimensions
 L220xB80xH105
 L220xB40xH50

Materials
 aluminium 14 | 1M | 2M | 11M

Ref	
3052.LED.1M.NW	white tex
3052.LED.2M.NW	black tex
3052.LED.11M.NW	grey tex
3052.LED.14.NW	alu satin

built-up
 do not screw on too tightly - Dimmable phase-cut
 nicht zu fest verschrauben - Phasenabschnitt

945.MT/.. - CAMERA UP

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type

1x QR-CB 51 GU5,3/GX5,3 max. 20W A+ - E 12V

Dimensions

L260xB107xH62
L230xB75

Materials

INOX / ALUMINIUM 14


Ref

945.MT.14.2 alu satin
945.MT.14.11 alu satin

built-up
with LED-transformer - socle black or grey - use coolfit lamp
mit LED-Trafo - Sockel Schwarz oder Grau - Coolfit-Lampe verwenden

946.MT/.. - CAMERA UP

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type

2x QR-CB 51 GU5,3/GX5,3 max. 20W A+ - E 12V

Dimensions

L320xB170xH65
L250xB100

Materials

INOX / ALUMINIUM 14 | 2M

Ref

946.MT.2M.1M black tex
946.MT.14.2 alu satin
946.MT.14.11 alu satin

built-up
with LED-transformer - socle black or grey - use coolfit lamp
mit LED-Trafo - Sockel Schwarz oder Grau - Coolfit-Lampe verwenden

949/.. - CAMERA UP

~230V



built-up ceiling light - directional - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type

4x QR-CB 51 GU5,3/GX5,3 max. 20W A+ - E 12V

Dimensions

L320xB320xH65
L230xB230

Materials

INOX / ALUMINIUM 14 | 2M

Ref

949.2M.1M black tex
949.14.2 alu satin
949.14.11 alu satin

built-up
with LED-transformer - socle black or grey - use coolfit lamp
mit LED-Trafo - Sockel Schwarz oder Grau - Coolfit-Lampe verwenden

947/.. - CAMERA TWIN

~230V



built-up ceiling light - directional - with base 005 - with transformer
Aufbau Deckenleuchte - schwenkbar - mit Rosette 005 - mit Trafo

Lamp type

2x QR-CB 51 GU5,3/GX5,3 max. 20W A+ - E 12V

Dimensions

L210xB130xH60
Ø50

Materials

INOX / ALUMINIUM 14


Ref

947.14 alu satin

built-up
with LED-transfo - use coolfit lamp
mit LED-Trafo - Coolfit-Lampe verwenden



947B/.. - CAMERA TWIN

~230V   IP20    0,7400 0,5 m 05.20.02 



ceiling light for track - directional - without adaptor M10 - with transformer
 Deckenleuchte für Schienensystem - schwenkbar - ohne Adapter M10 - mit Trafo

Ref
 947B.14 alu satin

Lamp type
 2x QR-CB 51 GU5,3/GX5,3 max. 20W  -  12V

Dimensions
 L210xB130xH60

Options
 T456.M10 - ADAPTOR

Materials
 INOX / ALUMINIUM 14

*built-up
 with LED-transfo - use coolfit lamp
 mit LED-Trafo - Coolfit-Lampe verwenden*



INDOOR | Ceiling UP | Luminaires | MANTA

LED Farben: WW = 2800K - NW = 4000K - CW = 6500K



W3143/.. - MANTA UP

~230V   IP65        




built-up ceiling light - round - fixed - with mat glass
Aufbau Deckenleuchte - rund - fest - mit mattem Glas

Lamp type

 1x LED 380lm CRI80 max. 4W  230V

Dimensions

 Ø80xH54

Options

S3147 - MANTA spare ring + glass

Ref

W3143.1MA	CW NW WW
W3143.2MA	CW NW WW
W3143.11MA	CW NW WW
W3143.22A	CW NW WW

built-up
blue (B) on request
Blau (B) auf Anfrage

W3142/.. - MANTA UP

=24V-DC    IP65        




built-up ceiling light - round - fixed - with mat glass - without transformer
Aufbau Deckenleuchte - rund - fest - mit mattem Glas - ohne Trafo

Lamp type

 1x Led 24V-DC max. 3,6W  24V-DC

Dimensions

 Ø80xH54

Options

S3147 - MANTA spare ring + glass

Ref

W3142.1MA	CW NW WW
W3142.2MA	CW NW WW
W3142.11MA	CW NW WW
W3142.22A	CW NW WW

built-up
blue (B) on request
Blau (B) auf Anfrage




W3141/.. - MANTA UP DOUCHE

~12V   IP65        




built-up ceiling light - round - fixed - with mat glass - without transformer
Aufbau Deckenleuchte - rund - fest - mit mattem Glas - ohne Trafo

Lamp type

 1x QR-CB 51 GU5,3/GX5,3 max. 35W  -  12V

Dimensions

 Ø80xH92

Options

S3148 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3141.1MA	white tex ano
W3141.2MA	black tex ano
W3141.11MA	grey tex ano
W3141.22A	matt gold ano

built-up
20W-35W
for showers
für Duschen

W3144/.. - MANTA UP

~230V  IP65        




built-up ceiling light - round - fixed - with mat glass
Aufbau Deckenleuchte - rund - fest - mit mattem Glas

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 Ø80xH92

Options

S3148 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3144.1MA	white tex ano
W3144.2MA	black tex ano
W3144.11MA	grey tex ano
W3144.22A	matt gold ano

built-up
20W-35W



INDOOR | Ceiling UP | Luminaires | MANTA

LED Farben: WW = 2800K - NW = 4000K - CW = 6500K

W3145/.. - MANTA UP

~230V



built-up ceiling light - round - fixed - with mat glass
Aufbau Deckenleuchte - rund - fest - mit mattem Glas

Lamp type

1x QPAR 51 GU10 max. 20W **A+** - **E** **230V**

Dimensions

Ø80xH117

Options

S3148 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3145.1MA	white tex ano
W3145.2MA	black tex ano
W3145.11MA	grey tex ano
W3145.22A	mat gold ano

built-up

7W-9W-11W

W3139/.. - MANTA UP

=24V-DC



built-up ceiling light - round - fixed - with mat high glass - without transformer
Aufbau Deckenleuchte - rund - fest - mit mattem hohem Glas - ohne Trafo

Lamp type

1x Led 24V-DC max. 3,6W **A+** **24V-DC**

Dimensions

Ø80xH72

Options

S3149 - MANTA spare ring + glass

Ref

W3139.1MA	CW NW WW
W3139.2MA	CW NW WW
W3139.11MA	CW NW WW
W3139.22A	CW NW WW

built-up

blue (B) on request - glass H25
Blau (B) auf Anfrage - Glas H25

W3140/.. - MANTA UP DOUCHE

~12V



built-up ceiling light - round - fixed - with mat high glass - without transformer
Aufbau Deckenleuchte - rund - fest - mit mattem hohem Glas - ohne Trafo

Lamp type

1x QT12 GY6,35 max. 20W **B** - **C** **12V**

or 1x QR-CB 51 GU5,3/GX5,3 max. 20W **A+** - **E** **12V**

Dimensions

Ø80xH92

Options

S3150 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3140.1MA	white tex ano
W3140.2MA	black tex ano
W3140.11MA	grey tex ano
W3140.22A	mat gold ano

built-up

Glas H45mm
for showers
für Duschen

W3146/.. - MANTA UP

~230V



built-up ceiling light - round - fixed - with mat high glass
Aufbau Deckenleuchte - rund - fest - mit mattem hohem Glas

Lamp type

1x TC-SEI E27 max. 12W **A** - **B** **230V**

Dimensions

Ø80xH137

Options

S3151 - MANTA spare ring + glass

Materials

ALU ANODISE 1MA | 22A | 2MA | 11MA

Ref

W3146.1MA	white tex ano
W3146.2MA	black tex ano
W3146.11MA	grey tex ano
W3146.22A	mat gold ano

built-up

Glas H65




642.250.LED/.. - MONET ROND

~230V      1,4900  0,5 m  05.20.50 



built-up

built-up ceiling light - polycarbonate - with LED driver
Aufbau Deckenleuchte - Polykarbonat - mit Driver LED

Lamp type	1x Led 1600lm CRI80 max. 16W 		230V
Dimensions	Ø254xH65		
	Ø254		
Materials	aluminium	14 1M 2M 11M	
	brass	7 13 16 23	
	red copper		28

Ref	642.250.LED.1M.NW	white tex
	642.250.LED.2M.NW	black tex
	642.250.LED.7.NW	chrome
	642.250.LED.11M.NW	grey tex
	642.250.LED.13.NW	bronze
	642.250.LED.14.NW	alu satin
	642.250.LED.16.NW	satin gold
	642.250.LED.23.NW	dark bronze
	642.250.LED.28.NW	rosé
	642.250.LED.28.WW	rosé


642.350.LED/.. - MONET ROND

~230V      2,9850  0,5 m  05.20.50 



built-up

built-up ceiling light - polycarbonate
Aufbau Deckenleuchte - Polykarbonat

Lamp type	1x LED 2300lm CRI80 max. 24W 		230V
Dimensions	Ø340xH65		
	Ø340		
Materials	aluminium	14 1M 2M 11M	
	brass	7 13 16 23	
	red copper		28

Ref	642.350.LED.1M.NW	white tex
	642.350.LED.2M.NW	black tex
	642.350.LED.7.NW	chrome
	642.350.LED.11M.NW	grey tex
	642.350.LED.13.NW	bronze
	642.350.LED.14.NW	alu satin
	642.350.LED.16.NW	satin gold
	642.350.LED.23.NW	dark bronze
	642.350.LED.28.NW	rosé
	642.350.LED.28.WW	rosé


541.SEN/.. - MONET ROND LED

~230V      0,5 m  05.20.50 



built-up

built-up ceiling light - polycarbonate - with built-in sensor -
with LED driver
Aufbau Deckenleuchte - Polykarbonat - mit eingebautem
Sensor - mit Driver LED

Lamp type	1x Led 3900lm CRI80 max. 34,1W 		1050mA
Dimensions	Ø360xH80		
	Ø360		
Materials	aluminium	14 1M 2M	

Ref	541.SEN.1M.NW	white tex
	541.SEN.2M.NW	black tex
	541.SEN.14.NW	alu satin

3063/.. - TOLEDO

~230V



built-up ceiling or wall light - round
Decken- oder Wandleuchte für Aufbau - rund

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø82,5xH27

Materials

aluminium 1 | 11 | 14


Ref

3063.1	white
3063.11	alu grey
3063.14	alu satin

built-up

3063.ZA/.. - TOLEDO

~230V



built-up ceiling or wall light - round - sidelong cable connection
Decken- oder Wandleuchte für Aufbau - rund - lateraler Kabelanschluß

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø82,5xH27

Materials

aluminium 14 | 1M | 2M

Ref

3063.ZA.1M	white tex
3063.ZA.2M	black tex
3063.ZA.14	alu satin

built-up

3064/.. - TOLEDO

~230V



built-up ceiling or wall light - round
Decken- oder Wandleuchte für Aufbau - rund

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø83xH32

Materials

aluminium 14

Ref

3064.14	alu satin
---------	-----------

built-up

W3064/.. - TOLEDO

~230V



built-up ceiling or wall light - round
Decken- oder Wandleuchte für Aufbau - rund

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø83xH32

Materials

ALU ANODISE 36A

Ref

W3064.36A	alu grey ano
-----------	--------------

built-up

3061W/.. - TOLEDO

~230V



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E **230V**

Dimensions

Ø100xH45

Materials

aluminium 14 | 1M | 2M | 37A

Ref

3061W.1M	white tex
3061W.2M	black tex
3061W.14	alu satin
3061W.37A	grey text ano

built-up

W3061W/.. - TOLEDO

~230V



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E **230V**

Dimensions

Ø100xH45

Options

2320.230V - A: LED CASSETTE 230V 3,6W IP65

Materials

ALU ANODISE 32A | 37A

Ref

W3061W.32A	black texture ano
W3061W.37A	grey text ano

built-up

3065A/.. - TOLEDO

~230V



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E **230V**

Dimensions

Ø89,5xH42

Materials

aluminium 14 | 2M

Ref

3065A.2M	black tex
3065A.14	alu satin

built-up

W3065A/.. - TOLEDO

~230V



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E **230V**

Dimensions

Ø89,5xH42

Materials

ALU ANODISE 32A | 37A | 33MA

Ref

W3065A.32A	black texture ano
W3065A.33MA	textured brown ano
W3065A.37A	grey text ano

built-up

3065B/.. - TOLEDO

~230V IP20 0,3000 0,5 m 05.20.02 CE



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø89,5xH62

Materials

aluminium 14 | 1M | 2M

Ref

3065B.1M	white tex
3065B.2M	black tex
3065B.14	alu satin

built-up

W3065B/.. - TOLEDO

~230V IP44 0,3000 0,5 m 05.20.02 CE



built-up ceiling or wall light - round - fixed
Decken- oder Wandleuchte für Aufbau - rund - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

Ø89,5xH62

Options

2320.230V - A: LED CASSETTE 230V 3,6W IP65

Materials

ALU ANODISE 32A | 37A

Ref

W3065B.32A	black texture ano
W3065B.37A	grey text ano

built-up

3062W/.. - TOLEDO

~230V IP20 0,4650 0,5 m 05.20.02 CE



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

L100xB100xH45

Materials

aluminium 14

Ref

3062W.14	alu satin
----------	-----------

built-up

W3062W/.. - TOLEDO

~230V IP44 0,4650 0,5 m 05.20.02 CE



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

L100xB100xH45

Options

2320.230V - A: LED CASSETTE 230V 3,6W IP65

Materials

ALU ANODISE 32A | 37A

Ref

W3062W.32A	black texture ano
W3062W.37A	grey text ano

built-up

3069/.. - TOLEDO

~230V



IP20



0,4330

0,5 m

05.20.02



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type

1x TCR-TSE GX53 max. 5W A+ - E 230V

Dimensions

L100xB100xH45

Materials

ALU ANODISE 32A
aluminium 1 | 2 | 14 | 1M | 2M

Ref

3069.1	white
3069.1M	white tex
3069.2	black
3069.2M	black tex
3069.14	alu satin

built-up



W3069/.. - TOLEDO

~230V  IP44     0,4550  0,5 m  05.20.02 



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type
1x TCR-TSE GX53 max. 5W  **230V**

Dimensions
L100xB100xH47

Options
2320.230V - A: LED CASSETTE 230V 3,6W IP65


Materials
ALU ANODISE **32A | 37A | 46A**

Ref
W3069.32A
W3069.37A
W3069.46A
black texture ano
grey text ano
grey-brown ano

built-up

3079/.. - TOLEDO

~230V  IP20     0,5200  0,5 m  05.20.02 



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type
1x TCR-TSE GX53 max. 5W  **230V**

Dimensions
L100xB100xH70


Materials
aluminium **1 | 14**

Ref
3079.1
3079.14
white
alu satin

built-up

W3079/.. - TOLEDO

~230V  IP44     0,5450  0,5 m  05.20.02 



built-up ceiling or wall light - square - fixed
Decken- oder Wandleuchte für Aufbau - viereckig - fest

Lamp type
1x TCR-TSE GX53 max. 5W  **230V**

Dimensions
L100xB100xH70

Options
2320.230V - A: LED CASSETTE 230V 3,6W IP65

Materials
ALU ANODISE **32A | 37A | 46A**

Ref
W3079.32A
W3079.37A
W3079.46A
black texture ano
grey text ano
grey-brown ano

built-up

3076B/.. - TOLEDO

~230V  IP20    3,0000  0,5 m  05.20.02 



built-up wall light - stainless steel fixation on top!
Wandleuchte für Aufbau - Befestigung in Edelstahl oben!

Lamp type
1x TCR-TSE GX53 max. 5W  **230V**

Dimensions
B90xH27xD125
L125xB90

Materials
aluminium **1M | 2M**
INOX 316 **5**

Ref
3076B.1M
3076B.2M
3076B.5
white tex
black tex
inox 316

built-up
for application in kitchen and bathroom closets
für Anwendung in Badezimmer- & Küchenschranken

640.200.LED/.. - MONET CARR... LED

~230V



IP20



ceiling light - stainless steel housing + polycarbonate cover
Deckenleuchte - Gehäuse in Edelstahl + Deckel in Polykarbonat

Lamp type

1x 21LED # 1000lm CRI80 max. 8W **A+** 230V

Dimensions

L205xB205xH60

Materials

INOX 5 | 1M | 2M

Ref

640.200.LED.1M.NW white tex

640.200.LED.2M.NW black tex

640.200.LED.5.NW inox 316

built-up

Dimmable phase-cut
Phasenabschnitt

640.300.LED/.. - MONET CARR... LED

~230V



IP20



ceiling light - stainless steel housing + poly carbonate cover - LED
Deckenleuchte - Edelstahl Gehäuse + Deckel in Polykarbonat - LED

Lamp type

1x Led 3000lm CRI80 max. 24W **A+** 230V

Dimensions

L305xB305xH60

Materials

INOX 5 | 1M | 2M

Ref

640.300.LED.1M.NW white tex

640.300.LED.2M.NW black tex

640.300.LED.5.NW inox 316

built-up

Dimmable phase-cut - not available in WW
Phasenabschnitt - nicht verfügbar in WW

640.400.LED/.. - MONET CARR... LED

~230V



IP20



ceiling light - stainless steel housing + polycarbonate cover - with LED driver
Deckenleuchte - Gehäuse in Edelstahl + Deckel in Polykarbonat - mit Driver LED

Lamp type

1x Led 2400lm CRI80 max. 17W 230V

Dimensions

L405xB405xH60

Materials

INOX 5 | 1M | 2M

Ref

640.400.LED.1M.NW white tex

640.400.LED.2M.NW black tex

640.400.LED.5.NW inox 316

built-up


Dimmable phase-cut
Phasenabschnitt

641.SL335.LED/.. - MONET STRIP LED

~230V



IP44



built-up ceiling or wall light - stainless steel housing + polycarbonate cover
Decken- oder Wandleuchte für Aufbau - Gehäuse in Edelstahl + Deckel in Polykarbonat

Lamp type

1x led 1500lm max. 16W A+ 230V

Dimensions

L335xB55xH95

Materials

INOX 5 | 1M | 2M

Ref

- 641.SL335.LED.1M.NW white tex
- 641.SL335.LED.1M.WW white tex
- 641.SL335.LED.2M.NW black tex
- 641.SL335.LED.2M.WW black tex
- 641.SL335.LED.5.NW inox 316
- 641.SL335.LED.5.WW inox 316


built-up
Dimmable phase-cut
Phasenabschnitt

641.SL600.LED/.. - MONET STRIP LED

~230V



IP44



built-up ceiling or wall light - stainless steel housing + polycarbonate cover
Decken- oder Wandleuchte für Aufbau - Gehäuse in Edelstahl + Deckel in Polykarbonat

Lamp type

1x led 1500lm max. 16W A+ 230V

Dimensions

L605xB55xH95

Materials

INOX 5 | 1M | 2M

Ref

- 641.SL600.LED.1M.NW white tex
- 641.SL600.LED.1M.WW white tex
- 641.SL600.LED.2M.NW black tex
- 641.SL600.LED.2M.WW black tex
- 641.SL600.LED.5.NW inox 316
- 641.SL600.LED.5.WW inox 316

built-up
Dimmable phase-cut
Phasenabschnitt



INDOOR | Ceiling UP | Luminaires | FLOU SQ

Current values CITYLED 815lm 9,2W 230V. New Values from Q3/2017 NB. CITIZEN LED 230V 1000lm CRI90
 Aktuelle Werte CITYLED 815lm 9,2W 230V. Neue Werte Q3 / 2017 NB. CITIZEN LED 230V 1000 lm CRI90

5226/.. - FLOU

~230V



IP20



1,0700

0,5 m

05.20.50



built-up ceiling light - square - fixed - down - with led
 Aufbau Deckenleuchte - viereckig - fest - down - mit Led

Lamp type

1x LED 850lm CRI90 max. 10W 230V

Dimensions

L100xB100xH130 30° reflector

Ref

5226.1M	NW WW
5226.2M.1M	NW WW
5226.2M	NW WW
5226.14	NW WW
5226.45.45	NW WW

built-up



1701.ES50/.. - BETAPLUS

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L90xB90xH110

Materials

aluminium 14 | 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref

1701.ES50.1M	white tex
1701.ES50.2M	black tex
1701.ES50.11M	grey tex
1701.ES50.14.11.5	alu satin
1701.ES50.29	black - gold inside
1701.ES50.47	black - white inside
1701.ES50.77	white - black inside
1701.ES50.49	white - gold inside

built-up

1702.ES50/.. - BETAPLUS

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L162xB90xH110

Materials

aluminium 14 | 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref

1702.ES50.1M	white tex
1702.ES50.2M	black tex
1702.ES50.2M.1M	black tex
1702.ES50.11M	grey tex
1702.ES50.14.11.5	alu satin
1702.ES50.29	black - gold inside
1702.ES50.47	black - white inside
1702.ES50.77	white - black inside
1702.ES50.49	white - gold inside

built-up

1703.ES50/.. - BETAPLUS

~230V



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E **230V**

Dimensions

L232xB90xH110

Materials

aluminium 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref

1703.ES50.1M	white tex
1703.ES50.2M	black tex
1703.ES50.11M	grey tex
1703.ES50.29	black - gold inside
1703.ES50.47	black - white inside
1703.ES50.77	white - black inside
1703.ES50.49	white - gold inside

built-up

1705.ES50/.. - BETAPLUS

~230V  IP20    0,8800 1 m 05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
1x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions
L90xB90xH110

Materials
aluminium 14 | 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref	
1705.ES50.1M	white tex
1705.ES50.2M	black tex
1705.ES50.11M	grey tex
1705.ES50.14.11	alu satin
1705.ES50.29	black - gold inside
1705.ES50.47	black - white inside
1705.ES50.77	white - black inside
1705.ES50.49	white - gold inside

built-up

1706.ES50/.. - BETAPLUS

~230V  IP20    1,2850 1 m 05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
2x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions
L162xB90xH110

Materials
aluminium 14 | 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref	
1706.ES50.1M	white tex
1706.ES50.2M	black tex
1706.ES50.11M	grey tex
1706.ES50.14.11	alu satin
1706.ES50.29	black - gold inside
1706.ES50.47	black - white inside
1706.ES50.77	white - black inside
1706.ES50.49	white - gold inside

built-up

1707.ES50/.. - BETAPLUS

~230V  IP20    1,7500 1 m 05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
3x QPAR 51 GU10 max. 20W  -  **230V**

Dimensions
L232xB90xH110

Materials
aluminium 1M | 29 | 2M | 47 | 49 | 77 | 11M

Ref	
1707.ES50.1M	white tex
1707.ES50.2M	black tex
1707.ES50.11M	grey tex
1707.ES50.29	black - gold inside
1707.ES50.47	black - white inside
1707.ES50.77	white - black inside
1707.ES50.49	white - gold inside

built-up

1711.ES50/.. - BETAPLUS

~230V IP44 0,9650 1 m 05.20.02 CE



built-up ceiling light - down - with glass
Aufbau Deckenleuchte - down - mit Glas

Lamp type

1x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L90xB90xH110

Materials

aluminium 14 | 1M | 29 | 2M | 11M

Ref

1711.ES50.1M	white tex
1711.ES50.2M	black tex
1711.ES50.11M	grey tex
1711.ES50.14.11.5	alu satin
1711.ES50.29	black - gold inside

built-up

1712.ES50/.. - BETAPLUS

~230V IP20 1,3700 1 m 05.20.02 CE



built-up ceiling light - down - with glass
Aufbau Deckenleuchte - down - mit Glas

Lamp type

2x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L162xB90xH110

Materials

aluminium 14 | 1M | 29 | 2M | 11M

Ref

1712.ES50.1M	white tex
1712.ES50.2M	black tex
1712.ES50.11M	grey tex
1712.ES50.14.11.5	alu satin
1712.ES50.29	black - gold inside

built-up

1713.ES50/.. - BETAPLUS

~230V IP20 2,6500 1 m 05.20.02 CE



built-up ceiling light - down - with glass
Aufbau Deckenleuchte - down - mit Glas

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L232xB90xH110

Materials

aluminium 1M | 29 | 2M | 11M

Ref

1713.ES50.1M	white tex
1713.ES50.2M	black tex
1713.ES50.11M	grey tex
1713.ES50.29	black - gold inside

built-up



1885DS.ES50/.. - SPINNER X DS

~230V  IP20    1,1400  1 m  05.20.02  CE




built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

 1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L100xB100xH130

Materials

aluminium 2 | 1M | 2M | 11M


Ref

1885DS.ES50.1M	white tex
1885DS.ES50.2	black
1885DS.ES50.2M	black tex
1885DS.ES50.2M.2.14	black tex
1885DS.ES50.11M.11M.14	grey tex

built-up




1886DS.ES50/.. - SPINNER X DS

~230V  IP20    1,7000  1 m  05.20.02  CE




built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L182xB100xH130

Materials

aluminium 2 | 1M | 2M | 11M


Ref

1886DS.ES50.1M	white tex
1886DS.ES50.2	black
1886DS.ES50.2M.2.14	black tex
1886DS.ES50.2M.2M	black tex
1886DS.ES50.11M.2.14	grey tex

built-up

1887DS.ES50/.. - SPINNER X DS

~230V  IP20    2,3000  1 m  05.20.02  CE




built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L266xB100xH130

Materials

aluminium 2 | 1M | 2M | 11M

Ref

1887DS.ES50.1M	white tex
1887DS.ES50.2	black
1887DS.ES50.2M.2.14	black tex
1887DS.ES50.2M.2M	black tex
1887DS.ES50.11M.2.14	grey tex

built-up

1888DS.ES50/.. - SPINNER X DS

~230V  IP20    2,7400  1 m  05.20.02 




built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L350xB100xH130

Materials

aluminium 1M | 2M | 11M


Ref

1888DS.ES50.1M white tex
1888DS.ES50.2M.2.14 black tex
1888DS.ES50.11M.2.14 grey tex
1888DS.ES50.11M.11M.14 grey tex

built-up




1890DS.ES50/.. - SPINNER X DS

~230V  IP20    3,3700  0,5 m  05.20.02 




built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

 4x QPAR 51 GU10 max. 20W  -  230V

Dimensions

 L198xB198xH130

Materials

aluminium 2 | 1M | 2M | 11M

Ref

1890DS.ES50.1M.1M white tex
1890DS.ES50.2 black
1890DS.ES50.2M.2.14 black tex
1890DS.ES50.2M.2M black tex
1890DS.ES50.11M.2.14 grey tex
1890DS.ES50.11M.11M.14 grey tex

built-up



1885.ES50/.. - SPINNER X FORUM

~230V  IP20    1,3400  1 m  05.20.02  CE



built-up ceiling light - square - directional - down
Aufbau Deckenleuchte - viereckig - schwenkbar - down

Lamp type
1x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L100xB100xH130

Options
1850 - SPINNER X DOWNRING

Materials
aluminium 1M | 2M | 11M

Ref	
1885.ES50.1M	white tex
1885.ES50.2M.2	black tex
1885.ES50.2M.2.14	black tex
1885.ES50.11M.2.14	grey tex

built-up

1886.ES50/.. - SPINNER X FORUM

~230V  IP20    1,9200  1 m  05.20.02  CE



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
2x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L182xB100xH130

Options
1850 - SPINNER X DOWNRING

Materials
aluminium 1M | 2M | 11M

Ref	
1886.ES50.1M	white tex
1886.ES50.2M.2	black tex
1886.ES50.2M.2.14	black tex
1886.ES50.11M.2.14	grey tex

built-up

1887.ES50/.. - SPINNER X FORUM

~230V  IP20    2,3000  1 m  05.20.02  CE



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
3x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L266xB100xH130

Options
1850 - SPINNER X DOWNRING

Materials
aluminium 1M | 2M | 11M

Ref	
1887.ES50.1M	white tex
1887.ES50.2M.2.14	black tex
1887.ES50.11M.2.14	grey tex

built-up

1888.ES50/.. - SPINNER X FORUM

~230V  IP20    2,8250  1 m  05.20.02  CE



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
4x QPAR 51 GU10 max. 20W  -  230V

Dimensions
L350xB100xH130

Options
1850 - SPINNER X DOWNRING

Materials
aluminium 1M | 2M | 11M

Ref	
1888.ES50.1M	white tex
1888.ES50.2M.2.14	black tex
1888.ES50.11M.2.14	grey tex

built-up

1890.ES50/.. - SPINNER X FORUM

~230V



IP20



built-up ceiling light - directional - down
 Aufbau Deckenleuchte - schwenkbar - down

Lamp type

4x QPAR 51 GU10 max. 20W A+ - E 230V

Dimensions

L198xB198xH130

Options

1850 - SPINNER X DOWNRING

Materials

aluminium 1M | 2M | 11M

Ref

1890.ES50.1M	white tex
1890.ES50.2M.2.14	black tex
1890.ES50.11M.2.14	grey tex

built-up



INDOOR | Ceiling UP | Luminaires | SPINNER X AR70

1875/.. - SPINNER X AR70

~230V   IP20    2,0400 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type

1x QR-LP70 BA15d max. 50W  -  12V

Dimensions

L149xB149xH130

Materials

aluminium 1M | 2M | 11M

Ref

1875.1M.1M	white tex
1875.2M.2.14	black tex
1875.2M.2M	black tex
1875.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage



1876/.. - SPINNER X AR70

~230V   IP20    2,3850 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type

2x QR-LP70 BA15d max. 20W  -  12V

Dimensions

L252xB149xH130

Materials

aluminium 1M | 2M | 11M

Ref

1876.1M.1M	white tex
1876.2M.2.14	black tex
1876.2M.2M	black tex
1876.2M.45	black tex
1876.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage



1877/.. - SPINNER X AR70

~230V   IP20    3,8100 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type

3x QR-LP70 BA15d max. 20W  -  12V

Dimensions

L356xB149xH130

Materials

aluminium 1M | 2M | 11M

Ref

1877.1M.1M	white tex
1877.2M.2	black tex
1877.2M.2.14	black tex
1877.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - 2x105VA - Chrom auf Anfrage



1878/.. - SPINNER X AR70

~230V   IP20    5,0750 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type

4x QR-LP70 BA15d max. 20W  -  12V

Dimensions

L460xB149xH130

Materials

aluminium 1M | 2M | 11M

Ref

1878.1M.1M	white tex
1878.2M.2.14	black tex
1878.2M.2M	black tex
1878.11M.2.14	grey tex



built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage

1880../.. - SPINNER X AR70

~230V   IP20    5,1850  0,5 m  05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type
4x QR-LP70 BA15d max. 20W  -  12V

Dimensions
L262xB262xH130

Materials
aluminium 1M | 2M | 11M

Ref	
1880.1M.1M	white tex
1880.2M.2.14	black tex
1880.2M.2.2M	black tex
1880.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage

1875.GU10../.. - SPINNER X AR70 GU10

~230V  IP20    1,9600  1 m  05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
1x QPAR70 GU10 max. 7W  230V

Dimensions
L123xB123xH130

Materials
aluminium 2

Ref	
1875.GU10.1M.1M	white tex
1875.GU10.2.2	black
1875.GU10.2M.2.14	black tex
1875.GU10.2M.2M	black tex
1875.GU10.11M.2.14	grey tex

built-up
chrome on request
Chrom auf Anfrage

1876.GU10../.. - SPINNER X AR70 GU10

~230V  IP20    2,9200  1 m  05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
2x QPAR70 GU10 max. 7W  230V

Dimensions
L252xB149xH130

Materials
aluminium 2 | 1M | 2M | 11M

Ref	
1876.GU10.1M.1M	white tex
1876.GU10.2.2	black
1876.GU10.2M.2.14	black tex
1876.GU10.2M.2M	black tex
1876.GU10.2M.45	black tex
1876.GU10.11M.2.14	grey tex

built-up
chrome on request
Chrom auf Anfrage

1877.GU10../.. - SPINNER X AR70 GU10

~230V  IP20    1 m  05.20.02 



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type
3x QPAR70 GU10 max. 7W  230V

Dimensions
L356xB149xH130

Materials
aluminium 2 | 1M | 2M | 11M

Ref	
1877.GU10.1M.1M	white tex
1877.GU10.2.2	black
1877.GU10.2M.2	black tex
1877.GU10.2M.2.14	black tex
1877.GU10.11M.2.14	grey tex

built-up
chrome on request
Chrom auf Anfrage

1878.GU10/.. - SPINNER X AR70 GU10

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

4x QPAR70 GU10 max. 7W ▶ **230V**

Dimensions

L460xB149xH130

Materials

aluminium **2 | 1M | 2M | 11M**

Ref

1878.GU10.1M.1M	white tex
1878.GU10.2.2	black
1878.GU10.2M.2.14	black tex
1878.GU10.2M.2M	black tex
1878.GU10.11M.2.14	grey tex

built-up
chrome on request
Chrom auf Anfrage

1880.GU10/.. - SPINNER X AR70 GU10

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

4x QPAR70 GU10 max. 7W ▶ **230V**

Dimensions

L262xB262xH130

Materials

aluminium **2 | 1M | 2M | 11M**

Ref

1880.GU10.1M.1M	white tex
1880.GU10.2.2	black
1880.GU10.2M.2.14	black tex
1880.GU10.2M.2.2M	black tex
1880.GU10.11M.2.14	grey tex

built-up
chrome on request
2x105VA - Chrom auf Anfrage



1891/.. - SPINNER X

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

1x QPAR111 GU10 max. 12W **A+** - **D** 230V

Dimensions

L155xB155xH126

Materials

aluminium 1M | 2M

Ref

1891.1M.1M white tex
1891.2M.2M black tex

built-up
chrome on request
Chrom auf Anfrage

1892/.. - SPINNER X

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

2x QPAR111 GU10 max. 12W **A+** - **D** 230V

Dimensions

L301xB155xH126

Materials

aluminium 1M | 2M | 11M

Ref

1892.1M.1M white tex
1892.2M.2.14 black tex
1892.2M.2.2M black tex
1892.11M.2.14 grey tex

built-up
chrome on request
Chrom auf Anfrage

1893/.. - SPINNER X

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

3x QPAR111 GU10 max. 12W **A+** - **D** 230V

Dimensions

L448xB155xH126

Materials

aluminium 1M | 2M | 11M

Ref

1893.1M.1M white tex
1893.2M.2.14 black tex
1893.2M.2.2 black tex
1893.11M.2.14 grey tex

built-up
chrome on request
Chrom auf Anfrage

1894/.. - SPINNER X

~230V



built-up ceiling light - directional - down
Aufbau Deckenleuchte - schwenkbar - down

Lamp type

4x QPAR111 GU10 max. 12W **A+** - **D** 230V

Dimensions

L308xB308xH126

Materials

aluminium 1M | 2M | 11M

Ref

1894.1M.1M white tex
1894.2M.2 black tex
1894.2M.2.14 black tex
1894.11M.2.14 grey tex

built-up
chrome on request
Chrom auf Anfrage

1861/.. - SPINNER X

~230V   IP20    4,5200 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type
1x QR-LP111 G53 max. 50W  12V

Dimensions
L155xB155xH126

Materials
aluminium 2 | 1M | 2M | 11M

Ref	
1861.1M.1M	white tex
1861.2	black
1861.2M.2.14	black tex
1861.2M.2M	black tex
1861.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage

1862/.. - SPINNER X

~230V   IP20    3,8000 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type
2x QR-LP111 G53 max. 35W  12V

Dimensions
L301xB155xH126

Materials
aluminium 1M | 2M | 11M

Ref	
1862.1M.1M	white tex
1862.2M.2.14	black tex
1862.2M.2.2M	black tex
1862.2M.2M	black tex
1862.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Farbe Chrom auf Anfrage

1863/.. - SPINNER X

~230V   IP20    5,4700 1 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type
3x QR-LP111 G53 max. 35W  12V

Dimensions
L448xB155xH126

Materials
aluminium 1M | 2M | 11M

Ref	
1863.1M.1M	white tex
1863.2M.2.14	black tex
1863.2M.2.2M	black tex
1863.11M.2.14	grey tex

built-up
with LED-transformer - chrome on request
mit LED-Trafo - Farbe Chrom auf Anfrage

1868/.. - SPINNER X

~230V   IP20    6,9300 0,5 m 05.20.02 



built-up ceiling light - directional - down - with transformer
Aufbau Deckenleuchte - schwenkbar - down - mit Trafo

Lamp type
4x QR-LP111 G53 max. 35W  12V

Dimensions
L308xB308xH130

Materials
aluminium 1M | 2M | 11M

Ref	
1868.1M.1M	white tex
1868.2M.2.14	black tex
1868.2M.2.2M	black tex
1868.11M.2.14	grey tex



built-up
with LED-transformer - chrome on request
mit LED-Trafo - Chrom auf Anfrage

1957/.. - VOLTA

~12V   IP20       



built-up ceiling or wall light - directional - without transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - ohne Trafo

Lamp type
1x QR-LP70 BA15d max. 50W  -  12V

Dimensions
Ø60xH160
Ø60

Materials
aluminium 10 | 14 | 1M | 2M
brass 13 | 23

Ref	
1957.1M	white tex
1957.2M	black tex
1957.10	alu grey
1957.13	bronze
1957.14	alu satin
1957.23	dark bronze

built-up

1957.ES50/.. - VOLTA

~230V  IP20       



built-up ceiling or wall light - directional
Decken- oder Wandleuchte für Aufbau - schwenkbar

Lamp type
1x QPAR70 GU10 max. 7W  230V

Dimensions
Ø60xH160
Ø60

Materials
aluminium 14 | 1M | 2M
brass 13 | 23

Ref	
1957.ES50.1M	white tex
1957.ES50.2M	black tex
1957.ES50.13	bronze
1957.ES50.14	alu satin
1957.ES50.23	dark bronze



built-up

1959A/.. - VOLTA + JUBA 1

~230V   IP20       



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type
1x QR-LP70 BA15d max. 50W  -  12V

Dimensions
L100xB55xH160
L100xB55

Materials
aluminium 10 | 14 | 1M | 2M
brass 13 | 23

Ref	
1959A.1M	white tex
1959A.2M	black tex
1959A.10	alu grey
1959A.13	bronze
1959A.14	alu satin
1959A.23	dark bronze

built-up
with LED-transformer
mit LED-Trafo

1959A.ES50/.. - VOLTA + JUBA 1

~230V  IP20      



built-up ceiling or wall light - directional
Decken- oder Wandleuchte für Aufbau - schwenkbar

Lamp type
1x QPAR70 GU10 max. 7W  230V

Dimensions
L100xB55xH160
L100xB55

Materials
aluminium 14 | 1M | 2M
brass 13 | 23

Ref	
1959A.ES50.1M	white tex
1959A.ES50.2M	black tex
1959A.ES50.13	bronze
1959A.ES50.14	alu satin
1959A.ES50.23	dark bronze

built-up



1959B/.. - VOLTA + JUBA 2

~230V   IP20    1,1890  0,5 m  05.20.02 



built-up ceiling or wall light - directional - with transformer
Decken- oder Wandleuchte für Aufbau - schwenkbar - mit Trafo

Lamp type

2x QR-LP70 BA15d max. 50W  -  12V

Dimensions

L200xB55xH160

L200xB55

Materials

aluminium 10 | 14 | 1M | 2M

brass 13 | 23

Ref

1959B.1M	white tex
1959B.2M	black tex
1959B.10	alu grey
1959B.13	bronze
1959B.14	alu satin
1959B.23	dark bronze

built-up
with LED-transformer
mit LED-Trafo

1959B.ES50/.. - VOLTA + JUBA 2

~230V  IP20    0,5 m  05.20.02 



built-up ceiling or wall light - directional
Decken- oder Wandleuchte für Aufbau - schwenkbar

Lamp type

2x QPAR70 GU10 max. 7W  230V

Dimensions

L200xB55xH160

L200xB55

Materials

aluminium 14 | 1M | 2M

brass 13 | 23

Ref

1959B.ES50.1M	white tex
1959B.ES50.2M	black tex
1959B.ES50.13	bronze
1959B.ES50.14	alu satin
1959B.ES50.23	dark bronze

built-up

105VA





INDOOR | Ceiling UP | Luminaires | PULA

optional: assembly lamps + transformer/driver - not included

optional: Montage Leuchtmittel + Trafo/Treiber - nicht einbegriffen

5042/.. - PULA

~12V



built-up ceiling light - directional - with built-up base - without transformer
 Aufbau Deckenleuchte - schwenkbar - ohne Trafo

Lamp type

1x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

Ø60xH90

Materials

aluminium 1M | 2M
 brass 23


Ref

5042.1M	white tex
5042.2M	black tex
5042.23	dark bronze

built-up

5044/.. - PULA

~12V



built-up ceiling light - directional - AR70 - without transformer
 Aufbau Deckenleuchte - schwenkbar - AR70 - ohne Trafo

Lamp type

1x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L130xB130xH110
 Base - L100xB100xH32

Materials

aluminium 1M | 2M
 brass 23


Ref

5044.1M	white tex
5044.2M	black tex
5044.23	dark bronze

built-up

5045/.. - PULA

~12V



built-up ceiling light - directional - with 2 spots AR70 on kneejoint - without transformer
 Aufbau Deckenleuchte - schwenkbar - mit 2 Strahler AR70 auf Kniegelenk - ohne Trafo

Lamp type

2x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L215xB130xH110
 Base - L185xB100xH32

Materials

aluminium 1M | 2M
 brass 23


Ref

5045.1M	white tex
5045.2M	black tex
5045.23	dark bronze

built-up

5046/.. - PULA

~12V



built-up ceiling light - directional - with 3 spots AR70 on kneejoint - without transformer
 Aufbau Deckenleuchte - schwenkbar - mit 3 Strahler AR70 auf Kniegelenk - ohne Trafo

Lamp type

3x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L300xB130xH110
 Base - L270xB100xH32


Materials

aluminium 1M | 2M
 brass 23

Ref

5046.1M	white tex
5046.2M	black tex
5046.23	dark bronze

built-up



INDOOR | Ceiling UP | Luminaires | PULA

optional: assembly lamps + transformer/driver - not included

optional: Montage Leuchtmittel + Trafo/Treiber - nicht einbegriffen

5047/.. - PULA

~12V



built-up ceiling light - directional - with 4 spots AR70 on kneejoint - without transformer
 Aufbau Deckenleuchte - schwenkbar - mit 4 Strahler AR70 auf Kniegelenk - ohne Trafo

Ref

5047.1M

white tex

5047.2M

black tex

5047.23

dark bronze

Lamp type

4x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L385xB130xH110

Base - L355xB100xH32

Materials


aluminium 1M | 2M

brass 23

built-up

5049/.. - PULA

~12V



built-up ceiling light - directional - with 2 spots AR70 on kneejoint - without transformer
 Aufbau Deckenleuchte - schwenkbar - mit 2 Strahler AR70 auf Kniegelenk - ohne Trafo

Ref

5049.1M

white tex

5049.2M

black tex

5049.23

dark bronze

Lamp type

2x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L110xB110xH120

Base - L110xB110xH45

Materials

aluminium 1M | 2M

brass 23

built-up

5048/.. - PULA

~12V



built-up ceiling light - directional - with 4 spots AR70 on kneejoint - without transformer
 Aufbau Deckenleuchte - schwenkbar - mit 4 Strahler AR70 auf Kniegelenk - ohne Trafo

Ref

5048.1M

white tex

5048.2M

black tex

5048.23

dark bronze

Lamp type

4x QR-LP70 BA15d max. 50W A+ - E 12V

Dimensions

L215xB215xH110

Base - L185xB185xH32

Materials

aluminium 1M | 2M

brass 23

built-up

4086.IP20/.. - FIXER XICATO

=500mA



built-up ceiling light - fixed - without LED driver
Aufbau Deckenleuchte - fest - ohne Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W - 500mA

Dimensions

L60xB60xH118 40° reflector
Reflector - Ø50

Ref

4086.IP20.1M	NW WW
4086.IP20.2M	NW WW
4086.IP20.11M	NW WW
4086.IP20.14	NW WW

built-up

4087.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - fixed - not dimmable - with LED driver
Aufbau Deckenleuchte - fest - nicht dimmbar - mit Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W - 500mA

Dimensions

L60xB60xH138 40° reflector
Reflector - Ø50

Ref

4087.IP20.1M	NW WW
4087.IP20.2M	NW WW
4087.IP20.11M	NW WW
4087.IP20.14	NW WW

built-up

4088.IP20/.. - FIXER XICATO

=500mA



built-up ceiling light - directional - without LED driver
Aufbau Deckenleuchte - schwenkbar - ohne Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W - 500mA

Dimensions

L60xB60xH120 40° reflector
Reflector - Ø50

Ref

4088.IP20.1M	NW WW
4088.IP20.2M	NW WW
4088.IP20.11M	NW WW
4088.IP20.14.11	NW WW

built-up

4089.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - directional - not dimmable - with LED driver
Aufbau Deckenleuchte - schwenkbar - nicht dimmbar - mit Driver LED

Lamp type

1x Led 965lm CRI80 max. 6,6W - 500mA

Dimensions

L60xB60xH140 40° reflector
Reflector - Ø50

Ref

4089.IP20.1M	NW WW
4089.IP20.2M	NW WW
4089.IP20.11M	NW WW
4089.IP20.14.11	NW WW

built-up

4091.IP20/.. - FIXER XICATO

=700mA



built-up ceiling light - fixed - without LED driver
Aufbau Deckenleuchte - fest - ohne Driver LED

Lamp type

1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions

Reflector - Ø70

Ref

4091.IP20.1M	NW WW
4091.IP20.2M	NW WW
4091.IP20.11M	NW WW
4091.IP20.14	NW WW

built-up

4092.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - fixed - not dimmable - with LED driver
Aufbau Deckenleuchte - fest - nicht dimmbar - mit Driver LED

Lamp type

1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions

Reflector - Ø70

Ref

4092.IP20.1M	NW WW
4092.IP20.2M	NW WW
4092.IP20.11M	NW WW
4092.IP20.14	NW WW

built-up

4093.IP20/.. - FIXER XICATO

=700mA



built-up ceiling light - directional - without LED driver
Aufbau Deckenleuchte - schwenkbar - ohne Driver LED

Lamp type

1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions

Reflector - Ø70

Ref

4093.IP20.1M	NW WW
4093.IP20.2M	NW WW
4093.IP20.11M	NW WW
4093.IP20.14.11	NW WW

built-up

4094.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - directional - not dimmable - with LED driver
Aufbau Deckenleuchte - schwenkbar - nicht dimmbar - mit Driver LED

Lamp type

1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions

Reflector - Ø70

Ref

4094.IP20.1M	NW WW
4094.IP20.2M	NW WW
4094.IP20.11M	NW WW
4094.IP20.14.11	NW WW

built-up



4096.IP20/.. - FIXER XICATO

=700mA



built-up ceiling light - fixed - without LED driver
Aufbau Deckenleuchte - fest - ohne Driver LED

Lamp type

1x Led 2000lm CRI80 max. 15,2W - 700mA

Dimensions

Reflector - Ø111

Ref

4096.IP20.1M	NW WW
4096.IP20.2M	NW WW
4096.IP20.11M	NW WW
4096.IP20.14	NW WW

built-up

4097.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - fixed - not dimmable - with LED driver
Aufbau Deckenleuchte - fest - nicht dimmbar - mit Driver LED

Lamp type

1x Led 2000lm CRI80 max. 15,2W - 700mA

Dimensions

Reflector - Ø111

Ref

4097.IP20.1M	NW WW
4097.IP20.2M	NW WW
4097.IP20.11M	NW WW
4097.IP20.14	NW WW

built-up

4098.IP20/.. - FIXER XICATO

=700mA



built-up ceiling light - directional - without LED driver
Aufbau Deckenleuchte - schwenkbar - ohne Driver LED

Lamp type

1x Led 2000lm CRI80 max. 15,2W - 700mA

Dimensions

Reflector - Ø111

Ref

4098.IP20.1M	NW WW
4098.IP20.2M	NW WW
4098.IP20.11M	NW WW
4098.IP20.14.11	NW WW

built-up

4099.IP20/.. - FIXER XICATO

~230V



built-up ceiling light - directional - not dimmable - with LED driver
Aufbau Deckenleuchte - schwenkbar - nicht dimmbar - mit Driver LED

Lamp type

1x Led 2000lm CRI80 max. 15,2W - 700mA

Dimensions

Reflector - Ø111

Ref

4099.IP20.1M	NW WW
4099.IP20.2M	NW WW
4099.IP20.11M	NW WW
4099.IP20.14.11	NW WW

built-up



4105.IP20/.. - FIXER XICATO




~230V    IP20    0,5 m  05.20.50 





built-up ceiling light - directional - not dimmable - with LED driver
 Aufbau Deckenleuchte - schwenkbar - nicht dimmbar - mit Driver LED

Ref	
4105.IP20.1M	NW WW
4105.IP20.2M	NW WW

Lamp type

 1x Led 2000lm CRI80 max. 15,2W  -  700mA

Dimensions

 L200xB200xH230  40° reflector
 Reflector - Ø111

built-up

4110.IP20/.. - FIXER XICATO




=700mA   IP20    1,9550  0,5 m  05.20.50 





built-up ceiling light - fixed - down - without LED driver
 Aufbau Deckenleuchte - fest - down - ohne Driver LED

Ref	
4110.IP20.1M	NW WW
4110.IP20.2M	NW WW
4110.IP20.11M	NW WW
4110.IP20.14	NW WW

Lamp type




 2x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions

 L162xB90xH110  40° reflector
 Reflector - Ø70

built-up

4111.IP20/.. - FIXER XICATO




~230V    IP20    1,9550  0,5 m  05.20.50 





built-up ceiling light - fixed - down - not dimmable - with LED driver
 Aufbau Deckenleuchte - fest - down - nicht dimmbar - mit Driver LED

Ref	
4111.IP20.1M	NW WW
4111.IP20.2M	NW WW
4111.IP20.11M	NW WW
4111.IP20.14	NW WW

Lamp type

 2x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions

 L162xB90xH140  40° reflector
 Reflector - Ø70

built-up

1496/.. - TORPEDO

~230V   IP20    1,3600  1 m 05.20.02 



built-up ceiling light - directional - with transformer
 Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type
 1x QR-LP111 G53 max. 35W  12V

Dimensions
 Ø124xH185-255
 Ø90xH134

Materials
 aluminium 14 | 1M | 2M

Ref	
1496.1M	white tex
1496.2M	black tex
1496.14	alu satin

built-up
 with LED-transformer
 mit LED-Trafo

1498/.. - TORPEDO

~230V   IP20    2,8400  1 m 05.20.02 



built-up ceiling light - directional - with transformer
 Aufbau Deckenleuchte - schwenkbar - mit Trafo

Lamp type
 2x QR-LP111 G53 max. 20W  12V

Dimensions
 L455xB124xH150-215
 L255xB90xH60










Materials
 aluminium 14 | 1M | 2M

Ref	
1498.1M	white tex
1498.2M	black tex
1498.14	alu satin

built-up
 with LED-transformer
 mit LED-Trafo






4081.IP20/.. - LUXOR UP XICATO

~230V    IP20      





built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

 1x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions

 L240xB195xH160  40° reflector
 Reflector - Ø111


Ref

4081.IP20.1M	NW WW
4081.IP20.1M.2M	NW WW
4081.IP20.2M	NW WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt




4082.IP20/.. - LUXOR UP XICATO

~230V    IP20       





built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

 2x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions







 L391xB195xH160  40° reflector
 Reflector - Ø111

Ref

4082.IP20.1M	NW WW
4082.IP20.1M.2M	NW WW
4082.IP20.2M	NW WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt




4083.IP20/.. - LUXOR UP XICATO

~230V    IP20      





built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

 3x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions










 L542xB195xH160  40° reflector
 Reflector - Ø111

Ref

4083.IP20.1M	NW WW
4083.IP20.1M.2M	NW WW
4083.IP20.2M	NW WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt




4084.IP20/.. - LUXOR UP XICATO

~230V    IP20      





built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

 4x Led 1300lm CRI80 max. 9,5W  -  700mA

Dimensions

 L390xB390xH160  40° reflector
 Reflector - Ø111


Ref

4084.IP20.1M	NW WW
4084.IP20.1M.2M	NW WW
4084.IP20.2M	NW WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

1980.IP20/.. - LUXOR UP XICATO

=700mA



built-up ceiling light - directional - down - with led - without LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - ohne Driver LED

Ref	
1980.IP20.1M	NW WW
1980.IP20.1M.2M	NW WW
1980.IP20.2M	NW WW


Lamp type
 1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L159xB159xH130 40° reflector
 Reflector - Ø70

built-up

1981.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Ref	
1981.IP20.1M	NW WW
1981.IP20.1M.2M	NW WW
1981.IP20.2M	NW WW

Lamp type
 1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L200xB159xH130 40° reflector
 Reflector - Ø70

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

1982.IP20/.. - LUXOR UP XICATO

=700mA



built-up ceiling light - directional - down - with led - without LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - ohne Driver LED

Ref	
1982.IP20.1M	NW WW
1982.IP20.1M.2M	NW WW
1982.IP20.2M	NW WW

Lamp type
 2x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L262xB159xH130 40° reflector
 Reflector - Ø70

built-up

1983.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Ref	
1983.IP20.1M	NW WW
1983.IP20.1M.2M	NW WW
1983.IP20.2M	NW WW


Lamp type
 2x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L302xB159xH130 40° reflector
 Reflector - Ø70

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

1984.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

3x Led 1300lm CRI80 max. 9,5W A - A+ 700mA

Dimensions

L405xB159xH130 40° reflector

Reflector - Ø70

Ref

1984.IP20.1M NW | WW


1984.IP20.1M.2M NW | WW

1984.IP20.2M NW | WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt

1985.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

4x Led 1300lm CRI80 max. 9,5W A - A+ 700mA

Dimensions

L340xB340xH130 40° reflector

Reflector - Ø70

Ref

1985.IP20.1M NW | WW

1985.IP20.1M.2M NW | WW

1985.IP20.2M NW | WW

built-up
 dimmable phase-cut
 dimmbar Phasenabschnitt



1986.IP20/.. - LUXOR UP XICATO

=700mA



built-up ceiling light - directional - down - with led - without LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - ohne Driver LED

Ref	
1986.IP20.1M	NW WW
1986.IP20.1M.2M	NW WW
1986.IP20.2M	NW WW

Lamp type
 1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L159xB159xH130 40° reflector
 Reflector - Ø70

built-up
 with closed cover plate - dimbaar phase-cut
 mit geschlossener Abdeckplatte - dimmbar
 Phasenabschnitt

1987.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Ref	
1987.IP20.1M	NW WW
1987.IP20.1M.2M	NW WW
1987.IP20.2M	NW WW

Lamp type
 1x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L200xB159xH130 40° reflector
 Reflector - Ø70

built-up
 with closed cover plate - dimmable phase-cut
 mit geschlossener Abdeckplatte - dimmbar
 Phasenabschnitt

1988.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Ref	
1988.IP20.1M	NW WW
1988.IP20.1M.2M	NW WW
1988.IP20.2M	NW WW

Lamp type
 2x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L302xB159xH130 40° reflector
 Reflector - Ø70

built-up
 with closed cover plate - dimmable phase-cut
 mit geschlossener Abdeckplatte - dimmbar
 Phasenabschnitt

1989.IP20/.. - LUXOR UP XICATO

~230V



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Ref	
1989.IP20.1M	NW WW
1989.IP20.1M.2M	NW WW
1989.IP20.2M.1M	NW
1989.IP20.2M	NW WW

Lamp type
 3x Led 1300lm CRI80 max. 9,5W - 700mA

Dimensions
 L405xB159xH130 40° reflector
 Reflector - Ø70

built-up
 with closed cover plate - dimmable phase-cut
 mit geschlossener Abdeckplatte - dimmbar
 Phasenabschnitt

1969.IP20/.. - LUXOR UP XICATO

~230V



LED C

IP20



4,6500

0,5 m

05.20.50



built-up ceiling light - directional - down - with led - with LED driver
 Aufbau Deckenleuchte - schwenkbar - down - mit Led - mit Driver LED

Lamp type

4x Led 1300lm CRI80 max. 9,5W A - A 700mA

Dimensions

L340xB340xH130 40° reflector
 Reflector - Ø70

Ref

1969.IP20.1M	NW WW
1969.IP20.1M.2M	NW WW
1969.IP20.2M	NW WW

built-up
 with closed cover plate - dimmable phase-cut
 mit geschlossener Abdeckplatte - dimmbar
 Phasenabschnitt



W739/.. - POLO

~230V IP44 1,1200 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x TCR-TSE GX53 max. 5W **A+** - **E** 230V

Dimensions

L120xB120xH75

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB

Ref

.5	inox 316
.5BB	inox 316 2x coated
.31MX	white texture
.32X	black texture
.33MX	brown texture
.46X	grey-brown
.53X	bronze-brown
.64X	black grey

built-up

W740/.. - POLO

~230V IP44 3,7000 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 60W **A** - **E** 230V

or 1x ST64 E27 max. 60W **A** - **E** 230V

Dimensions

L240xB240xH128

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB


Ref

W740.5	inox 316
W740.5BB	inox 316 2x coated
W740.31MX	white texture
W740.32X	black texture
W740.33MX	brown texture
W740.46X	grey-brown
W740.53X	bronze-brown
W740.64X	black grey

built-up

W741/.. - POLO

~230V IP44 5,2200 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 60W **A** - **E** 230V

or 1x ST64 E27 max. 60W **A** - **E** 230V

Dimensions

L320xB320xH128

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB


Ref

W741.5	inox 316
W741.5BB	inox 316 2x coated
W741.31MX	white texture
W741.32X	black texture
W741.33MX	brown texture
W741.46X	grey-brown
W741.53X	bronze-brown
W741.64X	black grey

built-up

W741.B./.. - POLO

~230V IP44 5,6600 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

2x A60 E27 max. 60W **A** - **E** 230V

or 2x ST64 E27 max. 60W **A** - **E** 230V

Dimensions

L320xB320xH128

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB

Ref

W741.B.5	inox 316
W741.B.5BB	inox 316 2x coated
W741.B.31MX	white texture
W741.B.32X	black texture
W741.B.33MX	brown texture
W741.B.46X	grey-brown
W741.B.53X	bronze-brown
W741.B.64X	black grey

built-up

W778/.. - POLO

~230V IP44 2,0450 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 40W **A** - **E** 230V

Dimensions

L136xB136xH210

L120xB120xH30

Head - L136xB136xH180

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB


Ref

W778.5	inox 316
W778.5BB	inox 316 2x coated
W778.31MX	white texture
W778.32X	black texture
W778.33MX	brown texture
W778.46X	grey-brown
W778.53X	bronze-brown
W778.64X	black grey

built-up

W760A/.. - POLO

~230V IP44 4,9300 0,5 m 05.20.02 CE



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 60W **A** - **E** 230V

or 1x ST64 E27 max. 60W **A** - **E** 230V

Dimensions

L240xB220xH380

L110xB110xH30

Head - L240xB220xH320

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB








Ref

W760A.5	inox 316
W760A.5BB	inox 316 2x coated
W760A.31MX	white texture
W760A.32X	black texture
W760A.33MX	brown texture
W760A.46X	grey-brown
W760A.53X	bronze-brown
W760A.64X	black grey

built-up



W779/.. - POLO

~230V  IP44     0,5 m  05.20.02 



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x ST64 E27 max. 40W  230V

Dimensions

L240xB240xH270

L80xB80xH30

Head - L240xB240xH240

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB

Ref

W779.5	inox 316
W779.5BB	inox 316 2x coated
W779.31MX	white texture
W779.32X	black texture
W779.33MX	brown texture
W779.46X	grey-brown
W779.53X	bronze-brown
W779.64X	black grey

built-up

W742/.. - POLO

~230V  IP44     3,7200 0,5 m  05.20.02 



built-up ceiling light - fixed - down
Aufbau Deckenleuchte - fest - down

Lamp type

1x A60 E27 max. 60W  230V

or 1x ST64 E27 max. 60W  230V

Dimensions

L240xB240xH350

L80xB80xH30

Head - L240xB240xH320

Materials

INOX 32X | 46X | 53X | 64X | 31MX | 33MX
INOX 316 5 | 5BB

Ref

W742.5	inox 316
W742.5BB	inox 316 2x coated
W742.31MX	white texture
W742.32X	black texture
W742.33MX	brown texture
W742.46X	grey-brown
W742.53X	bronze-brown
W742.64X	black grey

built-up

1545LED/.. - WING LED

~230V  IP20     



ceiling light - fixed - down - with led
Deckenleuchte - fest - down - mit Led

Lamp type
2x led 750lm max. 9W  230V







Dimensions
L300xB300xH70


Materials
aluminium 14 | 1M | 2M

Ref
1545LED.1M.NW white tex
1545LED.2M.NW black tex
1545LED.14.NW alu satin

built-up
Dimmable phase-cut
Phasenabschnitt

1546LED/.. - WING LED

~230V  IP20     



ceiling light - fixed - down - with led
Deckenleuchte - fest - down - mit Led

Lamp type
8x led 750lm max. 9W  230V







Dimensions
L600xB600xH70

Materials
aluminium 14 | 1M | 2M

Ref
1546LED.1M.NW white tex
1546LED.2M.NW black tex
1546LED.14.NW alu satin

built-up
Dimmable phase-cut
Phasenabschnitt

1547LED/.. - WING LED

~230V  IP20     



ceiling light - fixed - down - with led
Deckenleuchte - fest - down - mit Led

Lamp type
4x led 750lm max. 9W  230V







Dimensions
L600xB300xH70


Materials
aluminium 14 | 1M | 2M

Ref
1547LED.1M.NW white tex
1547LED.2M.NW black tex
1547LED.14.NW alu satin

built-up
Dimmable phase-cut
Phasenabschnitt

1548LED/.. - WING LED

~230V  IP20     



ceiling light - fixed - down - with led
Deckenleuchte - fest - down - mit Led

Lamp type
8x led 750lm max. 9W  230V

Dimensions
L1200xB300xH70

Materials
aluminium 14 | 1M | 2M

Ref
1548LED.1M.NW white tex
1548LED.2M.NW black tex
1548LED.14.NW alu satin

built-up
Dimmable phase-cut
Phasenabschnitt