

INDOOR
SYSTEM UP

INDOOR SYSTEM UP

Index


S

STILETTO	5-42
FIXATION BOX 45X45	7-13
FIXATION BOX 70X45	15-17
FIXATION BOX 60X60	18-20
BOX / SPOTS	21-31
PROFILES	33
CORNERS	35
CABLES	37
MODULES TIMES	39-40
STILETTO- TIMES 45X45	41
STILETTO- TIMES 45X70	42



Stiletto

add on and on and on



psmlighting

100% Made in Belgium



8201/.. - STILETTO

IP20   0,2100 



Junction box for spot or pendant with 1 input
Anschlußbox für Strahler oder Pendelleuchte mit 1 Eingang

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8201.1M	white tex
8201.2M	black tex
8201.14	alu satin
8201.45	sun gold

8202/.. - STILETTO

IP20   0,1500 



Junction box for spot or pendant with 2 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 2 Eingängen

Dimensions

↳ L45xB45xH45

Materials



aluminium 14 | 1M | 2M | 45

Ref

8202.1M	white tex
8202.2M	black tex
8202.14	alu satin
8202.45	sun gold

I-connector
I-Verbinder

8203/.. - STILETTO

IP20   0,2500 



Junction box for spot or pendant with 3 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 3 Eingängen

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8203.1M	white tex
8203.2M	black tex
8203.14	alu satin
8203.45	sun gold

T-connector
T-Verbinder

8204/.. - STILETTO

IP20  



Junction box for spot or pendant with 4 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 4 Eingängen

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8204.1M	white tex
8204.2M	black tex
8204.14	alu satin
8204.45	sun gold

X-connector
X-Verbinder

8208/.. - STILETTO

IP20   



Junction box for spot or pendant with 2 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 2
Eingängen

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8208.1M	white tex
8208.2M	black tex
8208.14	alu satin
8208.45	sun gold

8209/.. - STILETTO

IP20  



Junction box for spot or pendant with 1 diagonal input
Anschlußbox für Strahler oder Pendelleuchte mit 1 schräger
Eingang

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8209.1M	white tex
8209.2M	black tex
8209.14	alu satin
8209.45	sun gold

8210/.. - STILETTO

IP20  



Junction box for spot or pendant with 2 diagonal inputs
Anschlußdose für Strahler oder Pendelleuchte mit 2
Diagonaleingängen

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8210.1M	white tex
8210.2M	black tex
8210.14	alu satin
8210.45	sun gold

8222/.. - STILETTO

 IP20  



Junction box for spot or pendant with 2 diagonal inputs and
1 straight input
Anschlußdose für Strahler oder Pendelleuchte mit 2
Diagonaleingängen und 1 Rechte

Dimensions

↳ L45xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8222.1M	white tex
8222.2M	black tex
8222.14	alu satin
8222.45	sun gold

8223/.. - STILETTO

IP20  



Junction box for spot or pendant with 4 straight inputs and 1 diagonal input
 Anschlußdose für Strahler oder Pendelleuchte mit 4 rechte Eingängen und 1 Diagonaleingang

Dimensions

↔ L45xB45xH45

Materials

aluminium

Ref

8223.1M

8223.2M

8223.14

8223.45

white tex

black tex

alu satin

sun gold

14 | 1M | 2M | 45



8205/.. - STILETTO

IP20   0,1000 



blind coverplate
Blindabdeckungsplatte

Dimensions

↔ L48xB48xH8

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8205.1M	white tex
8205.2M	black tex
8205.4	shiny gold
8205.14	alu satin
8205.16	satin gold
8205.45	sun gold

8206/.. - STILETTO - 10,2

IP20   0,1000 



Coverplate for spot or pendant
Abdeckplatte für Strahler oder Pendelleuchte

Dimensions

↔ L48xB48xH8

Options

P039 - STRAIN RELIEF - TREKONTLASTING

P040 - STRAIN RELIEF - TREKONTLASTING

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8206.1M	white tex
8206.2M	black tex
8206.4	shiny gold
8206.14	alu satin
8206.16	satin gold
8206.45	sun gold

8207/.. - STILETTO - B3

IP20   0,1300 



Coverplate for pendant with swivel B3
Abdeckplatte für Pendelleuchte mit swivel B3

Dimensions

↔ L48xB48xH8

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8207.1M	white tex
8207.2M	black tex
8207.4	shiny gold
8207.14	alu satin
8207.16	satin gold
8207.45	sun gold

8200/.. - STILETTO

=350mA



spotlight - Coverplate with zialed - without LED driver
 Aufbaustrahler - Abdeckungsplatte mit zialed - ohne Driver LED

Lamptype

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L48xB48xH32 \angle 48° reflector

Ref

8200.1M	NW WW
8200.2M	NW WW
8200.4	NW WW
8200.14	NW WW
8200.16	NW WW
8200.45	NW WW

built-up

8261/.. - STILETTO

=350mA



spotlight - square - fixed - Coverplate with zialed - without LED driver
 Aufbaustrahler - viereckig - fest - Abdeckungsplatte mit zialed - ohne Driver LED

Lamptype

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L48xB48xH32 \angle 48° reflector

Ref


8261.1M	NW WW
8261.2M	NW WW
8261.4	NW WW
8261.14	NW WW
8261.16	NW WW
8261.45	NW WW

built-up



8095/.. - STILETTO

IP20  



Materials
aluminium

1M | 2M

Ref

8095.1M
8095.2M

white tex
black tex

8096/.. - STILETTO

IP20  



Materials
aluminium

1M | 2M

Ref

8096.1M
8096.2M

white tex
black tex

8097/.. - STILETTO

IP20  



Materials
aluminium

1M | 2M

Ref

8097.1M
8097.2M

white tex
black tex

8098/.. - STILETTO

IP20  



Materials
aluminium

1M | 2M

Ref

8098.1M
8098.2M

white tex
black tex

8224/.. - STILETTO

IP20    



square - fixed - Coverplate for vertical profile
viereckig - fest - Abdeckplatte für vertikales Profil

Dimensions

L48xB48xH8

Materials

aluminium
brass

1M | 2M | 45
4 | 16

Ref

8224.1M
8224.2M
8224.4
8224.16
8224.45

white tex
black tex
shiny gold
satin gold
sun gold

built-up

8281/.. - STILETTO

IP20  



Cover plate with closed hook for suspension
Abdeckplatte mit geschlossenem Haken für Pendel

Materials

aluminium
brass

1M | 2M
16

Ref

8281.1M
8281.2M
8281.16

white tex
black tex
satin gold



P039/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



strain relief
Zugentlastung

Dimensions

↔ Ø15xH21

Materials

aluminium	1 2 11 14 1M 21 2M 44 46 53
brass	4 13 16 23
red copper	28

Ref

P039.1	white
P039.1M	white tex
P039.2	black
P039.2M	black tex
P039.4	shiny gold
P039.11	alu grey
P039.13	bronze
P039.14	alu satin
P039.16	satin gold
P039.21	rust
P039.23	dark bronze
P039.28	rosé
P039.44	anthracite grey
P039.46	grey-brown
P039.53	bronze-brown

to be fixed to rosette or ceiling light
für Montage auf Rosette oder Deckenleuchte

P040/.. - STRAIN RELIEF - TREKONTLASTING

IP20    



strain relief
Zugentlastung

Dimensions

↔ Ø15xH21

Materials

aluminium	1 2 11 14 1M 2M
brass	4 13 16 23
red copper	28

Ref

P040.1	white
P040.1M	white tex
P040.2	black
P040.2M	black tex
P040.4	shiny gold
P040.11	alu grey
P040.13	bronze
P040.14	alu satin
P040.16	satin gold
P040.23	dark bronze
P040.28	rosé

to be fixed to rosette or ceiling light
für Montage auf Rosette oder Deckenleuchte

8211/.. - STILETTO

IP20  



Junction box for spot or pendant with 1 input
Anschlußbox für Strahler oder Pendelleuchte mit 1 Eingang

Dimensions

↔ L70xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8211.1M	white tex
8211.2M	black tex
8211.14	alu satin
8211.45	sun gold

I-connector
I-Verbinder

8212/.. - STILETTO

IP20   



Junction box for spot or pendant with 2 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 2 Eingängen

Dimensions

↔ L70xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8212.1M	white tex
8212.2M	black tex
8212.14	alu satin
8212.45	sun gold

8213/.. - STILETTO

IP20  



Junction box for spot or pendant with 3 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 3 Eingängen

Dimensions

↔ L70xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8213.1M	white tex
8213.2M	black tex
8213.14	alu satin
8213.45	sun gold

T-connector
T-Verbinder

8214/.. - STILETTO

IP20  



Junction box for spot or pendant with 4 inputs
Anschlußbox für Strahler oder Pendelleuchte mit 4 Eingängen

Dimensions

↔ L70xB45xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8214.1M	white tex
8214.2M	black tex
8214.14	alu satin
8214.45	sun gold

X-connector
X-Verbinder

8215/.. - STILETTO

IP20  



blind coverplate
Blindabdeckungsplatte

Dimensions

↔ L73xB48xH8

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8215.1M	white tex
8215.2M	black tex
8215.4	shiny gold
8215.14	alu satin
8215.16	satin gold
8215.45	sun gold

8216/.. - STILETTO - 10,2

IP20   



Coverplate for spot or pendant
Abdeckplatte für Strahler oder Pendelleuchte

Dimensions

↔ L73xB48xH8

Options

P039 - STRAIN RELIEF - TREKONTLASTING

P040 - STRAIN RELIEF - TREKONTLASTING

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8216.1M	white tex
8216.2M	black tex
8216.4	shiny gold
8216.14	alu satin
8216.16	satin gold
8216.45	sun gold

spots to be ordered separately
Strahler separat zu bestellen

8217/.. - STILETTO - B3

IP20  



Coverplate for pendant with swivel B3
Abdeckplatte für Pendelleuchte mit swivel B3

Dimensions

↔ L73xB48xH8

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8217.1M	white tex
8217.2M	black tex
8217.4	shiny gold
8217.14	alu satin
8217.16	satin gold
8217.45	sun gold

pendant to be ordered separately
Pendelleuchte separat zu bestellen

8218/.. - STILETTO

=350mA



spotlight - Coverplate with zialed - without LED driver
 Aufbaustrahler - Abdeckungsplatte mit zialed - ohne Driver LED

Lamptype

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L73xB48xH32 \wedge 48° reflector

Ref

8218.1M	NW WW
8218.2M	NW WW
8218.4	NW WW
8218.14	NW WW
8218.16	NW WW
8218.45	NW WW

built-up

8272/.. - STILETTO

=350mA



spotlight - square - fixed - Coverplate with zialed - without LED driver
 Aufbaustrahler - viereckig - fest - Abdeckungsplatte mit zialed - ohne Driver LED

Lamptype

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L73xB48xH32 \wedge 48° reflector

Ref

8272.1M	NW WW
8272.2M	NW WW
8272.4	NW WW
8272.14	NW WW
8272.16	NW WW
8272.45	NW WW

built-up

8225/.. - STILETTO



downlight - square - Coverplate for vertical profile
 Einbaustrahler - viereckig - Abdeckplatte für vertikales Profil

Dimensions

L73xB48xH8

Materials

aluminium 1M | 2M | 45
 brass 4 | 16

Ref

8225.1M	white tex
8225.2M	black tex
8225.4	shiny gold
8225.16	satın gold
8225.45	sun gold

8294/.. - STILETTO

IP20  



Junction box for spot or pendant with 4 straight inputs
Anschlußbox für Strahler oder Pendelleuchte mit 4 rechte
Eingängen

Dimensions

↔ L60xB60xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8294.1M	white tex
8294.2M	black tex
8294.14	alu satin
8294.45	sun gold

X-connector
X-Verbinder

8295/.. - STILETTO

IP20  



Junction box for spot or pendant with 4 diagonal inputs
Anschlußbox für Strahler oder Pendelleuchte mit 4
Diagonaleingängen

Dimensions

↔ L60xB60xH45

Materials

aluminium 14 | 1M | 2M | 45

Ref

8295.1M	white tex
8295.2M	black tex
8295.14	alu satin
8295.45	sun gold

X-connector
X-Verbinder



8296/.. - STILETTO

IP20  



blind coverplate
Blindabdeckungsplatte

Dimensions

↔ L63xB63xH8

Materials


aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8296.1M	white tex
8296.2M	black tex
8296.4	shiny gold
8296.14	alu satin
8296.16	satin gold
8296.45	sun gold

8297/.. - STILETTO - 10,2

IP20  



Coverplate for spot or pendant
Abdeckplatte für Strahler oder Pendelleuchte

Dimensions

↔ L63xB63xH8

Options

P039 - STRAIN RELIEF - TREKONTLASTING
P040 - STRAIN RELIEF - TREKONTLASTING

Materials



aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8297.1M	white tex
8297.2M	black tex
8297.4	shiny gold
8297.14	alu satin
8297.16	satin gold
8297.45	sun gold

8298/.. - STILETTO - B3

IP20  



Coverplate for pendant with swivel B3
Abdeckplatte für Pendelleuchte mit swivel B3

Dimensions

↔ L63xB63xH8

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8298.1M	white tex
8298.2M	black tex
8298.4	shiny gold
8298.14	alu satin
8298.16	satin gold
8298.45	sun gold

8299/.. - STILETTO

=350mA



spotlight - Coverplate with zialed - without LED driver
 Aufbaustrahler - Abdeckungsplatte mit zialed - ohne Driver LED

Lamp type

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L63xB63xH32 48° reflector

Ref

8299.1M	NW WW
8299.2M	NW WW
8299.4	NW WW
8299.14	NW WW
8299.16	NW WW
8299.45	NW WW

built-up
 serial connection
 Serieschaltung

8289/.. - STILETTO

=350mA



square - fixed - without LED driver
 viereckig - fest - ohne Driver LED

Lamp type

1x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L63xB63xH32 48° reflector

Ref

8289.1M	NW WW
8289.2M	NW WW
8289.4	NW WW
8289.14	NW WW
8289.16	NW WW
8289.45	NW WW

built-up

8228/.. - STILETTO



None - Coverplate for vertical profile
 Abdeckplatte für vertikales Profil

Materials


aluminium 1M | 2M | 45
 brass 4 | 16

Ref

8228.1M	white tex
8228.2M	black tex
8228.4	shiny gold
8228.16	satin gold
8228.45	sun gold

8219/.. - STILETTO

IP20   



Junction box with blind coverplate
Anschlußdose mit Blindabdeckungsplatte

Dimensions

← L123xB48xH47

Options

TR.127040 - DRIVER

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8219.1M	white tex
8219.2M	black tex
8219.4.2M	shiny gold
8219.14	alu satin
8219.16.2M	satin gold
8219.45	sun gold

room for driver
Raum für Ledkonverter

8220/.. - STILETTO

IP20  



Junction box with coverplate for spotlight or pendant
Anschlußdose mit Abdeckplatte für Strahler oder
Pendelleuchte

Dimensions

← L123xB48xH47

Options

P039 - STRAIN RELIEF - TREKONTLASTING
P040 - STRAIN RELIEF - TREKONTLASTING
TR127040 - DRIVER

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8220.1M	white tex
8220.2M	black tex
8220.4.2M	shiny gold
8220.14	alu satin
8220.16.2M	satin gold
8220.45	sun gold

spotlight to order separately
Strahler separat bestellen



8221/.. - STILETTO - 10,2

~230V  IP20  0,5 m  



Connection box with Capa on tige 5cm
Anschlussdose mit Capa auf Tige 5cm

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V
or 1x QPAR70 GU10 max. 7W 

Dimensions

L123xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8221.1M	white tex
8221.2M	black tex
8221.4.2M	shiny gold
8221.14	alu satin
8221.16.2M	satin gold
8221.45	sun gold

built-up
lightbulb not included
Leuchtmittel nicht einbegriffen

8229/.. - STILETTO - 10,2

~230V  IP20  0,5 m  



Junction box with Capa X spotlight on bar 5cm
Anschlußdose mit Capa X Strahler auf Stange 5cm

Lamp type

1x QPAR 51 GU10 max. 20W  -  230V

Dimensions

L123xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8229.1M	white tex
8229.2M	black tex
8229.4.2M	shiny gold
8229.14	alu satin
8229.16.2M	satin gold
8229.45	sun gold

built-up
lightbulb not included
Leuchtmittel nicht einbegriffen



8226/.. - STILETTO

~230V   IP20  0,5 m  



Junction box with Jacob ledlight on bar 5cm - with LED driver
Anschlußdose mit Jacob LED Strahler auf Stange 5cm - mit Driver LED

Lamp type

1x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

L123xB48xH47 \wedge 48° reflector


Ref

8226.1M	NW WW
8226.2M	NW WW
8226.4.2M	NW WW
8226.14	NW WW
8226.16.2M	NW WW
8226.45.45	NW WW

built-up

8230/.. - STILETTO

IP20  



Junction box with blind coverplate
Anschlußdose mit Blindabdeckungsplatte

Dimensions

↳ L183xB48xH47

Options

TR122246 - DRIVER

Materials

aluminium 14 | 1M | 2M | 4S
brass 4 | 16


Ref

8230.1M	white tex
8230.2M	black tex
8230.4.2M	shiny gold
8230.14.2M	alu satin
8230.16	satin gold
8230.45	sun gold

room for driver
Raum für Ledkonverter



8232/.. - STILETTO

~230V   IP20     



round - Coverplate with 2 built-up spots ZiaLed M - with LED driver
rund - Abdeckplatte mit 2 Aufbaustrahler ZiaLed M - mit Driver LED

Lamp type

⊙ 2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

↳ L183xB48xH47 


Ref

8232.1M	NW WW
8232.2M	NW WW
8232.4.2M	NW WW
8232.14	NW WW
8232.16.2M	NW WW
8232.45.45	NW WW

built-up



8107/.. - STILETTO

~230V   IP20    



square - Coverplate with 2 built-up spots ZiaLed M - with LED driver
viereckig - Abdeckplatte mit 2 Aufbaustrahler ZiaLed M - mit Driver LED

Lamp type

⊙ 2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

↳ L183xB48xH47 


Ref

8107.1M	NW WW
8107.2M	NW WW
8107.14	NW WW
8107.16.1M	NW WW
8107.16.2M	NW WW
8107.45.45	NW WW

built-up



8108/.. - STILETTO

=350mA   IP20     



Coverplate with 2 built-in spots ZiaLed M - without LED driver
Abdeckplatte mit 2 Einbaustrahler ZiaLed M - ohne Driver LED

Lamp type

⊙ 2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

↳ L183xB48xH47 


Ref

8108.1M	NW WW
8108.2M	NW WW
8108.14	NW WW
8108.29	NW WW
8108.45	NW WW
8108.49	NW WW



built-up


8233/.. - STILETTO

=350mA      



round - Junction box with 3 built-up spots ZiaLed M - with LED driver
 rund - Anschlußdose mit 3 Aufbaustrahler ZiaLed M - mit Driver LED

Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L183xB48xH47 

Ref	
8233.1M	NW WW
8233.2M	NW WW
8233.4.2M	NW WW
8233.14	NW WW
8233.16.2M	NW WW
8233.45.45	NW WW



built-up


8109/.. - STILETTO

~230V     



square - Junction box with 3 built-up spots ZiaLed M - with LED driver
 viereckig - Anschlußdose mit 3 Aufbaustrahler ZiaLed M - mit Driver LED

Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L183xB48xH47 

Ref	
8109.1M	NW WW
8109.2M	NW WW
8109.14	NW WW
8109.16.1M	NW WW
8109.16.2M	NW WW
8109.45.45	NW WW



built-up


8116/.. - STILETTO

=350mA     



Junction box with 3x built-in spot ZiaLed M - without LED driver
 Anschlußdose mit 3x Einbaustrahler ZiaLed M - ohne Driver LED

Lamp type
 3x led 467lm CRI80 max. 3,8W  -  350mA


Dimensions
 L183xB48xH47 

Ref	
8116.1M	NW WW
8116.2M	NW WW
8116.14	NW WW
8116.29	NW WW
8116.45	NW WW
8116.49	NW WW

built-up

8234/.. - STILETTO - 10,2

IP20 



Junction box with coverplate for 2 built-up spotlights
 Anschlußdose mit Abdeckplatte für 2 Aufbaustrahler auf Stange

Dimensions
 L183xB48xH47

Materials
 aluminium 14 | 1M | 2M | 45
 brass 4 | 16

Ref	
8234.1M	white tex
8234.2M	black tex
8234.4.2M	shiny gold
8234.14	alu satin
8234.16.2M	satin gold
8234.45	sun gold

spots to be ordered separately
 Strahler separat zu bestellen

8235/.. - STILETTO

~230V IP20 0,8700 0,5 m 05.20.02 CE



Junction box with 2x Capa spotlight on bar 5cm
Anschlußdose mit 2x Capa Strahler auf Stange 5cm

Lamp type

2x QPAR 51 GU10 max. 20W **A+** - **E** 230V
or 2x QPAR70 GU10 max. 7W **A+** 230V

Dimensions

L183xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8235.1M	white tex
8235.2M	black tex
8235.4.2M	shiny gold
8235.14	alu satin
8235.16.2M	satin gold
8235.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8231/.. - STILETTO

~230V IP20 0,3900 0,5 m 05.20.02 CE



Junction box with 2x Capa X spotlight on bar 5cm
Anschlußdose mit 2x Capa X Strahler auf Stange 5cm

Lamp type

2x QPAR 51 GU10 max. 20W **A+** - **E** 230V

Dimensions

L183xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8231.1M	white tex
8231.2M	black tex
8231.4.2M	shiny gold
8231.14	alu satin
8231.16.2M	satin gold
8231.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8227/.. - STILETTO

~230V IP20 0,8100 0,5 m 05.20.50 CE



Junction box with 2x Jacob ledlight on bar 5cm - with LED driver
Anschlußdose mit 2x Jacob LED Strahler auf Stange 5cm - mit Driver LED

Lamp type

2x led 467lm CRI80 max. 3,8W **A+** - **A+** 350mA

Dimensions

L183xB48xH47 48° reflector


Ref

8227.1M	NW WW
8227.2M	NW WW
8227.4.2M	NW WW
8227.14	NW WW
8227.16.2M	NW WW
8227.45.45	NW WW

built-up

8236/.. - STILETTO

IP20   



Junction box with blind coverplate
Anschlußdose mit Blindabdeckungsplatte

Dimensions

↳ L243xB48xH47

Options

TR122246 - DRIVER

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8236.1M	white tex
8236.2M	black tex
8236.4.2M	shiny gold
8236.14	alu satin
8236.16.2M	satin gold
8236.45	sun gold

room for driver
Raum für Ledkonverter

8237/.. - STILETTO - 10,2

IP20  



Junction box with coverplate for 2 built-up spotlights
Anschlußdose mit Abdeckplatte für 2 Aufbaustrahler auf Stange

Dimensions

↳ L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8237.1M	white tex
8237.2M	black tex
8237.4.2M	shiny gold
8237.14	alu satin
8237.16.2M	satin gold
8237.45	sun gold

spots to be ordered separately
Strahler separat zu bestellen

8238/.. - STILETTO - 10,2

IP20  



Junction box with coverplate for 3 built-up spotlights
Anschlußdose mit Abdeckplatte für 3 Aufbaustrahler auf Stange

Dimensions

↳ L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8238.1M	white tex
8238.2M	black tex
8238.4	shiny gold
8238.14	alu satin
8238.16	satin gold
8238.45	sun gold

spots to be ordered separately
Strahler separat zu bestellen



8239/.. - STILETTO - 10,2

~230V  IP20    




Junction box with 2x Capa spotlight on bar 5cm
Anschlußdose mit 2x Capa Strahler auf Stange 5cm

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V
or  2x QPAR70 GU10 max. 7W  230V

Dimensions

 L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8239.1M	white tex
8239.2M	black tex
8239.4.2M	shiny gold
8239.14	alu satin
8239.16.2M	satin gold
8239.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen



8256/.. - STILETTO - 10,2

~230V  IP20    




Junction box with 2x Capa X spotlight on bar 5cm
Anschlußdose mit 2x Capa X Strahler auf Stange 5cm

Lamp type

 2x QPAR 51 GU10 max. 20W  -  230V
 2x QPAR70 GU10 max. 7W  230V

Dimensions

 L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8256.1M	white tex
8256.2M	black tex
8256.4.2M	shiny gold
8256.14	alu satin
8256.16.2M	satin gold
8256.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8257/.. - STILETTO - 10,2

~230V  IP20    




Junction box with 3x Capa X spotlight on bar 5cm
Anschlußdose mit 3x Capa X Strahler auf Stange 5cm

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V
 3x QPAR70 GU10 max. 7W  230V

Dimensions

 L243xB48xH47

Materials






aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8257.1M	white tex
8257.2M	black tex
8257.4	shiny gold
8257.14	alu satin
8257.16	satin gold
8257.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8240/.. - STILETTO - 10,2

~230V  IP20    




Junction box with 3x Capa spotlight on bar 5cm
Anschlußdose mit 3x Capa Strahler auf Stange 5cm

Lamp type

 3x QPAR 51 GU10 max. 20W  -  230V
or  3x QPAR70 GU10 max. 7W  230V

Dimensions

 L243xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8240.1M	white tex
8240.2M	black tex
8240.4.2M	shiny gold
8240.14	alu satin
8240.16.2M	satin gold
8240.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen



8241/.. - STILETTO

~230V      



Junction box with 2x Jacob ledlight on bar 5cm - with LED driver
Anschlußdose mit 2x Jacob LED Strahler auf Stange 5cm - mit Driver LED

Lamp type

2x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

L243xB48xH47 


Ref

8241.1M	NW WW
8241.2M	NW WW
8241.4.2M	NW WW
8241.14	NW WW
8241.16.2M	NW WW
8241.45.45	NW WW

built-up



8242/.. - STILETTO

~230V      



Junction box with 3x Jacob ledlight on bar 5cm - with LED driver
Anschlußdose mit 3x Jacob LED Strahler auf Stange 5cm - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

L243xB48xH47 

Ref

8242.1M	NW WW
8242.2M	NW WW
8242.4.2M	NW WW
8242.14	NW WW
8242.16.2M	NW WW
8242.45.45	NW WW

built-up



8243/.. - STILETTO

IP20  



Junction box with blind coverplate
Anschlußdose mit Blindabdeckungsplatte

Dimensions

↔ L300xB45xH45

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8243.1M	white tex
8243.2M	black tex
8243.4.2M	shiny gold
8243.14	alu satin
8243.16.2M	satin gold
8243.45	sun gold

room for driver
Raum für Ledkonverter

8244/.. - STILETTO


~230V  IP20    



Junction box with 4x Capa spotlight on bar 5cm
Anschlußdose mit 4x Capa Strahler auf Stange 5cm

Lamp type

⚡ 4x QPAR 51 GU10 max. 20W  -  230V

or ⚡ 4x QPAR70 GU10 max. 7W  230V

Dimensions

↔ L303xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8244.1M	white tex
8244.2M	black tex
8244.4.2M	shiny gold
8244.14	alu satin
8244.16.2M	satin gold
8244.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8258/.. - STILETTO

~230V  IP20    



Junction box with 4x Capa X spotlight on bar 5cm
Anschlußdose mit 4x Capa X Strahler auf Stange 5cm

Lamp type

⚡ 4x QPAR 51 GU10 max. 20W  -  230V

⚡ 4x QPAR70 GU10 max. 7W  230V

Dimensions

↔ L303xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8258.1M	white tex
8258.2M	black tex
8258.4.2M	shiny gold
8258.14	alu satin
8258.16.2M	satin gold
8258.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8245/.. - STILETTO

IP20  



Junction box with blind coverplate
Anschlußdose mit Blindabdeckungsplatte

Dimensions

↔ L363xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8245.1M	white tex
8245.2M	black tex
8245.4.2M	shiny gold
8245.14	alu satin
8245.16.2M	satin gold
8245.45	sun gold

room for driver
Raum für Ledkonverter



8246/.. - STILETTO


~230V  IP20    



Junction box with 3x Capa spotlight on bar 5cm
Anschlußdose mit 3x Capa Strahler auf Stange 5cm

Lamp type

☞ 3x QPAR 51 GU10 max. 20W  -  230V

or ☞ 3x QPAR70 GU10 max. 7W  230V

Dimensions

↔ L363xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8246.1M	white tex
8246.2M	black tex
8246.4	shiny gold
8246.14	alu satin
8246.16	satin gold
8246.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen

8259/.. - STILETTO

~230V  IP20    



Junction box with 3x Capa X spotlight on bar 5cm
Anschlußdose mit 3x Capa X Strahler auf Stange 5cm

Lamp type

☞ 3x QPAR 51 GU10 max. 20W  -  230V

Dimensions

↔ L363xB48xH47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16


Ref

8259.1M	white tex
8259.2M	black tex
8259.4.2M	shiny gold
8259.14	alu satin
8259.16.2M	satin gold
8259.45	sun gold

built-up
lightbulbs not included
Leuchtmittel nicht einbegriffen


8247/.. - STILETTO

~230V  IP20  0,5 m 05.20.50 



Junction box with 3x Jacob ledlight on bar 5cm - with LED driver
Anschlußdose mit 3x Jacob LED Strahler auf Stange 5cm - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W  350mA

Dimensions

L363xB48xH47  48° reflector


Ref

8247.1M	NW WW
8247.2M	NW WW
8247.4.2M	NW WW
8247.14	NW WW
8247.16.2M	NW WW
8247.45.45	NW WW

built-up


8248/.. - STILETTO

~230V  IP20  0,5 m 05.20.50 



Junction box with 3 built-up spots ZiaLed M - with LED driver
Anschlußdose mit 3 Aufbaustrahler ZiaLed M - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W  350mA

Dimensions

L363xB48xH47  48° reflector


Ref

8248.1M	NW WW
8248.2M	NW WW
8248.14	NW WW
8248.45	NW WW

built-up


8249/.. - STILETTO

~230V  IP20  0,6500 0,5 m 05.20.50 



Junction box with 3x built-in spot ZiaLed M - with LED driver
Anschlußdose mit 3x Einbaustrahler ZiaLed M - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W  350mA

Dimensions

L363xB48xH47  48° reflector

Ref

8249.1M	NW WW
8249.2M	NW WW
8249.14	NW WW
8249.45	NW WW

built-up

8300/.. - STILETTO

IP20  



profile without spotlight or pendant
 Profil ohne Pendelleuchte oder Strahler

Dimensions

L1300xB48xH48

Materials

aluminium

14 | 1M | 2M

Ref

8300.1M	white tex
8300.1M.4	white tex
8300.1M.16	white tex
8300.2M	black tex
8300.2M.4	black tex
8300.2M.16	black tex
8300.14.14	alu satin



8250/.. - STILETTO

IP20   0,2100 



Connection profile 300mm - inclusive cable 3x1
Verbindungsprofil 300mm - Kabel inklusief 3x1

Dimensions
L300xB10xH20

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref	
8250.1M	white tex
8250.2M	black tex
8250.4	shiny gold
8250.14	alu satin
8250.16	satin gold
8250.45	sun gold

built-up

8251/.. - STILETTO

IP20   0,4200 



Connection profile 600mm - inclusive cable 3x1
Verbindungsprofil - Kabel inklusief 3x1

Dimensions
L600xB10xH20

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref	
8251.1M	white tex
8251.2M	black tex
8251.4	shiny gold
8251.14	alu satin
8251.16	satin gold
8251.45	sun gold

built-up

8252/.. - STILETTO

IP20   0,3100 



Connection profile 900mm - inclusive cable 3x1
Verbindungsprofil 900mm - Kabel inklusief 3x1

Dimensions
L900xB10xH20

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref	
8252.1M	white tex
8252.2M	black tex
8252.4	shiny gold
8252.14	alu satin
8252.16	satin gold
8252.45	sun gold

built-up

8253/.. - STILETTO

IP20   0,2900 



Connection profile 1200mm - inclusive cable 3x1
Verbindungsprofil 1200mm - Kabel inklusief 3x1

Dimensions
L1200xB10xH20

Materials
aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref	
8253.1M	white tex
8253.2M	black tex
8253.4	shiny gold
8253.14	alu satin
8253.16	satin gold
8253.45	sun gold

built-up

8254/.. - STILETTO

IP20   0,2500 



Connection profile 1500mm - inclusive cable 3x1
Verbindungsprofil 1500mm - Kabel inklusief 3x1

Dimensions

↔ L1500xB10xH20

Materials

aluminium	14 1M 2M 45
brass	4 16

Ref

8254.1M	white tex
8254.2M	black tex
8254.4	shiny gold
8254.14	alu satin
8254.16	satin gold
8254.45	sun gold

built-up

8255/.. - STILETTO

IP20   0,3500 



Connection profile 1800mm - inclusive cable 3x1
Verbindungsprofil 1800mm - Kabel inklusief 3x1

Dimensions

↔ L1800xB10xH20

Materials

aluminium	14 1M 2M 45
brass	4 16

Ref cat (LONG)

8255.1M	white tex
8255.2M	black tex
8255.4	shiny gold
8255.14	alu satin
8255.16	satin gold
8255.45	sun gold

built-up

8260A/.. - STILETTO

IP20   0,0400 



Support cube for 2 connection profiles
Unterstützungswürfel für zwei Verbindungsprofile

Dimensions

↔ L35xB30xH15

Materials

aluminium	14 1M 2M 45
brass	4 16


Ref

8260A.1M	white tex
8260A.2M	black tex
8260A.4	shiny gold
8260A.14	alu satin
8260A.16	satin gold
8260A.45	sun gold

built-up

8260B/.. - STILETTO

IP20   0,1200 



Support cube for 2 connection profiles
Unterstützungswürfel für zwei Verbindungsprofile

Dimensions

↔ L35xB20xH15

Materials

aluminium	14 1M 2M 45
brass	4 16

Ref

8260B.1M	white tex
8260B.2M	black tex
8260B.4	shiny gold
8260B.14	alu satin
8260B.16	satin gold
8260B.45	sun gold

built-up

8262/.. - STILETTO

IP20   0.2900 



Vertical corner connector - cable inclusive 3x1
Eckverbinder vertikal - Kabel Inklusief 3x1

Dimensions

↔ L150xB150-B10xH20

Materials

brass 4 | 14 | 16 | 1M | 2M | 45

Ref

8262.1M	white tex
8262.2M	black tex
8262.4	shiny gold
8262.14	alu satin
8262.16	satin gold
8262.45	sun gold

built-up

8263/.. - STILETTO

IP20  



Corner horizontal - inclusive cable 3x1
Eckverbindung horizontal - Kabel Inklusief 3x1

Dimensions

↔ L150xB150-B20xH10

Materials

brass 4 | 14 | 16 | 1M | 2M | 45

Ref

8263.1M	white tex
8263.2M	black tex
8263.4	shiny gold
8263.14	alu satin
8263.16	satin gold
8263.45	sun gold

8264/.. - STILETTO

IP20   0.0500 



Endcap for junction box
Endkappe für Verbindungsdose

Dimensions

↔ B20xH10xD8

Materials

aluminium 14 | 1M | 2M | 45


Ref

8264.1M	white tex
8264.2M	black tex
8264.14	alu satin
8264.45	sun gold

piece to cover 1 hole in the junction box
Kappe um 1 Loch in der Verbindungsdose abzudichten

8265/.. - STILETTO

IP20   0.0500 



ornamental end piece
ornamentales Endstück

Dimensions

↔ L50xB10xH20

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8265.1M	white tex
8265.2M	black tex
8265.4	shiny gold
8265.14	alu satin
8265.16	satin gold
8265.45	sun gold

8266/.. - STILETTO

IP20   0.0600 



Connector for lightweight pendant or spotlight
Montagenippel für lichte Pendelleuchte oder Strahler

Dimensions

↔ L50xB10xH20

Materials

aluminium 14 | 1M | 2M | 45

Ref

8266.1M	white tex
8266.2M	black tex
8266.14	alu satin
8266.45	sun gold

to be slided over the connection profile
wird über das Verbindungsprofil geschoben

8267.M8X1/.. - STILETTO - M8

IP20   



fixed - Connector for heavier pendant or spotlight
fest - Montagenippel für Schwere Pendelleuchte oder Strahler

Dimensions

↔ B20xH20xD47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8267.M8X1.1M	white tex
8267.M8X1.2M	black tex
8267.M8X1.4	shiny gold
8267.M8X1.14	alu satin
8267.M8X1.16	satin gold
8267.M8X1.45	sun gold

built-up
to be fixed on ceiling or wall
befestigen an der Decke oder Wand

8267.M10X1/.. - STILETTO - M10

IP20  



Connector for heavier pendant or spotlight
Montagenippel für Schwere Pendelleuchte oder Strahler

Dimensions

↔ B20xH20xD47

Materials

aluminium 14 | 1M | 2M | 45
brass 4 | 16

Ref

8267.M10X1.1M	white tex
8267.M10X1.2M	black tex
8267.M10X1.4	shiny gold
8267.M10X1.14	alu satin
8267.M10X1.16	satin gold
8267.M10X1.45	sun gold

to be slided over the connection profile
wird über das Verbindungsprofil geschoben

8270/.. - STILETTO

IP20    



torx screwdriver
Sechskant-Schraubendreher

Ref

8270

8268/.. - STILETTO

IP20   0,5 m  05.20.02 







Connection cable 3x1
Anschlußkabel 3x1

Ref
8268.2

black

8269/.. - STILETTO

IP20   0,5 m  05.20.02 








Connection cable 4x1
Anschlußkabel 4x1

Ref
8269.2

black

8271/.. - STILETTO

IP20   0,3500  0,5 m  05.20.02 



Connection cable 5x1
Anschlußkabel 5x1

Ref
8271.2

black



8273/.. - STILETTO - TIMES 45X45

IP20    



Blind module + coverplate for driver or built-up spot
Die Blindmodul + Abdeckungsplatte zu Treiber oder
Aufbaustrahler

Dimensions

↔ L100xB45xH45




Materials

aluminium 1M | 2M

Ref

8273.1M white tex
8273.2M black tex

8274/.. - STILETTO - TIMES 45X45

IP20    



Blind module + coverplate for driver or built-up spot
Die Blindmodul + Abdeckungsplatte zu Treiber oder
Aufbaustrahler

Dimensions

↔ L360xB45xH45

Materials

aluminium 1M | 2M

Ref

8274.1M white tex
8274.2M black tex



8275/.. - STILETTO - TIMES 45X45

~230V    IP20    



Profile + coverplate with 3 built-up led - with LED driver
Profil + Abdeckplatte mit 3 Aufbauled - mit Driver LED

Lamp type

⊗ 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions

↔ L360xB45xH45  48° reflector

Ref

8275.1M NW | WW
8275.2M NW | WW



8276/.. - STILETTO - TIMES 45X45

~230V    IP20    



Profile + coverplate with 3 built-in led - with LED driver
Profil + Abdeckplatte mit 3 Einbauled - mit Driver LED

Lamp type

⊗ 3x led 467lm CRI80 max. 3,8W  -  350mA

Dimensions


↔ L360xB45xH45  48° reflector

Ref

8276.1M NW | WW
8276.2M NW | WW

8277/.. - STILETTO - TIMES 45X45

~230V



Profile + coverplate + 3 Jacob spotlights - with LED driver
 Profil + Abdeckungsplatte + 3 Jacob Aufbaustrahler - mit Driver LED

Lamp type

3x led 467lm CRI80 max. 3,8W A+ - A+ 350mA

Dimensions

L360xB45xH45 \wedge 48° reflector

Ref

8277.1M


NW | WW

8277.2M

NW | WW

8278/.. - STILETTO - TIMES 45X45

~230V



profile + 3 spotlights Capa
 Profil + 3 Capa Strahler

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

or 3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L360xB45xH45

Materials

aluminium

1M | 2M

Ref

8278.1M


white tex

8278.2M

black tex

8279/.. - STILETTO - TIMES 45X45

~230V



profile + 3 spotlights Capa X
 Profil + 3 Capa X Strahler

Lamp type

3x QPAR 51 GU10 max. 20W A+ - E 230V

3x QPAR70 GU10 max. 7W A+ 230V

Dimensions

L360xB45xH45

Materials

aluminium

1M | 2M

Ref

8279.1M

white tex

8279.2M

black tex

8285/.. - STILETTO - TIMES 45X45

~230V   IP20    



Module with 3 ledlines - with LED driver
Modul mit 3 Linie Led - mit Driver LED

Lamptype

3x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1304xB45xH45

Ref

8285.1M

NW | WW

8285.2M

NW | WW



8286/.. - STILETTO - TIMES 45X45

~230V   IP20    



Module with 4 ledlines - with LED driver
Modul mit 4 Linie Led - mit Driver LED

Lamptype

4x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1584xB45xH45

Ref

8286.1M

NW | WW

8286.2M

NW | WW



8287/.. - STILETTO - TIMES 45X45

~230V   IP20    



Module with 5 ledlines - with LED driver
Modul mit 5 Linie Led - mit Driver LED

Lamptype

5x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1864xB45xH45

Ref cat (LONG)

8287.1M

NW | WW

8287.2M

NW | WW

8288/.. - STILETTO - TIMES 45X45

~230V   IP20    



Module with 6 ledlines - with LED driver
Modul mit 6 Linie Led - mit Driver LED

Lamptype

5x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L2144xB45xH45

Ref cat (LONG)

8288.1M

NW | WW

8288.2M

NW | WW


8290/.. - STILETTO - TIMES 45X70

~230V   IP20   0,5 m  05.20.50 



Module with 3 ledlines - with LED driver
Modul mit 3 Linie Led - mit Driver LED

Lamptype

3x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1044xB45xH70

Ref

8290.1M

NW | WW

8290.2M

NW | WW

built-up



8291/.. - STILETTO - TIMES 45X70

~230V   IP20   3,3600  0,5 m  05.20.50 



Module with 4 ledlines - with LED driver
Modul mit 4 Linie Led - mit Driver LED

Lamptype

4x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1324xB45xH70

Ref

8291.1M

NW | WW

8291.2M

NW | WW

built-up



8292/.. - STILETTO - TIMES 45X70

~230V   IP20   0,5 m  05.20.50 



Module with 5 ledlines - with LED driver
Modul mit 5 Linie Led - mit Driver LED

Lamptype

5x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1604xB45xH70

Ref

8292.1M

NW | WW

8292.2M

NW | WW

built-up

8293/.. - STILETTO - TIMES 45X70

~230V   IP20   0,5 m  05.20.50 



Module with 6 ledlines - with LED driver
Modul mit 6 Linie Led - mit Driver LED

Lamptype

6x Led 1250lm CRI80 max. 7,4W  -  325mA

Dimensions

L1884xB45xH70

Ref cat (LONG)

8293.1M

NW | WW

8293.2M

NW | WW

built-up