

INDOOR

WALL IN

INDOOR WALL IN

Index

Ø

Ø29	12
Ø48	13

B

BRUNA	17-19
-------	-------

C

CALIX	5-7
CALIX GRANDE	7
COMPACT	20

L

LIMA	22
LOTUS	23-24

M

MIA	14-15
MIA ROND	10-11
MIA X	16
MIRO	25
MOON	29

O

ORKA	21
OSCAR	30-34
OSCAR X	30-33

R

RECTO SCREEN	36
--------------	----

S

SCREEN	37
SINGLE MOON	26
SMALL SCREEN LED	35
SUN	8-9
SUN + Glass	8


T

TRIPLE MOON	28
-------------	----


Z

ZIALED/..	13
ZIAMINILED/..	12

BOX



PLASTERKIT



1295A/.. - CALIX

~230V IP20 0,2300 1 m 05.20.02 CE



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295A.14 alu satin

Lamp type
1x QT14 G9 max. 25W A - E 230V

Dimensions
Ø70xD54
Ø32 L 40


Options
1295F - CALIX box

Materials
aluminium 14

semi built-in/up

1295ALED/.. - CALIX LED

~230V LED C IP20 0,2300 1 m 05.20.50 CE



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295ALED.1M.NW white tex
1295ALED.2M.NW black tex
1295ALED.14.NW alu satin

Lamp type
1x Led 400lm CRI80 max. 4W A+ 230V


Dimensions
Ø70xD54
Ø32 L 40

Materials
aluminium 14 | 1M | 2M

semi built-in/up
dimmable phase-cut
dimmbar Phasenabschnitt

1295B/.. - CALIX

~230V IP20 0,2300 1 m 05.20.02 CE



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295B.14 alu satin

Lamp type
1x QT14 G9 max. 25W A - E 230V

Dimensions
Ø70xD54
Ø32 L 40


Options
1295F - CALIX box

Materials
aluminium 14

semi built-in/up

1295BLED/.. - CALIX LED

~230V LED C IP20 0,2300 1 m 05.20.50 CE



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295BLED.1M.NW white tex
1295BLED.2M.NW black tex
1295BLED.14.NW alu satin

Lamp type
1x Led 400lm CRI80 max. 4W A+ 230V

Dimensions
Ø70xD54
Ø32 L 40

Materials
aluminium 14 | 1M | 2M

semi built-in/up
dimmable phase-cut
dimmbar Phasenabschnitt

1295C/.. - CALIX

~230V  IP20     0,2400  1 m  05.20.02 



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295C.14 alu satin

Lamp type
1x QT14 G9 max. 25W  230V








Dimensions
Ø70xD54
Ø32  40


Options
1295F - CALIX box

Materials
aluminium 14

semi built-in/up


1295CLED/.. - CALIX LED

~230V  IP20      1 m  05.20.50 



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295CLED.1M.NW white tex
1295CLED.2M.NW black tex
1295CLED.14.NW alu satin

Lamp type
1x Led 400lm CRI80 max. 4W  230V

Dimensions
Ø70xD54
Ø32  40

Materials
aluminium 14 | 1M | 2M

semi built-in/up
dimmable phase-cut
dimmbar Phasenabschnitt

1295D/.. - CALIX

~230V  IP20     0,2300  1 m  05.20.02 



semi built-in and built-up wall light - round
Halbeinbau und Halbaufbau Wandleuchte - rund

Ref
1295D.14 alu satin

Lamp type
1x QT14 G9 max. 25W  230V






Dimensions
Ø70xD54
Ø32  40


Options
1295F - CALIX box

Materials
aluminium 14

semi built-in/up


1295DLED/.. - CALIX LED


~230V  IP20      1 m  05.20.50 



semi built-in and built-up wall light - round
Halbeinbau und Halbaufbau Wandleuchte - rund

Ref
1295DLED.1M.NW white tex
1295DLED.2M.NW black tex
1295DLED.14.NW alu satin

Lamp type
1x Led 400lm CRI80 max. 4W  230V

Dimensions
Ø70xD54
Ø32  40

Materials
aluminium 14 | 1M | 2M

semi built-in/up
dimmable phase-cut
dimmbar Phasenabschnitt

1295F/.. - CALIX box




built-in box - box type A-B-C-D
Einbaudose - Einbaudose Typ A-B-C-D

Ref
1295F

Dimensions
 Ø72
 Ø68x72

built-in

1295E/.. - CALIX GRANDE



semi built-in and built-up wall light - round - standard
sandblasted white glass
Halbeinbau und Halbaufbau Wandleuchte - rund - standard
weiß sandgestrahltes Glas

Ref
1295E.14 alu satin

Lamp type
 1x QT14 G9 max. 25W A - E 230V

Dimensions
 Ø80xD45
 Ø32 40

Options
1295G - CALIX box

Materials
aluminium 14

semi built-in/up

1295G/.. - CALIX box



built-in box - box type E
Einbaudose - Einbaudose Typ E

Ref
1295G

Dimensions
 Ø72
 Ø68x72

built-in

1240/.. - SUN

~12V S2 IP20 0,4800 0,5 m 05.20.02



built-in

built-in wall light - round - without transformer
Einbau Wandleuchte - rund - ohne Trafo

Lamp type

1x QT9-ax G4 max. 20W - 12V

Dimensions

Ø92xH55
 Ø80 60

Options

1241A - SUN
1241B - SUN

Materials

aluminium 1 | 11 | 14
brass 13 | 16 | 23

Ref

1240.1	white
1240.11	alu grey
1240.13	bronze
1240.14	alu satin
1240.16	satin gold
1240.23	dark bronze

1240.LED/.. - SUN

=350mA S2 IP20 0,4800 0,5 m 05.20.50



built-in

built-in wall light - round - without LED driver
Einbau Wandleuchte - rund - ohne Driver LED

Lamp type

1x powered 350mA max. 1W - 350mA

Dimensions

Ø92xH55
 Ø80 55

Options

1241A - SUN
1241B - SUN

Ref

1240.LED.1M	CW NW WW
1240.LED.2M	CW NW WW
1240.LED.11	CW NW WW
1240.LED.13	CW NW WW
1240.LED.14	CW NW WW
1240.LED.16	CW NW WW

1240.GLASS/.. - SUN + GLASS

~12V S2 IP20 0,5100 0,5 m 05.20.02



built-in

built-in wall light - round - without transformer
Einbau Wandleuchte - rund - ohne Trafo

Lamp type

1x QT9-ax G4 max. 20W - 12V

Dimensions

Ø92xH55
 Ø80 60

Options

1241A - SUN
1241B - SUN

Materials

aluminium 1 | 14
brass 4 | 13 | 16

Ref

1240.GLASS.1	white
1240.GLASS.4	shiny gold
1240.GLASS.13	bronze
1240.GLASS.14	alu satin
1240.GLASS.16	satin gold

1240.LED.GL/.. - SUN + Glass

=350mA S2 IP20 0,5900 0,5 m 05.20.50



built-in

built-in wall light - round - without LED driver
Einbau Wandleuchte - rund - ohne Driver LED

Lamp type

1x powered 350mA max. 1W - 350mA

Dimensions

Ø92xH55
 Ø80 55


Options

1241A - SUN
1241B - SUN

Ref

1240.LED.GL.14	CW NW WW
1240.LED.GL.16	CW NW WW

1241A/.. - SUN




built-in box - no room for transformer
Einbaudose - kein Platz für Trafo

Ref
1241A

Dimensions
↔ Ø80xH67

built-in

1241B/.. - SUN



built-in box - with room for transformer
Einbaudose - mit Platz für Trafo

Ref
1241B

Dimensions
↔ B85xH170xD65

built-in



1625C/.. - MIA ROND

~230V  S2  IP44           

1626/.. - MIA ROND

=24V-DC S2 IP44 0,1150 0,5 m 05.20.50



built-in wall light - with opal plexi (OP) - without transformer
Einbau Wandleuchte - mit opalenem Plexi (OP) - ohne Trafo

Lamp type

1x Led 24V-DC max. 2,8W 24V-DC

Dimensions

Ø75xD30

Ø60 40

Options

S6.60 - PLASTERKIT

Ref

1626.1M	CW NW WW
1626.2M	CW NW WW
1626.11	CW NW WW
1626.14	CW NW WW

built-in
clear plexi on request
helles Plexi auf Anfrage
not suitable for moist surroundings
nicht geeignet für feuchte Räume

1627/.. - MIA ROND

=24V-DC S2 IP65 0,5 m 05.20.50



built-in wall light - with opal plexi (OP) - without transformer
Einbau Wandleuchte - mit opalenem Plexi (OP) - ohne Trafo

Lamp type

1x Led 24V-DC max. 2,8W 24V-DC

Dimensions

Ø75xD30

Ø60 40

Options

S6.60 - PLASTERKIT

Ref

1627.2MA	CW NW WW
1627.11MA	CW NW WW

built-in
clear plexi
helles Plexi
for bathroom and shower - with encapsulated LED
für Badezimmer und Dusche - mit gekapselter LED



psmlighting
a true delight

INDOOR | Wall IN | ZIA LED

LED colours: cold white (CW) warm white (WW) or blue (B) - other LED colours on request

LED Farben: kalt Weiß (CW) warm Weiß (WW) oder Blau (B) - andere LED Farben auf Anfrage

ZIAMINILED/.. - Ø29

=350mA



built-in ceiling and wall light - without LED driver
Decken- und Wandleuchte für Einbau - ohne Driver LED

Lamp type

1x powered 350mA max. 1W A - A+ 350mA

Dimensions

Ø38xH16

Ø29 16

Options

LTLED1CC.350mA - DRIVER constant current
S6.30 - PLASTERKIT

Ref

ZIAMINILED.1M	B CW WW
ZIAMINILED.2M	B CW WW
ZIAMINILED.11	B CW WW
ZIAMINILED.13	B CW WW
ZIAMINILED.14	B CW WW
ZIAMINILED.16	B CW WW

built-in

ZIAMINI.C.LED/.. - Ø29

=350mA



built-in ceiling and wall light - square - without LED driver
Decken- und Wandleuchte für Einbau - viereckig - ohne Driver LED

Lamp type

1x powered 350mA max. 1W A - A+ 350mA

Dimensions

L40xB40xH16

Ø29 16

Options

LTLED1CC.350mA - DRIVER constant current
S6.30 - PLASTERKIT

Ref

ZIAMINI.C.LED.1	B CW WW
ZIAMINI.C.LED.11	B CW WW
ZIAMINI.C.LED.13	B CW WW
ZIAMINI.C.LED.14	B CW WW
ZIAMINI.C.LED.16	B CW WW

built-in

ZIAMINICLED/.. - Ø29

=350mA



built-in ceiling and wall light - square - without LED driver
Decken- und Wandleuchte für Einbau - viereckig - ohne Driver LED

Lamp type

1x powered 350mA max. 1W A - A+ 350mA

Dimensions

L40xB40xH19

Ø29 16

Options

LTLED1CC.350mA - DRIVER constant current
S6.30 - PLASTERKIT

Ref

ZIAMINICLED.1M	B CW WW
ZIAMINICLED.2M	B CW WW
ZIAMINICLED.11	B CW WW
ZIAMINICLED.13	B CW WW
ZIAMINICLED.14	B CW WW
ZIAMINICLED.16	B CW WW
ZIAMINICLED.36A	B CW WW

built-in

LED colours: cold white (CW) warm white (WW) or blue (B) - other LED colours on request
 LED Farben: kalt Weiß (CW) warm Weiß (WW) oder Blau (B) - andere LED Farben auf Anfrage




ZIALED/.. - Ø48

=700mA    IP44        






built-in ceiling and wall light - without LED driver
 Decken- und Wandleuchte für Einbau - ohne Driver LED

Lamp type

 1x powered 700mA max. 3W  -  700mA

Dimensions

 Ø58,5xH64
 Ø48  74

Options











LTLED1CC.350mA - DRIVER constant current
 S6.50 - PLASTERKIT

Ref cat (STD)

ZIALED.11M	B CW WW
ZIALED.14	B CW WW

built-in
 clear glass + reflector on request
 helles Glas + Reflektor auf Anfrage



ZIALED.230V/.. - Ø48

~230V  S2  IP20        






built-in ceiling and wall light - round
 Decken- und Wandleuchte für Einbau - rund

Lamp type

 1x Led 400lm CRI80 max. 4W  230V

Dimensions

 Ø58,5xH64
 Ø48  74

Options

S6.50 - PLASTERKIT








Ref cat (STD)


ZIALED.230V.1M	NW
ZIALED.230V.1MA	NW
ZIALED.230V.2M	NW
ZIALED.230V.2MA	NW
ZIALED.230V.11M	NW
ZIALED.230V.11MA	NW
ZIALED.230V.14	NW

built-in
 dimmable phase-cut
 dimmbar Phasenabschnitt







1630C/.. - MIA

~230V   IP20    0,5 m  05.20.50 



built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 0,7W  **230V**


Dimensions
 L85xB85
 L 50

Ref	CW	NW	WW
1630C.1M			
1630C.2M			
1630C.13			
1630C.14			
1630C.23			
1630C.40			



built-in
 for Helia box nr 275-276 (not included)
 für Helia Dose nr 275-276 (nicht einbegriffen)
 for bedrooms - less brightness
 für Schlafzimmer - weniger Lichtstärke



1630B/.. - MIA

~230V   IP20    0,1500  0,5 m  05.20.50 



built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 1,4W  **230V**


Dimensions
 L85xB85
 L 50

Ref	CW	NW	WW
1630B.1M			
1630B.2M			
1630B.13			
1630B.14			
1630B.23			
1630B.40			



built-in
 for Helia box nr 275-276 (not included)
 für Helia Dose nr 275-276 (nicht einbegriffen)
 for bedrooms - less brightness
 für Schlafzimmer - weniger Lichtstärke



1630/.. - MIA

~230V   IP20    0,1600  0,5 m  05.20.50 




built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 2,8W  **230V**


Dimensions
 L85xB85
 L 50

Ref	CW	NW	WW
1630.1M			
1630.2M			
1630.13			
1630.14			
1630.23			
1630.40			

built-in
 for Helia box nr 275-276 (not included)
 für Helia Dose nr 275-276 (nicht einbegriffen)




CODE	COLOR INDOOR	KELVIN
B	LED BLUE	
CW	LED COLD WHITE	6500K
GR	LED GREEN	
NW	LED NATURAL WHITE	4000K
WW	LED WARM WHITE	2800K







1631C/.. - MIA

~230V   IP20    0,2000  0,5 m  05.20.50 



built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 0,7W  **230V**


Dimensions
 L 115xB80
 H 50

Ref		
1631C.1M	CW	NW WW
1631C.2M	CW	NW WW
1631C.13	CW	NW WW
1631C.14	CW	NW WW
1631C.23	CW	NW WW
1631C.40	CW	NW WW



built-in
 for Bticino box nr 503 (not included)
 für Bticino Dose nr 503 (nicht einbegriffen)
 for bedrooms - less brightness
 für Schlafzimmer - weniger Lichtstärke



1631B/.. - MIA

~230V   IP20    0,1950  0,5 m  05.20.50 



built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 1,4W  **230V**


Dimensions
 L 115xB80
 H 50

Ref		
1631B.1M	CW	NW WW
1631B.2M	CW	NW WW
1631B.13	CW	NW WW
1631B.14	CW	NW WW
1631B.23	CW	NW WW
1631B.40	CW	NW WW



built-in
 for Bticino box nr 503 (not included)
 für Bticino Dose nr 503 (nicht einbegriffen)
 for bedrooms - less brightness
 für Schlafzimmer - weniger Lichtstärke



1631/.. - MIA

~230V   IP20    0,2000  0,5 m  05.20.50 




built-in wall light - complete with cover plate
Einbau Wandleuchte - komplett mit Abdeckplatte

Lamp type
 1x Led 230V max. 2,8W  **230V**


Dimensions
 L 115xB80
 H 50

Ref		
1631.1M	CW	NW WW
1631.2M	CW	NW WW
1631.13	CW	NW WW
1631.14	CW	NW WW
1631.23	CW	NW WW
1631.40	CW	NW WW

built-in
 for Bticino box nr 503 (not included)
 für Bticino Dose nr 503 (nicht einbegriffen)




compleet met frontplaat - met klauwen aan zijkant
 complete with front plate - with claws on side
 luminaire avec plaque frontale - avec des griffes latérales



1634C.230V/.. - MIA X - voor niko afdekkader

~230V   IP20    0,1200  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

 1x Led 230V max. 0,7W  **230V**
Center - B50xH40xD35

Ref


1634C.230V.WW	led warm white
1634C.230V.NW	led natural white
1634C.230V.CW	led cold white

built-in

NIKO cover plate + Helia 275-276 or gyproc box not included
NIKO Abdeckplatte + Helia 275-276 oder Gyprocdose nicht einbegriffen
for bedrooms - less brightness
für Schlafzimmer - weniger Lichtstärke

1634B.230V/.. - MIA X - voor niko afdekkader

~230V   IP20    0,1100  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

 1x Led 230V max. 1,4W  **230V**
Center - B50xH40xD35

Ref


1634B.230V.WW	led warm white
1634B.230V.NW	led natural white
1634B.230V.CW	led cold white

built-in

NIKO cover plate + Helia 275-276 or gyproc box not included
NIKO Abdeckplatte + Helia 275-276 oder Gyprocdose nicht einbegriffen
for bedrooms - less brightness
für Schlafzimmer - weniger Lichtstärke

1634.230V/.. - MIA X - voor niko afdekkader

~230V   IP20    0,1100  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

 1x Led 230V max. 2,8W  **230V**
Center - B50xH40xD35

Ref

1634.230V.WW	led warm white
1634.230V.NW	led natural white
1634.230V.CW	led cold white
1634.230V.B	led blue
1634.230V.GR	led Green


built-in

NIKO cover plate + Helia 275-276 or gyproc box not included
NIKO Abdeckplatte + Helia 275-276 oder Gyprocdose nicht einbegriffen

enkel frame + led voor NIKO afdekkader (niet inbegrepen) voor Helia box 275-276 of gyproc doos (niet inbegrepen)

single frame + LEDs for NIKO frontplate (not included) for Helia Box 275-276 plasterkit or box (not included)


uniquement frame + led pour plaque de recouvrement NIKO (pas inclus) pour box Helia 275-276 ou boîtier gyproc (pas inclus)



CODE	COLOR INDOOR	KELVIN
B	LED BLUE	
CW	LED COLD WHITE	6500K
GR	LED GREEN	
NW	LED NATURAL WHITE	4000K
WW	LED WARM WHITE	2800K

1638C.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,0600  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamptype

 1x Led 230V max. 0,7W  **230V**

Ref

1638C.230V.WW	led warm white
1638C.230V.NW	led natural white
1638C.230V.CW	led cold white

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame with claws LN4702BG
frame mit Spannpratze LN4702BG

1638B.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,0600  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamptype

 1x Led 230V max. 1,4W  **230V**





Ref


1638B.230V.WW	led warm white
1638B.230V.NW	led natural white
1638B.230V.CW	led cold white

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame with claws LN4702BG
frame mit Spannpratze LN4702BG

1638.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamptype

 1x Led 230V max. 2,8W  **230V**

Ref


1638.230V.WW	led warm white
1638.230V.NW	led natural white
1638.230V.CW	led cold white
1638.230V.B	led blue
1638.230V.GR	led Green

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame with claws LN4702BG
frame mit Spannpratze LN4702BG

1637C.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,0650  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

◐ 1x Led 230V max. 0,7W  230V


Ref

1637C.230V.WW	led warm white
1637C.230V.NW	led natural white
1637C.230V.CW	led cold white

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame without claws LN4702
frame ohne Spannpratze LN4702

1637B.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,0700  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

◐ 1x Led 230V max. 1,4W  230V

Ref

1637B.230V.WW	led warm white
1637B.230V.NW	led natural white
1637B.230V.CW	led cold white

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame without claws LN4702
frame ohne Spannpratze LN4702

1637.230V/.. - BRUNA voor bticino LivingLight

~230V   IP20    0,0700  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

◐ 1x Led 230V max. 2,8W  230V

Housing - B7,4xH7,4xD3,5

Ref

1637.230V.WW	led warm white
1637.230V.NW	led natural white
1637.230V.CW	led cold white
1637.230V.B	led blue
1637.230V.GR	led Green

built-in

without cover plate and build-in box
ohne Abdeckplatte und Einbaudose
frame without claws LN4702
frame ohne Spannpratze LN4702




Double cassette LED for different applications (built in and up) e.g. for all frames BTICINO (not included) built-in box not included.

Doppelte Kassette mit LED für verschiedene Verwendungen - zB für alle Frames BTICINO (nicht einbegriffen) - ohne Einbau-rahmen.

CODE	KLEUR BINNEN	COULEUR INTÉRIEURE	KELVIN
B	LED BLAUW	LED BLEU	
CW	LED KOUD WIT	LED BLANC FROID	6500K
GR	LED GROEN	LED VERT	
NW	LED NATUREL WIT	LED BLANC NATUREL	4000K
WW	LED WARM WIT	LED BLANC CHAUD	2800K

1636B.230V/.. - BRUNA voor frame bticino Magic

~230V   IP20   0,1700 0,5 m 05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

◀ 2x Led 230V max. 1,4W  **230V**

Dimensions

↔ L90xB45


Ref

1636B.230V.WW	led warm white
1636B.230V.CW	led cold white
1636B.230V.NW	led natural white

built-in
other IP level on request - without build-in box
andere IP Wert auf Anfrage - ohne Einbaudose
for bedrooms - less brightness
für Schlafzimmer - weniger Lichtstärke

1636.230V/.. - BRUNA voor frame bticino Magic

~230V   IP20   0,1850 0,5 m 05.20.50 



built-in wall light
Einbau Wandleuchte

Lamp type

◀ 2x Led 230V max. 2,8W  **230V**

Dimensions

↔ L90xB45


Ref

1636.230V.WW	led warm white
1636.230V.NW	led natural white
1636.230V.CW	led cold white
1636.230V.B	led blue
1636.230V.GR	led Green

built-in
other IP level on request - without build-in box
andere IP Wert auf Anfrage - ohne Einbaudose

1636.24V-AC/.. - BRUNA voor frame bticino

~24V-AC   IP20   0,5 m 05.20.50 



built-in wall light - alternating current - without transformer
Einbau Wandleuchte - Wechselstrom - ohne Trafo

Lamp type

◀ 2x Led 24V-AC max. 2,8W  **24V-AC**

Dimensions


↔ L90xB45


Ref

1636.24V-AC.WW	led warm white
1636.24V-AC.NW	led natural white
1636.24V-AC.CW	led cold white
1636.24V-AC.B	led blue
1636.24V-AC.GR	led Green

built-in
other IP level on request - without build-in box
andere IP Wert auf Anfrage - ohne Einbaudose

1636.24V-DC/.. - BRUNA voor frame bticino

=24V-DC   IP20   0,5 m 05.20.50 



built-in wall light - direct current - without transformer
Einbau Wandleuchte - Gleichstrom - ohne Trafo

Lamp type

◀ 2x Led 24V-DC max. 2,8W  **24V-DC**

Dimensions

↔ L90xB45

Ref

1636.24V-DC.WW	led warm white
1636.24V-DC.NW	led natural white
1636.24V-DC.CW	led cold white
1636.24V-DC.B	led blue
1636.24V-DC.GR	led Green

built-in
other IP level on request - without build-in box
andere IP Wert auf Anfrage - ohne Einbaudose

1232ALED/.. - COMPACT LED

~230V



S2



IP20



0,5 m



built-in wall light - standard opal white glass
Einbau Wandleuchte - standard opalweißes Glas

Lamp type

1x Led 960lm CRI80 max. 13W **A+** 230V

Dimensions

B245xH75xD63

230x59 \sphericalangle 70

Materials

aluminium 1M | 2M | 40

Ref

1232ALED.1M.NW white tex
1232ALED.2M.NW black tex
1232ALED.40.NW anodised alu

built-in

1232DLED/.. - COMPACT LED

~230V



S2



IP20



0,5 m



built-in wall light - standard opal white glass
Einbau Wandleuchte - standard opalweißes Glas

Lamp type

1x Led 960lm CRI80 max. 13W **A+** 230V

Dimensions

B245xH75xD63

230x59 \sphericalangle 70

Materials

aluminium 1M | 2M | 40


Ref

1232DLED.1M.NW white tex
1232DLED.2M.NW black tex
1232DLED.40.NW anodised alu

built-in

1234/.. - COMPACT plasterkit

IP00



plasterkit
Einputzrahmen

Dimensions

L330xB160

232x59


Ref

1234

built-in

1234B/.. - COMPACT box

IP00



built-in box - built-in box
Einbaudose - Einbaudose

Dimensions

L240xB70xD92

240x70

Ref

1234B

built-in




3022A/.. - ORKA WALL

~230V    IP20    0,5800 0,5 m 05.20.50 



built-in wall light - directional - with switch - for Helia built-in box 275 or 276 (4 screws) - with LED driver
Einbau Wandleuchte - schwenkbar - mit Schalter - für Helia Dose 275 oder 276 (4 Schrauben) - mit Driver LED

Lamp type

 1x powered 700mA max. 3W  -  700mA

Dimensions

 B80xH90  40° reflector - Flex 300

Ref

3022A.1M	CW WW
3022A.2M	CW WW
3022A.14	CW WW
3022A.23	CW WW

*semi built-in/up
other °angle reflector on demand
andere °Winkel Reflektor auf Anfrage*




3022B/.. - ORKA WALL

~230V    IP20    0,5790 0,5 m 05.20.50 



built-in wall light - directional - without switch - for built-in box Helia 275 or 276 (4 screws) - with LED driver
Einbau Wandleuchte - schwenkbar - ohne Schalter - für Helia Dose 275 oder 276 (4 Schrauben) - mit Driver LED

Lamp type

 1x powered 700mA max. 3W  -  700mA

Dimensions

 B80xH90  40° reflector - Flex 300

Ref

3022B.1M	CW WW
3022B.2M	CW WW
3022B.14	CW WW
3022B.23	CW WW

*semi built-in/up
other °angle reflector on demand
andere °Winkel Reflektor auf Anfrage*




3022C/.. - ORKA WALL

~230V    IP20    0,5000 0,5 m 05.20.50 



built-in wall light - directional - without switch - for built-in box Helia 275 or 276 (4 screws) - with LED driver
Einbau Wandleuchte - schwenkbar - ohne Schalter - für Helia Dose 275 oder 276 (4 Schrauben) - mit Driver LED

Lamp type

 2x powered 700mA max. 3W  -  700mA

Dimensions











 B80xH90  40° reflector - Flex 300

Ref

3022C.1M	CW WW
3022C.2M	CW WW
3022C.14	CW WW
3022C.23	CW WW

*semi built-in/up
other °angle reflector on demand
andere °Winkel Reflektor auf Anfrage*

1298ALED/.. - LIMA LED



~230V  S2  IP20      0,4300  0,5 m  05.20.50 



built-in

built-in wall light
Einbau Wandleuchte

Lamp type

 1x Led 960lm CRI80 max. 13W  230V

Dimensions

 B95xH220xD90

 83x181  100

Materials

aluminium 10 | 1M | 2M

Ref

1298ALED.1M.NW	white tex
1298ALED.2M.NW	black tex
1298ALED.10.NW	alu grey

1298CLED/.. - LIMA



~230V  S2  IP20      0,5 m  05.20.50 



built-in

built-in wall light
Einbau Wandleuchte

Lamp type

 1x Led 960lm CRI80 max. 13W  230V

Dimensions

 B95xH220xD90

 83x181  100

Materials


aluminium 10 | 1M | 2M

Ref

1298CLED.1M.NW	white tex
1298CLED.2M.NW	black tex
1298CLED.10.NW	alu grey

1298D/.. - LIMA plasterkit


IP00    0,1000 




built-in

plasterkit
Einputzrahmen

Dimensions

 B185xH285

 83x181

Ref

1298D

1403LED/.. - LOTUS IN LED

~230V  S2  IP20     




built-in wall light - down/up
Einbau Wandleuchte - down/up

Lamp type

1x 21LED L 1000lm CRI80 max. 8W  230V

Dimensions

B210xH210xD70
175x175  80

Materials

aluminium 10 | 1M


Ref

1403LED.1M.NW white tex
1403LED.10.NW alu grey

built-in
dimmable phase-cut
dimmbar Phasenabschnitt


1403B/.. - LOTUS box



built-in box
Einbaudose

Dimensions

B175xH175xD75
175x175  75

Ref

1403B

built-in

1404LED/.. - LOTUS IN LED

~230V  S2  IP20     




built-in wall light - down/up
Einbau Wandleuchte - down/up

Lamp type

1x 21LED L 1000lm CRI80 max. 8W  230V

Dimensions

B200xH300xD70
185x285  75

Materials

aluminium 10 | 1M

Ref

1404LED.1M.NW white tex
1404LED.10.NW alu grey

built-in
dimmable phase-cut
dimmbar Phasenabschnitt


1404B/.. - LOTUS box



built-in box
Einbaudose

Dimensions

B185xH285xD75
185x285  75

Ref

1404B

built-in

1405LED/.. - LOTUS IN LED

~230V



S2



IP20



built-in wall light - down/up
Einbau Wandleuchte - down/up

Lamp type

1x 21LED L 1000lm CRI80 max. 8W **A+** 230V

Dimensions

B320xH320xD70

280x280 $\sqrt{\text{L}}$ 75

Materials

aluminium 10 | 1M

Ref

1405LED.1M.NW

white tex

1405LED.10.NW

alu grey

built-in
dimnable phase-cut
dimmbar Phasenabschnitt

1405B/.. - LOTUS box



built-in box
Einbaudose

Dimensions

B280xH280xD75

280x280 $\sqrt{\text{L}}$ 75









Ref

1405B

built-in



1230.LED/.. - MIRO

~230V  S2 IP20     0,2930  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte


Ref

1230.LED.40.B anodised alu
1230.LED.40.CW anodised alu

Lamp type

 1x Led 230V max. 2,8W  230V

Dimensions

 B85xH85xD60

 79x68  61

Options

1231 - MIRO plasterkit

Materials

aluminium 40

built-in

1230.LED.GYP/.. - MIRO

~230V  IP20     0,1500  0,5 m  05.20.50 



built-in wall light
Einbau Wandleuchte


Ref

1230.LED.GYP.40.B anodised alu
1230.LED.GYP.40.CW anodised alu
1230.LED.GYP.40.WW anodised alu

Lamp type

 1x Led 230V max. 2,8W  230V

Dimensions

 B90xH90xD60

 Ø68  60

Options

1231 - MIRO plasterkit


Materials

aluminium 40

built-in

1231/.. - MIRO plasterkit

   0,3200 




plasterkit
Einputzrahmen

Ref

1231

Dimensions

 L180xB170

 79x68

built-in

1244.LED/.. - SINGLE MOON

=350mA IP20 0,4100 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 1W - 350mA

Dimensions

B100xH90xD55
 85x80 55

Options

1245A - SINGLE MOON box ZT
1245B - SINGLE MOON box VT
LTLED6CC.350mA - DRIVER constant current

Ref

1244.LED.1M	B CW WW
1244.LED.2M.B	B CW WW
1244.LED.5.B	B CW WW
1244.LED.13.B	B CW WW
1244.LED.16.B	B CW WW

built-in

1244.LED.GL/.. - SINGLE MOON + GLASS

=350mA IP20 0,5000 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 1W - 350mA

Dimensions

B100xH90xD55
 85x80 55

Options

1245A - SINGLE MOON box ZT
1245B - SINGLE MOON box VT
LTLED1CC.350mA - DRIVER constant current

Ref

1244.LED.GL.1M	B CW WW
1244.LED.GL.5.B	B CW WW
1244.LED.GL.13.B	B CW WW
1244.LED.GL.16.B	B CW WW

built-in

1245A/.. - SINGLE MOON box ZT

0,0650



built-in box - no room for transformer
Einbaudose - kein Platz für Trafo

Dimensions

B85xH80xD60

Ref

1245A

built-in

1245B/.. - SINGLE MOON box VT

0,1500



built-in box - with room for transformer
Einbaudose - mit Platz für Trafo

Dimensions

B85xH205xD55

Ref

1245B

built-in



1246.LED/.. - TRIPLE MOON

=350mA IP20 0,7850 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 3x1W - 350mA

Dimensions

B180xH90xD55
 165x76 55

Options

1247A - TRIPLE MOON box ZT
1247B - TRIPLE MOON box VT
LTLED6CC.350mA - DRIVER constant current

Ref

1246.LED.1M	B CW WW
1246.LED.2M.B	B CW WW
1246.LED.5.B	B CW WW
1246.LED.13.B	B CW WW
1246.LED.16.B	B CW WW

built-in

1246.LED.GL/.. - TRIPLE MOON + GLASS

=350mA IP20 0,9600 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 3x1W - 350mA

Dimensions

B180xH90xD55
 165x76 55

Options

1247A - TRIPLE MOON box ZT
1247B - TRIPLE MOON box VT
LTLED6CC.350mA - DRIVER constant current

Ref

1246.LED.GL.1M	B CW WW
1246.LED.GL.5.B	B CW WW
1246.LED.GL.13.B	B CW WW
1246.LED.GL.16.B	B CW WW

built-in

1247A/.. - TRIPLE MOON box ZT

0,1000



built-in box - no room for transformer
Einbaudose - kein Platz für Trafo

Dimensions

B165xH80xD60

Ref

1247A

built-in

1247B/.. - TRIPLE MOON box VT

0,2000



built-in box - with room for transformer
Einbaudose - mit Platz für Trafo

Dimensions

B165xH150xD65

Ref

1247B

built-in

1248.LED/.. - MOON

=350mA IP20 1,3450 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 3x1W - 350mA

Dimensions

B180xH180xD65
 166x166 65

Options

1249A - MOON box ZT
1249B - MOON box VT
LTLED6CC.350mA - DRIVER constant current

Ref

1248.LED.1M	B CW WW
1248.LED.2M.B	B CW WW
1248.LED.5.B	B CW WW
1248.LED.13.B	B CW WW
1248.LED.16.B	B CW WW

built-in

1248.LED.GL/.. - MOON + GLASS

=350mA IP20 1,4100 0,5 m 05.20.50



built-in wall light - without LED driver
Einbau Wandleuchte - ohne Driver LED

Lamp type

1x powered 350mA max. 3x1W - 350mA

Dimensions

B180xH180xD65
 166x166 65

Options

1249A - MOON box ZT
1249B - MOON box VT
LTLED6CC.350mA - DRIVER constant current

Ref

1248.LED.GL.1M	B CW WW
1248.LED.GL.5.B	B CW WW
1248.LED.GL.13.B	B CW WW
1248.LED.GL.16.B	B CW WW

built-in

1249A/.. - MOON box ZT

0,1900



built-in box - no room for transformer
Einbaudose - kein Platz für Trafo

Dimensions

B168xH165xD72

Ref

1249A

built-in

1249B/.. - MOON box VT

~230V 0,3000



built-in box - with room for transformer
Einbaudose - mit Platz für Trafo

Dimensions

B165xH240xD72

Ref

1249B

built-in

INDOOR | Wall IN | OSCAR

Other LED colours on request
Andere LED Farben auf Anfrage

1346.S1/.. - OSCAR

=350mA IP20



built-in
standard inside cold white LED - outside blue LED
standard LED Farbe innen kalt Weiß - außen Blau

built-in wall light - with glass - without LED driver
Einbau Wandleuchte - mit Glas - ohne Driver LED

Lamp type	2x powered 350mA max. 1W - 350mA
Dimensions	Ø85xH65 Ø74 L 65
Options	S6.75 - PLASTERKIT
Materials	aluminium 1M 2M INOX 316 5

Ref	1346.S1.1M.B.CW	white tex
	1346.S1.1M.B.WW	white tex
	1346.S1.1M.CW.CW	white tex
	1346.S1.1M.WW.WW	white tex
	1346.S1.2M.B.CW	black tex
	1346.S1.2M.B.WW	black tex
	1346.S1.2M.CW.CW	black tex
	1346.S1.2M.WW.WW	black tex
	1346.S1.5.B.CW	inox 316
	1346.S1.5.B.WW	inox 316
	1346.S1.5.CW.CW	inox 316
	1346.S1.5.WW.WW	inox 316

1346.S2/.. - OSCAR

=350mA IP20



built-in
standard inside cold white LED - outside blue LED
standard LED Farbe innen kalt Weiß - außen Blau


built-in wall light - with glass - without LED driver
Einbau Wandleuchte - mit Glas - ohne Driver LED

Lamp type	2x powered 350mA max. 1W - 350mA
Dimensions	Ø85xH65 Ø74 L 65
Options	1348/B - OSCAR 1348/C - OSCAR S6.75 - PLASTERKIT
Materials	aluminium 1M 2M INOX 316 5

Ref	1346.S2.1M.B.CW	white tex
	1346.S2.1M.B.WW	white tex
	1346.S2.1M.CW.CW	white tex
	1346.S2.1M.WW.WW	white tex
	1346.S2.2M.B.CW	black tex
	1346.S2.2M.B.WW	black tex
	1346.S2.2M.CW.CW	black tex
	1346.S2.2M.WW.WW	black tex
	1346.S2.5.B.CW	inox 316
	1346.S2.5.B.WW	inox 316
	1346.S2.5.CW.CW	inox 316
	1346.S2.5.WW.WW	inox 316

1345.S1/.. - OSCAR X

=350mA IP20



built-in
LED blue or cold white
LED Blau oder kalt Weiß

built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Lamp type	1x powered 350mA max. 1W - 350mA
Dimensions	Ø85xH45 Ø74 L 48
Options	S6.75 - PLASTERKIT

Ref	1345.S1.1M	B CW
	1345.S1.2M	B CW
	1345.S1.5	B CW

1345.S2/.. - OSCAR X

=350mA IP20



built-in
LED blue or cold white
LED Blau oder kalt Weiß

built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Lamp type	1x powered 350mA max. 1W - 350mA
Dimensions	Ø85xH45 Ø74 L 48
Options	1348/B - OSCAR 1348/C - OSCAR S6.75 - PLASTERKIT

Ref	1345.S2.1M	B CW
	1345.S2.2M	B CW WW
	1345.S2.5	B CW

Other LED colours on request
Andere LED Farben auf Anfrage

1348B/.. - OSCAR



built-in box - for flat springs S2
Einbaudose - für Blattfedern S2

Ref
1348B

Dimensions
↔ B75xH75xD67

built-in

1348C/.. - OSCAR



built-in box - with room for driver - for S2 springs
Einbaudose - mit Platz für Driver - für Blattfedern S2

Ref
1348C

Dimensions
↔ B74xH125xD67

built-in



INDOOR | Wall IN | OSCAR

Other LED colours on request
Andere LED Farben auf Anfrage

1344.S1/.. - OSCAR

=350mA S1 IP20



built-in
standard inside cold white LED - outside blue LED
standard LED Farbe innen kalt Weiß - außen Blau

built-in wall light - with glass - without LED driver
Einbau Wandleuchte - mit Glas - ohne Driver LED

Lamp type	2x powered 350mA max. 1W - 350mA
Dimensions	L85xB85xH65 74x74 65
Options	S9.70 - PLASTERKIT
Materials	aluminium 1M 2M INOX 316 5

Ref	1344.S1.1M.B.CW	white tex
	1344.S1.1M.B.WW	white tex
	1344.S1.1M.CW.CW	white tex
	1344.S1.1M.WW.WW	white tex
	1344.S1.2M.B.CW	black tex
	1344.S1.2M.B.WW	black tex
	1344.S1.2M.CW.CW	black tex
	1344.S1.2M.WW.WW	black tex
	1344.S1.5.B.CW	inox 316
	1344.S1.5.B.WW	inox 316
	1344.S1.5.CW.CW	inox 316
	1344.S1.5.WW.WW	inox 316

1344.S2/.. - OSCAR

=350mA S2 IP20



built-in
standard inside cold white LED - outside blue LED
standard LED Farbe innen kalt Weiß - außen Blau


built-in wall light - with glass - without LED driver
Einbau Wandleuchte - mit Glas - ohne Driver LED

Lamp type	2x powered 350mA max. 1W - 350mA
Dimensions	L85xB85xH65 74x74 65
Options	1347/B - OSCAR 1347/C - OSCAR S9.70 - PLASTERKIT
Materials	aluminium 1M 2M INOX 316 5

Ref	1344.S2.1M.B.CW	white tex
	1344.S2.1M.B.WW	white tex
	1344.S2.1M.CW.CW	white tex
	1344.S2.1M.WW.WW	white tex
	1344.S2.2M.B.CW	black tex
	1344.S2.2M.B.WW	black tex
	1344.S2.2M.CW.CW	black tex
	1344.S2.2M.WW.WW	black tex
	1344.S2.5.B.CW	inox 316
	1344.S2.5.B.WW	inox 316
	1344.S2.5.CW.CW	inox 316
	1344.S2.5.WW.WW	inox 316

1351.S1/.. - OSCAR X

=350mA S1 IP20



built-in
LED blue or cold white
LED Blau oder kalt Weiß


built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Lamp type	1x powered 350mA max. 1W - 350mA
Dimensions	L85xB85xH45 74x74 48
Options	1347/A - OSCAR - IDEM S9.70

Ref	1351.S1.1M	B CW
	1351.S1.2M	B CW
	1351.S1.5	B CW

1351.S2/.. - OSCAR X

=350mA S2 IP20



built-in
LED blue or cold white
LED Blau oder kalt Weiß

built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Lamp type	1x powered 350mA max. 1W - 350mA
Dimensions	L85xB85xH45 74x74 48
Options	1347/A - OSCAR - IDEM S9.70 1347/B - OSCAR 1347/C - OSCAR

Ref	1351.S2.1M	B CW
	1351.S2.2M	B CW WW
	1351.S2.5	B

Other LED colours on request
Andere LED Farben auf Anfrage

1352.S1/.. - OSCAR X

=350mA IP20



built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Ref	
1352.S1.1M	B CW
1352.S1.2M	B CW
1352.S1.5	B CW

Lamp type
 1x powered 350mA max. 1W - 350mA

Dimensions
 L85xB85xH45
 74x74 48

Options
1347/A - OSCAR - IDEM S9.70

built-in
LED blue or cold white
LED Blau oder kalt Weiß

1352.S2/.. - OSCAR X

=350mA IP20



built-in wall light - with stainless steel centre plate - without LED driver
Einbau Wandleuchte - mit Mittelplatte in Edelstahl - ohne Driver LED

Ref	
1352.S2.1M	B CW
1352.S2.2M	B CW
1352.S2.5	B CW


Lamp type
 1x powered 350mA max. 1W - 350mA

Dimensions
 L85xB85xH45
 74x74 48

Options
1347/A - OSCAR - IDEM S9.70
1347/B - OSCAR
1347/C - OSCAR

built-in
LED blue or cold white
LED Blau oder kalt Weiß

1347A/.. - OSCAR - IDEM S9.70




plaster kit
Einputzrahmen
Dimensions
 L225xB225

Ref	
1347A	

built-in

1347B/.. - OSCAR



built-in box - for flat springs S2
Einbaudose - für Blattfedern S2
Dimensions
 B75xH75xD67

Ref	
1347B	

built-in

INDOOR | Wall IN | OSCAR

Other LED colours on request
Andere LED Farben auf Anfrage

1347C/.. - OSCAR



built-in box - with room for driver - for S2 springs
Einbaudose - mit Platz für Driver - für Blattfedern S2

Ref
1347C

Dimensions

←→ B75xH125xD67

built-in





2238ALED/.. - SMALL SCREEN LED

~230V  S2  IP20    0,5 m  



built-in wall light - with even reflector
Einbau Wandleuchte - mit ebenem Reflektor

Ref
2238ALED.1M NW | WW
2238ALED.10 NW

Lamp type
 1x Led 230lm CRI80 max. 4W  230V

Dimensions
 B60xH220xD64
 52x199  65

built-in
dimmable phase-cut
dimmbar Phasenabschnitt



1238BLED/.. - SMALL SCREEN LED


~230V  S2  IP20    0,5 m  



built-in wall light - with glass
Einbau Wandleuchte - mit Glas

Ref
1238BLED.1M NW | WW
1238BLED.2M NW | WW
1238BLED.10 NW | WW

Lamp type
 1x Led 230lm CRI80 max. 4W  230V

Dimensions
 B60xH220xD64
 52x199  65

built-in
dimmable phase-cut
dimmbar Phasenabschnitt

1239/.. - SMALL SCREEN plasterkit

IP00    







plasterkit
Einputzrahmen

Ref
1239

Dimensions
 B152xH327
 60x205  65

built-in

1239B/.. - SMALL SCREEN box VT











built-in box
Einbaudose

Ref
1239B

Dimensions
 B55xH315xD71
 55x315  72

built-in

1238CLED/.. - RECTO SCREEN LED

230V  S2  IP20    0,7500  1 m  05.20.50 






built-in wall light
Einbau Wandleuchte

Lamp type

1x Led 400lm CRI80 max. 4W  230V

Dimensions

 B110xH340xD50





 96x320  70

Ref

1238CLED.1M	NW
1238CLED.2M	NW
1238CLED.5	NW
1238CLED.11	NW

built-in
dimmable phase-cut
dimmbar Phasenabschnitt


1239C/.. - RECTO SCREEN box


   0,2300 



built-in box
Einbaudose

Dimensions

 B102xH327xD72

 102x327  73

Ref

1239C

built-in


1239D/.. - RECTO SCREEN plasterkit

IP00    0,1550 



plasterkit
Einputzrahmen

Dimensions


 B160xH400

 96x320

Ref

1239D

built-in



1235A.LED/.. - SCREEN LED

~230V S2 IP20 1 m 05.20.50



built-in wall light - asymmetric
Einbau Wandleuchte - asymmetrisch

Ref

1235A.LED.1M NW
1235A.LED.10 NW

Lamp type

1x 42LED L 1588lm CRI80 max. 16W 230V

Dimensions

B197xH287xD68
 185x255 70

Options

1237 - SCREEN plasterkit
1237B - SCREEN box

built-in
dimmmable phase-cut
dimmmbar Phasenabschnitt

2235ALED/.. - SCREEN LED

~230V S2 IP20 0,7500 1 m 05.20.50



built-in wall light - with even reflector
Einbau Wandleuchte - mit ebenem Reflektor

Ref

2235ALED.1M NW
2235ALED.10 NW

Lamp type

1x 42LED L 1588lm CRI80 max. 16W 230V

Dimensions

B197xH287xD68
 185x255 70

built-in
dimmmable phase-cut
dimmmbar Phasenabschnitt

1237/.. - SCREEN plasterkit

IP00 0,1900



plasterkit
Einputzrahmen

Ref

1237

Dimensions

B325xH425
 186x256

built-in

1237B/.. - SCREEN box

IP00 0,3900



built-in box
Einbaudose

Ref

1237B

Dimensions

B190xH315xD80
 190x315 81

built-in