



Jacob

small tubes for great lighting



psmighting

Delighted to help you

















All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

| | | | | | | | | | | | | | | | |
|---|--|---|---|--------------|---|---|---|---|--------|---|-------|---|-----|---|--|
| 3960.ES50.MR11/.. - JACOB M | | ~230V |  | IP20 |  |  |  |  | 0.3300 |  | 0,5 m |  | 5,6 |  | |
|  |  | built-up spot M10 - round - directional | | Ref | | Price € | | | | | | | | | |
| | Lamptype | | 3960.ES50.MR11.1M | |  | | | | | | | | | | |
| | 1x QPAR35 GU10 max. 4W | | 230V | | 3960.ES50.MR11.2M | |  | | | | | | | | |
| | Dimensions | | 3960.ES50.MR11.14 | |  | | | | | | | | | | |
| |  Ø40xH130 | | Head Ø40xH85 | | | | | | | | | | | | |
| Materials | | Aluminium | | 1M 2M 14 | | | | | | | | | | | |

built-up



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3986M/.. - JACOB M

=350mA



built-up spot LED M10 - round - directional - CRI80 - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH130

48°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 123 | 29 | 49 | 47 | 77

Messing


4 | 16 | 13 | 13M | 23

| Ref | Price € |
|-----------|---------|
| 3986M.1M | NW WW |
| 3986M.2M | NW WW |
| 3986M.4 | NW WW |
| 3986M.13 | NW WW |
| 3986M.14 | NW WW |
| 3986M.16 | NW WW |
| 3986M.23 | NW WW |
| 3986M.29 | NW WW |
| 3986M.77 | NW WW |
| 3986M.47 | NW WW |
| 3986M.49 | NW WW |
| 3986M.123 | NW WW |
| 3986M.13M | NW WW |

built-up

3977M/.. - JACOB M

=500mA



built-up spot LED M10 - round - directional - CRI80 - without LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH130

48°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 123 | 29 | 49 | 47 | 77

Messing

4 | 16 | 13 | 13M | 23

| Ref | Price € |
|-----------|---------|
| 3977M.1M | NW WW |
| 3977M.2M | NW WW |
| 3977M.4 | NW WW |
| 3977M.13 | NW WW |
| 3977M.14 | NW WW |
| 3977M.16 | NW WW |
| 3977M.23 | NW WW |
| 3977M.29 | NW WW |
| 3977M.77 | NW WW |
| 3977M.47 | NW WW |
| 3977M.49 | NW WW |
| 3977M.123 | NW WW |
| 3977M.13M | NW WW |

built-up

3982M/.. - JACOB M

=500mA



built-up spot LED M10 - round - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

48°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 119 | 123 | 29 | 49 | 47 | 77

Messing

4 | 16 | 13 | 13M | 23

| Ref | Price € |
|-----------|---------|
| 3982M.1M | NW WW |
| 3982M.2M | NW WW |
| 3982M.14 | NW WW |
| 3982M.4 | NW WW |
| 3982M.16 | NW WW |
| 3982M.13 | NW WW |
| 3982M.13M | NW WW |
| 3982M.23 | NW WW |
| 3982M.119 | NW WW |
| 3982M.123 | NW WW |
| 3982M.29 | NW WW |
| 3982M.49 | NW WW |
| 3982M.47 | NW WW |
| 3982M.77 | NW WW |

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3975M/.. - JACOB WALL BY SUMUM

=500mA



built-up spot LED M10 - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

48°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

3975M.1M

3975M.2M

3975M.16

3975M.29

3975M.49

NW | WW

NW | WW

NW | WW

NW | WW


NW | WW

Price €

built-up
To point to the wall

3976M/.. - JACOB WALL by SUMUM

=500mA



built-up spot LED M10 - CRI80 - without LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH165

48°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

3976M.1M

3976M.2M

3976M.16

3976M.29

3976M.49

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
To point to the wall



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3979.SLO.D15/.. - JACOB SLO

=350mA



built-up
CRI 90 on request



built-up spot LED M10 - round - directional - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø40xH130

15°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 11M


Messing

4 | 16

| Ref | Price € |
|------------------|---------|
| 3979.SLO.D15.1M | NW WW |
| 3979.SLO.D15.2M | NW WW |
| 3979.SLO.D15.4 | NW WW |
| 3979.SLO.D15.11M | NW WW |
| 3979.SLO.D15.14 | NW WW |
| 3979.SLO.D15.16 | NW WW |

3979.SLO.D30/.. - JACOB SLO

=350mA



built-up
CRI 90 on request



built-up spot LED M10 - round - directional - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø40xH130

30°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 11M


Messing

4 | 16

| Ref | Price € |
|------------------|---------|
| 3979.SLO.D30.1M | NW WW |
| 3979.SLO.D30.2M | NW WW |
| 3979.SLO.D30.4 | NW WW |
| 3979.SLO.D30.11M | NW WW |
| 3979.SLO.D30.14 | NW WW |
| 3979.SLO.D30.16 | NW WW |

3979.SLO.D36/.. - JACOB SLO

=350mA



built-up
CRI 90 on request



built-up spot LED M10 - round - directional - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø40xH130

36°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 11M


Messing

4 | 16

| Ref | Price € |
|------------------|---------|
| 3979.SLO.D36.1M | NW WW |
| 3979.SLO.D36.2M | NW WW |
| 3979.SLO.D36.4 | NW WW |
| 3979.SLO.D36.11M | NW WW |
| 3979.SLO.D36.14 | NW WW |
| 3979.SLO.D36.16 | NW WW |

3979.SLO.D45/.. - JACOB SLO

=350mA



built-up
CRI 90 on request



built-up spot LED M10 - round - directional - without LED driver

Lamptype

1x LED 735lm CRI90 max. 6,2W

350mA

Dimensions

Ø40xH130

45°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 14 | 11M

Messing

4 | 16

| Ref | Price € |
|------------------|---------|
| 3979.SLO.D45.1M | NW WW |
| 3979.SLO.D45.2M | NW WW |
| 3979.SLO.D45.4 | NW WW |
| 3979.SLO.D45.11M | NW WW |
| 3979.SLO.D45.14 | NW WW |
| 3979.SLO.D45.16 | NW WW |

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3800.D40/.. - JACOB XL

=500mA



built-up



built-up spot LED M10 - directional - CRI97 - without LED driver

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

40°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 123 | 29 | 49 | 47

Messing

16 | 23

| Ref | Price € |
|--------------|---------|
| 3800.D40.1M | NW WW |
| 3800.D40.2M | NW WW |
| 3800.D40.16 | NW WW |
| 3800.D40.23 | NW WW |
| 3800.D40.29 | NW WW |
| 3800.D40.47 | NW WW |
| 3800.D40.49 | NW WW |
| 3800.D40.123 | NW WW |

3800.D30/.. - JACOB XL

=500mA



built-up



built-up spot LED M10 - directional - CRI97 - without LED driver

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 123 | 29 | 49 | 47


Messing

16 | 23

| Ref | Price € |
|--------------|---------|
| 3800.D30.1M | NW WW |
| 3800.D30.2M | NW WW |
| 3800.D30.16 | NW WW |
| 3800.D30.23 | NW WW |
| 3800.D30.29 | NW WW |
| 3800.D30.47 | NW WW |
| 3800.D30.49 | NW WW |
| 3800.D30.123 | NW WW |

3800.D11/.. - JACOB XL

=500mA



built-up



built-up spot LED M10 - directional - CRI97 - without LED driver

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

11°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49 | 47

Inox

123

Messing

16 | 23

| Ref | Price € |
|--------------|---------|
| 3800.D11.1M | NW WW |
| 3800.D11.2M | NW WW |
| 3800.D11.16 | NW WW |
| 3800.D11.23 | NW WW |
| 3800.D11.29 | NW WW |
| 3800.D11.47 | NW WW |
| 3800.D11.49 | NW WW |
| 3800.D11.123 | NW WW |

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.



CEILING UP

SPOTS

3983.200/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH200

48°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.200.1M

3983.200.2M

3983.200.16

3983.200.29

3983.200.45

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request

3983.300/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH300

48°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.300.1M

3983.300.2M

3983.300.16

3983.300.29

3983.300.45

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request

3983.400/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH400

48°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.400.1M

3983.400.2M

3983.400.16

3983.400.29

3983.400.45

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request



CEILING UP


LUMINAIRES

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3801/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L200xB50xH210

30°

Base L200xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3801.1M

3801.2M

Price €

NW | WW

NW | WW

built-up

3802/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L400xB50xH210

30°

Base L400xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3802.1M

3802.2M

Price €

NW | WW

NW | WW

built-up

3803/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L600xB50xH210

30°

Base L600xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3803.1M

3803.2M

Price €

NW | WW

NW | WW

built-up

3804/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L900xB50xH210

30°

Base L900xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3804.1M

3804.2M

Price €

NW | WW


NW | WW

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3805/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1000xB50xH210

30°

Base L1000xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3805.1M

3805.2M

NW | WW



NW | WW

Price €

built-up

3806/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1200xB50xH210

30°

Base L1200xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3806.1M

3806.2M

NW | WW


NW | WW

Price €

built-up

3807/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1400xB50xH210

30°

Base L1400xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

3807.1M

3807.2M

NW | WW

NW | WW

Price €

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3801/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L220xB120xH200

30°

Base L200xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3801.1M

BT.3801.2M

NW | WW

NW | WW

Price €

built-up

BT.3802/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L400xB210xH200

30°

Base L400xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3802.1M

BT.3802.2M

NW | WW

NW | WW

Price €

built-up

BT.3803/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L600xB210xH200

30°

Base L600xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3803.1M

BT.3803.2M

NW | WW

NW | WW

Price €

built-up

BT.3804/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L900xB210xH200

30°

Base L900xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3804.1M

BT.3804.2M

NW | WW

NW | WW

Price €

built-up

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3805/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1000xB210xH200

30°

Base L1000xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3805.1M

BT.3805.2M

NW | WW

NW | WW

Price €

built-up

BT.3806/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1200xB50xH210

30°

Base L1200xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3806.1M

BT.3806.2M

NW | WW

NW | WW

Price €

built-up

BT.3807/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

7x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

L1400xB50xH210

30°

Base L1400xB45xH45

Head Ø50xH120

Materials

Aluminium

1M | 2M

Ref

BT.3807.1M


BT.3807.2M

NW | WW


NW | WW

Price €

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.




CEILING UP

LUMINAIRES

4520/.. - JACOBINE

=350mA



built-up ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L60xB60xH150

48°

L60xB60

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4520.1M

4520.2M

4520.14

4520.29

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request

4526/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L200xB40xH170

48°

Base L200xB40xH40

Spot Ø40xH130

Materials

Aluminium

1M | 2M | 29

Ref

4526.1M

4526.2M

4526.29

Price €

NW | WW


NW | WW

NW | WW

built-up
CRI 90 on request
dimmable phase-cut

4527/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L400xB40xH170

48°

Base L400xB40xH40

Spot Ø40xH130

Materials

Aluminium

1M | 2M | 29

Ref

4527.1M

4527.2M

4527.29

Price €

NW | WW


NW | WW

NW | WW

built-up
CRI 90 on request
dimmable phase-cut

4528/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L600xB40xH170

48°

Base L600xB40xH40

Spot Ø40xH130

Materials

Aluminium

1M | 2M | 29

Ref

4528.1M

4528.2M

4528.29

Price €

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request
dimmable phase-cut

4521/.. - JACOBINE

=350mA



built-up ceiling light - directional - with Texo base - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L85xB85xH150

48°

L60xB60

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4521.1M

4521.2M

4521.14

4521.29

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request

4522/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L215xB130xH150

48°

L180xB100

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4522.1M

4522.2M

4522.14

4522.29

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request
dimmable phase-cut

4523/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

3x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L300xB130xH150

48°

L270xB100

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4523.1M

4523.2M

4523.14

4523.29

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request
dimmable phase-cut

4524/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L385xB130xH150

48°

L355xB100

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4524.1M

4524.2M

4524.14

4524.29

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request
dimmable phase-cut

4525/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L210xB210xH150

48°

L180xB180

Materials

Aluminium

1M | 2M | 14 | 29

Ref

4525.1M

4525.2M

4525.14

4525.29

Price €

NW | WW

NW | WW

NW | WW

NW | WW


built-up
CRI 90 on request
dimmable phase-cut



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3987.M.B3/.. - JACOB M

=350mA



pendant with swivel - rod can be shortened - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH85

Tige 800

48°

Materials

Aluminium

1M | 2M | 14

Ref

3987.M.B3.1M

3987.M.B3.2M

3987.M.B3.14

● NW | WW

● NW | WW


● NW | WW

Price €

built-up
CRI 90 on request

3987.M.TX/.. - JACOB M

=350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH85

Cable 2000

48°

Materials

Aluminium

1M | 2M | 14

Ref

3987.M.TX.2M.TX2

3987.M.TX.14.TX11

3987.M.TX.1M.TX1

● NW | WW

● NW

● NW | WW


Price €

built-up
CRI 90 on request



3988.300/.. - JACOB PENDEL

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3988.300.1M.TX1

3988.300.2M.TX2

3988.300.14.TX11

3988.300.29.TX2

3988.300.49.TX1

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up
CRI 90 on request

3988.400/.. - JACOB PENDEL

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH400

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3988.400.1M.TX1

3988.400.2M.TX2

3988.400.14.TX11

3988.400.29.TX2

3988.400.49.TX1

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request

3988.500/.. - JACOB PENDEL

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH500

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3988.500.1M.TX1

3988.500.2M.TX2

3988.500.14.TX11

3988.500.29.TX2

3988.500.49.TX1

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request




CEILING UP

PENDANTS

3973.300/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH300

1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3973.300.1M.TX1

3973.300.2M.TX2

3973.300.14.TX11

3973.300.29.TX2

3973.300.49.TX1

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up
CRI 90 on request

3973.400/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH400

1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3973.400.1M.TX1

3973.400.2M.TX2

3973.400.14.TX11

3973.400.29.TX2

3973.400.49.TX1

Price €

NW | WW

NW | WW

NW | WW


NW | WW

NW | WW

built-up
CRI 90 on request

3973.500/.. - JACOB PENDEL

=500mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH500

1500

48°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Ref

3973.500.1M.TX1

3973.500.2M.TX2

3973.500.14.TX11

3973.500.29.TX2

3973.500.49.TX1

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request





CEILING UP

PENDANTS



3980.300/.. - JACOB BRASS

=350mA



IP20



1.5 m



1.3000



0,5 m



5,6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH300

Cable 1500

48°

Materials

Messing

16 | 13 | 13M | 23

Ref

3980.300.13.TXG13

NW | WW

3980.300.16.TXM

NW | WW

3980.300.23.TX23

NW | WW

3980.300.13M.TXG13

NW | WW

3980.300.13M.TX43

NW | WW

Price €

built-up
CRI 90 on request

3980.400/.. - JACOB BRASS

=350mA



IP20



1.5 m



1.0000



0,5 m



5,6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH400

Cable 1500

48°

Materials

Messing

16 | 13 | 13M | 23

Ref

3980.400.13.TXG13

NW | WW

3980.400.16.TXM

NW | WW

3980.400.16.TX2

NW | WW

3980.400.23.TX23

NW | WW

3980.400.13M.TX43

NW | WW

3980.400.13M.TXG13

NW | WW

Price €

built-up
CRI 90 on request

3980.500/.. - JACOB BRASS

=350mA



IP20



1.5 m



1.5000



0,5 m



5,6



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø40xH500

Cable 1500

48°

Materials

Messing

16 | 13 | 13M | 23

Ref

3980.500.16.TXM

NW | WW

3980.500.13.TXG13

NW | WW

3980.500.13M.TXG13

NW | WW

3980.500.13M.TX43

NW | WW

3980.500.23.TX23


NW | WW

Price €

built-up
CRI 90 on request

1922.3/.. - JACOB

~230V



pendant - with 3x Jacob on base Juba - with LED driver

Lamptype

3x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L900xB45xH1945

Cable 1500

48°

Base L900xB45xH45

Tube Ø40xH400

Materials

Aluminium 1M | 2M

Aluminium / Messing 216


Messing 16

| Ref | Price € |
|----------------|---------|
| 1922.3.1M.TX1 | NW WW |
| 1922.3.2M.TX2 | NW WW |
| 1922.3.16.TXM | NW WW |
| 1922.3.216.TX2 | NW WW |
| 1922.3.216.TXM | NW WW |

built-up
CRI 90 on request

1923.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Juba - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1200xB45xH1945

Cable 1500

48°

Base L1200xB45xH45

Tube Ø40xH400

Materials

Aluminium 1M | 2M

Aluminium / Messing 216


Messing 16

| Ref | Price € |
|----------------|---------|
| 1923.5.1M.TX1 | NW WW |
| 1923.5.2M.TX2 | NW WW |
| 1923.5.16.TXM | NW WW |
| 1923.5.216.TX2 | NW WW |
| 1923.5.216.TXM | NW WW |

built-up
CRI 90 on request

1924.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Juba - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1400xB45xH1945

Cable 1500

48°

Base L1400xB45xH45

Tube Ø40xH400

Materials

Aluminium 1M | 2M

Aluminium / Messing 216

Messing 16

| Ref | Price € |
|----------------|---------|
| 1924.7.1M.TX1 | NW WW |
| 1924.7.2M.TX2 | NW WW |
| 1924.7.16.TXM | NW WW |
| 1924.7.216.TX2 | NW WW |
| 1924.7.216.TXM | NW WW |

built-up
CRI 90 on request

1925.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Rondobox - with LED driver

Lamptype

5x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø350xH1945

Cable 1500

48°

Base Ø350xH28

Tube Ø40xH400

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

1925.5.1M.TX1

1925.5.2M.TX2

1925.5.216.TX2

1925.5.216.TXM

NW | WW

NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request

1926.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Rondobox - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø400xH1945

Cable 1500

48°

Base Ø400xH28

Tube Ø40xH400

Materials

Aluminium

1M | 2M

Aluminium / Messing

216

Ref

1926.7.1M.TX1

1926.7.2M.TX2

1926.7.216.TX2

1926.7.216.TXM

NW | WW


NW | WW

NW | WW

NW | WW

Price €

built-up
CRI 90 on request





3984/.. - JACOB

~230V



built-up wall light - round - fixed - down/up - with LED driver

Lamptype

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

B40xH250xD85

48°

B35xH190xD35

Tube Ø40xH250

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3984.1M

3984.2M

3984.29

3984.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request



WALL UP

3961/.. - JACOB

=350mA



table lamp - fixed - with cable and plug - with LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø160xH400

48°

Base Ø160xH20

Head Ø40xH90

Materials

Aluminium

1M | 2M | 84 | 29 | 47

Ref

3961.1M

3961.2M

3961.29

3961.47

3961.84

Price €

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

built-up
CRI 90 on request

3970/.. - JACOB

=350mA



floorlamp - directional - with cable and plug - with LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø170xH1000

1000

Materials

Aluminium

1M | 2M

Ref

3970.1M

3970.2M

Price €

NW | WW

NW | WW

built-up







Colours



Textile cables





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.