



Jacob

small tubes for great lighting



psmighting

Delighted to help you



All information in this catalogue is without engagement.

Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3983.200/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH200 mm

35°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.200.1M

NW | WW

Price €

181,75

3983.200.2M

NW | WW

181,75

3983.200.16

NW | WW

255,84

3983.200.45

NW | WW

204,90

3983.200.29

NW | WW

204,90

built-up
CRI 90 on request

3983.300/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH300 mm

35°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.300.1M

NW | WW

Price €

192,17

3983.300.2M

NW | WW

192,17

3983.300.16

NW | WW

268,57

3983.300.29

NW | WW

215,32

3983.300.45

NW | WW

215,32

built-up
CRI 90 on request

3983.400/.. - JACOB

~230V



built-up ceiling light - round - fixed - down - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH400 mm

35°

Materials

Aluminium

1M | 2M | 45 | 29

Messing

Ref

3983.400.1M

NW | WW

Price €

202,58

3983.400.2M

NW | WW

202,58

3983.400.16

NW | WW

287,09

3983.400.29

NW | WW

225,74

3983.400.45

NW | WW

225,74



built-up
CRI 90 on request

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4520/.. - JACOBINE

=350mA



built-up ceiling light - directional - with base 025 - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L60xB60xH150 mm  35°

 L60xB60 mm

Materials

Aluminium 1M | 2M | 14 | 29

Options

TR89800255/.. DRIVER 350mA

Ref		Price €
4520.1M	● NW WW	183,04
4520.2M	● NW WW	183,04
4520.14	● NW WW	185,68
4520.29	● NW WW	198,62

built-up
CRI 90 on request

4505/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L200xB40xH170 mm  35°

Base L200xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

Ref		Price €
4505.1M	● NW WW	375,61
4505.2M	● NW WW	375,61
4505.29	● NW WW	406,76

built-up
CRI 90 on request
dimmable phase-cut

4526/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L200xB40xH170 mm  35°

Base L200xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

Ref		Price €
4526.1M	● NW WW	428,34
4526.2M	● NW WW	422,58
4526.29	● NW WW	453,73

built-up
CRI 90 on request
dimmable phase-cut

4506/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L400xB40xH170 mm  35°

Base L400xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

Ref		Price €
4506.1M	● NW WW	493,46
4506.2M	● NW WW	485,20
4506.29	● NW WW	516,35

built-up
CRI 90 on request
dimmable phase-cut



CEILING UP


LUMINAIRES

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4527/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L400xB40xH170 mm  35°

Base L400xB40xH40 mm Spot Ø40xH130 mm

Materials


Aluminium 1M | 2M | 29

Ref		Price €
4527.1M	● NW WW	637,99
4527.2M	● NW WW	629,73
4527.29	● NW WW	676,46

built-up
CRI 90 on request
dimmable phase-cut

4507/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L600xB40xH170 mm  35°

Base L600xB40xH40 mm Spot Ø40xH130 mm

Materials



Aluminium 1M | 2M | 29

Ref		Price €
4507.1M	● NW WW	706,69
4507.2M	● NW WW	695,17
4507.29	● NW WW	741,90

built-up
CRI 90 on request
dimmable phase-cut

4528/.. - JACOBINE

~230V



built-up ceiling light - directional - with Juba base - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf  350mA

Dimensions

↔ L600xB40xH170 mm  35°

Base L600xB40xH40 mm Spot Ø40xH130 mm

Materials

Aluminium 1M | 2M | 29

Ref		Price €
4528.1M	● NW WW	882,22
4528.2M	● NW WW	870,70
4528.29	● NW WW	933,00

built-up
CRI 90 on request
dimmable phase-cut



CEILING UP

LUMINAIRES

INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4521/.. - JACOBINE

=350mA



built-up ceiling light - directional - with Texo base - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L85xB85xH150 mm

35°

L60xB60 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref		Price €
4521.1M	NW WW	201,09
4521.2M	NW WW	198,10
4521.14	NW WW	216,10
4521.29	NW WW	213,68

built-up
CRI 90 on request

4522/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L215xB130xH150 mm

35°

L180xB100 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref		Price €
4522.1M	NW WW	389,95
4522.2M	NW WW	386,03
4522.14	NW WW	405,81
4522.29	NW WW	417,18

built-up
CRI 90 on request
dimmable phase-cut

4523/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L300xB130xH150 mm

35°

L270xB100 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref		Price €
4523.1M	NW WW	536,05
4523.2M	NW WW	531,76
4523.14	NW WW	556,33
4523.29	NW WW	578,48

built-up
CRI 90 on request
dimmable phase-cut

4524/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L385xB130xH150 mm

35°

L355xB100 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref		Price €
4524.1M	NW WW	722,93
4524.2M	NW WW	717,81
4524.14	NW WW	750,15
4524.29	NW WW	780,11

built-up
CRI 90 on request
dimmable phase-cut

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

4525/.. - JACOBINE

~230V



built-up ceiling light - directional - with Texo base - with LED driver

Lamptype

4x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L210xB210xH150 mm 35°

L180xB180 mm

Materials

Aluminium

1M | 2M | 14 | 29

Ref		Price €
4525.1M	NW WW	722,93
4525.2M	NW WW	717,81
4525.14	NW WW	770,45
4525.29	NW WW	910,23

built-up
CRI 90 on request
dimmable phase-cut




INDOOR | Ceiling UP | Luminaires | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3801/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L200xB50xH210 mm 30°

Base L200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3801.1M	NW WW	333,63
3801.2M	NW WW	327,87

built-up

3802/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L400xB50xH210 mm 30°

Base L400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3802.1M	NW WW	580,49
3802.2M	NW WW	572,23

built-up

3803/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L600xB50xH210 mm 30°

Base L600xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3803.1M	NW WW	868,24
3803.2M	NW WW	856,72

built-up

3804/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L900xB50xH210 mm 30°

Base L900xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3804.1M	NW WW	1.076,50
3804.2M	NW WW	1.064,02

built-up

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3805/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1000xB50xH210 mm 30°

Base L1000xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3805.1M	NW WW	1.313,38
3805.2M	NW WW	1.300,04

built-up

3806/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1200xB50xH210 mm 30°

Base L1200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3806.1M	NW WW	1.517,66
3806.2M	NW WW	1.503,55

built-up

3807/.. - JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1400xB50xH210 mm 30°

Base L1400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
3807.1M	NW WW	1.745,31
3807.2M	NW WW	1.730,99

built-up





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3801/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L220xB120xH200 mm 30°

Base L200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3801.1M	NW WW	440,35
BT.3801.2M	NW WW	434,59

built-up

BT.3802/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

2x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L400xB210xH200 mm 30°

Base L400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3802.1M	NW WW	687,22
BT.3802.2M	NW WW	678,96

built-up

BT.3803/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

3x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L600xB210xH200 mm 30°

Base L600xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3803.1M	NW WW	974,96
BT.3803.2M	NW WW	963,44

built-up

BT.3804/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

4x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L900xB210xH200 mm 30°

Base L900xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3804.1M	NW WW	1.183,22
BT.3804.2M	NW WW	1.170,74

built-up



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

BT.3805/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

5x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1000xB210xH200 mm 30°

Base L1000xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3805.1M	NW WW	1.420,10
BT.3805.2M	NW WW	1.406,76

built-up

BT.3806/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

6x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1200xB50xH210 mm 30°

Base L1200xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3806.1M	NW WW	1.624,39
BT.3806.2M	NW WW	1.610,27

built-up

BT.3807/.. - CASAMBI JACOB XL

~230V



ceiling light - directional - CRI97 - with LED driver

Lamptype

7x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

L1400xB50xH210 mm 30°

Base L1400xB45xH45 mm Head Ø50xH120 mm

Materials

Aluminium

1M | 2M

Ref		Price €
BT.3807.1M	NW WW	1.852,03
BT.3807.2M	NW WW	1.837,52

built-up




INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3987.M.B3/.. - JACOB M

≈350mA



pendant with swivel - rod can be shortened - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH85 mm

Rod 800 mm

35°

Materials

Aluminium

1M | 2M | 14

Options


020.B3.D8,3/.. ROSETTE UP

Ref		Price €
3987.M.B3.1M	● NW WW	172,53
3987.M.B3.2M	● NW WW	172,53
3987.M.B3.14	● NW WW	192,90

built-up
CRI 90 on request

3987.M.TX/.. - JACOB M

≈350mA



pendant - with 2m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH85 mm

Cable 2000 mm

35°

Materials

Aluminium


1M | 2M | 14

Options

055B/.. ROSETTE for textile cable

Ref		Price €
3987.M.TX.1M.TX1	● NW WW	135,39
3987.M.TX.2M.TX2	● NW WW	135,39
3987.M.TX.14.TX11	● NW WW	149,77

built-up
CRI 90 on request



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3988.300/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH300 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800255/.. DRIVER 350mA

Ref

3988.300.1M.TX1

NW | WW

Price €

192,17

3988.300.2M.TX2

NW | WW

192,17

3988.300.14.TX11

NW | WW

230,37

3988.300.29.TX2

NW | WW

217,63

3988.300.49.TX1

NW | WW

217,63

3988.400/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH400 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800255/.. DRIVER 350mA

Ref

3988.400.1M.TX1

NW | WW

Price €

203,16

3988.400.2M.TX2

NW | WW

203,16

3988.400.14.TX11

NW | WW

243,10

3988.400.29.TX2

NW | WW

225,74

3988.400.49.TX1

NW | WW

225,74

3988.500/.. - JACOB PENDEL

=350mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø40xH500 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800255/.. DRIVER 350mA

Ref

3988.500.1M.TX1

NW | WW

Price €

207,21

3988.500.2M.TX2

NW | WW

207,21

3988.500.14.TX11

NW | WW

248,89

3988.500.29.TX2

NW | WW

230,37

3988.500.49.TX1

NW | WW

230,37





All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3973.300/.. - JACOB PENDEL

=500mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

Dimensions

Ø40xH300 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

Ref

3973.300.1M.TX1

NW | WW

192,17

3973.300.2M.TX2

NW | WW

192,17

3973.300.14.TX11

NW | WW

230,37

3973.300.29.TX2

NW | WW

217,63

3973.300.49.TX1

NW | WW

217,63

3973.400/.. - JACOB PENDEL

=500mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

Dimensions

Ø40xH400 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

Ref

3973.400.1M.TX1

NW | WW

203,16

3973.400.2M.TX2

NW | WW

203,16

3973.400.14.TX11

NW | WW

243,10

3973.400.29.TX2

NW | WW

225,74

3973.400.49.TX1

NW | WW

225,74

3973.500/.. - JACOB PENDEL

=500mA



built-up
CRI 90 on request



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

Dimensions

Ø40xH500 mm

Cable 1500 mm

35°

Materials

Aluminium

1M | 2M | 14 | 29 | 49

Options

TR89800256/.. DRIVER 500mA

Ref

3973.500.1M.TX1

NW | WW

207,21

3973.500.2M.TX2

NW | WW

207,21

3973.500.14.TX11

NW | WW

248,89

3973.500.29.TX2

NW | WW

230,37

3973.500.49.TX1

NW | WW

230,37



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3980.300/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH300 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

Ref		Price €
3980.300.16.TXM	NW WW	269,58
3980.300.16.TX2	NW WW	252,81
3980.300.13.TXG13	NW WW	299,88
3980.300.13M.TXG13	NW WW	299,88
3980.300.13M.TX43	NW WW	299,88
3980.300.23.TX23	NW WW	299,88

built-up
CRI 90 on request

3980.400/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH400 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

Ref		Price €
3980.400.13.TXG13	NW WW	345,08
3980.400.16.TXM	NW WW	287,55
3980.400.16.TX2	NW WW	269,99
3980.400.23.TX23	NW WW	345,08
3980.400.13M.TX43	NW WW	345,08
3980.400.13M.TXG13	NW WW	345,08

built-up
CRI 90 on request

3980.500/.. - JACOB BRASS

=350mA



pendant - round - with 1,5m textile cable and strain relief on lampholder's side - without LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf 350mA

Dimensions

Ø40xH500 mm Cable 1500 mm

35°

Materials

Messing 16 | 13 | 13M | 23

Options

TR89800255/.. DRIVER 350mA

Ref		Price €
3980.500.16.TXM	NW WW	305,53
3980.500.16.TX2	NW WW	287,97
3980.500.13.TXG13	NW WW	370,44
3980.500.13M.TXG13	NW WW	370,44
3980.500.13M.TX43	NW WW	370,44
3980.500.23.TX23	NW WW	370,44

built-up
CRI 90 on request



All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1922.3/.. - JACOB

~230V



pendant - with 3x Jacob on base Juba - with LED driver

Lamptype

3x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L900xB45xH1945 mm Cable 1500 mm

35°

Base L900xB45xH45 mm

tube Ø40xH400 mm

Materials


Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref		Price €
1922.3.1M.TX1	NW WW	950,17
1922.3.2M.TX2	NW WW	937,68
1922.3.16.TXM	NW WW	1.372,89
1922.3.216.TX2	NW WW	1.138,16
1922.3.216.TXM	NW WW	1.190,87

built-up
CRI 90 on request

1923.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Juba - with LED driver

Lamptype

5x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L1200xB45xH1945 mm Cable 1500 mm

35°

Base L1200xB45xH45 mm

tube Ø40xH400 mm

Materials



Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref		Price €
1923.5.1M.TX1	NW WW	1.453,13
1923.5.2M.TX2	NW WW	1.439,00
1923.5.16.TXM	NW WW	2.092,00
1923.5.216.TX2	NW WW	1.773,14
1923.5.216.TXM	NW WW	1.860,98

built-up
CRI 90 on request

1924.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Juba - with LED driver

Lamptype

7x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

L1400xB45xH1945 mm Cable 1500 mm

35°

Base L1400xB45xH45 mm

tube Ø40xH400 mm

Materials

Aluminium	1M 2M
Aluminium / Messing	216
Messing	16

Ref		Price €
1924.7.1M.TX1	NW WW	1.930,62
1924.7.2M.TX2	NW WW	1.823,29
1924.7.16.TXM	NW WW	2.672,44
1924.7.216.TX2	NW WW	2.291,07
1924.7.216.TXM	NW WW	2.414,05

built-up
CRI 90 on request

INDOOR | Ceiling UP | Pendants | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

1925.5/.. - JACOB

~230V



pendant - with 5x Jacob on base Rondobox - with LED driver

Lamptype

5x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø350xH1945 mm

Cable 1500 mm

35°

Base Ø350xH28 mm

tube Ø40xH400 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

Ref

1925.5.1M.TX1

NW | WW

Price €

1.423,14

1925.5.2M.TX2

NW | WW

1.410,44

1925.5.216.TX2

NW | WW

1.744,58

1925.5.216.TXM

NW | WW

1.832,42

built-up
CRI 90 on request

1926.7/.. - JACOB

~230V



pendant - with 7x Jacob on base Rondobox - with LED driver

Lamptype

7x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø400xH1945 mm

Cable 1500 mm

35°

Base Ø400xH28 mm

tube Ø40xH400 mm

Materials

Aluminium

1M | 2M

Aluminium / Messing

Ref

1926.7.1M.TX1

NW | WW

Price €

1.930,08

1926.7.2M.TX2

NW | WW

1.915,57

1926.7.216.TX2

NW | WW

2.383,35

1926.7.216.TXM

NW | WW

2.506,33

built-up
CRI 90 on request






INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3978M/.. - JACOB M

=350mA



built-up spot LED M10 - round - directional - CRI90 - without LED driver

Lamptype

1x LED 410lm CRI90 4W 11,43Vf

350mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium 1M | 2M | 14 | 119 | 29 | 49 | 47 | 77

Messing 4 | 16 | 13 | 13M | 23

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800255/.. DRIVER 350mA

Ref		Price €
3978M.1M	NW WW	126,65
3978M.2M	NW WW	126,65
3978M.14	NW WW	141,03
3978M.4	NW WW	171,89
3978M.16	NW WW	160,92
3978M.13	NW WW	172,16
3978M.13M	NW WW	172,16
3978M.23	NW WW	172,16
3978M.119	NW WW	131,25
3978M.29	NW WW	142,23
3978M.49	NW WW	142,23
3978M.47	NW WW	126,65
3978M.77	NW WW	126,65

built-up

3982M/.. - JACOB M

=500mA



built-up spot LED M10 - round - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 5,8W 11,60Vf

500mA

Dimensions

Ø40xH130 mm

35°

Head Ø40xH85 mm

Materials

Aluminium 1M | 2M | 14 | 119 | 29 | 49 | 47 | 77

Messing 4 | 16 | 13 | 13M | 23

Options

002/.. ROSETTE IN

005/.. ROSETTE UP



TR89800256/.. DRIVER 500mA

Ref		Price €
3982M.1M	NW WW	126,65
3982M.2M	NW WW	126,65
3982M.14	NW WW	141,03
3982M.4	NW WW	171,89
3982M.16	NW WW	160,92
3982M.13	NW WW	172,16
3982M.13M	NW WW	172,16
3982M.23	NW WW	172,16
3982M.119	NW WW	131,25
3982M.29	NW WW	142,23
3982M.49	NW WW	142,23
3982M.47	NW WW	126,65
3982M.77	NW WW	126,65

built-up

3974.300/.. - JACOB LONG

=500mA



built-up spot LED M10 - round - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 5,8W 11,60Vf

500mA

Dimensions

Ø40xH345 mm

35°

Head Ø40xH300 mm

Materials

Aluminium 1M | 2M | 29 | 49

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800255/.. DRIVER 350mA

Ref		Price €
3974.300.1M	NW WW	192,17
3974.300.2M	NW WW	192,17
3974.300.29	NW WW	217,63
3974.300.49	NW WW	217,63

built-up



CEILING UP


SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3975M/.. - JACOB WALL BY SUMUM

=500mA



built-up
To point to the wall



built-up spot LED M10 - directional - CRI90 - without LED driver

Lamptype

1x LED 555lm CRI90 5,8W 11,60Vf

500mA

Dimensions

Ø40xH165 mm

35°

Head Ø40xH125 mm

Materials

Aluminium 1M | 2M | 29 | 49

Messing 16

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800256/.. DRIVER 500mA

Ref		Price €
3975M.1M	NW WW	209,53
3975M.2M	NW WW	209,53
3975M.16	NW WW	266,25
3975M.29	NW WW	225,74
3975M.49	NW WW	225,74

3979.SLO/.. - JACOB SLO

=350mA



built-up



directional - without LED driver

Lamptype

1x LED 735lm CRI90 6,2W 17,71Vf

350mA

Materials

Aluminium 1M | 2M | 14 | 11M

Messing 4 | 16

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800255/.. DRIVER 350mA

Kleur	3979.SLO.D15/..	3979.SLO.D30/..	3979.SLO.D36/..	3979.SLO.D45/..
	15°	30°	36°	45°
1M	€ 126,65	€ 126,65	€ 126,65	€ 126,65
2M	€ 126,65	€ 126,65	€ 126,65	€ 126,65
14	€ 141,03	€ 141,03	€ 141,03	€ 141,03
11M	€ 126,65	€ 126,65	€ 126,65	€ 126,65
4	€ 171,89	€ 171,89	€ 171,89	€ 171,89
16	€ 160,92	€ 160,92	€ 160,92	€ 160,92



CEILING UP

SPOTS

INDOOR | Ceiling UP | Spots | JACOB

All M10 spotlights and pendants can be combined with bases (built-in & built-up) and Juba bases as preferred.

3800/.. - JACOB XL

=500mA



built-up

built-up spot LED M10 - directional - CRI97 - without LED driver

Lamptype

1x LED 690lm CRI97 6,2W 12,40Vf

500mA

Dimensions

→ Ø50xH156 mm

housing Ø50xH120 mm

Materials

Aluminium 1M | 2M | 29 | 49 | 47

Inox BR123

Messing 16 | 23

Options

002/.. ROSETTE IN

005/.. ROSETTE UP

TR89800256/.. DRIVER 500mA

Kleur	3800.D11/..	3800.D30/..	3800.D40/..
	11°	30°	40°
1M	€ 170,17	€ 170,17	€ 170,17
2M	€ 170,17	€ 170,17	€ 170,17
16	€ 222,26	€ 222,26	€ 222,26
23	€ 251,20	€ 251,20	€ 251,20
29	€ 187,54	€ 187,54	€ 187,54
49	€ 187,54	€ 187,54	€ 187,54
47	€ 170,17	€ 170,17	€ 170,17



3961/.. - JACOB

~230V




table lamp - fixed - with cable and plug - with LED driver

Lamptype

1x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

Ø160xH400 mm

35°

Base Ø160xH20 mm

Head Ø40xH90 mm

Materials

Aluminium

1M | 2M | 84 | 29 | 47

Ref

3961.1M

● NW | WW

291,72

3961.2M

● NW | WW

291,72

3961.84

● NW | WW

300,47

3961.29

● NW | WW

297,51

3961.47

● NW | WW

297,51

built-up
CRI 90 on request

3970/.. - JACOB

~230V



floorlamp - directional - with cable and plug - with LED driver

Lamptype

1x LED 639lm CRI80 5,6W 11,20Vf

500mA

Dimensions

Ø170xH1000 mm

1000 mm

35°

Materials

Aluminium

1M | 2M

Ref

3970.1M

● NW | WW

422,26

3970.2M

● NW | WW

422,26

built-up



3984/.. - JACOB

~230V



built-up wall light - round - fixed - down/up - with LED driver

Lamptype

2x LED 467lm CRI80 3,8W 10,86Vf

350mA

Dimensions

B40xH250xD85 mm

35°

B35xH190xD35 mm

tube Ø40xH250 mm

Materials

Aluminium

1M | 2M | 29 | 49

Ref

3984.1M

3984.2M

3984.29

3984.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

365,43

365,43

383,41

383,41

built-up
CRI 90 on request





WALL UP





Colours



Textile cables



Other colours available on request



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.