



Kava&Juba

Curved or straight mounting base
for spots & pendants.



psmighting

Delighted to help you



All information in this catalogue is without engagement.


Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

1790.100/.. - KAVA

IP20   



built-up base - 10 cm - with 1 holes - place for driver

Dimensions

↔ L110xB40xH40

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €


1790.100.1M 

1790.100.2M 

built-up
on request without holes

1790.180/.. - KAVA

IP20    



built-up base - 18 cm - with 2 holes - place for driver

Dimensions

↔ L180xB40xH40

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €


1790.180.1M 

1790.180.2M 

built-up

1790.280/.. - KAVA

IP20    



built-up base - 28 cm - with 2 holes - place for driver

Dimensions

↔ L280xB40xH40

Materials

Aluminium 1M | 2M

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref Price €


1790.280.1M 

1790.280.2M 



1790.400/.. - KAVA

IP20   



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB40xH40

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10


Ref Price €

1790.400.1M

1790.400.2M

1790.500/.. - KAVA

IP20   



built-up base - 50 cm - without holes - space for driver

Dimensions

↔ L500xB40xH40

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10


Ref Price €

1790.500.1M

1790.500.2M

1790.600/.. - KAVA

IP20   



built-up base - 60 cm - without holes - space for driver

Dimensions

↔ L600xB40xH40

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10


Ref Price €

1790.600.1M

1790.600.2M

1790.900/.. - KAVA

IP20   



built-up base - 90 cm - without holes - space for driver

Dimensions

↔ L900xB40xH40

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref Price €

1790.900.1M

1790.900.2M



ACCESSORIES

BASES #



1790.1200/.. - KAVA

IP20    

built-up base - 120 cm - without openings - space for driver

Ref Price €

1790.1200.1M

1790.1200.2M

Dimensions

↔ L 1200xB40xH40

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10



built-up



1629.1000/.. - JUBA

IP20   



built-up base - 100 cm - without holes - no space for driver

Dimensions

↔ L1000xB35xH35

Materials

Aluminium 1M | 2M

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

1629.1000.1M

1629.1000.2M

Price €



built-up




ACCESSORIES

BASES #

1166.150/.. - JUBA

IP20   



built-up base - 15 cm - with 2 holes - place for driver

Dimensions

↔ L200xB40xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1166.150.1	
1166.150.1M	
1166.150.2	
1166.150.2M	
1166.150.11	
1166.150.14	

built-up

1166.200/.. - JUBA

IP20    



built-up base - 20 cm - with 2 holes - place for driver

Dimensions

↔ L200xB40xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

TR89800255/.. DRIVER 350mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1166.200.1	
1166.200.1M	
1166.200.2	
1166.200.2M	
1166.200.11	
1166.200.14	

built-up

1166.320/.. - JUBA

IP20    



built-up base - 32 cm - with 3 holes - place for driver

Dimensions

↔ L320xB40xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

TR89800255/.. DRIVER 350mA

P040/.. STRAIN RELIEF - TREKONTLASTING


P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1166.320.1	
1166.320.1M	
1166.320.2	
1166.320.2M	
1166.320.11	
1166.320.14	

built-up

1166.400/.. - JUBA

IP20    



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB40xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

TR89800255/.. DRIVER 350mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF


Ref	Price €
1166.400.1	
1166.400.1M	
1166.400.2	
1166.400.2M	
1166.400.11	
1166.400.14	

built-up



1166.600/.. - JUBA

IP20    0.8000 



built-up

built-up base - 60 cm - without holes - space for driver

Dimensions

↔ L600xB40xH40

Materials

Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF

Ref Price €

1166.600.1M

1166.600.2M

1166.900/.. - JUBA

IP20    1.3500 



built-up

built-up base - 90 cm - without holes - space for driver

Dimensions

↔ L900xB40xH40

Materials

Aluminium 1M | 2M

Options

TR89800255/.. DRIVER 350mA
000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF

Ref Price €

1166.900.1M

1166.900.2M

1166.1200/.. - JUBA

IP20    2.0300 



built-up

built-up base - 120 cm - without openings - space for driver

Dimensions

↔ L1200xB40xH40

Materials

Aluminium 1M | 2M



Options

000C/.. supplement HOLE + STAIN RELIEF
000CR/.. supplement HOLE + STAIN RELIEF

Ref Price €

1166.1200.1M

1166.1200.2M



1162.200/.. - JUBA

IP20    0.3800 

built-up base - 20 cm - with 2 holes - place for driver

Dimensions

L200xB45xH45

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

TR89800255/.. DRIVER 350mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1162.200.1	
1162.200.1M	
1162.200.2	
1162.200.2M	
1162.200.11	
1162.200.14	

built-up

1162.320/.. - JUBA

IP20    0.8000 

built-up base - 32 cm - with 3 holes - place for driver

Dimensions

L320xB45xH45

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14

Options

TR89800255/.. DRIVER 350mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1162.320.1	
1162.320.1M	
1162.320.2	
1162.320.2M	
1162.320.11	
1162.320.14	

built-up

1162.400/.. - JUBA

IP20    0.6000 

built-up base - 40 cm - without holes - place for driver

Dimensions

L400xB45xH45

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14


Options

TR89800255/.. DRIVER 350mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref	Price €
1162.400.1	
1162.400.1M	
1162.400.2	
1162.400.2M	
1162.400.11	
1162.400.14	

built-up

1162.1000/.. - JUBA

IP20    1.2500 

built-up base - 100 cm - without holes - space for driver

Dimensions

L1000xB45xH45

Materials

Aluminium 1M | 2M

Options

000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref	Price €
1162.1000.1M	
1162.1000.2M	

built-up

807.ZT/.. - JUBA ZT

IP20    

  <i>built-up</i>	built-up base - 10 cm - without transformer	Ref	Price €
	Dimensions	807.ZT.1	
	 L100xB55xH40	807.ZT.1M	
	Materials	807.ZT.2	
	Aluminium 1 1M 2 2M 11 14	807.ZT.2M	
	Messing 4 13 16 23	807.ZT.4	
	Options	807.ZT.11	
	TR122790/.. DRIVER 350mA	807.ZT.13	
	P040/.. STRAIN RELIEF - TREKONTLASTING	807.ZT.14	
	P039/.. STRAIN RELIEF - TREKONTLASTING	807.ZT.16	
		807.ZT.23	

808.ZT/.. - JUBA ZT

IP20    


  <i>built-up</i>	built-up base - 20 cm - without transformer	Ref	Price €
	Dimensions	808.ZT.1	
	 L200xB55xH40	808.ZT.1M	
	Materials	808.ZT.2	
	Aluminium 1 1M 2 2M 11 14	808.ZT.2M	
	Messing 4 13 16 23 13M	808.ZT.4	
	Options	808.ZT.11	
	TR119772/.. TRANSFO 12V	808.ZT.13	
	TR89800255/.. DRIVER 350mA	808.ZT.14	
	TR89800256/.. DRIVER 500mA	808.ZT.16	
		808.ZT.23	
		808.ZT.13M	

809.ZT/.. - JUBA ZT

IP20    

  <i>built-up</i>	built-up base - 32 cm - without transformers	Ref	Price €
	Dimensions	809.ZT.1	
	 L320xB55xH40	809.ZT.1M	
	Materials	809.ZT.2	
	Aluminium 1 1M 2 2M 11 14	809.ZT.2M	
	Messing 4 13 16 23	809.ZT.4	
	Options	809.ZT.11	
	TR119772/.. TRANSFO 12V	809.ZT.13	
	P040/.. STRAIN RELIEF - TREKONTLASTING	809.ZT.14	
	P039/.. STRAIN RELIEF - TREKONTLASTING	809.ZT.16	
		809.ZT.23	

818/.. - JUBA ZT

IP20   

built-up
mention the number of holes!

built-up base

Dimensions

 B50xH40

Materials


Aluminium 1 | 1M | 2 | 2M | 11 | 14 | 53 | 119
 Messing 4 | 13 | 16 | 23

Options

000B3/.. supplement SWIVEL
 TR89800255/.. DRIVER 350mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Kleur	817.ZT/..	818.ZT/..	819.ZT/..
	L600	L900	L1200
1			
1M			
2			
2M			
4			
11			
13			
14			
16			
23			

811/.. - JUBA ZT

IP20   

built-up
mention the number of holes!

built-up base

Dimensions

 B50xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14
 Messing 4 | 13 | 16 | 23


Options

000B3/.. supplement SWIVEL
 TR89800255/.. DRIVER 350mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Kleur	811.ZT/..	812.ZT/..	813.ZT/..
	L1400	L1500	L1600
1			
1M			
2			
2M			
4			
11			
13			
14			
16			
23			

814/.. - JUBA ZT

IP20   



built-up base

Dimensions

 B45xH45

Materials

Aluminium 1 | 1M | 2 | 2M | 11 | 14 | 53

Options

- 000B3/.. supplement SWIVEL
- TR89800255/.. DRIVER 350mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Kleur	814.A.ZT/..	814.B.ZT/..	814.C.ZT/..	814.D.ZT/..	814.E.ZT/..	814.F.ZT/..
	L1800	L2000	L2250	L2500	L2750	L3000
1						
1M						
2						
2M						
11						
14						

built-up
Extra transport cost for long profiles not included
include drawing with the number of holes!




Verkrijgbare kleuren



andere kleuren op aanvraag





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.