



Kava&Juba

Curved or straight mounting base
for spots & pendants.



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

1790.100/.. - KAVA

IP20   



built-up base - 10 cm - with 1 holes - place for driver

Dimensions

↔ L110xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.100.1M

1790.100.2M

1790.100.117

1790.100.118

1790.100.119

Price €



built-up
on request without holes

1790.180/.. - KAVA

IP20    



built-up base - 18 cm - with 2 holes - place for driver

Dimensions

↔ L180xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.180.1M

1790.180.2M

1790.180.117

1790.180.118

1790.180.119


Price €



built-up

1790.280/.. - KAVA

IP20    



built-up base - 28 cm - with 2 holes - place for driver

Dimensions

↔ L280xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1790.280.1M

1790.280.2M

1790.280.117

1790.280.118

1790.280.119

Price €



built-up










ACCESSORIES

BASES #








1790.400/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 40 cm - without holes - place for driver	Ref	Price €
		Dimensions	1790.400.1M	
		↳ L400xB40xH40	1790.400.2M	
		Materials	1790.400.117	
		Aluminium	1790.400.118	
		1M 2M 117 118 119	1790.400.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				








1790.500/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 50 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.500.1M	
		↳ L500xB40xH40	1790.500.2M	
		Materials	1790.500.117	
		Aluminium	1790.500.118	
		1M 2M 117 118 119	1790.500.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				








1790.600/.. - KAVA

IP20   

 <p>built-up</p>		built-up base - 60 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.600.1M	
		↳ L600xB40xH40	1790.600.2M	
		Materials	1790.600.117	
		Aluminium	1790.600.118	
		1M 2M 117 118 119	1790.600.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				






1790.900/.. - KAVA

IP20    

 <p>built-up</p>		built-up base - 90 cm - without holes - space for driver	Ref	Price €
		Dimensions	1790.900.1M	
		↳ L900xB40xH40	1790.900.2M	
		Materials	1790.900.117	
		Aluminium	1790.900.118	
		1M 2M 117 118 119	1790.900.119	
		Options		
		TR89800255/.. DRIVER 350mA		
		TR89800256/.. DRIVER 500mA		
		000C/.. supplement HOLE + STAIN RELIEF		
000CR/.. supplement HOLE + STAIN RELIEF				
000G/.. supplement HOLE M10				

1790.1200/.. - KAVA

IP20    2.0000 

 <p><i>built-up</i></p>	built-up base - 120 cm - without openings - space for driver	Ref	Price €
	Dimensions	1790.1200.1M	
	← L 1200xB40xH40	1790.1200.2M	
	Materials	1790.1200.117	
	Aluminium	1M 2M 117 118 119	1790.1200.118
Options	1790.1200.119		
TR89800255/..	DRIVER 350mA		
TR89800256/..	DRIVER 500mA		
000C/..	supplement HOLE + STAIN RELIEF		
000CR/..	supplement HOLE + STAIN RELIEF		
000G/..	supplement HOLE M10		



ACCESSORIES

BASES #

1629.1000/.. - JUBA

IP20   



built-up base - 100 cm - without holes - no space for driver

Dimensions

↔ L1000xB35xH35

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref

1629.1000.1M

1629.1000.2M

1629.1000.117

1629.1000.118

1629.1000.119

Price €




built-up



1166.150/.. - JUBA

IP20   



built-up base - 15 cm - with 2 holes - place for driver

Dimensions

↔ L150xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.150.1M

1166.150.2M

1166.150.14

1166.150.11

1166.150.117

1166.150.118

1166.150.119



Price €

built-up

1166.200/.. - JUBA

IP20    



built-up base - 20 cm - with 2 holes - place for driver

Dimensions

↔ L200xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.200.1M

1166.200.2M

1166.200.14

1166.200.11

1166.200.117

1166.200.118

1166.200.119



Price €

built-up

1166.320/.. - JUBA

IP20    



built-up base - 32 cm - with 3 holes - place for driver

Dimensions

↔ L320xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

P040/.. STRAIN RELIEF - TREKONTLASTING

P039/.. STRAIN RELIEF - TREKONTLASTING

Ref

1166.320.1M

1166.320.2M

1166.320.14

1166.320.11

1166.320.117

1166.320.118

1166.320.119




Price €

built-up

1166.400/.. - JUBA

IP20    



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB40xH40

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Ref

1166.400.1M

1166.400.2M

1166.400.14

1166.400.11

1166.400.117

1166.400.118

1166.400.119




Price €

built-up



1166.600/.. - JUBA

IP20    



built-up

built-up base - 60 cm - without holes - space for driver

Dimensions






↔ L600xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref	Price €
1166.600.1M	
1166.600.2M	
1166.600.117	
1166.600.118	
1166.600.119	

1166.900/.. - JUBA

IP20    



built-up

built-up base - 90 cm - without holes - space for driver

Dimensions






↔ L900xB40xH40

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref	Price €
1166.900.1M	
1166.900.2M	
1166.900.117	
1166.900.118	
1166.900.119	

1166.1200/.. - JUBA

IP20    



built-up

built-up base - 120 cm - without openings - space for driver

Dimensions






↔ L1200xB40xH40

Materials




Aluminium 1M | 2M | 117 | 118 | 119


Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

Ref	Price €
1166.1200.1M	
1166.1200.2M	
1166.1200.117	
1166.1200.118	
1166.1200.119	

1162.200/.. - JUBA

IP20    0.3800 



built-up base - 20 cm - with 2 holes - place for driver

Dimensions

↔ L200xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref





1162.200.1M
 1162.200.2M
 1162.200.14
 1162.200.11
 1162.200.117
 1162.200.118
 1162.200.119


Price €



built-up

1162.320/.. - JUBA

IP20    0.3800 



built-up base - 32 cm - with 3 holes - place for driver

Dimensions

↔ L320xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 P040/.. STRAIN RELIEF - TREKONTLASTING
 P039/.. STRAIN RELIEF - TREKONTLASTING

Ref





1162.320.1M
 1162.320.2M
 1162.320.14
 1162.320.11
 1162.320.117
 1162.320.118
 1162.320.119


Price €



built-up

1162.400/.. - JUBA

IP20    0.6000 



built-up base - 40 cm - without holes - place for driver

Dimensions

↔ L400xB45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref





1162.400.1M
 1162.400.2M
 1162.400.14
 1162.400.11
 1162.400.117
 1162.400.118
 1162.400.119


Price €



built-up

1162.1000/.. - JUBA

IP20    1.2500 



built-up base - 100 cm - without holes - space for driver

Dimensions

↔ L1000xB45xH45

Materials

Aluminium 1M | 2M | 117 | 118 | 119

Options

TR89800255/.. DRIVER 350mA
 TR89800256/.. DRIVER 500mA
 000C/.. supplement HOLE + STAIN RELIEF
 000CR/.. supplement HOLE + STAIN RELIEF
 000G/.. supplement HOLE M10

Ref

1162.1000.1M
 1162.1000.2M
 1162.1000.117
 1162.1000.118
 1162.1000.119

Price €



built-up






ACCESSORIES

BASES #




807.ZT/.. - JUBA ZT

IP20    

  <i>built-up</i>	<p>built-up base - 10 cm - without transformer</p> <p>Dimensions</p> <p>↔ L100xB55xH40</p> <p>Materials</p> <p>Aluminium 1 1M 2 2M 14 11</p> <p>Messing 4 16 13 23</p> <p>Options</p> <p>TR122790/.. DRIVER 350mA</p> <p>P040/.. STRAIN RELIEF - TREKONTLASTING</p> <p>P039/.. STRAIN RELIEF - TREKONTLASTING</p>	<p>Ref</p> <p>807.ZT.1</p> <p>807.ZT.1M</p> <p>807.ZT.2</p> <p>807.ZT.2M</p> <p>807.ZT.14</p> <p>807.ZT.11</p> <p>807.ZT.4</p> <p>807.ZT.16</p> <p>807.ZT.13</p> <p>807.ZT.23</p>	<p>Price €</p> <p></p>
---	--	--	--




808.ZT/.. - JUBA ZT

IP20    

  <i>built-up</i>	<p>built-up base - 20 cm - without transformer</p> <p>Dimensions</p> <p>↔ L200xB55xH40</p> <p>Materials</p> <p>Aluminium 1 1M 2 2M 14 11</p> <p>Messing 4 16 13 13M 23</p> <p>Options</p> <p>TR89800255/.. DRIVER 350mA</p> <p>TR89800256/.. DRIVER 500mA</p> <p>P040/.. STRAIN RELIEF - TREKONTLASTING</p> <p>P039/.. STRAIN RELIEF - TREKONTLASTING</p>	<p>Ref</p> <p>808.ZT.1</p> <p>808.ZT.1M</p> <p>808.ZT.2</p> <p>808.ZT.2M</p> <p>808.ZT.14</p> <p>808.ZT.11</p> <p>808.ZT.4</p> <p>808.ZT.16</p> <p>808.ZT.13</p> <p>808.ZT.13M</p> <p>808.ZT.23</p>	<p>Price €</p> <p></p>
---	--	--	---


809.ZT/.. - JUBA ZT

IP20    

  <i>built-up</i>	<p>built-up base - 32 cm - without transformers</p> <p>Dimensions</p> <p>↔ L320xB55xH40</p> <p>Materials</p> <p>Aluminium 1 1M 2 2M 14 11</p> <p>Messing 4 16 13 23</p> <p>Options</p> <p>TR89800255/.. DRIVER 350mA</p> <p>TR89800256/.. DRIVER 500mA</p> <p>P040/.. STRAIN RELIEF - TREKONTLASTING</p> <p>P039/.. STRAIN RELIEF - TREKONTLASTING</p>	<p>Ref</p> <p>809.ZT.1</p> <p>809.ZT.1M</p> <p>809.ZT.2</p> <p>809.ZT.2M</p> <p>809.ZT.14</p> <p>809.ZT.11</p> <p>809.ZT.4</p> <p>809.ZT.16</p> <p>809.ZT.13</p> <p>809.ZT.23</p>	<p>Price €</p> <p></p>
---	---	--	--

818/.. - JUBA ZT

IP20   



built-up
mention the number of holes!

built-up base

Dimensions

↔ B50xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11 | 119 | 53

Messing 4 | 16 | 13 | 23

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF


000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10

Kleur	817.ZT/..	818.ZT/..	819.ZT/..
	L600	L900	L1200
1	€	€	€
1M	€	€	€
2	€	€	€
2M	€	€	€
14	€	€	€
11	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€
23	€	€	€

811/.. - JUBA ZT

IP20   



built-up
mention the number of holes!

built-up base

Dimensions

↔ B50xH40

Materials

Aluminium 1 | 1M | 2 | 2M | 14 | 11

Messing 4 | 16 | 13 | 23

Options

TR89800255/.. DRIVER 350mA

TR89800256/.. DRIVER 500mA

000C/.. supplement HOLE + STAIN RELIEF

000CR/.. supplement HOLE + STAIN RELIEF

000G/.. supplement HOLE M10


Kleur	811.ZT/..	812.ZT/..	813.ZT/..
	L1400	L1500	L1600
1	€	€	€
1M	€	€	€
2	€	€	€
2M	€	€	€
14	€	€	€
11	€	€	€
4	€	€	€
16	€	€	€
13	€	€	€
23	€	€	€

ACCESSORIES

BASES #

814/.. - JUBA ZT

IP20   



built-up base

Dimensions

← B45xH45

Materials

Aluminium 1M | 2M | 14 | 11 | 117 | 118 | 119

Options

- TR89800255/.. DRIVER 350mA
- TR89800256/.. DRIVER 500mA
- 000C/.. supplement HOLE + STAIN RELIEF
- 000CR/.. supplement HOLE + STAIN RELIEF
- 000G/.. supplement HOLE M10

built-up
Extra transport cost for long profiles not included
include drawing with the number of holes!

Kleur	814.A.ZT/..	814.B.ZT/..	814.C.ZT/..	814.D.ZT/..	814.E.ZT/..	814.F.ZT/..
	L1800	L2000	L2250	L2500	L2750	L3000
1M	€	€	€	€	€	€
2M	€	€	€	€	€	€
14	€	€	€	€	€	€
117	€	€	€	€	€	€
118	€	€	€	€	€	€
119	€	€	€	€	€	€







Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.