



Lucy 48V

Easy click rail systems



psmlighting

Delighted to help you



psmlighting

100% Made in Belgium




All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

A RANGE THAT MATCHES ITS FEATURES




8401/.. - LUCY TRACK

=48V-DC



IP20



track - Track 1 meter for 1 circuit + data bus

Dimensions

↔ L1000xB26,2xH21

Materials

Aluminium 1 | 2

Ref	Price €
8401.1	86,27
8401.2	86,27

built-up
You can shorten the rail yourself by sawing

8402/.. - LUCY TRACK

=48V-DC



IP20



track - Track 2 meter for 1 circuit + data bus

Dimensions

↔ L2000xB26,2xH21

Materials

Aluminium 1 | 2

Ref	Price €
8402.1	163,78
8402.2	163,78

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8403/.. - LUCY TRACK

=48V-DC



IP20



track - Track 3 meter for 1 circuit + data bus

Dimensions

↔ L3000xB26,2xH21


Materials

Aluminium 1 | 2

Ref	Price €
8403.1	240,05
8403.2	240,05

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8405/.. - LUCY TRACK



accessories for track systems - End cap

Dimensions

Coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8405.1

8405.2



Price €


14,18

14,18

1|2

built-up

8406/.. - LUCY TRACK



accessories for track systems - End cap with hole for cable

Dimensions

Coverplate B26,2xH21xD1,2

Materials

Aluminium

Ref

8406.1

8406.2



Price €

17,17

17,17

1|2

built-up




CEILING UP

TRACK

8451/.. - LUCY O TRACK

=48V-DC  IP20    





track - round - Track 1 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL1000

Materials


Aluminium 1|2

Ref		Price €
8451.1		93,77
8451.2		93,77

built-up
You can shorten the rail yourself by sawing

8452/.. - LUCY O TRACK

=48V-DC  IP20   





track - round - Track 2 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL2000

Materials


Aluminium 1|2

Ref		Price €
8452.1		187,54
8452.2		187,54

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8453/.. - LUCY O TRACK

=48V-DC  IP20   





track - round - Track 3 meter for 1 circuit + data bus

Dimensions

↔ Ø32xL3000


Materials


Aluminium 1|2

Ref		Price €
8453.1		281,30
8453.2		281,30

built-up
extra transport cost - long profile - You can shorten the rail yourself by sawing

8455/.. - LUCY O TRACK





accessories for track systems - round - Blind End

Dimensions

↔ Ø32



Materials

Polyamide 1|2

Ref		Price €
8455.1		14,18
8455.2		14,18

built-up

8411/.. - LUCY TRACK



accessories for track systems - Cover strip 1m

Dimensions

↔ L1000

Materials



Polyamide

Ref	Price €
8411.2	12,54

2

built-up

8412/.. - LUCY TRACK



accessories for track systems - Cover strip 2m

Dimensions

↔ L2000

Materials



Polyamide

Ref	Price €
8412.2	18,50

2

built-up
extra transport cost - long profile

8413/.. - LUCY TRACK



accessories for track systems - Cover strip 3m

Dimensions

↔ L3000

Materials

Polyamide

Ref	Price €
8413.1	24,50
8413.2	24,50

1 | 2

built-up
extra transport cost - long profile

8444/.. - LUCY TRACK



accessories for track systems - Bracket for suspension

Dimensions

↔ L80xB26xH10


Materials

Aluminium 1|2

Ref		Price €
8444.1	●	22,78
8444.2	●	22,78

built-up

8441/.. - LUCY TRACK



accessories for track systems - Bracket + pendant set 2.25m

Dimensions

Bracket L35xB26,2xH10,4

Materials

Aluminium 1|2

Ref		Price €
8441.1	●	42,83
8441.2	●	42,83

built-up

8456/.. - LUCY O TRACK



accessories for track systems - round - Connection round profile

Dimensions


Materials

Aluminium 1|2

Ref		Price €
8456.1	●	8,58
8456.2	●	8,58

built-up

8457/.. - LUCY O TRACK



accessories for track systems - round - Bracket + pendant set 2.25m

Dimensions


Materials

Aluminium 1|2

Ref		Price €
8457.1	●	42,83
8457.2	●	42,83

built-up

8445/.. - LUCY TRACK



hand tools - Cutting tool for track conductors


Ref
8445

Price €
128,27




built-up

surface



suspended




CEILING UP

TRACK

8430/.. - LUCY TRACK

IP20   





accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for square profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref		Price €
8430.1M		169,79
8430.2M		169,79

8431/.. - LUCY TRACK

IP20  





accessories for track systems - Box for track with transfo 48V-DC 60W - with 1 entry for round profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref		Price €
8431.1M		169,79
8431.2M		169,79

8432/.. - LUCY TRACK

IP20   





accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for square profile

Dimensions

↔ L250xB50xH50


Materials

Aluminium 1M | 2M

Ref		Price €
8432.1M		181,91
8432.2M		181,91

8433/.. - LUCY TRACK

IP20  





accessories for track systems - Box for track with transfo 48V-DC 60W - with 2 entries for round profile

Dimensions

↔ L250xB50xH50

Materials

Aluminium 1M | 2M

Ref		Price €
8433.1M		181,91
8433.2M		181,91

8420/.. - LUCY TRACK

=48V-DC  IP20    



power supply for busbar system - End feed polarized left

Dimensions

← L111,7

Materials

Polyamide 1|2

Ref	Price €
8420.1	29,26
8420.2	29,26

built-up

8421/.. - LUCY TRACK

=48V-DC  IP20    



power supply for busbar system - End feed polarized right

Dimensions

← L111,7

Materials

Polyamide 1|2

Ref	Price €
8421.1	29,26
8421.2	29,26

built-up

8422/.. - LUCY TRACK

=48V-DC  IP20    





Connection joinings - Jointing connector polarized

Dimensions

↔ L10,5

Materials

Polyamide 1|2

Ref		Price €
8422.1		25,29
8422.2		25,29

built-up

8423/.. - LUCY TRACK

=48V-DC  IP20    





Connection joinings - L-connector - polarized external

Dimensions

↔ L104,6xB18,7

Materials

Polyamide 1|2

Ref		Price €
8423.1		73,25
8423.2		73,25

built-up
Please attach drawing to the order!

8424/.. - LUCY TRACK

=48V-DC  IP20    





Connection joinings - L-connector - polarized internal

Dimensions

↔ L104,6xB18,7

Materials

Polyamide 1|2

Ref		Price €
8424.1		73,25
8424.2		73,25

built-up
Please attach drawing to the order!

8440/.. - LUCY TRACK

=48V-DC  IP20    





Connection joinings - Connector with adjustable corner

Dimensions

↔ L273,5

Materials


Polyamide 1|2

Ref		Price €
8440.1		87,87
8440.2		87,87

built-up



Adaptor article




FAMILY JACOB JACOB JACOB WALL JACOB XL SUZETTE BABETTE


Spot article	3978	3982	3974.300	3974.300	3800	2740	3117
Current	350mA	500mA	500mA	500mA	500mA	500mA	500mA
Flux	410lm	555lm	555lm	555lm	690lm	690lm	965lm
Output	4W	5.8W	5.8W	5.8W	6.2W	6.2W	6.6W
CRI	90	90	90	90	97	97	80
Beam	48°	48°	48°	48°	40°	40°	38°
load/spot				g	240g	g	385g






LOAD SCHEME

standard








trimless/pendant



				
CAPA XT	FIXER	MERO	MERO	TONDO
7600.AC	7605	7879	7878	7535
350mA	350mA	700mA	700mA	500mA
1200lm	1200lm	1300lm	1300lm	965lm
12.2W	12.2W	9.5W	9.5W	6.6W
92	92	80	80	80
36°	36°	40°	40°	40°
350 - alu 450g - brass	420g	350g	450g	350g

Adaptor article

- 8381 | on/off
- 8382 | 1/10V
- 8384 | DALI
- 8388 | Casambi

				
MOBY	MOBY DECO	JACOB	SUZETTE	BABETTE
3991	3992	3973.300	2741	3118
500mA	500mA	500mA	500mA	500mA
965lm	965lm	555lm	690lm	965lm
6.6W	6.6W	5.8W	6.2W	6.6W
80	80	90	97	80
38°	38°	48°	40°	38°
385g	385g	170g		385g

LUCY ON/OFF SERIES



8381.2406/.. - LUCY CIGARO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials


Aluminium 1M | 2M | 142 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref	Color	Price €
8381.2406.1M	NW WW	182,70
8381.2406.2M	NW WW	182,70
8381.2406.42	NW WW	231,00
8381.2406.132	NW WW	216,30
8381.2406.142	NW WW	197,40
8381.2406.162	NW WW	210,00
8381.2406.233	NW WW	207,90
8381.2406.282	NW WW	224,70
8381.2406.562	NW WW	241,50

built-up
 Other optics : 15° - 24° - 45° on demand

8381.3978/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials


Aluminium 1M | 2M | 29 | 49

Ref	Color	Price €
8381.3978.1M	NW WW	214,36
8381.3978.2M	NW WW	214,36
8381.3978.29	NW WW	230,90
8381.3978.49	NW WW	230,90

built-up

8381.3982/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium 1M | 2M | 29 | 49

Ref	Color	Price €
8381.3982.1M	NW WW	214,36
8381.3982.2M	NW WW	214,36
8381.3982.29	NW WW	230,90
8381.3982.49	NW WW	230,90

built-up

CEILING UP

TRACK

INDOOR | Ceiling UP | TRACK | LUCY

8381.3974.300/.. - LUCY JACOB L | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3974.300.1M

8381.3974.300.2M

8381.3974.300.29

8381.3974.300.49

Price €

NW | WW 276,73

NW | WW 276,73

NW | WW 298,78

NW | WW 298,78

built-up

8381.3975/.. - LUCY JACOB WALL | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

16

Ref

8381.3975.1M

8381.3975.2M

8381.3975.16

8381.3975.29

8381.3975.49

Price €

NW | WW 304,29

NW | WW 304,29

NW | WW 360,52

NW | WW 319,73

NW | WW 319,73

built-up

To point to the wall

8381.3800/.. - LUCY JACOB XL | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3800.1M

8381.3800.2M

8381.3800.29

8381.3800.49

Price €

NW | WW 248,06

NW | WW 248,06

NW | WW 264,60

NW | WW 264,60

built-up

8381.7600/.. - LUCY CAPA X | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8381.7600.1M

8381.7600.2M

Price €

NW | WW 200,66

NW | WW 200,66

built-up

8381.7878/.. - LUCY MERO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Ref

8381.7878.1M

8381.7878.2M

NW | WW

NW | WW

Price €

296,57

296,57

Dimensions

Ø80xH170



Head Ø80xH120

Materials


Aluminium

1M | 2M

built-up
CRI90-95 on request

8381.7879/.. - LUCY MERO | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Ref

8381.7879.1M

8381.7879.2M

NW | WW

NW | WW

Price €

265,70

265,70

Dimensions

Ø60xH180



Head Ø60xH130

Materials

Aluminium

1M | 2M

built-up

CEILING UP

TRACK



8381.2740/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø70xH109

30°

Materials

Aluminium

1M | 2M

Ref

8381.2740.1M

8381.2740.2M

NW | WW

NW | WW

Price €

231,53

231,53

built-up

8381.3117/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8381.3117.1M

8381.3117.2M

8381.3117.29

8381.3117.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

244,76

244,76

260,19

260,19

built-up



8381.3605/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



IP20



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

Cable 1500

48°

Head Ø40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8381.3605.1M

8381.3605.2M

8381.3605.14

8381.3605.16

8381.3605.23

8381.3605.77

8381.3605.47

8381.3605.119

8381.3605.13M

8381.3605.230

8381.3605.127

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

199,50

199,50

205,80

226,80

235,20

199,50

199,50

210,00

210,00

235,20

239,40

210,00

8381.7605/.. - LUCY FIXER | ON/OFF ADAPTOR

48V-DC



IP20



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8381.7605.1M

8381.7605.2M

NW | WW

NW | WW

Price €

212,78

212,78

CEILING UP

TRACK



INDOOR | Ceiling UP | TRACK | LUCY

8381.3973.300/.. - LUCY JACOB | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W 500mA

Dimensions

↔ Ø40xH300 35°

Materials


Aluminium 1M | 2M | 29 | 49
Messing 16

Ref	Color	Price €
8381.3973.300.1M.TX1	NW WW	291,06
8381.3973.300.2M.TX2	NW WW	291,06
8381.3973.300.16.TXM	NW WW	368,24
8381.3973.300.29.TX2	NW WW	306,50
8381.3973.300.49.TX1	NW WW	306,50

built-up
Please state the exact length of the textile cable when ordering
CRI 90 on request

8381.3600.300/.. - LUCY FLAVIE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W 500mA

Dimensions

↔ L40xB40xH300 Cable 1500

48°


Materials

Aluminium 1M | 2M | 14 | 127 | 230 | 119 | 47 | 77
Messing 16 | 13M | 23

built-up
CRI 90 on request

8381.2741/.. - LUCY SUZETTE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W 350mA

Dimensions

↔ Ø80xH109 30°

Materials


Aluminium 1M | 2M

Ref	Color	Price €
8381.2741.1M.TX1	NW WW	230,42
8381.2741.2M.TX2	NW WW	230,42

built-up
Please state the exact length of the textile cable when ordering

8381.3118/.. - LUCY BABETTE | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W 500mA

Dimensions

↔ Ø80xH109 28°

Materials


Aluminium 1M | 2M | 29 | 49
Messing 16

Ref	Color	Price €
8381.3118.1M.TX1	NW WW	255,78
8381.3118.2M.TX2	NW WW	255,78
8381.3118.16.TX4	NW WW	299,88
8381.3118.29.TX2	NW WW	271,21
8381.3118.49.TX1	NW WW	271,21

built-up
Please state the exact length of the textile cable when ordering

8381.3991/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W 350mA

Dimensions

↔ Ø250xH210

Materials

Aluminium 1M | 2M

Messing 16

Ref


Ref	Color	Material	Price €
8381.3991.1M.TR.TX1	White	NW WW	494,53
8381.3991.2M.TR.TX2	Black	NW WW	494,53
8381.3991.16.TR.TX4	Gold	NW WW	512,83
8381.3991.16.TR.TXM	Gold	NW WW	559,16

built-up

Please state the exact length of the textile cable when ordering

8381.3992/.. - LUCY MOBY | ON/OFF ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamptype

1x LED 720lm CRI80 max. 4,5W 350mA

Dimensions

↔ Ø200xH210

Materials

Aluminium 1M | 2M

Messing 16

Ref

Ref	Color	Material	Price €
8381.3992.1M.TR.TX1	White	NW WW	509,23
8381.3992.2M.TR.TX2	Black	NW WW	509,23
8381.3992.16.TR.TX4	Gold	NW WW	527,53
8381.3992.16.TR.TXM	Gold	NW WW	573,86

built-up

Please state the exact length of the textile cable when ordering

CEILING UP

TRACK




LUCY

1/10V SERIES



8382.2406/.. - LUCY CIGARO | 1-10V ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8382.2406.1M

8382.2406.2M

8382.2406.42

8382.2406.233

8382.2406.562

8382.2406.132

8382.2406.142

8382.2406.162

8382.2406.282

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

208,95

208,95

257,25

250,95

242,55

259,35

223,65


242,55

242,55

built-up
Other optics : 15° - 24° - 45° on demand

8382.3978/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3978.1M

8382.3978.2M

8382.3978.29

8382.3978.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

252,95

252,95



269,48

269,48

built-up

8382.3982/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3982.1M

8382.3982.2M

8382.3982.29

8382.3982.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

252,95

252,95

269,48

269,48

built-up

8382.3974.300/.. - LUCY JACOB L | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3974.300.1M

8382.3974.300.2M

8382.3974.300.29

8382.3974.300.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

313,11

313,11

335,16

335,16

built-up

8382.3975/.. - LUCY JACOB WALL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8382.3975.1M

8382.3975.2M

8382.3975.16

8382.3975.29

8382.3975.49

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

342,88

342,88

399,11

359,42

359,42

built-up
To point to the wall

8382.3800/.. - LUCY JACOB XL | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8382.3800.1M

8382.3800.2M

8382.3800.29

8382.3800.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

286,65

286,65

303,19

303,19

built-up

8382.7600/.. - LUCY CAPA X | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8382.7600.1M

8382.7600.2M

NW | WW

NW | WW

Price €


239,24

239,24

built-up

8382.7878/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8382.7878.1M

8382.7878.2M

NW | WW

NW | WW

Price €

335,16

335,16

built-up
CRI90-95 on request

8382.7879/.. - LUCY MERO | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Ref

8382.7879.1M

8382.7879.2M

● NW | WW

● NW | WW

Price €

304,29

304,29

built-up

8382.2740/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8382.2740.1M

8382.2740.2M

● NW | WW

● NW | WW

Price €

264,60

264,60

built-up

8382.3117/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8382.3117.1M

8382.3117.2M

8382.3117.16

8382.3117.29

8382.3117.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

277,83

277,83

321,93

293,27

293,27

built-up

CEILING UP

TRACK

8382.3605/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

↔ L40xB40xH95

∧ 48°

Head L40xB40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8382.3605.1M

8382.3605.2M

8382.3605.14

8382.3605.16

8382.3605.23

8382.3605.77

8382.3605.47

8382.3605.119

8382.3605.13M

8382.3605.230

8382.3605.127

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

236,00

236,00

242,30

263,30

271,70

236,00

236,00

246,50

246,50


271,70

275,90

246,50

8382.7605/.. - LUCY FIXER | 1/10V ADAPTOR

48V-DC



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

↔ L60xB60xH185

∧ 36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8382.7605.1M

8382.7605.2M

NW | WW

NW | WW

Price €


251,37

251,37



8382.3973.300/.. - LUCY JACOB | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W 500mA

Dimensions

→ Ø40xH300 35°

Materials


Aluminium 1M | 2M | 29 | 49
Messing 16

Ref	Color	Price €
8382.3973.300.1M.TX1	● / ● NW WW	324,14
8382.3973.300.2M.TX2	● / ● NW WW	324,14
8382.3973.300.16.TXM	● / ● NW WW	401,31
8382.3973.300.29.TX2	● / ● NW WW	339,57
8382.3973.300.49.TX1	● / ● NW WW	339,57

built-up
Please state the exact length of the textile cable when ordering
CRI 90 on request

8382.3600.300/.. - LUCY FLAVIE | 1-10V ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W 500mA

Dimensions

→ L40xB40xH300 Cable 1500

48°

Materials


Aluminium 1M | 2M | 14 | 127 | 230 | 119 | 47 | 77
Messing 16 | 13M | 23

Ref	Color	Price €
8382.3600.300.1M.TX1	● / ● NW WW	252,80
8382.3600.300.2M.TX2	● / ● NW WW	252,80
8382.3600.300.14.TX11	● / ● NW WW	259,10
8382.3600.300.16.TX2	● / ● NW WW	320,00
8382.3600.300.23.TX33	● / ● NW WW	338,90
8382.3600.300.77.TX1	● / ● NW WW	252,80
8382.3600.300.47.TX2	● / ● NW WW	252,80
8382.3600.300.119.TX33	● / ● NW WW	263,30
8382.3600.300.13M.TX43	● / ● NW WW	338,90
8382.3600.300.230.TX44	● / ● NW WW	307,40
8382.3600.300.127.TX33	● / ● NW WW	263,30

built-up
CRI 90 on request

8382.2741/.. - LUCY SUZETTE | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W 350mA

Dimensions

→ Ø80xH109 30°

Materials


Aluminium 1M | 2M

Ref	Color	Price €
8382.2741.1M.TX1	● / ● NW WW	263,50
8382.2741.2M.TX2	● / ● NW WW	263,50

built-up
Please state the exact length of the textile cable when ordering

8382.3118/.. - LUCY BABETTE | 1/10V ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W 500mA

Dimensions

→ Ø80xH109 28°

Materials

Aluminium 1M | 2M | 29 | 49
Messing 16

Ref	Color	Price €
8382.3118.1M.TX1	● / ● NW WW	288,86
8382.3118.2M.TX2	● / ● NW WW	288,86
8382.3118.16.TX4	● / ● NW WW	332,96
8382.3118.29.TX2	● / ● NW WW	304,29
8382.3118.49.TX1	● / ● NW WW	304,29

built-up
Please state the exact length of the textile cable when ordering

8382.3991/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

∅250xH210

Materials

Aluminium

1M | 2M

Messing

16

Ref

8382.3991.1M.TR.TX1

8382.3991.2M.TR.TX2

8382.3991.16.TR.TX4

8382.3991.16.TR.TXM



Price €

529,28

529,28

547,59

593,91

built-up

Please state the exact length of the textile cable when ordering

8382.3992/.. - LUCY MOBY | 1/10V ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

∅200xH210

Materials

Aluminium

1M | 2M

Messing

16

Ref

8382.3992.1M.TR.TX1

8382.3992.2M.TR.TX2

8382.3992.16.TR.TX4

8382.3992.16.TR.TXM



Price €

543,98

543,98

562,29

608,61

built-up

Please state the exact length of the textile cable when ordering




LUCY DALI SERIES



8384.2406/.. - LUCY CIGARO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium

1M | 2M | 142 | 233

Aluminium / Messing

42 | 162 | 132

Aluminium / Roodkoper

282 | 562

Ref

8384.2406.1M

8384.2406.2M

8384.2406.42

8384.2406.132

8384.2406.142

8384.2406.162

8384.2406.233

8384.2406.282

8384.2406.562

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

208,95

208,95

257,25

259,35

223,65

242,55

250,95



242,55

242,55

built-up
Other optics : 15° - 24° - 45° on demand

8384.3978/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3978.1M

8384.3978.2M

8384.3978.29

8384.3978.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

252,95

252,95



269,48

269,48

built-up

8384.3982/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3982.1M

8384.3982.2M

8384.3982.29

8384.3982.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

252,95

252,95


269,48

269,48

built-up

8384.3974.300/.. - LUCY JACOB L | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3974.300.1M

8384.3974.300.2M

8384.3974.300.29

8384.3974.300.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

313,11

313,11


335,16

335,16

built-up

8384.3975/.. - LUCY JACOB WALL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8384.3975.1M

8384.3975.2M

8384.3975.16

8384.3975.29

8384.3975.49

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

342,88

342,88

399,11

359,42

359,42

built-up
To point to the wall

8384.3800/.. - LUCY JACOB XL | DALI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8384.3800.1M

8384.3800.2M

8384.3800.29

8384.3800.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

286,65

286,65


303,19

303,19

built-up

8384.7600/.. - LUCY CAPA X | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8384.7600.1M

8384.7600.2M

NW | WW

NW | WW

Price €

239,24

239,24

built-up

8384.7878/.. - LUCY MERO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8384.7878.1M

8384.7878.2M

NW | WW

NW | WW

Price €

335,16

335,16

built-up
CRI90-95 on request

8384.7879/.. - LUCY MERO | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Ref

8384.7879.1M

8384.7879.2M

● NW | WW

● NW | WW

Price €

304,29

304,29

built-up

8384.2740/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8384.2740.1M

8384.2740.2M

● NW | WW

● NW | WW

Price €

270,11

270,11

built-up

8384.3117/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8384.3117.1M

8384.3117.2M

8384.3117.16

8384.3117.29

8384.3117.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

283,34

283,34

327,44

298,78

298,78

built-up

CEILING UP

TRACK

8384.3973.300/.. - LUCY JACOB | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø40xH300

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8384.3973.300.1M.TX1

NW | WW

Price €

439,90

8384.3973.300.2M.TX2

NW | WW

439,90

8384.3973.300.16.TXM

NW | WW

517,07

8384.3973.300.29.TX2

NW | WW

345,08

8384.3973.300.49.TX1

NW | WW

345,08

built-up

Please state the exact length of the textile cable when ordering
CRI 90 on request

8384.3600.300/.. - LUCY FLAVIE | DALI ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8384.3600.300.1M.TX1

NW | WW

Price €

252,80

8384.3600.300.2M.TX2

NW | WW

252,80

8384.3600.300.14.TX11

NW | WW

259,10

8384.3600.300.16.TX2

NW | WW

320,00

8384.3600.300.23.TX33

NW | WW

338,90

8384.3600.300.77.TX1

NW | WW

252,80

8384.3600.300.47.TX2

NW | WW

252,80

8384.3600.300.119.TX33

NW | WW

263,30

8384.3600.300.13M.TX43

NW | WW

338,90

8384.3600.300.230.TX44

NW | WW

307,40

8384.3600.300.127.TX33

NW | WW


263,30

built-up

CRI 90 on request

8384.2741/.. - LUCY SUZETTE | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8384.2741.1M.TX1

NW | WW

Price €

269,01

8384.2741.2M.TX2

NW | WW

269,01

built-up

Please state the exact length of the textile cable when ordering

8384.3118/.. - LUCY BABETTE | DALI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8384.3118.1M.TX1

NW | WW

Price €

294,37

8384.3118.2M.TX2

NW | WW

294,37

8384.3118.16.TX4

NW | WW

338,47

8384.3118.29.TX2

NW | WW

309,80

8384.3118.49.TX1

NW | WW

309,80

built-up

Please state the exact length of the textile cable when ordering

INDOOR | Ceiling UP | TRACK | LUCY

8384.3991/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8384.3991.1M.TR.TX1



NW | WW

Price €

529,28

8384.3991.2M.TR.TX2



NW | WW

529,28

8384.3991.16.TR.TX4



NW | WW

547,59

8384.3991.16.TR.TXM



NW | WW

593,91

built-up

Please state the exact length of the textile cable when ordering

8384.3992/.. - LUCY MOBY | DALI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8384.3992.1M.TR.TX1



NW | WW

Price €

543,98

8384.3992.2M.TR.TX2



NW | WW

543,98

8384.3992.16.TR.TX4



NW | WW

562,29

8384.3992.16.TR.TXM




NW | WW

608,61

built-up

Please state the exact length of the textile cable when ordering





CEILING UP

TRACK

LUCY CASAMBI SERIES



8388.2406/.. - LUCY CIGARO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø28xH146

35°

Materials

Aluminium 1M | 2M | 142 | 14M2 | 233
 Aluminium / Messing 42 | 162 | 132
 Aluminium / Roodkoper 282 | 562

Ref

8388.2406.1M
 8388.2406.2M
 8388.2406.42
 8388.2406.132
 8388.2406.142
 8388.2406.14M2
 8388.2406.162
 8388.2406.233
 8388.2406.282
 8388.2406.562

NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW


Price €

325,50
 325,50
 373,80
 359,10
 340,20
 340,20
 367,50
 352,80
 367,50
 384,30

built-up
 Other optics : 15° - 24° - 45° on demand

8388.3978/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 410lm CRI90 max. 4W

350mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium 1M | 2M | 29 | 49

Ref

8388.3978.1M
 8388.3978.2M
 8388.3978.29
 8388.3978.49

NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW


Price €

357,68
 357,68
 374,22
 374,22

built-up

8388.3982/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH130

35°

Head Ø40xH85

Materials

Aluminium 1M | 2M | 29 | 49

Ref

8388.3982.1M
 8388.3982.2M
 8388.3982.29
 8388.3982.49

NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW

Price €

357,68
 357,68
 374,22
 374,22

built-up

8388.3974.300/.. - LUCY JACOB L | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH345

35°

Head Ø40xH300

Materials

Aluminium 1M | 2M | 29 | 49

Ref

8388.3974.300.1M
 8388.3974.300.2M
 8388.3974.300.29
 8388.3974.300.49

NW | WW
 ● NW | WW
 ● NW | WW
 ● NW | WW


Price €

420,05
 420,05
 442,10
 442,10

built-up

8388.3975/.. - LUCY WALL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI90

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH165

35°

Head Ø40xH125

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3975.1M

8388.3975.2M

8388.3975.16

8388.3975.29

8388.3975.49

NW | WW

NW | WW

NW | WW

NW | WW

NW | WW

Price €

447,62

447,62

503,84


463,05

463,05

built-up
To point to the wall

8388.3800/.. - LUCY JACOB XL | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - directional - CRI97

Lamptype

1x LED 690lm CRI97 max. 6,2W

500mA

Dimensions

Ø50xH156

30°

Housing Ø50xH120

Materials

Aluminium

1M | 2M | 29 | 49

Ref

8388.3800.1M

8388.3800.2M

8388.3800.29

8388.3800.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

391,39

391,39

407,93

407,93

built-up

8388.7600/.. - LUCY CAPA X | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø58xH180

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

8388.7600.1M

8388.7600.2M

NW | WW

NW | WW

Price €


343,98

343,98

built-up

8388.7878/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø80xH170

40°

Head Ø80xH120

Materials

Aluminium

1M | 2M

Ref

8388.7878.1M

8388.7878.2M

NW | WW

NW | WW

Price €

439,90

439,90

built-up
CRI90-95 on request

8388.7879/.. - LUCY MERO | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI80

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø60xH180

40°

Head Ø60xH130

Materials

Aluminium

1M | 2M

Messing

16

Ref

8388.7879.1M

8388.7879.2M

8388.7879.16

Price €

NW | WW 409,03

NW | WW 409,03

NW | WW 439,90

built-up

8388.2740/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional - CRI97

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8388.2740.1M

8388.2740.2M

Price €

NW | WW 374,85

NW | WW 374,85

built-up

8388.3117/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



built-up spot with adaptor - round - directional

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

16

Ref

8388.3117.1M

8388.3117.2M

8388.3117.16

8388.3117.29

8388.3117.49

Price €

NW | WW 388,08

NW | WW 388,08

NW | WW 432,18

NW | WW 403,52

NW | WW 403,52

built-up

CEILING UP

TRACK

8388.3605/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



IP20



built-up



built-up spot with adaptor - square - directional

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH95

48°

Head Ø40xH95

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8388.3605.1M

8388.3605.2M

8388.3605.14

8388.3605.16

8388.3605.23

8388.3605.77

8388.3605.47

8388.3605.119

8388.3605.13M

8388.3605.230

8388.3605.127



Price €

343,12

343,12

349,42

370,42

378,82

343,12

343,12

353,62

378,82

383,02

353,62

8388.7605/.. - LUCY FIXER | CASAMBI ADAPTOR

48V-DC



IP20



built-up



built-up spot with adaptor - square - directional - CRI92

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

L60xB60xH185

36°

Head L60xB60xH125

Materials

Aluminium

1M | 2M

Ref

8388.7605.1M

8388.7605.2M



Price €


356,11

356,11



8388.3973.300/.. - LUCY JACOB | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

Ø40xH300

Cable 1500

35°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3973.300.1M.TX1

NW | WW

Price €

434,39

8388.3973.300.2M.TX2

NW | WW

434,39

8388.3973.300.16.TXM

NW | WW

511,56

8388.3973.300.29.TX2

NW | WW

449,82

8388.3973.300.49.TX1

NW | WW

449,82

built-up

Please state the exact length of the textile cable when ordering

8388.3600.300/.. - LUCY FLAVIE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - square - fixed - with 1,5m textile cable and strain relief on lampholder's side

Lamptype

1x LED 555lm CRI90 max. 5,8W

500mA

Dimensions

L40xB40xH300

Cable 1500

48°

Materials

Aluminium

1M | 2M | 14 | 127 | 230 | 119 | 47 | 77

Messing

16 | 13M | 23

Ref

8388.3600.300.1M.TX1

NW | WW

Price €

359,92

8388.3600.300.2M.TX2

NW | WW

359,92

8388.3600.300.14.TX11

NW | WW

366,22

8388.3600.300.16.TX2

NW | WW

427,12

8388.3600.300.23.TX33

NW | WW

446,02

8388.3600.300.77.TX1

NW | WW

359,92

8388.3600.300.47.TX2

NW | WW

359,92

8388.3600.300.119.TX33

NW | WW

370,42

8388.3600.300.13M.TX43

NW | WW

446,02

8388.3600.300.230.TX44

NW | WW

414,52

8388.3600.300.127.TX33

NW | WW

370,42

built-up

CRI 90 on request

8388.2741/.. - LUCY SUZETTE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 407lm CRI97 max. 4,1W

350mA

Dimensions

Ø80xH109

30°

Materials

Aluminium

1M | 2M

Ref

8388.2741.1M.TX1

NW | WW

Price €

373,75

8388.2741.2M.TX2

NW | WW


373,75

built-up

Please state the exact length of the textile cable when ordering

8388.3118/.. - LUCY BABETTE | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - round - with textile cable

Lamptype

1x LED 965lm CRI80 max. 6,6W

500mA

Dimensions

Ø80xH109

28°

Materials

Aluminium

1M | 2M | 29 | 49

Messing

Ref

8388.3118.1M

NW | WW

Price €

399,11

8388.3118.2M

NW | WW

399,11

8388.3118.16

NW | WW

443,21

8388.3118.29

NW | WW

414,54

8388.3118.49

NW | WW

414,54

built-up

Please state the exact length of the textile cable when ordering

INDOOR | Ceiling UP | TRACK | LUCY

8388.3991/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø250xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3991.1M.TR.TX1



NW | WW 631,31

8388.3991.2M.TR.TX2



NW | WW 631,31

8388.3991.16.TR.TX4



NW | WW 649,61

8388.3991.16.TR.TXM



NW | WW 695,94

built-up

Please state the exact length of the textile cable when ordering

8388.3992/.. - LUCY MOBY | CASAMBI ADAPTOR

48V-DC



suspension with adaptor - with textile cable

Lamp type

1x LED 720lm CRI80 max. 4,5W

350mA

Dimensions

Ø200xH210

Materials

Aluminium

1M | 2M

Messing

Ref

8388.3992.1M.TR.TX1



NW | WW 646,01

8388.3992.2M.TR.TX2



NW | WW 646,01

8388.3992.16.TR.TX4



NW | WW 664,31

8388.3992.16.TR.TXM



NW | WW 710,64

built-up


Please state the exact length of the textile cable when ordering





READY
CASAMBI
wireless dimming
dim up to 63 Dali luminaires
in a maximum of 4 groups



Bluetooth 4.0 compatible




Remote control
Sensor data
SW updates
configuration



Smart wall switches




LUCY ADAPTORS



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
max load: 1kg



8600.O.350MA
8600.O.500MA
8600.O.700MA



8602.DS.250MA
8602.DS.350MA
8602.DS.500MA
8602.DS.700MA

LUCY DOUBLE SPOT ADAPTER 48V | **DALI IN SERIE**

max load:
1kg



LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
max load: 1kg

8601.B.250MA
8601.B.350MA
8601.B.500MA
8601.B.700MA

8602.M.DS.250MA
8602.M.DS.350MA
8602.M.DS.500MA
8602.M.DS.700MA

LUCY DOUBLE SPOT ADAPTER 48V | **DALI IN SERIE**


mechanical
max load:
2kg

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
max load: 1kg

8601.D.250MA
8601.D.350MA
8601.D.500MA
8601.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
max load: 1kg

8601.T.250MA
8601.T.350MA
8601.T.500MA
8601.T.700MA



LUCY SINGLE SPOT ADAPTOR 48V | **ON/OFF**
mechanical
max load: 2kg

8600.M.O.350MA
8600.M.O.500MA
8600.M.O.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **BLUETOOTH CASAMBI**
mechanical
max load: 2kg


8601.M.B.250MA
8601.M.B.350MA
8601.M.B.500MA
8601.M.B.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **DALI**
mechanical
max load: 2kg

8601.M.D.250MA
8601.M.D.350MA
8601.M.D.500MA
8601.M.D.700MA

LUCY SINGLE SPOT ADAPTOR 48V | **1-10V**
mechanical
max load: 2kg

8601.M.T.250MA
8601.M.T.350MA
8601.M.T.500MA
8601.M.T.700MA



8600.O.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF

=48V-DC  IP20    



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L98

Materials

Polyamide 1 | 2

Ref		Price €
8600.O.350MA.1		84,00
8600.O.350MA.2		84,00

built-up
350mA / max. 16,5W
max. 1kg

8600.O.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF

=48V-DC  IP20    



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L98

Materials

Polyamide 1 | 2

Ref		Price €
8600.O.500MA.1		84,00
8600.O.500MA.2		84,00

built-up
500mA / max. 24W
max. 1kg

8600.O.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | ON/OFF

=48V-DC  IP20   



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L98

Materials

Polyamide 1 | 2

Ref		Price €
8600.O.700MA.1		84,00
8600.O.700MA.2		84,00

built-up
700mA / max. 33W
max. 1kg

CEILING UP
TRACK

8601.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



CE



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.t.250MA.1	●	120,50
8601.t.250MA.2	●	120,50

built-up
250mA / max. 12W
max. 1kg

8601.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



CE



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.T.350MA.1	●	120,50
8601.T.350MA.2	●	120,50

built-up
350mA / max. 16,5W
max. 1kg

8601.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



CE



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.T.500MA.1	●	120,50
8601.T.500MA.2	●	120,50

built-up
500mA / max. 24W
max. 1kg

8601.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC



IP20



CE



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.T.700MA.1	●	120,50
8601.T.700MA.2	●	120,50

built-up
700mA / max. 33W
max. 1kg

8601.M.T.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC  IP20   



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1|2

Ref		Price €
8601.M.T.250MA.1		120,50
8601.M.T.250MA.2		120,50

built-up
250mA / max. 12W
max. 2kg

8601.M.T.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC  IP20    



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1|2

Ref		Price €
8601.M.T.350MA.1		120,50
8601.M.T.350MA.2		120,50

built-up
350mA / max. 16,5W
max. 2kg

8601.M.T.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC  IP20    



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1|2

Ref		Price €
8601.M.T.500MA.1		120,50
8601.M.T.500MA.2		120,50

built-up
500mA / max. 24W
max. 2kg

8601.M.T.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | 1-10V

=48V-DC  IP20   



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1|2

Ref		Price €
8601.M.T.700MA.1		120,50
8601.M.T.700MA.2		120,50

built-up
700mA / max. 33W
max. 2kg

CEILING UP

TRACK

8601.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.D.250MA.1	●	120,50
8601.D.250MA.2	●	120,50

built-up
250mA / max. 12W
max. 1kg

8601.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.D.350MA.1	●	120,50
8601.D.350MA.2	●	120,50

built-up
350mA / max. 16,5W
max. 1kg

8601.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.D.500MA.1	●	120,50
8601.D.500MA.2	●	120,50

built-up
500mA / max. 24W
max. 1kg

8601.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.D.700MA.1	●	120,50
8601.D.700MA.2	●	120,50

built-up
700mA / max. 33W
max. 1kg

8601.M.D.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



→IT CE



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1|2

Ref

8601.M.D.250MA.1



Price €

120,50

8601.M.D.250MA.2



120,50

built-up
250mA / max. 12W
max. 2kg

8601.M.D.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



→IT 0.1000 CE



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1|2

Ref

8601.M.D.350MA.1



Price €

120,50

8601.M.D.350MA.2



120,50

built-up
350mA / max. 16,5W
max. 2kg



CEILING UP

TRACK

8601.M.D.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.D.500MA.1



Price €

120,50

8601.M.D.500MA.2



120,50



built-up
500mA / max. 24W
max. 2kg

8601.M.D.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | DALI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide

1 | 2

Ref

8601.M.D.700MA.1



Price €

120,50

8601.M.D.700MA.2



120,50



built-up
700mA / max. 33W
max. 2kg



8602.DS.250MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC  IP20   



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8602.DS.250MA.1		152,14
8602.DS.250MA.2		152,14

built-up
250mA / max. 12W
max. 1kg

8602.DS.350MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC  IP20   



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8602.DS.350MA.1		152,14
8602.DS.350MA.2		152,14

built-up
350mA / max. 16,5W
max. 1kg

8602.DS.500MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC  IP20    0.1000



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8602.DS.500MA.1		152,14
8602.DS.500MA.2		152,14

built-up
500mA / max. 24W
max. 1kg

8602.DS.700MA/.. - LUCY DOUBLE SPOT ADAPTOR 48V | DALI IN SERIE

=48V-DC  IP20   



adapter - Led-track double spot adaptor + monting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8602.DS.700MA.1		152,14
8602.DS.700MA.2		152,14

built-up
700mA / max. 33W
max. 1kg

8601.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC  IP20   



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.B.250MA.1		227,62
8601.B.250MA.2		227,62

built-up
250mA / max. 12W
max. 1kg

8601.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC  IP20    



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.b.350MA.1		227,62
8601.b.350MA.2		227,62

built-up
350mA / max. 16,5W
max. 1kg

8601.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC  IP20    



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.B.500MA.1		227,62
8601.B.500MA.2		227,62

built-up
500mA / max. 24W
max. 1kg

8601.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC  IP20   



adapter - Led-track single spot adaptor + mounting nipple
M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref		Price €
8601.B.700MA.1		227,62
8601.B.700MA.2		227,62

built-up
700mA / max. 33W
max. 1kg

8601.M.B.250MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref

8601.M.B.250MA.1



Price €

227,62

8601.M.B.250MA.2



227,62

built-up
250mA / max. 12W
max. 2kg

8601.M.B.350MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref

8601.M.B.350MA.1



Price €

227,62

8601.M.B.350MA.2



227,62

built-up
350mA / max. 16,5W
max. 2kg

8601.M.B.500MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref

8601.M.B.500MA.1



Price €

227,62

8601.M.B.500MA.2



227,62

built-up
500mA / max. 24W
max. 2kg

8601.M.B.700MA/.. - LUCY SINGLE SPOT ADAPTOR 48V | BLUETOOTH CASAMBI

=48V-DC



IP20



adapter - Led-track single spot mechanical adaptor + mounting nipple M10x1

Dimensions

↔ L166

Materials

Polyamide 1 | 2

Ref

8601.M.B.700MA.1



Price €

227,62

8601.M.B.700MA.2



227,62

built-up
700mA / max. 33W
max. 2kg

LUCY TRACK LUMINAIRES

8480/.. - LUCY TRACK

=48V-DC



IP20



0.1500

0,5 m

5.6



built-up spot with adaptor - Opal lens - 286mm - with LED driver

Ref

Price €

8480.2



197,54

Lamptype

1x LED 490lm CRI90 max. 6W

48V-DC

Dimensions

L286xB22,5xH43

Visible L286xB22,5xH25

Materials

Polyamide

2



built-up
DALI / 1-10V / Casambi / ON-OFF

8481/.. - LUCY TRACK

=48V-DC



IP20



0.2000

0,5 m

4.6



built-up spot with adaptor - Opal lens - 567mm - with LED driver

Ref

Price €

8481.2



259,92

Lamptype

1x LED 1005lm CRI90 max. 11,9W

48V-DC

Dimensions

L567xB22,5xH43

Visible L567xB22,5xH25

Materials

Polyamide

2



built-up
DALI / 1-10V / Casambi / ON-OFF

8482/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - Opal lens - 847mm - with LED driver

Ref

Price €

8482.2



301,31

Lamptype

1x LED 1508lm CRI90 max. 17,8W

48V-DC

Dimensions

L847xB22,5xH43

Visible L847xB22,5xH25

Materials

Polyamide

2



built-up
DALI / 1-10V / Casambi / ON-OFF

8483/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - Opal lens - 1128mm - with LED driver

Ref

Price €

8483.2



338,81

Lamptype

1x LED 2011lm CRI90 max. 23,8W

48V-DC

Dimensions

L1128xB22,5xH43

Visible L1128xB22,5xH25

Materials

Polyamide

2



built-up
DALI / 1-10V / Casambi / ON-OFF

8484/.. - LUCY TRACK

=48V-DC



IP20



built-up spot with adaptor - Opal lens - 1408mm - with LED driver

Ref

Price €

8484.2



377,57

Lamptype

1x LED 2514lm CRI90 max. 29,8W

48V-DC

Dimensions

L 1408xB22,5xH43

Visible L1408xB22,5xH25

Materials

Polyamide

2



built-up
DALI / 1-10V / Casambi / ON-OFF




CEILING UP

TRACK

8485/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 286mm - with LED driver

Lamptype

1x LED 412lm CRI95 max. 5,2W



Dimensions

↔ L286xB22,5xH43

Visible L286xB22,5xH25

Materials

Polyamide

2

Ref
8485.2



Price €
227,54

built-up
DALI / 1-10V / Casambi / ON-OFF

8486/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 567mm - with LED driver

Lamptype

1x LED 825lm CRI95 max. 9,9W



Dimensions

↔ L567xB22,5xH43

Visible L567xB22,5xH25

Materials

Polyamide

2

Ref
8486.2



Price €
323,21

built-up
DALI / 1-10V / Casambi / ON-OFF

8487/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 847mm - with LED driver

Lamptype

1x LED 1236lm CRI95 max. 14,5W



Dimensions

↔ L847xB22,5xH43

Visible L847xB22,5xH25

Materials

Polyamide

2

Ref
8487.2




Price €
397,91

built-up
DALI / 1-10V / Casambi / ON-OFF

8488/.. - LUCY TRACK

=48V-DC



built-up spot with adaptor - UGR lens - 1128mm - with LED driver

Lamptype

1x LED 1615lm CRI95 max. 19,8W



Dimensions

↔ L1128xB22,5xH43

Visible L1128xB22,5xH25

Materials

Polyamide

2

Ref
8488.2



Price €
467,53

built-up
DALI / 1-10V / Casambi / ON-OFF

8489/.. - LUCY TRACK

=48V-DC



IP20



0.1200

0,5 m

5.6



built-up spot with adaptor - directional - Adjustable UGR lens - 310mm - with LED driver

Ref

Price €

8489.2



283,80

Lamptype

1x LED 389lm CRI95 max. 5,2W

48V-DC

Dimensions

↔ L286xB22,5xH68

Visible L286xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8490/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - directional - Adjustable UGR lens - 590mm - with LED driver

Ref

Price €

8490.2



383,82

Lamptype

1x LED 777lm CRI95 max. 9,9W

48V-DC

Dimensions

↔ L590xB22,5xH68

Visible L590xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8491/.. - LUCY TRACK

=48V-DC



IP20



0,5 m

4.6



built-up spot with adaptor - directional - Adjustable UGR lens - 870mm - with LED driver

Ref

Price €

8491.2



475,09

Lamptype

1x LED 1167lm CRI95 max. 14,5W

48V-DC

Dimensions

↔ L870xB22,5xH68

Visible L870xB22,5xH50

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

CEILING UP

TRACK

8492../ - LUCY TRACK

~230V



IP20



built-up spot with adaptor - directional - Adjustable tube - 295mm - with LED driver

Ref

Price €

8492.2



358,65

Lamptype

1x LED 546lm CRI90 max. 6,1W

48V-DC

Dimensions

L310xB30xH62

Visible L310xB30xH44

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF

8493../ - LUCY TRACK

~230V



IP20



built-up spot with adaptor - directional - Adjustable tube - 575mm - with LED driver

Ref

Price €

8493.2



417,73

Lamptype

1x LED 1091lm CRI90 max. 11,9W

48V-DC

Dimensions

L575xB30xH62

Visible L575xB30xH44

Materials

Polyamide

2

built-up

DALI / 1-10V / Casambi / ON-OFF



CBU-TED/.. - CASAMBI

IP20   0.0500  5.14 



dimmer - Trailing edge dimmer for incandescent lamps or dimmable LED lamps

Ref CBU-TED **Price €** 106,72

Dimensions

↔ L40,4xB36,3xH14

CBU-ASD/.. - CASAMBI

 IP20   0.1000  5.14 



dimmer - Bluetooth controller for 0-10V, 1-10V, Dali, Dali Tunable White, Dali RGB and RGBW

Ref CBU-ASD **Price €** 121,28

Dimensions

↔ L56,5xB35,8xH22,3

CBU-A2D/.. - CASAMBI

 IP20   0.0900  5.14 



dimmer - Controller for one or two 0-10V LEDs or one tunable white LED with two 0-10V-interfaces. Also configurable in a DALI-modus.

Ref CBU-A2D **Price €** 185,55

Dimensions

↔ L76xB26xH23

CEILING UP

TRACK

Power supply (W)	A - Distance power supply / feed unit (2x1,5mm ²)			
	5m	10m	20m	30m
	B - Track length with $\Delta_v \leq 5,5\%$ (m)			
	(m)	(m)	(m)	(m)
60	50	50	50	50
100	50	50	40	25
150	50	40	20	Not admitted
200	40	30	Not admitted	Not admitted
250	35	20	Not admitted	Not admitted

Information refers to a load equivalent to the power supplied and equally distributed on the relevant length in the table.

X-PRESS/.. - CASAMBI

IP20    



wire- and battery-free dimmer switch - Wireless bluetooth interface - programmable at will

Dimensions

↔ L90xB90xH12

Materials

Aluminium 1 | 2

Ref

X-PRESS.1



Price €

268,02

X-PRESS.2



268,02

BLE-EWSSB/.. - CASAMBI

IP20    



wire- and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14

Ref

BLE-EWSSB

Price €

121,28

BLE-EWSDB/.. - CASAMBI

IP20   



wire- and battery-free dimmer switch - Kinetic switch - programmable at will

Dimensions

↔ L81xB81xH14

Ref

BLE-EWSDB

Price €

121,28

SC-TI-CAS/.. - CASAMBI

IP20   0.0400  5.14 



switching module - Input module for up to 4 potential-free buttons - wireless

Ref
SC-TI-CAS

Price €
213,44

Dimensions

↔ Ø53xH21

LD220WCM/.. - CASAMBI

 IP20   0.0800  5.14 



dimmer - Bluetooth dimmer with push button - appropriate for LED lamps en LED dimmers

Ref
LD220WCM

Price €
163,72

Dimensions

↔ Ø56xH22

DRIVERS -

CONTROL



Available TRACK - RAIL colours



Available colours spots or pendants











Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.