

+30  
years  
psmlighting



# Mary

EASY CLICK rail systems



**psmlighting**

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

**4802/.. - MARY 1FASE**

~230V  IP20    



track - Track 2 meter for 1 circuit

**Dimensions**

↔ L2000xB35xH20 mm

**Materials**

Aluminium 1 | 2

Ref	Price €
4802.1	107,93
4802.2	107,93

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

**4803/.. - MARY 1FASE**

~230V  IP20    



track - Track 3 meter for 1 circuit

**Dimensions**

↔ L3000xB35xH20 mm

**Materials**

Aluminium 1 | 2

Ref	Price €
4803.1	159,48
4803.2	159,48

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

**4804/.. - MARY 1FASE**

~230V  IP20    



track - Track 4 meter for 1 circuit

**Dimensions**

↔ L4000xB35xH20 mm

**Materials**






Aluminium 1 | 2

Ref	Price €
4804.1	212,23
4804.2	212,23

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

INDOOR | Ceiling UP | TRACK | MARY 1F

4811/.. - MARY 1FASE

~230V  IP20    





power supply for busbar system - End feed

**Materials**



Aluminium

1|2

Ref	Color	Price €
4811.1		23,04
4811.2		23,04

*built-up*  
Please attach drawing to the order!

4813/.. - MARY 1FASE

IP20    





accessories for track systems - End cap

**Materials**

Aluminium

1|2

Ref	Color	Price €
4813.1		3,64
4813.2		3,64

*built-up*

4814/.. - MARY 1FASE

~230V  IP20    





Connection joinings - Straight coupler


**Materials**

Aluminium

1|2


Ref	Color	Price €
4814.1		19,40
4814.2		19,40

*built-up*



**4807/.. - MARY 1FASE**

~230V  IP20    





Connection joinings - L-connector with connection option for power supply

**Dimensions**

↔ L107xB36xH23 mm

**Materials**


Aluminium 1|2

Ref		Price €
4807.1		66,22
4807.2		66,22

*built-up*

**4808/.. - MARY 1FASE**

~230V  IP20    





Connection joinings - T-connector with connection option for power supply - grounding inside

**Dimensions**

↔ L71xB71xH23 mm

**Materials**



Aluminium 1|2

Ref		Price €
4808.1		97,02
4808.2		97,02

*built-up*  
Please attach drawing to the order!

**4810/.. - MARY 1FASE**

~230V  IP20   





Connection joinings - X-connector with connection option for power supply

**Dimensions**

↔ L78xB78xH23 mm

**Materials**


Aluminium 1|2

Ref		Price €
4810.1		127,34
4810.2		127,34

*built-up*

**4815/.. - MARY 1FASE**

~230V  IP20    





Connection joinings - L-connector with connection option for power supply - grounding inside

**Dimensions**

↔ L71xB71xH23 mm

**Materials**

Aluminium 1|2

Ref		Price €
4815.1		66,70
4815.2		66,70

*built-up*  
Please attach drawing to the order!

CEILING UP

TRACK

INDOOR | Ceiling UP | TRACK | MARY 1F

4816/.. - MARY 1FASE

~230V

⊕ IP20   



Connection joinings - Flex-connector

**Materials**

Aluminium

**Ref**

4816.1

1 | 2

4816.2



**Price €**

98,23


98,23

*built-up*  
from 60° to 300°

4817/.. - MARY 1FASE

~230V

⊕ IP20   



Connection joinings - Y-connector with connection option for power supply

**Dimensions**

↔ L78xB78xH23 mm

**Materials**

Aluminium

**Ref**

4817.1

4817.2



**Price €**

117,64

117,64

*built-up*  
Please attach drawing to the order!

4820/.. - MARY 1FASE

~230V

⊕ IP20    



adapter - Multi-adaptor for 1 circuit track + retaining collar M10x1

**Dimensions**

↔ L130 mm

**Materials**

Aluminium

**Ref**

4820.1

4820.2



**Price €**

36,38

36,38

*built-up*



4805/.. - MARY 1FASE

~230V



IP20



1.5 m



accessories for track systems - Adaptor for suspension - steel cable 1,5m

Ref  
4805

Price €  
45,84

built-up

4806/.. - MARY 1FASE

~230V



IP20



3 m



accessories for track systems - Adaptor for suspension - steel cable 3m


Ref  
4806

Price €  
51,54

built-up

CEILING UP

TRACK



**4820.7700/.. - MARY CAPA ADAPTOR**

~230V



built-up spot with adaptor - round - directional - without LED lamp

**Lamptype**

1x QPAR 51 GU10 max. 20W 230V

1x QPAR70 GU10 max. 8W 230V

**Dimensions**

↔ Ø32xH84 mm 50 mm

Head Ø32xH40 mm

**Materials**

Aluminium 1M | 2M | 14 | 11M


Messing 4 | 16 | 13 | 23

Ref		Price €
4820.7700.1M	●	111,15
4820.7700.2M	●	111,15
4820.7700.14	●	118,34
4820.7700.11M	●	111,15
4820.7700.4	●	163,87
4820.7700.16	●	139,90
4820.7700.13	●	153,09
4820.7700.23	●	153,09

built-up

**4820.7800/.. - MARY CAPA X ADAPTOR**

~230V



built-up spot with adaptor - round - directional - without LED lamp

**Lamptype**

1x QPAR 51 GU10 max. 20W 230V

**Dimensions**

↔ Ø54xH140 mm Head Ø54xH85 mm

**Materials**

Aluminium 1M | 2M | 14 | 11M


Messing 4 | 16 | 13 | 13M | 23

Ref		Price €
4820.7800.1M	●	119,19
4820.7800.2M	●	119,19
4820.7800.14	●	120,97
4820.7800.11M	●	119,19
4820.7800.4	●	163,87
4820.7800.16	●	139,90
4820.7800.13	●	169,86
4820.7800.13M	●	169,86
4820.7800.23	●	169,86

built-up

**4820.7600/.. - MARY CAPA AC ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 700lm CRI92 max. 9,5W 230V

**Dimensions**

↔ Ø58xH180 mm 36°

Head Ø58xH130 mm

**Materials**

Aluminium 1M | 2M | 14 | 45


Messing 4 | 16

Ref		Price €
4820.7600.1M	● CW   NW   WW	168,66
4820.7600.2M	● CW   NW   WW	168,66
4820.7600.14	● CW   NW   WW	171,06
4820.7600.4	● CW   NW   WW	214,19
4820.7600.16	● CW   NW   WW	190,23
4820.7600.45	● CW   NW   WW	171,06

built-up  
dimming leading and trailing edge

**4820.1837/.. - MARY MERO ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 860lm CRI90 max. 10W 230V

**Dimensions**

↔ Ø80xH180 mm 30°

Head Ø80xH120 mm


**Materials**

Aluminium 1M | 2M

Ref		Price €
4820.1837.1M	● NW   WW	232,17
4820.1837.2M	● NW   WW	232,17

built-up  
to combine with adaptor or on a profile





CEILING UP

TRACK

# INDOOR | Ceiling UP | TRACK | MARY 1F

## 4820.7606/.. - MARY FIXER ADAPTOR

~230V



built-up spot with adaptor - square - directional - without LED lamp

### Lamptype

1x QPAR 51 GU10 max. 20W 230V

### Dimensions

↔ L60xB60xH150 mm Head L60xB60xH90 mm

### Materials

Aluminium 1M | 2M | 14 | 11M

Ref		Price €
4820.7606.1M	●	119,19
4820.7606.2M	●	119,19
4820.7606.11M	●	119,19
4820.7606.14	●	120,97

built-up

## 4820.7603/.. - MARY FIXER AC ADAPTOR

~230V



built-up spot with adaptor - square - directional - with LED module

### Lamptype

1x LED 700lm CRI92 max. 9,5W 230V

### Dimensions

↔ L60xB60xH185 mm ∠ 36°

Head L60xB60xH125 mm

### Materials

Aluminium 1M | 2M | 14 | 45

Ref		Price €
4820.7603.1M	● CW   NW   WW	174,20
4820.7603.2M	● CW   NW   WW	174,20
4820.7603.14	● CW   NW   WW	179,98
4820.7603.45	● CW   NW   WW	179,98

built-up  
dimmable with leading and trailing edge dimmer

## 4820.3000/.. - MARY BABETTE ADAPTOR

~230V



built-up spot with adaptor - round - directional - with LED module

### Lamptype

1x LED 350lm CRI90 max. 4W 230V

### Dimensions

↔ Ø80xH109 mm ∠ 28°

### Materials


Aluminium 1M | 2M | 29 | 49  
Messing 16

Ref		Price €
4820.3000.1M	● NW   WW	180,81
4820.3000.2M	● NW   WW	180,81
4820.3000.49	● NW   WW	199,55
4820.3000.29	● NW   WW	199,55
4820.3000.16	● NW   WW	224,91

built-up

## 4820.2730/.. - MARY SUZETTE ADAPTOR

~230V



built-up spot with adaptor - round - directional - with LED module

### Lamptype

1x LED 350lm CRI90 max. 4W 230V

### Dimensions

↔ Ø70xH130 mm ∠ 30°


Head Ø70xH80 mm

### Materials

Aluminium 1M | 2M  
Aluminium / Messing 216

Ref		Price €
4820.2730.1M	● NW   WW	194,93
4820.2730.2M	● NW   WW	194,93
4820.2730.216	● NW   WW	221,18

built-up




CEILING UP

TRACK

# INDOOR | Ceiling UP | TRACK | MARY 1F

## 4820.5003A/.. - MARY MAESTRO

~230V



suspension with adapter - round - fixed - without LED lamp

**Lamp type**  
1x A60 E27 max. 10,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**


Aluminium 1M | 2M

Ref	Price €
4820.5003A.1M.TX1	116,84
4820.5003A.2M.TX2	116,84

built-up

## 4820.1842/.. - MARY MERO

~230V



suspension with adapter - round - fixed - tube 300mm

**Lamp type**  
1x LED 700lm CRI92 max. 9,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**


Aluminium 1M | 2M

Ref	Price €
4820.1842.1M.TX1	255,85
4820.1842.2M.TX2	255,85

built-up

## 4820.5043E/.. - MARY MOBY DECO

~230V



suspension with adapter - round - fixed - without LED lamp

**Lamp type**  
1x A60 E27 max. 10,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**

Aluminium 1M | 2M

Ref	Price €
4820.5043E.1M.TR.TX1	385,19
4820.5043E.2M.ST.TX2	414,59

built-up



CEILING UP

TRACK

**8110/.. - MARY 3FASE TRACK**

~230V



IP20



track - Track 2 meter for 3 circuits

**Dimensions**

↔ L2000 mm

**Materials**

Aluminium 1|2

Ref

8110.1



Price €

117,40

8110.2



117,40


**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

**8111/.. - MARY 3FASE TRACK**

~230V



IP20



track - Track 3 meter for 3 circuits

**Dimensions**

↔ L3000 mm

**Materials**

Aluminium 1|2

Ref

8111.1



Price €

173,66

8111.2



173,66


**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

**8139/.. - MARY 3FASE TRACK**

~230V



IP20



track - Track 4 meter for 3 circuits

**Dimensions**

↔ L4000 mm      Base L35xB35 mm

**Materials**

Aluminium 1|2

Ref

8139.1



Price €

231,00

8139.2



231,00

**built-up**  
extra transport cost - long profile

**8112/.. - MARY 3FASE FEEDING**

~230V  IP20    



power supply for busbar system - End feed

**Materials**





Aluminium


1|2

Ref	Price €
8112.1	29,67
8112.2	29,67

built-up

**8113/.. - MARY 3FASE TRACK**

IP20    



accessories for track systems - End cap

**Materials**

Aluminium

1|2

Ref	Price €
8113.1	2,74
8113.2	2,74

built-up

**8114/.. - MARY 3FASE TRACK**

~230V  IP20    



Connection joinings - Straight coupler

**Materials**




Aluminium


1|2

Ref	Price €
8114.1	20,40
8114.2	20,40

built-up

**8115/.. - MARY 3FASE ADAPTOR**

~230V  IP20    



adapter - Multi-adaptor for 3 circuit track + retaining collar M10x1

**Materials**

Aluminium

1|2

Ref	Price €
8115.1	37,69
8115.2	37,69

built-up  
max. 5kg

**8120/.. - MARY 3FASE TRACK**

~230V



IP20



Connection joinings - I-connector with connection option for power supply

**Dimensions**

↔ L120 mm

**Materials**

Aluminium 1|2

Ref	Color	Price €
8120.1	●	63,06
8120.2	●	63,06

built-up

**8121/.. - MARY 3FASE TRACK**

~230V



IP20



Connection joinings - L-connector with connection option for power supply - grounding outside

**Dimensions**

↔ L78xB78xH23 mm

**Materials**

Aluminium 1|2

Ref	Color	Price €
8121.1	●	60,76
8121.2	●	60,76

built-up

Please attach drawing to the order!

**8122/.. - MARY 3FASE TRACK**

~230V



IP20



Connection joinings - L-connector with connection option for power supply - grounding inside

**Dimensions**

↔ L78xB78xH23 mm

**Materials**

Aluminium 1|2

Ref	Color	Price €
8122.1	●	60,76
8122.2	●	60,76

built-up

Please attach drawing to the order!

**8123/.. - MARY 3FASE TRACK**

IP20



Connection joinings - I-connector with connection option for power supply

**Materials**

Aluminium 1|2

Ref	Color	Price €
8123.1	●	49,04
8123.2	●	49,04





CEILING UP

TRACK

8140/.. - MARY 3FASE TRACK

~230V



IP20



Connection joinings - Hanging clip for 3-phase track suspension

**Dimensions**

↔ L50xB35xH20 mm

**Materials**

Aluminium

1 | 2

**Ref**

8140.1

8140.2



**Price €**

13,25

13,25

built-up

8141/.. - MARY 3FASE TRACK

~230V



IP20



Connection joinings - Hanging clip for 3-phase track connector suspension

**Dimensions**

↔ L100xB35xH20 mm

**Materials**

Aluminium

1 | 2

**Ref**

8141.1

8141.2



**Price €**

22,50

22,50

built-up

8142/.. - MARY 3FASE TRACK

~230V



IP20



Connection joinings - Steel suspension cable 3 meters for 3-phase track

**Dimensions**

Cable 3000 mm

Cable L3000 mm

**Materials**

Aluminium

**Ref**

8142

**Price €**

38,90

built-up

8143/.. - MARY 3FASE TRACK

~230V



IP20



Connection joinings - Steel suspension cable 6,2 meters for 3-phase track

**Dimensions**

Cable 6200 mm

Cable L6200 mm

**Materials**

Aluminium

**Ref**

8143

**Price €**

47,65

built-up

**8125/.. - MARY 3FASE TRACK**

~230V



Connection joinings - T-connector with connection option for power supply - grounding outside

**Dimensions**

↔ L78xB78xH mm

**Materials**

Aluminium 1 | 2

**Ref**

8125.1



**Price €**

94,59

8125.2




94,59

*built-up*  
Please attach drawing to the order!

**8126/.. - MARY 3FASE TRACK**

~230V



Connection joinings - T-connector with connection option for power supply - grounding inside

**Dimensions**

↔ L78xB78xH mm

**Materials**

Aluminium 1 | 2

**Ref**

8126.1



**Price €**

94,59

8126.2



94,59

*built-up*  
Please attach drawing to the order!



**8127.250/.. - MARY 3FASE MULTI ADAPTOR LED**



adapter - Combined In-Track Adapter | max. 12W | 250mA | not dimmable | 10-42V

**Dimensions**

158X31 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
8127.250.1		60,64
8127.250.2		60,64

**8127.350/.. - MARY 3FASE MULTI ADAPTOR LED**



adapter - Combined In-Track Adapter | max. 16W | 350mA | not dimmable | 10-42V

**Dimensions**

158X31 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
8127.350.1		60,64
8127.350.2		60,64

**8127.500/.. - MARY 3FASE MULTI ADAPTOR LED**



adapter - Combined In-Track Adapter | max. 23W | 500mA | not dimmable | 10-42V

**Dimensions**

158X31 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
8127.500.1		60,64
8127.500.2		60,64

**8127.700/.. - MARY 3FASE MULTI ADAPTOR LED**



adapter - Combined In-Track Adapter | max. 33W | 750mA | not dimmable | 10-42V

**Dimensions**

158X31 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
8127.700.1		60,64
8127.700.2		60,64



CEILING UP

TRACK



**8115.7700/.. - MARY CAPA ADAPTOR**

~230V



built-up spot with adaptor - round - directional - without LED lamp

**Lamptype**

1x QPAR 51 GU10 max. 20W 230V  
1x QPAR70 GU10 max. 8W 230V

**Dimensions**

↔ Ø32xH84 mm 50 mm

Head Ø32xH40 mm

**Materials**


Aluminium 1M | 2M | 14 | 11M  
Messing 4 | 16 | 13 | 23

Ref	Color	Price €
8115.7700.1M	White	112,47
8115.7700.2M	Black	112,47
8115.7700.14	Grey	119,65
8115.7700.11M	White	112,47
8115.7700.4	Gold	165,19
8115.7700.16	Yellow	141,21
8115.7700.13	Brown	154,40
8115.7700.23	Black	154,40

built-up

**8115.7800/.. - MARY CAPA X ADAPTOR**

~230V



built-up spot with adaptor - round - directional - without LED lamp

**Lamptype**

1x QPAR 51 GU10 max. 20W 230V

**Dimensions**

↔ Ø54xH140 mm Head Ø54xH85 mm

**Materials**


Aluminium 1M | 2M | 14 | 11M  
Messing 4 | 16 | 13 | 13M | 23

Ref	Color	Price €
8115.7800.1M	White	120,50
8115.7800.2M	Black	120,50
8115.7800.14	Grey	122,28
8115.7800.11M	White	120,50
8115.7800.4	Gold	165,19
8115.7800.16	Yellow	141,21
8115.7800.13	Brown	171,17
8115.7800.13M	Brown	171,17
8115.7800.23	Black	171,17

built-up

**8115.7600/.. - MARY CAPA AC ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 700lm CRI92 max. 9,5W 230V

**Dimensions**

↔ Ø58xH180 mm  $\angle$  36°

Head Ø58xH130 mm

**Materials**


Aluminium 1M | 2M | 14 | 45  
Messing 4 | 16

Ref	Color	Price €
8115.7600.1M	CW   NW   WW	169,97
8115.7600.2M	Black	169,97
8115.7600.14	Grey	172,37
8115.7600.4	Gold	215,50
8115.7600.16	Yellow	191,54
8115.7600.45	Brown	172,37

built-up  
dimmable leading and trailing edge

**8115.1837/.. - MARY MERO ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 860lm CRI90 max. 10W 230V

**Dimensions**

↔ Ø80xH180 mm  $\angle$  30°

Head Ø80xH120 mm

**Materials**

Aluminium 1M | 2M

Ref	Color	Price €
8115.1837.1M	NW   WW	233,48
8115.1837.2M	Black	233,48

built-up  
to combine with adaptor or on a profile

**8115.7606/.. - MARY FIXER ADAPTOR**

~230V



built-up spot with adaptor - square - directional - without LED lamp

**Lamptype**

1x QPAR 51 GU10 max. 20W 230V

**Dimensions**

↔ L60xB60xH150 mm Head L60xB60xH90 mm

**Materials**

Aluminium 1M | 2M | 14 | 11M

Ref		Price €
8115.7606.1M	●	120,50
8115.7606.2M	●	120,50
8115.7606.11M	●	120,50
8115.7606.14	●	122,28

built-up

**8115.7603/.. - MARY FIXER AC ADAPTOR**

~230V



built-up spot with adaptor - square - directional - with LED module

**Lamptype**

1x LED 700lm CRI92 max. 9,5W 230V

**Dimensions**

↔ L60xB60xH185 mm ∠ 36°

Head L60xB60xH125 mm

**Materials**


Aluminium 1M | 2M | 14 | 45

Ref		Price €
8115.7603.1M	● CW   NW   WW	175,51
8115.7603.2M	● CW   NW   WW	175,51
8115.7603.14	● CW   NW   WW	181,29
8115.7603.45	● CW   NW   WW	181,29

built-up  
dimmable with leading and trailing edge dimmer

**8115.3000/.. - MARY BABETTE ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 350lm CRI90 max. 4W 230V

**Dimensions**

↔ Ø80xH109 mm ∠ 28°

**Materials**


Aluminium 1M | 2M | 29 | 49  
Messing 16

Ref		Price €
8115.3000.1M	● NW   WW	182,12
8115.3000.2M	● NW   WW	182,12
8115.3000.16	● NW   WW	226,22
8115.3000.29	● NW   WW	200,87
8115.3000.49	● NW   WW	200,87

built-up

**8115.2730/.. - MARY SUZETTE ADAPTOR**

~230V



built-up spot with adaptor - round - directional - with LED module

**Lamptype**

1x LED 350lm CRI90 max. 4W 230V

**Dimensions**

↔ Ø70xH130 mm ∠ 30°

Head Ø70xH80 mm

**Materials**

Aluminium 1M | 2M  
Aluminium / Messing 216

Ref		Price €
8115.2730.1M	● NW   WW	196,25
8115.2730.2M	● NW   WW	196,25
8115.2730.216	● NW   WW	222,50

built-up





CEILING UP

TRACK



8127.7870/.. - MARY PETRUS 3FASE

~230V



built-up spot with adaptor - round - directional - Combined In-Track Adapter | max. 23W | 500mA | not dimmable | 10-42V - with LED driver

**Lamptype**

1x LED 690lm CRI97 max. 6,2W 500mA

**Dimensions**

↔ Ø54xH145 mm 40°

Head Ø54xH80 mm

**Materials**

Aluminium 1M | 2M | 29 | 49  
Messing 16 | 13M

Ref	Color	Price €
8127.7870.1M	● NW   WW	232,69
8127.7870.2M	● NW   WW	232,69
8127.7870.16	● NW   WW	272,69
8127.7870.13M	● NW   WW	307,69
8127.7870.29	● NW   WW	252,69
8127.7870.49	● NW   WW	252,69

*built-up*  
to combine with adaptor or on a profile

8127.7871/.. - MARY LUCAS 3FASE

~230V



built-up spot with adaptor - round - directional - Combined In-Track Adapter | max. 23W | 500mA | not dimmable | 10-42V - with LED driver

**Lamptype**

1x LED 952lm CRI97 max. 8,7W 500mA

**Dimensions**

↔ Ø54xH145 mm 40°

Head Ø54xH80 mm

**Materials**


Aluminium 1M | 2M  
Messing 16 | 13M

Ref	Color	Price €
8127.7871.1M	● NW   WW	192,69
8127.7871.2M	● NW   WW	192,69
8127.7871.16	● NW   WW	222,69
8127.7871.13M	● NW   WW	260,69

*built-up*  
to combine with adaptor or on a profile

8127.7872/.. - MARY MARCUS 3FASE

~230V



built-up spot with adaptor - round - directional - Combined In-Track Adapter | max. 23W | 500mA | not dimmable | 10-42V - with LED driver

**Lamptype**

1x LED 952lm CRI97 max. 8,7W 500mA

**Dimensions**

↔ Ø57xH195 mm 40°

Head Ø57xH125 mm

**Materials**

Aluminium 1M | 2M  
Messing 16 | 13M


Ref	Color	Price €
8127.7872.1M	● NW   WW	207,69
8127.7872.2M	● NW   WW	207,69
8127.7872.16	● NW   WW	252,69
8127.7872.13M	● NW   WW	289,69

*built-up*  
to combine with adaptor or on a profile



8115.5003A/.. - MARY MAESTRO

~230V



suspension with adapter - round - fixed - without LED lamp

**Lamptype**

1x A60 E27 max. 10,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**

Aluminium 1M | 2M

**Ref**

8115.5003A.1M.TX1



**Price €**

118,15

8115.5003A.2M.TX2




118,15

built-up

8115.1842/.. - MARY MERO

~230V



suspension with adapter - round - fixed - tube 300mm

**Lamptype**

1x LED 700lm CRI92 max. 9,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**

Aluminium 1M | 2M

**Ref**

8115.1842.1M.TX1



**Price €**

257,16

8115.1842.2M.TX2




257,16

built-up

8115.5043E/.. - MARY MOBY DECO

~230V



suspension with adapter - round - fixed - without LED lamp

**Lamptype**

1x A60 E27 max. 10,5W 230V

**Dimensions**

↔ Ø54xH140 mm Cable 1000 mm

Head Ø54xH85 mm

**Materials**

Aluminium 1M | 2M

**Ref**

8115.5043E.1M.TR.TX1



**Price €**

386,51

8115.5043E.2M.ST.TX2




415,91

built-up



4901/.. - MARY 3FASE DALI INSIDE




~230V  IP20  




track	Ref	Price €
<b>Dimensions</b>	4901.1	103,95
↔ L1000xB31,4xH37,35 mm	4901.2	103,95
<b>Materials</b>		
Aluminium	1   2	

You can shorten the rail yourself by sawing

4902/.. - MARY 3FASE DALI INSIDE


~230V  IP20   




track	Ref	Price €
<b>Dimensions</b>	4902.1	185,85
↔ L2000xB31,4xH37,35 mm	4902.2	185,85
<b>Materials</b>		
Aluminium	1   2	

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

4903/.. - MARY 3FASE DALI INSIDE




~230V  IP20   




track	Ref	Price €
<b>Dimensions</b>	4903.1	273,00
↔ L3000xB31,4xH37,35 mm	4903.2	273,00
<b>Materials</b>		
Aluminium	1   2	

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

4904/.. - MARY 3FASE DALI INSIDE

~230V  IP20   








track	Ref	Price €
<b>Dimensions</b>	4904.1	358,05
↔ L4000xB31,4xH37,35 mm	4904.2	358,05
<b>Materials</b>		
Aluminium	1   2	

**built-up**  
extra transport cost - long profile - You can shorten the rail yourself by sawing

INDOOR | Ceiling UP | TRACK | MARY 3F DALI INSIDE

4913/.. - MARY 3FASE DALI INSIDE

IP20    



accessories for track systems - End cap

**Dimensions**

↔ L37,8xB31,4 mm

**Materials**

Aluminium

**Ref**

4913.1



**Price €**

3,15

4913.2




3,15

1|2

built-up

4908/.. - MARY 3FASE DALI INSIDE

IP20  



accessories for track systems - Ceiling clip black

**Dimensions**

↔ L40xB24,3xH13,5 mm

**Materials**

Aluminium

**Ref**

4908.2




**Price €**

25,20

2

4909/.. - MARY 3FASE DALI INSIDE

IP20  



accessories for track systems - Ceiling clip alu

**Dimensions**

↔ L40xB21,8xH15,7 mm

**Materials**

Aluminium

**Ref**

4909

**Price €**

6,83





4905/.. - MARY 3FASE DALI INSIDE

~230V



IP20



adapter - In-track adapter on/off

**Dimensions**

↔ L90xB32 mm

**Materials**

Aluminium

**Ref**

4905.1

4905.2



**Price €**

75,60

75,60


1|2

4915/.. - MARY 3FASE DALI INSIDE

~230V



IP20



adapter - In-track adapter on/off with DALI contact

**Dimensions**

↔ L180 mm

**Materials**

Aluminium

**Ref**

4915.1

4915.2



**Price €**


118,65

118,65

1|2




CEILING UP

TRACK



INDOOR | Ceiling UP | TRACK | MARY 3F DALI INSIDE

4930.350/.. - MARY 3FASE DALI INSIDE

IP20   





adapter - In-track adapter max. 14,7W 350mA DALI - voltage 5-42 VDC

**Dimensions**

↔ L350 mm

**Materials**

Aluminium 1|2

Ref		Price €
4930.350.1		122,85
4930.350.2		122,85

4930.500/.. - MARY 3FASE DALI INSIDE

IP20  





adapter - In-track adapter max. 21W 500mA DALI - voltage 5-42 VDC

**Dimensions**

↔ L350 mm

**Materials**

Aluminium 1|2

Ref		Price €
4930.500.1		122,85
4930.500.2		122,85



4931.250/.. - MARY 3FASE DALI INSIDE

IP20  



adapter - In-track adapter max. 10,7W 250mA on/off - voltage

5-43 VDC

**Dimensions**

↔ L320 mm

**Materials**

Aluminium

1 | 2

Ref		Price €
4931.250.1		170,10
4931.250.2		170,10

4931.350/.. - MARY 3FASE DALI INSIDE

IP20   



adapter - In-track adapter max. 15W 350mA on/off - voltage

5-43 VDC

**Dimensions**

↔ L320 mm

**Materials**

Aluminium

1 | 2

Ref		Price €
4931.350.1		170,10
4931.350.2		170,10

4931.500/.. - MARY 3FASE DALI INSIDE

IP20  



adapter - In-track adapter max. 21W 500mA on/off - voltage

5-43 VDC

**Dimensions**

↔ L320 mm

**Materials**

Aluminium

1 | 2

Ref		Price €
4931.500.1		170,10
4931.500.2		170,10

4932.350/.. - MARY 3FASE DALI UPSIDE

IP20  





adapter - In-track adapter max. 15W 350mA DALI - voltage 5-42 VDC

**Dimensions**

↔ L250 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4932.350.1		170,10
4932.350.2		170,10

4932.500/.. - MARY 3FASE DALI UPSIDE

IP20  





adapter - In-track adapter max. 21W 500mA DALI - voltage 5-42 VDC

**Dimensions**

↔ L250 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4932.500.1		170,10
4932.500.2		170,10

4932.700/.. - MARY 3FASE DALI UPSIDE

IP20  





adapter - In-track adapter max. 30W 700mA DALI

**Dimensions**




↔ L250 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4932.700.1		170,10
4932.700.2		170,10

4911/.. - MARY 3FASE DALI INSIDE

IP20   



power supply for busbar system - End feed right

**Dimensions**

↔ L95 mm

**Materials**

Aluminium

**Ref**

4911.1

4911.2



**Price €**

50,40

50,40

1|2

4912/.. - MARY 3FASE DALI INSIDE

IP20   



power supply for busbar system - End feed left

**Dimensions**

↔ L95 mm

**Materials**

Aluminium

**Ref**

4912.1

4912.2



**Price €**

50,40

50,40

1|2



CEILING UP


TRACK





4914/.. - MARY 3FASE DALI INSIDE

IP20   CE



Connection joinings - Straight coupler

**Materials**

Aluminium

1|2

**Ref**

4914.1

4914.2




**Price €**

29,40

29,40

4919/.. - MARY 3FASE DALI INSIDE

IP20  CE



power supply for busbar system - Midfeed

**Dimensions**

← L203 mm

**Materials**

Aluminium

1|2

**Ref**

4919.1

4919.2




**Price €**

64,05

64,05

4907/.. - MARY 3FASE DALI INSIDE

IP20  CE



Connection joinings - I-connector with connection option for power supply

**Dimensions**

← L148 mm

**Materials**

Aluminium

1|2

**Ref**

4907.1

4907.2



**Price €**

89,25

89,25

4921/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - L-connector with connection option for power supply - grounding outside

**Dimensions**

↔ L89,7xB89,7 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4921.1		89,25
4921.2		89,25

4922/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - L-connector with connection option for power supply - grounding inside

**Dimensions**

↔ L89,7xB89,7 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4922.1		89,25
4922.2		89,25





4925/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - T-connector with connection option for power supply - grounding inside right

**Dimensions**

↔ L148xB78 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4925.1		136,50
4925.2		136,50

4926/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - T-connector with connection option for power supply - grounding inside left

**Dimensions**

↔ L148xB78 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4926.1		136,50
4926.2		136,50

4927/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - T-connector with connection option for power supply - grounding outside right

**Dimensions**

↔ L148xB78 mm

**Materials**

Aluminium 1 | 2

Ref		Price €
4927.1		136,50
4927.2		136,50

4928/.. - MARY 3FASE DALI INSIDE

IP20  





Connection joinings - T-connector with connection option for power supply - grounding outside left

**Dimensions**

↔ L148xB78 mm


**Materials**

Aluminium 1 | 2



Ref		Price €
4928.1		136,50
4928.2		136,50

4910/.. - MARY 3FASE DALI INSIDE

IP20  



Connection joinings - X-connector with connection option for power supply

Ref		Price €
4910.1		152,25
4910.2		152,25

**Dimensions**


↔ L148x878 mm

**Materials**



Aluminium 1|2

4916/.. - MARY 3FASE DALI INSIDE

IP20  



Connection joinings - Flex-connector

Ref		Price €
4916.1		60,90
4916.2		60,90

**Dimensions**

↔ L265 mm



**Materials**

Aluminium 1|2



4930.7870/.. - MARY PETRUS 3F DALI INSIDE

~230V



built-up spot with adaptor - round - directional - with LED driver

Lamp type

1x LED 690lm CRI97 max. 6,2W 500mA

Dimensions

Ø54xH145 mm 40°

Head Ø54xH80 mm

Materials


Aluminium 1M | 2M | 29 | 49  
Messing 16 | 13M

Ref	Color	Price €
4930.7870.1M	● NW   WW	294,90
4930.7870.2M	● NW   WW	294,90
4930.7870.16	● NW   WW	334,90
4930.7870.13M	● NW   WW	369,90
4930.7870.29	● NW   WW	314,90
4930.7870.49	● NW   WW	314,90

built-up  
to combine with adaptor or on a profile

4930.7871/.. - MARY LUCAS 3 FASE DALI INSIDE

~230V



built-up spot with adaptor - round - directional - with LED driver

Lamp type

1x LED 952lm CRI97 max. 8,7W 500mA

Dimensions

Ø54xH145 mm 40°

Head Ø54xH80 mm

Materials

Aluminium 1M | 2M  
Messing 16 | 13M

Ref	Color	Price €
4930.7871.1M	● NW   WW	254,90
4930.7871.2M	● NW   WW	254,90
4930.7871.16	● NW   WW	284,90
4930.7871.13M	● NW   WW	322,90

built-up  
to combine with adaptor or on a profile

4930.7872/.. - MARY MARCUS 3F DALI INSIDE

~230V



built-up spot with adaptor - round - directional - with LED driver

Lamp type

1x LED 952lm CRI97 max. 8,7W 500mA

Dimensions

Ø57xH195 mm 40°

Head Ø57xH125 mm

Materials

Aluminium 1M | 2M  
Messing 16 | 13M

Ref	Color	Price €
4930.7872.1M	● NW   WW	269,90
4930.7872.2M	● NW   WW	269,90
4930.7872.16	● NW   WW	314,90
4930.7872.13M	● NW   WW	351,90

built-up  
to combine with adaptor or on a profile

# INDOOR | Ceiling UP | TRACK | MARY 3F DALI INSIDE

## 4931.7870/.. - MARY PETRUS 3F DALI INSIDE

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 690lm CRI97 max. 6,2W  500mA

### Dimensions

→ Ø54xH145 mm  40°

Head Ø54xH80 mm

### Materials

Aluminium 1M | 2M | 29 | 49

Messing 16 | 13M

Ref	Color	Price €
4931.7870.1M	● NW   WW	342,15
4931.7870.2M	● NW   WW	342,15
4931.7870.16	● NW   WW	382,15
4931.7870.13M	● NW   WW	417,15
4931.7870.29	● NW   WW	362,15
4931.7870.49	● NW   WW	362,15

*built-up*  
to combine with adaptor or on a profile

## 4931.7871/.. - MARY LUCAS 3F DALI INSIDE

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 952lm CRI97 max. 8,7W 500mA

### Dimensions

→ Ø54xH145 mm  40°

Head Ø54xH80 mm

### Materials

Aluminium 1M | 2M

Messing 16 | 13M

Ref	Color	Price €
4931.7871.1M	● NW   WW	302,15
4931.7871.2M	● NW   WW	302,15
4931.7871.16	● NW   WW	332,15
4931.7871.13M	● NW   WW	370,15

*built-up*  
to combine with adaptor or on a profile

## 4931.7872/.. - MARY MARCUS 3F DALI INSIDE

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 952lm CRI97 max. 8,7W 500mA

### Dimensions

→ Ø57xH195 mm  40°

Head Ø57xH125 mm

### Materials

Aluminium 1M | 2M

Messing 16 | 13M

Ref	Color	Price €
4931.7872.1M	● NW   WW	317,15
4931.7872.2M	● NW   WW	317,15
4931.7872.16	● NW   WW	362,15
4931.7872.13M	● NW   WW	399,15

*built-up*  
to combine with adaptor or on a profile



CEILING UP

TRACK

# INDOOR | Ceiling UP | TRACK | MARY 3F DALI INSIDE

## 4932.7870/.. - MARY PETRUS 3F DALI INLINE BUILT IN ADAPTOR

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 690lm CRI97 max. 6,2W  500mA

### Dimensions

→ Ø54xH145 mm 

Head Ø54xH80 mm

### Materials

Aluminium 1M | 2M | 29 | 49  
Messing 16 | 13M

Ref	Color	Price €
4932.7870.1M	● NW   WW	342,15
4932.7870.2M	● NW   WW	342,15
4932.7870.16	● NW   WW	382,15
4932.7870.13M	● NW   WW	417,15
4932.7870.29	● NW   WW	362,15
4932.7870.49	● NW   WW	362,15

*built-up*  
to combine with adaptor or on a profile

## 4932.7871/.. - MARY LUCAS 3F DALI INLINE BUILT IN ADAPTOR

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 952lm CRI97 max. 8,7W 500mA

### Dimensions

→ Ø54xH145 mm 

Head Ø54xH80 mm

### Materials

Aluminium 1M | 2M  
Messing 16 | 13M

Ref	Color	Price €
4932.7871.1M	● NW   WW	302,15
4932.7871.2M	● NW   WW	302,15
4932.7871.16	● NW   WW	332,15
4932.7871.13M	● NW   WW	370,15

*built-up*  
to combine with adaptor or on a profile

## 4932.7872/.. - MARY MARCUS 3F DALI INLINE BUILT IN ADAPTOR

~230V




built-up spot with adaptor - round - directional - with LED driver

### Lamptype

1x LED 952lm CRI97 max. 8,7W 500mA

### Dimensions

→ Ø57xH195 mm 

Head Ø57xH125 mm


### Materials

Aluminium 1M | 2M  
Messing 16 | 13M

Ref	Color	Price €
4932.7872.1M	● NW   WW	317,15
4932.7872.2M	● NW   WW	317,15
4932.7872.16	● NW   WW	362,15
4932.7872.13M	● NW   WW	399,15

*built-up*  
to combine with adaptor or on a profile

**Coulours**



**Andere kleuren op aanvraag - Autres couleurs sur demande - Andere Farben auf Anfrage**  
**Other colours on request**

CEILING UP

TRACK





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.