

+30
years
psmlighting

Odile

Round, small and catchy



psmlighting

Delighted to help you

2941.DICRO.S1/.. - ODILE

~12V



downlight - round - fixed - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 8W 12V

Dimensions

↔ Ø90xH75 ⌚ Ø70

Materials

Alu Anodisé 31MA | 32A | 64A | 46A

Ref

- 2941.DICRO.S1.31MA ●
- 2941.DICRO.S1.32A ●
- 2941.DICRO.S1.46A ●
- 2941.DICRO.S1.64A ●

Price €

semi built-in/up

2941.DICRO.S2/.. - ODILE

~12V



downlight - round - fixed - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 8W 12V

Dimensions

↔ Ø90xH75 ⌚ Ø70

Materials

Alu Anodisé 31MA | 32A | 64A | 46A

Ref

- 2941.DICRO.S2.31MA ●
- 2941.DICRO.S2.32A ●
- 2941.DICRO.S2.46A ●
- 2941.DICRO.S2.64A ●

Price €

semi built-in/up

2941.E550.S1/.. - ODILE

~230V



downlight - round - fixed

Lamptype

1x QPAR 51 GU10 max. 8W 230V

Dimensions

↔ Ø90xH75 ⌚ Ø70

⌒ L 75

Materials

Alu Anodisé 31MA | 32A | 64A | 46A

Ref

- 2941.E550.S1.31MA ●
- 2941.E550.S1.32A ●
- 2941.E550.S1.46A ●
- 2941.E550.S1.64A ●

Price €

semi built-in/up

2941.E550.S2/.. - ODILE

~230V



downlight - round - fixed

Lamptype

1x QPAR 51 GU10 max. 8W 230V

Dimensions

↔ Ø90xH75 ⌚ Ø70

⌒ L 75

Materials

Alu Anodisé 31MA | 32A | 64A | 46A

Ref

- 2941.E550.S2.31MA ●
- 2941.E550.S2.32A ●
- 2941.E550.S2.46A ●
- 2941.E550.S2.64A ●

Price €

semi built-in/up

2941.AC.S1/.. - ODILE

~230V



downlight - round - fixed - down

Lamp type

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø90xH100

Ø70

∟ 100

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.AC.S1.31MA
- 2941.AC.S1.32A
- 2941.AC.S1.46A
- 2941.AC.S1.64A

- NW | WW
- NW | WW
- NW | WW
- NW | WW

Price €

semi built-in/up

2941.AC.S2/.. - ODILE

~230V



downlight - round - fixed - down

Lamp type

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø90xH100

Ø70

∟ 100

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.AC.S2.31MA
- 2941.AC.S2.32A
- 2941.AC.S2.46A
- 2941.AC.S2.64A

- NW | WW
- NW | WW
- NW | WW
- NW | WW

Price €

semi built-in/up



CEILING IN
LEDMODULES

2941.DC.250MA.S1/.. - ODILE

=250mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 700lm CRI92 max. 8,8W

250mA

Dimensions

Ø90xH75

Ø70

√L 75

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.DC.250MA.S1.31MA ● NW | WW
- 2941.DC.250MA.S1.32A ● NW | WW
- 2941.DC.250MA.S1.64A ● NW | WW
- 2941.DC.250MA.S1.46A ● NW | WW

Price €

semi built-in/up

2941.DC.250MA.S2/.. - ODILE

=250mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 700lm CRI92 max. 8,8W

250mA

Dimensions

Ø90xH75

Ø70

√L 75

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.DC.250MA.S2.31MA ● NW | WW
- 2941.DC.250MA.S2.32A ● NW | WW
- 2941.DC.250MA.S2.46A ● NW | WW
- 2941.DC.250MA.S2.64A ● NW | WW

Price €

semi built-in/up

2941.DC.350MA.S1/.. - ODILE

=350mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø90xH75

Ø70

√L 75

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.DC.350MA.S1.31MA ● NW | WW
- 2941.DC.350MA.S1.32A ● NW | WW
- 2941.DC.350MA.S1.46A ● NW | WW
- 2941.DC.350MA.S1.64A ● NW | WW

Price €

semi built-in/up

2941.DC.350MA.S2/.. - ODILE

=350mA



downlight - round - fixed - down - without LED driver

Lamptype

1x LED 1200lm CRI92 max. 12,2W

350mA

Dimensions

Ø90xH75

Ø70

√L 75

36°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.DC.350MA.S2.31MA ● NW | WW
- 2941.DC.350MA.S2.32A ● NW | WW
- 2941.DC.350MA.S2.46A ● NW | WW
- 2941.DC.350MA.S2.64A ● NW | WW

Price €

semi built-in/up

2941.ZXO.S1/.. - ODILE

~230V



downlight - round - fixed - down

Lamp type

1x LED 860lm CRI90 max. 10W



Dimensions

Ø90xH90



∟ 90



Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.ZXO.S1.31MA
- 2941.ZXO.S1.32A
- 2941.ZXO.S1.46A
- 2941.ZXO.S1.64A

- NW | WW
- NW | WW
- NW | WW
- NW | WW

Price €

semi built-in/up
Suitable for showers

2941.ZXO.S2/.. - ODILE

~230V



downlight - round - fixed - down

Lamp type

1x LED 860lm CRI90 max. 10W



Dimensions

Ø90xH90



∟ 90



Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

- 2941.ZXO.S2.31MA
- 2941.ZXO.S2.32A
- 2941.ZXO.S2.46A
- 2941.ZXO.S2.64A

- NW | WW
- NW | WW
- NW | WW
- NW | WW

Price €

semi built-in/up
Suitable for showers



INDOOR | Ceiling UP | Luminaires | ODILE

2942.ZXO/.. - ODILE

~230V



built-up ceiling light - round - fixed - down

Lamptype

1x LED 860lm CRI90 max. 10W

230V

Dimensions

Ø90xH56

30°

Materials

Alu Anodisé

31MA | 32A | 64A | 46A

Ref

2942.ZXO.31MA

2942.ZXO.32A

2942.ZXO.64A

2942.ZXO.46A

Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

built-up
Suitable for showers

2943/.. - ODILE INDOOR

~230V



built-up ceiling light - round - fixed

Lamptype

1x LED 860lm CRI90 max. 10W

230V

Dimensions

Ø150xH112,5

30°

Materials

Aluminium

1M | 2M

Ref

2943.1M

2943.2M

Price €

● NW | WW

● NW | WW

built-up
Suitable for showers



Colours



Other colours on request.



CEILING UP

LUMINAIRES



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.