



Pablo

Connect in style with
inox pillar



psmighting
Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

T1941/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 1 power point NIKO, 1 cable gland and strain relief for tube or cable

Dimensions

↔ L102xB65xH542

Materials

Inox

32X

Ref

T1941.32X

Price €



*built-up
pin earthing
switch on demand*

T1942/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 1 cable gland and strain relief for tube or cable

Dimensions

↔ L102xB65xH617

Materials

Inox

32X

Ref

T1942.32X

Price €



*built-up
pin earthing
switch on demand*



T1943/.. - PABLO - INOX

~230V



Connecting pillar - with 1 power point NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

L102xB65xH542

Materials

Inox 32X

Ref

T1943.32X

Price €

*built-up
pin earthing
switch on demand*

T1943RA/.. - PABLO RANDAARDING INOX

~230V



Connecting pillar - with 1 power point NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

L102xB65xH542

Materials

Inox 32X

Ref

T1943RA.32X

Price €

*built-up
with side earthing
switch on demand*

T1944/.. - PABLO - INOX

~230V



Connecting pillar - with 2 power points NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

L102xB65xH617

Materials

Inox 32X

Ref

T1944.32X

Price €

*built-up
pin earthing
switch on demand*

T1945/.. - PABLO - INOX

~230V



Connecting pillar - with 3 power points NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

L102xB65xH687

Materials

Inox 32X

Ref

T1945.32X

Price €

*built-up
pin earthing
switch on demand*



T1946/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 1 cable gland and strain relief for tube or cable

Dimensions

↔ L175xB65xH542

Materials

Inox

32X

Ref

T1946.32X

Price €



*built-up
pin earthing
switch on demand*

T1947/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

↔ L175xB65xH542

Materials

Inox

32X

Ref

T1947.32X

Price €



*built-up
pin earthing
switch on demand*

T1948/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 3 power points NIKO, 2 cable glands and strain relief for tube or cables

Dimensions

↔ L248xB65xH542

Materials

Inox

32X

Ref

T1948.32X

Price €



*built-up
pin earthing
switch on demand*



T1953/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 1 power point NIKO, 2 cable glands and cover plate for cable protection

Dimensions

↔ L77xB65xH542

Materials

Inox

32X

Ref

T1953.32X

Price €



*built-up
pin earthing
switch on demand*

T1954/.. - PABLO PENAARDING - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Dimensions

↔ L77xB65xH612

Materials

Inox

32X

Ref

T1954.32X

Price €



*built-up
pin earthing
switch on demand*



T1954RA/.. - PABLO RANDAARDING - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1954RA.32X

**Dimensions**

L77xB65xH612

Materials

Inox

32X

*built-up
with side earthing
switch on demand***T1955/.. - PABLO - INOX**

~230V



IP55



Connecting pillar - with 3 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1955.32X

**Dimensions**

L77xB65xH687

Materials

Inox

32X

*built-up
pin earthing
switch on demand*



T1956/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 1 power point NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1956.32X


Dimensions

L77xB65xH288

Base Plate L120xB120

Materials

Inox

32X

Options

T1001.NIKE/..

SPIKE GRONDPIN NIKE



*built-up
pin earthing
switch on demand*

T1957/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1957.32X


Dimensions

L77xB65xH358

Base Plate L120xB120

Materials

Inox

32X

Options

T1001.NIKE/..

SPIKE GRONDPIN NIKE



*built-up
pin earthing
switch on demand*

T1958/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 3 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1958.32X


Dimensions

L77xB65xH433

Base Plate L120xB120

Materials

Inox

32X

Options

T1001.NIKE/..

SPIKE GRONDPIN NIKE



*built-up
pin earthing
switch on demand*

T1959/.. - PABLO SPIKE


spike


Ref

Price €

Dimensions

L100xB80xH250

T1959



built-in



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.