

+30
years
psmlighting



Pablo

Connect in style with inox pillar



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.



T1941/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 1 power point NIKO, 1 cable gland and strain relief for tube or cable

Ref

Price €

T1941.32X



Dimensions

↔ L102xB65xH542

Materials

Inox

32X

*built-up
pin earthing
switch on demand*

T1942/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 1 cable gland and strain relief for tube or cable

Ref

Price €

T1942.32X



Dimensions

↔ L102xB65xH617

Materials

Inox

32X

*built-up
pin earthing
switch on demand*





FLOOR UP



T1943/.. - PABLO - INOX

~230V



Connecting pillar - with 1 power point NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1943.32X



Dimensions

↔ L102xB65xH542

Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1943RA/.. - PABLO RANDAARDING INOX

~230V



Connecting pillar - with 1 power point NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1943RA.32X



Dimensions

↔ L102xB65xH542


Materials

Inox 32X

*built-up
with side earthing
switch on demand*

T1944/.. - PABLO - INOX

~230V



Connecting pillar - with 2 power points NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1944.32X



Dimensions

↔ L102xB65xH617


Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1945/.. - PABLO - INOX

~230V



Connecting pillar - with 3 power points NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1945.32X



Dimensions

↔ L102xB65xH687

Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1946/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 1 cable gland and strain relief for tube or cable

Ref

Price €

T1946.32X



Dimensions

↔ L175xB65xH542

Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1947/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1947.32X



Dimensions

↔ L175xB65xH542

Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1948/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 3 power points NIKO, 2 cable glands and strain relief for tube or cables

Ref

Price €

T1948.32X



Dimensions

↔ L248xB65xH542


Materials

Inox 32X

*built-up
pin earthing
switch on demand*

T1953/.. - PABLO - INOX

~230V



Connecting pillar - with 1 power point NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1953.32X



Dimensions

↔ L77xB65xH542

Materials


Inox

32X

*built-up
pin earthing
switch on demand*

T1954/.. - PABLO PENAARDING - INOX

~230V



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1954.32X



Dimensions

↔ L77xB65xH612

Materials

Inox

32X

*built-up
pin earthing
switch on demand*



T1954RA/.. - PABLO RANDAARDING - INOX

~230V



IP55



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1954RA.32X



Dimensions

↔ L77xB65xH612

Materials

Inox

32X

*built-up
with side earthing
switch on demand*

T1955/.. - PABLO - INOX

~230V



IP55



Connecting pillar - with 3 power points NIKO, 2 cable glands and cover plate for cable protection

Ref

Price €

T1955.32X



Dimensions

↔ L77xB65xH687

Materials






Inox

32X

*built-up
pin earthing
switch on demand*



T1956/.. - PABLO - INOX

~230V  IP55   0,5 m  5.14 



Connecting pillar - with 1 power point NIKO, 2 cable glands and cover plate for cable protection

Ref T1956.32X  Price €

Dimensions
 ↳ L77xB65xH288 Base Plate L120xB120

Materials
 Inox 32X

Options
 T1001.NIKE/.. SPIKE GRONDPIN NIKE

*built-up
 pin earthing
 switch on demand*

T1957/.. - PABLO - INOX

~230V  IP55   1.4500  0,5 m  5.14 



Connecting pillar - with 2 power points NIKO, 2 cable glands and cover plate for cable protection

Ref T1957.32X  Price €

Dimensions
 ↳ L77xB65xH358 Base Plate L120xB120

Materials
 Inox 32X

Options
 T1001.NIKE/.. SPIKE GRONDPIN NIKE

*built-up
 pin earthing
 switch on demand*

T1958/.. - PABLO - INOX

~230V  IP55   1.9000  0,5 m  5.14 



Connecting pillar - with 3 power points NIKO, 2 cable glands and cover plate for cable protection

Ref T1958.32X  Price €




Dimensions
 ↳ L77xB65xH433 Base Plate L120xB120


Materials
 Inox 32X

Options
 T1001.NIKE/.. SPIKE GRONDPIN NIKE


*built-up
 pin earthing
 switch on demand*

T1959/.. - PABLO SPIKE

  0,6000 



spike
Dimensions
 ↳ L100xB80xH250

Ref T1959  Price € 38,00

built-in



Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.