




Pivot

swivel your light.

+30
years
psmlighting



psmlighting

Delighted to help you



All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

3



—



—



—



3

1170.200.S1/.. - PIVOT

=350mA



semi built-in/up



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH255

Ø80

100

48°

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1170.200.S1.1M

1170.200.S1.2M

1170.200.S1.29

1170.200.S1.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

1170.200.S2/.. - PIVOT

=350mA



semi built-in/up



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH255

Ø80

100

48°

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1170.200.S2.1M

1170.200.S2.2M

1170.200.S2.29

1170.200.S2.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

1170.250.S1/.. - PIVOT

=350mA



semi built-in/up



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH305

Ø80

100

48°

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1170.250.S1.1M

1170.250.S1.2M

1170.250.S1.29

1170.250.S1.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

1170.250.S2/.. - PIVOT

=350mA



semi built-in/up



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH305

Ø80

100

48°

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1170.250.S2.1M

1170.250.S2.2M

1170.250.S2.29

1170.250.S2.49

Price €

NW | WW

NW | WW

NW | WW

NW | WW

1170.300.S1/.. - PIVOT =350mA S1 IP20

 S1 IP20

 0.3500

 0,5 m

 5.6



Ref	Price €
-----	---------

1170.300.51.1M

E 350mA

NW | WW

1170.300.S1.2M

● NW | WW

1170.300.S1.29



1170.300.51.49

 Δ_{100} $\angle 48^\circ$

29 | 49 | 1M | 2M

29 | 49 | 1M | 2M

semi built-in/up

1170.300.S2/.. - PIVOT =350mA S2 IP20 0.4700 0.5 m 5.6

 S2 IP20

 0.4700

 0,5 m

 5.6



Ref	Price €
-----	---------

1170.300.S2.1M

E 350mA

● NW | WW

1170.300.S2.2M

● NW | WW

1170.300.S2.29



▲

 $\angle 48^\circ$

29 | 49 | 1M | 2M

29 | 49 | 1M | 2M

semi built-in/up





1229.1300.S1/.. - PIVOT XICATO

=700mA



downlight - round - directional - without LED driver

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø126xH140

Ø120

75

38°

Materials

Aluminium

29 | 1M | 2M

Ref

1229.1300.S1.1M

1229.1300.S1.2M

1229.1300.S1.29

Price €

NW | WW

NW | WW

NW | WW

semi built-in/up

1229.1300.S2/.. - PIVOT XICATO

=700mA



downlight - round - directional - without LED driver

Lamptype

1x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø126xH140

Ø120

75

38°

Materials

Aluminium

29 | 1M | 2M

Ref

1229.1300.S2.1M

1229.1300.S2.2M

1229.1300.S2.29

Price €

NW | WW

NW | WW

NW | WW

semi built-in/up





 S1 IP20

 0.6500

 0.5 m

 5.6



E 350mA

 $\angle 48^\circ$

/ /

Aluminium

29 | 49 | 1M | 2M

1593.70.S1.49














 230V Ø164 $\angle 36^\circ$

/ /

Aluminium

1M | 2M

● NW | WW




 S1 IP20
 



 1 5600

 0.5 m

 56




D 700mA

 Ø164 $\angle 38^\circ$

/ /

Aluminium


29 | 49 | 1M | 2M

1595.150.S1.49

NW | WW

1721/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø150xH140

Ø150xH42

Materials

Aluminium

29 | 49 | 1M | 2M

Ref	Price €
1721.1M	
1721.2M	
1721.29	
1721.49	

built-up

1722/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

2x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø200xH140

Ø200xH42

Materials

Aluminium


29 | 49 | 1M | 2M

Ref	Price €
1722.1M	
1722.2M	
1722.29	
1722.49	

built-up

1723/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

3x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø250xH140

Ø250xH42

Materials

Aluminium


29 | 49 | 1M | 2M

Ref	Price €
1723.1M	
1723.2M	
1723.29	
1723.49	

built-up

1724/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

4x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø300xH140

48°

Ø300xH42

Materials

Aluminium

29 | 49 | 1M | 2M

Ref	Price €
1724.1M	
1724.2M	
1724.29	
1724.49	

built-up

1725/.. - PIVOT

~230V




IP20



2.3500

0,5 m

5,6



built-up ceiling light - directional - with LED driver

Lamptype

5x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

Ø350xH150

Ø350xH30

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1725.1M

1725.2M

1725.29

1725.49

Price €



built-up

CEILING UP

LUMINAIRES



1731/.. - PIVOT

~230V



built-up ceiling light - square - directional - with LED driver

Lamptype

1x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

L200xB85xH128,3

48°

L175xB64

Materials

Aluminium

29 | 49 | 1M | 2M

Ref Price €

1731.1M

1731.2M

1731.29

1731.49



built-up

1732/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

2x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

L300xB85xH128,3

48°

L275xB64

Materials

Aluminium

29 | 49 | 1M | 2M

Ref Price €

1732.1M

1732.2M

1732.29

1732.49



built-up

1734/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

3x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

L300xB85xH128,3

L275xB64

Materials

Aluminium

29 | 49 | 1M | 2M

Ref Price €

1734.1M

1734.2M

1734.29


1734.49



built-up

1736/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

3x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

L215xB215xH128,3

48°

L190xB190

Materials

Aluminium

29 | 49 | 1M | 2M

Ref Price €

1736.1M

1736.2M

1736.29


1736.49



built-up

1738/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

Lamptype

4x LED 639lm CRI80 max. 5,6W

500mA

Dimensions

L300xB300xH128,3

48°

L275xB275xH42

Materials

Aluminium

29 | 49 | 1M | 2M

Ref

1738.1M

1738.2M

1738.29

1738.49

Price €



built-up



CEILING UP

LUMINAIRES







Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.