

+30  
years  
psmlighting

# Pivot

swivel your light



**psmlighting**  
Delighted to help you



All information in this catalogue is without engagement.  
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.  
Read instructions carefully. The general psmighting sales conditions are always applicable.  
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

1170.70.S1/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH125

Ø80

√L 100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.70.S1.1M

1170.70.S1.2M

1170.70.S1.29

1170.70.S1.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

semi built-in/up  
S1 wire springs for plasterboard ceilings

1170.70.S2/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH125

Ø80

√L 100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.70.S2.1M

1170.70.S2.2M

1170.70.S2.29

1170.70.S2.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

semi built-in/up  
S2 blade springs for concrete ceilings

1170.150.S1/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH205

Ø80

√L 100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.150.S1.1M

1170.150.S1.2M

1170.150.S1.29

1170.150.S1.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

semi built-in/up  
S1 wire springs for plasterboard ceilings

1170.150.S2/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

Lamp type

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH205

Ø80

√L 100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.150.S2.1M

1170.150.S2.2M

1170.150.S2.29

1170.150.S2.49

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €

semi built-in/up  
S2 blade springs for concrete ceilings

# INDOOR | Ceiling IN | Ledmodules | PIVOT

## 1170.200.S1/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

### Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

### Dimensions

Ø87xH255

Ø80

√L 100

∧ 48°

### Materials

Aluminium

1M | 2M | 29 | 49

### Ref

1170.200.S1.1M

1170.200.S1.2M

1170.200.S1.29

1170.200.S1.49

### Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up

S1 wire springs for plasterboard ceilings

## 1170.200.S2/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

### Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

### Dimensions

Ø87xH255

Ø80

√L 100

∧ 48°

### Materials

Aluminium

1M | 2M | 29 | 49

### Ref

1170.200.S2.1M

1170.200.S2.2M

1170.200.S2.29

1170.200.S2.49

### Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up

S2 blade springs for concrete ceilings

## 1170.250.S1/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

### Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

### Dimensions

Ø87xH305

Ø80

√L 100

∧ 48°

### Materials

Aluminium

1M | 2M | 29 | 49

### Ref

1170.250.S1.1M

1170.250.S1.2M

1170.250.S1.29

1170.250.S1.49

### Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up

S1 wire springs for plasterboard ceilings

## 1170.250.S2/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

### Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

### Dimensions

Ø87xH305

Ø80

√L 100

∧ 48°

### Materials

Aluminium

1M | 2M | 29 | 49

### Ref

1170.250.S2.1M

1170.250.S2.2M

1170.250.S2.29

1170.250.S2.49

### Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up

S2 blade springs for concrete ceilings

1170.300.S1/.. - PIVOT

≈350mA



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH355

Ø80

100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.300.S1.1M

1170.300.S1.2M

1170.300.S1.29

1170.300.S1.49

Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up  
S1 wire springs for plasterboard ceilings

1170.300.S2/.. - PIVOT

≈350mA



downlight - round - directional - without LED driver

Lamptype

1x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø87xH355

Ø80

100

48°

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1170.300.S2.1M

1170.300.S2.2M

1170.300.S2.29

1170.300.S2.49

Price €

● NW | WW

● NW | WW

● NW | WW

● NW | WW

semi built-in/up  
S2 blade springs for concrete ceilings

CEILING IN

LEDMODULES



1229.1300.S1/.. - PIVOT XICATO

=700mA



downlight - round - directional - without LED driver

**Lamptype**

1x LED 1300lm CRI80 max. 9,5W

700mA

**Dimensions**

→ Ø126xH140

Ø120

└┘ 75

38°

**Materials**

Aluminium

1M | 2M | 29

**Ref**

1229.1300.S1.1M

1229.1300.S1.2M

1229.1300.S1.29

**Price €**

NW | WW

NW | WW

NW | WW

semi built-in/up

1229.1300.S2/.. - PIVOT XICATO

=700mA



downlight - round - directional - without LED driver

**Lamptype**

1x LED 1300lm CRI80 max. 9,5W

700mA

**Dimensions**

→ Ø126xH140

Ø120

└┘ 75

38°

**Materials**

Aluminium

1M | 2M | 29

**Ref**

1229.1300.S2.1M

1229.1300.S2.2M

1229.1300.S2.29

**Price €**

NW | WW

NW | WW

NW | WW

semi built-in/up



1593.70.S1/.. - PIVOT

=350mA



downlight - round - directional - without LED driver

Lamp type

2x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø126xH130

Ø120

∟100

48°

Tube Ø40xH85

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1593.70.S1.1M

1593.70.S1.2M

1593.70.S1.29

1593.70.S1.49

NW | WW

NW | WW

NW | WW

NW | WW

Price €

semi built-in/up

1594.150.S1/.. - PIVOT

~230V



downlight - round - directional

Lamp type

2x LED 700lm CRI92 max. 9,5W

230V

Dimensions

Ø172xH180

Ø164

∟100

36°

Head Ø58xH130

Materials

Aluminium

1M | 2M

Ref

1594.150.S1.1M

1594.150.S1.2M

NW | WW

NW | WW

Price €

semi built-in/up

1595.150.S1/.. - PIVOT

=700mA



downlight - round - directional - without LED driver

Lamp type

2x LED 1300lm CRI80 max. 9,5W

700mA

Dimensions

Ø172xH180

Ø164

∟100

38°

Head Ø58xH130

Materials

Aluminium

1M | 2M | 29 | 49

Ref

1595.150.S1.1M

1595.150.S1.2M

1595.150.S1.29

1595.150.S1.49

NW | WW


NW | WW

NW | WW

NW | WW


Price €

semi built-in/up



1721/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

1x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

Ø150xH140

Ø150xH42

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1721.1M

1721.2M

1721.29

1721.49

**Price €**



built-up

1722/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

2x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

Ø200xH140

Ø200xH42

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1722.1M

1722.2M

1722.29

1722.49

**Price €**



built-up

1723/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

3x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

Ø250xH140

Ø250xH42

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1723.1M

1723.2M

1723.29

1723.49


**Price €**



built-up

1724/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

4x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

Ø300xH140

48°

Ø300xH42

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1724.1M

1724.2M

1724.29

1724.49

**Price €**



built-up



1725/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamp type**

5x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

Ø350xH150

Ø350xH30

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1725.1M

1725.2M


1725.29

1725.49

**Price €**



built-up




CEILING UP

LUMINAIRES

1731/.. - PIVOT

~230V



built-up ceiling light - square - directional - with LED driver

**Lamptype**

1x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

L200xB85xH128,3

48°

L175xB64

**Materials**

Aluminium

1M | 2M | 29 | 49

Ref	Price €
1731.1M	
1731.2M	
1731.29	
1731.49	

built-up

1732/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

2x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

L300xB85xH128,3

48°

L275xB64

**Materials**

Aluminium

1M | 2M | 29 | 49

Ref	Price €
1732.1M	
1732.2M	
1732.29	
1732.49	

built-up

1734/.. - PIVOT

~230V



built-up ceiling light - directional - down - with LED driver

**Lamptype**

3x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

L300xB85xH128,3

48°

L275xB64

**Materials**

Aluminium

1M | 2M | 29 | 49

Ref	Price €
1734.1M	
1734.2M	
1734.29	
1734.49	

built-up

1736/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamptype**

3x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

L215xB215xH128,3

48°

L190xB190

**Materials**

Aluminium


1M | 2M | 29 | 49

Ref	Price €
1736.1M	
1736.2M	
1736.29	
1736.49	

built-up

1738/.. - PIVOT

~230V



built-up ceiling light - directional - with LED driver

**Lamp type**

4x LED 639lm CRI80 max. 5,6W

500mA

**Dimensions**

L300xB300xH128,3

48°

L275xB275xH42

**Materials**

Aluminium

1M | 2M | 29 | 49

**Ref**

1738.1M

1738.2M

1738.29



1738.49

**Price €**



built-up

colours





**psmlighting**

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | [www.psmlighting.be](http://www.psmlighting.be)

All our products are locally made in Aalter, Belgium (EU). Short delivery times.