

Richard

think outside the box



psmlighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

4078/.. - RICHARD ES50

~230V



built-up ceiling light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L80xB80xH95

Materials

Aluminium 1M | 2M

Ref

4078.1M

4078.2M

Price €

built-up

4080/.. - RICHARD AR70

~230V



built-up ceiling light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 8W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L90xB90xH95

Materials

Aluminium 1M | 2M

Ref

4080.1M


4080.2M

Price €

built-up

4077/.. - RICHARD AR70

~230V



built-up ceiling light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 8W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L100xB100xH100

Materials

Aluminium 1M | 2M

Ref

4077.1M


4077.2M

Price €

built-up

4085/.. - RICHARD AR111

~230V



built-up ceiling light - square - fixed - down

Lamptype

1x QPAR111 GU10 max. 12W 230V

Dimensions

↔ L120xB120xH120

Materials

Aluminium 1M | 2M

Ref

4085.1M

4085.2M

Price €

built-up

4079/.. - RICHARD SLA

~230V



built-up ceiling light - square - fixed - down - with LED module

Lamptype

1x LED 700lm CRI92 max. 9,5W

230V

Dimensions

L80xB80xH110

36°

Materials

Aluminium

1M | 2M

Ref

4079.1M

4079.2M

Price €

● NW | WW

● NW | WW

built-up



W1446/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - square - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L80xB80xH100

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1446.31MA
W1446.32A
W1446.37A
W1446.46A
W1446.64A

Price €



built-up
with waterproof fitting IP54

W1449/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - square - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L90xB90xH110

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1449.31MA
W1449.32A
W1449.37A
W1449.46A
W1449.64A


Price €



built-up
with waterproof fitting IP54

W1172/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L100xB100xH110

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1172.31MA
W1172.32A
W1172.37A
W1172.46A
W1172.64A


Price €



built-up
with waterproof fitting IP54

W1465/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - square - fixed

Lamptype

1x QPAR111 GU10 max. 12W 230V
OR 1x QPAR 51 GU10 max. 8W 230V

Dimensions

↔ L120xB120xH120

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1465.31MA
W1465.32A
W1465.37A
W1465.46A
W1465.64A

Price €



built-up
with waterproof fitting IP54

OUTDOOR | Ceiling UP | RICHARD

W1610/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø80xH100

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1610.31MA ●
W1610.32A ●
W1610.37A ●
W1610.64A ●
W1610.46A ●

Price €

built-up
with waterproof fitting IP54

W1611/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø90xH110

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1611.31MA ●
W1611.32A ●
W1611.37A ●
W1611.46A ●
W1611.64A ●

Price €

built-up
with waterproof fitting IP54

W1612/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø100xH110

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref


W1612.31MA ●
W1612.32A ●
W1612.37A ●
W1612.46A ●
W1612.64A ●

Price €

built-up
with waterproof fitting IP54

W1613/.. - RICHARD - ALU anodised

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR111 GU10 max. 12W 230V
1x QPAR 51 GU10 max. 8W 230V

Dimensions

Ø120xH120

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref


W1613.31MA ●
W1613.32A ●
W1613.37A ●
W1613.46A ●
W1613.64A ●

Price €

built-up
with waterproof fitting IP54

W1452/.. - RICHARD - INOX

~230V



built-up ceiling light - square - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L80xB80xH110

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1452.31MX
W1452.32X
W1452.37X
W1452.64X
W1452.5
W1452.5BB
W1452.46X

Price €



built-up
with waterproof fitting IP54

W1337/.. - RICHARD - INOX

~230V



built-up ceiling light - square - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ L100xB100xH110

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1337.5
W1337.5BB
W1337.31MX
W1337.32X
W1337.37X
W1337.46X
W1337.64X

Price €



built-up
with waterproof fitting IP54



OUTDOOR | Ceiling UP | RICHARD

W1614/.. - RICHARD - INOX

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ Ø80xH110

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1614.5 ●
W1614.5BB ●
W1614.31MX ●
W1614.32X ●
W1614.37X ●
W1614.46X ●
W1614.64X ●

Price €

built-up
with waterproof fitting IP54

W1615/.. - RICHARD - INOX

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ Ø90xH110

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1615.5 ●
W1615.5BB ●
W1615.31MX ●
W1615.32X ●
W1615.37X ●
W1615.46X ●
W1615.64X ●

Price €

built-up
with waterproof fitting IP54

W1616/.. - RICHARD - INOX

~230V



built-up ceiling light - round - fixed

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ Ø100xH110

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1616.5 ●
W1616.5BB ●
W1616.31MX ●
W1616.32X ●
W1616.37X ●
W1616.46X ●
W1616.64X ●

Price €

built-up
with waterproof fitting IP54

W1154/.. - RICHARD - ALU anodised

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B80xH95xD105 ↗ L60xB60xH25

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1154.31MA ●
W1154.32A ●
W1154.37A ●
W1154.46A ●
W1154.64A ●

Price €

built-up
with waterproof fitting IP54

W1159/.. - RICHARD - ALU anodised

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B90xH90xD90 ↗ L60xB60xH25

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref


W1159.31MA ●
W1159.32A ●
W1159.37A ●
W1159.46A ●
W1159.64A ●

Price €

built-up
with waterproof fitting IP54

W1168/.. - RICHARD - ALU anodised

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B100xH100xD100 ↗ L60xB60xH25

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref


W1168.31MA ●
W1168.32A ●
W1168.37A ●
W1168.64A ●
W1168.46A ●

Price €

built-up
with waterproof fitting IP54

W1169/.. - RICHARD - ALU anodised

~230V



built-up wall light - square - fixed - down - with built-in sensor

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B100xH135xD100 ↗ L60xB60xH25

Materials

Alu Anodisé 31MA | 32A | 37A | 64A | 46A

Ref

W1169.31MA ●
W1169.32A ●
W1169.37A ●
W1169.46A ●
W1169.64A ●


Price €

built-up
with waterproof fitting IP54 - with sensor IP65

OUTDOOR | Wall UP | RICHARD

W1333/.. - RICHARD - INOX

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B80xH80xD80 L60xB60xH25

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1333.5
W1333.5BB
W1333.31MX
W1333.32X
W1333.37X
W1333.46X
W1333.64X

Price €

built-up
with waterproof fitting IP54

W1334/.. - RICHARD - INOX

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B90xH90xD90 L60xB60xH25

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref


W1334.5
W1334.5BB
W1334.31MX
W1334.32X
W1334.37X
W1334.46X
W1334.64X

Price €

built-up
with waterproof fitting IP54

W1335/.. - RICHARD - INOX

~230V



built-up wall light - square - fixed - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B100xH100xD100 L60xB60xH25

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref


W1335.5
W1335.5BB
W1335.31MX
W1335.32X
W1335.37X
W1335.46X
W1335.64X

Price €

built-up
with waterproof fitting IP54

W1336/.. - RICHARD - INOX

~230V



built-up wall light - square - fixed - down - with built-in sensor

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Dimensions

↔ B100xH135xD100 L60xB60xH25

Materials

Inox 31MX | 32X | 37X | 64X | 46X
Inox 316 5 | 5BB

Ref

W1336.5
W1336.5BB
W1336.31MX
W1336.32X
W1336.37X
W1336.46X
W1336.64X

Price €

built-up
with waterproof fitting IP54 - with sensor IP65

Colours



Other colours on request

WALL UP





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.