




RICHARD

think outside the box



psmighting

Delighted to help you



All information in this catalogue is without engagement.


Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

4078/.. - RICHARD ES50

~230V



opbouw plafondverlichting - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

↔ L80xB80xH95

Materialen

Aluminium 1M | 2M

Ref

4078.1M
4078.2M

Prijs €

built-up

4080/.. - RICHARD AR70

~230V



opbouw plafondverlichting - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 8W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

↔ L90xB90xH95

Materialen

Aluminium 1M | 2M

Ref


4080.1M
4080.2M

Prijs €

built-up

4077/.. - RICHARD AR70

~230V



opbouw plafondverlichting - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 8W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

↔ L100xB100xH100

Materialen

Aluminium 1M | 2M

Ref

4077.1M
4077.2M

Prijs €

built-up

4085/.. - RICHARD AR111

~230V



opbouw plafondverlichting - vierkant - vast - down

Lamptype

1x QPAR111 GU10 max. 12W

Afmetingen

↔ L120xB120xH120

Materialen

Aluminium 1M | 2M

Ref

4085.1M
4085.2M

Prijs €

built-up

4079/.. - RICHARD SLA

~230V



opbouw plafondverlichting - vierkant - vast - down - met LED-module

Lamptype

1x LED 700lm CRI92 max. 9,5W



Afmetingen

↔ L80xB80xH110

∧ 36°

Materialen

Aluminium

1M | 2M

Ref

4079.1M

4079.2M

Prijs €

● NW | WW

● NW | WW

built-up



W1446/.. - RICHARD - ALU anodised

~230V



IP44



opbouw plafondverlichting - vierkant - vast

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

L80xB80xH100

Materialen

Alu Anodisé

31MA | 32A | 37A | 46A | 64A

Ref

W1446.31MA

W1446.32A

W1446.37A

W1446.46A

W1446.64A

Prijs €

built-up
met waterdichte fitting IP54

W1449/.. - RICHARD - ALU anodised

~230V



IP44



opbouw plafondverlichting - vierkant - vast

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

L90xB90xH110

Materialen

Alu Anodisé

31MA | 32A | 37A | 46A | 64A

Ref

W1449.31MA

W1449.32A

W1449.37A

W1449.46A

W1449.64A

Prijs €

built-up
met waterdichte fitting IP54

W1172/.. - RICHARD - ALU anodised

~230V



IP44



opbouw plafondverlichting - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

L100xB100xH110

Materialen

Alu Anodisé

31MA | 32A | 37A | 46A | 64A

Ref

W1172.31MA

W1172.32A

W1172.37A

W1172.46A

W1172.64A

Prijs €

built-up
met waterdichte fitting IP54

W1465/.. - RICHARD - ALU anodised

~230V



IP44



opbouw plafondverlichting - vierkant - vast

Lamptype

1x QPAR111 GU10 max. 12W

230V

OR 1x QPAR 51 GU10 max. 8W

230V

Afmetingen

L120xB120xH120

Materialen

Alu Anodisé

31MA | 32A | 37A | 46A | 64A

Ref

W1465.31MA

W1465.32A

W1465.37A

W1465.46A

W1465.64A

Prijs €

built-up
met waterdichte fitting IP54

W1610/.. - RICHARD - ALU anodised

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø80xH100

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref


W1610.31MA
W1610.32A
W1610.37A
W1610.46A
W1610.64A

Prijs €

built-up
met waterdichte fitting IP54

W1611/.. - RICHARD - ALU anodised

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø90xH110

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1611.32A
W1611.37A
W1611.46A
W1611.64A
W1611.31MA

Prijs €

built-up
met waterdichte fitting IP54

W1612/.. - RICHARD - ALU anodised

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø100xH110

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1612.31MA
W1612.32A
W1612.37A
W1612.46A
W1612.64A

Prijs €

built-up
met waterdichte fitting IP54

W1613/.. - RICHARD - ALU anodised

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR111 GU10 max. 12W 230V
1x QPAR 51 GU10 max. 8W 230V

Afmetingen

Ø120xH120

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1613.32A
W1613.37A
W1613.46A
W1613.64A
W1613.31MA

Prijs €

built-up
met waterdichte fitting IP54

W1452/.. - RICHARD - INOX

~230V



IP44



opbouw plafondverlichting - vierkant - vast

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

L80xB80xH110

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1452.5

W1452.5BB

W1452.31MX

W1452.32X

W1452.37X

W1452.46X

W1452.64X

Prijs €

built-up
met waterdichte fitting IP54

W1337/.. - RICHARD - INOX

~230V



IP44



opbouw plafondverlichting - vierkant - vast

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

L100xB100xH110

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1337.5

W1337.5BB

W1337.31MX

W1337.32X

W1337.37X

W1337.46X


W1337.64X

Prijs €

built-up
met waterdichte fitting IP54


W1614/.. - RICHARD - INOX

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø80xH110

Materialen

Inox 31MX | 32X | 37X | 46X | 64X
Inox 316 5 | 5BB

Ref

W1614.5
W1614.5BB
W1614.31MX
W1614.32X
W1614.37X
W1614.46X
W1614.64X

Prijs €

built-up
met waterdichte fitting IP54

W1615/.. - RICHARD - INOX

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø90xH110

Materialen

Inox 31MX | 32X | 37X | 46X | 64X
Inox 316 5 | 5BB

Ref


W1615.31MX
W1615.32X
W1615.37X
W1615.46X
W1615.64X
W1615.5
W1615.5BB

Prijs €

built-up
met waterdichte fitting IP54

W1616/.. - RICHARD - INOX

~230V



opbouw plafondverlichting - rond - vast

Lamptype

1x QPAR70 GU10 max. 7W 230V
1x QPAR 51 GU10 max. 20W 230V

Afmetingen

Ø100xH110

Materialen

Inox 31MX | 32X | 37X | 46X | 64X
Inox 316 5 | 5BB

Ref


W1616.31MX
W1616.32X
W1616.37X
W1616.46X
W1616.64X
W1616.5
W1616.5BB

Prijs €

built-up
met waterdichte fitting IP54

W1154/.. - RICHARD - ALU anodised

~230V



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

B80xH95xD105 L60xB60xH25

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1154.31MA
W1154.32A
W1154.37A
W1154.46A
W1154.64A

Prijs €

built-up
met waterdichte fitting IP54

W1159/.. - RICHARD - ALU anodised

~230V



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

B90xH90xD90 L60xB60xH25

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1159.31MA
W1159.32A
W1159.37A
W1159.46A
W1159.64A

Prijs €

built-up
met waterdichte fitting IP54

W1168/.. - RICHARD - ALU anodised

~230V



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

B100xH100xD100 L60xB60xH25

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref


W1168.31MA
W1168.32A
W1168.37A
W1168.46A
W1168.64A

Prijs €

built-up
met waterdichte fitting IP54

W1169/.. - RICHARD - ALU anodised

~230V



opbouw wandlicht - vierkant - vast - down - met ingebouwde sensor

Lamptype

1x QPAR70 GU10 max. 7W 230V
OR 1x QPAR 51 GU10 max. 20W 230V

Afmetingen

B100xH135xD100 L60xB60xH25

Materialen

Alu Anodisé 31MA | 32A | 37A | 46A | 64A

Ref

W1169.31MA
W1169.32A
W1169.37A
W1169.46A
W1169.64A

Prijs €

built-up
met waterdichte fitting IP54 - met sensor IP65



W1333/.. - RICHARD - INOX

~230V



IP44



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

B80xH80xD80



L60xB60xH25

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1333.5

W1333.5BB

W1333.31MX

W1333.32X

W1333.37X

W1333.46X

W1333.64X

Prijs €

built-up
met waterdichte fitting IP54

W1334/.. - RICHARD - INOX

~230V



IP44



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

B90xH90xD90



L60xB60xH25

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1334.5

W1334.5BB

W1334.31MX

W1334.32X

W1334.37X

W1334.46X

W1334.64X

Prijs €

built-up
met waterdichte fitting IP54

W1335/.. - RICHARD - INOX

~230V



IP44



opbouw wandlicht - vierkant - vast - down

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

B100xH100xD100



L60xB60xH25

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1335.5

W1335.5BB

W1335.31MX

W1335.32X

W1335.37X

W1335.46X

W1335.64X

Prijs €

built-up
met waterdichte fitting IP54

W1336/.. - RICHARD - INOX

~230V



IP44



opbouw wandlicht - vierkant - vast - down - met ingebouwde sensor

Lamptype

1x QPAR70 GU10 max. 7W

230V

OR 1x QPAR 51 GU10 max. 20W

230V

Afmetingen

B100xH135xD100



L60xB60xH25

Materialen

Inox

31MX | 32X | 37X | 46X | 64X

Inox 316

5 | 5BB

Ref

W1336.5

W1336.5BB

W1336.31MX

W1336.32X

W1336.37X



W1336.46X

W1336.64X

Prijs €

built-up
met waterdichte fitting IP54 - met sensor IP65

Coulours



Andere kleuren op aanvraag - Autres couleurs sur demande - Andere Farben auf Anfrage
Other colours on request



psmlighting
Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.