



Ruby

Irresistible inox design



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmighting bv company.

T1710.400/.. - RUBY LED

~230V



built-up



bollard - square - with led

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH400



Materials

Inox

32X | 37X | 64X | 46X

Ref

T1710.400.32X

T1710.400.37X

T1710.400.46X

T1710.400.64X

● NW | WW

● NW | WW


● NW | WW

● NW | WW

Price €

T1710.500/.. - RUBY LED

~230V



built-up



bollard - square - with led

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH500



Materials

Inox

32X | 37X | 64X | 46X

Ref

T1710.500.32X

T1710.500.37X

T1710.500.64X

T1710.500.46X

● NW | WW

● NW | WW


● NW | WW

● NW | WW

Price €

T1710.600/.. - RUBY LED

~230V



built-up



bollard - square - with led

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH600



Materials

Inox

32X | 37X | 64X | 46X

Ref

T1710.600.32X

T1710.600.37X

T1710.600.46X

T1710.600.64X

● NW | WW

● NW | WW


● NW | WW

● NW | WW

Price €

T1710.700/.. - RUBY LED

~230V



built-up



bollard - square - with led

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH700



Materials

Inox

32X | 37X | 64X | 46X

Ref

T1710.700.32X

T1710.700.37X

T1710.700.46X

T1710.700.64X

● NW | WW

● NW | WW

● NW | WW

● NW | WW

Price €



T1704.350/.. - RUBY ES50

~230V  IP44  2.4000  0,5 m  5,6 



bollard - with waterproof socket

Ref **Price €**

Lamptype

T1704.350.32X 

1x QPAR 51 GU10 max. 11W 230V

Dimensions

←→ L80xB80xH350






Materials

Inox 32X



built-up

T1704.450/.. - RUBY ES50

~230V  IP44  2.8000  0,5 m  5,6 



bollard - with waterproof socket

Ref **Price €**

Lamptype

T1704.450.32X 

1x QPAR 51 GU10 max. 11W 230V

Dimensions

←→ L80xB80xH450

Materials

Inox 32X



built-up

T1704.600/.. - RUBY ES50


~230V  IP44  3.9000  0,5 m  4,6 



bollard - with waterproof socket

Ref **Price €**

Lamptype

T1704.600.32X 

1x QPAR 51 GU10 max. 11W 230V

Dimensions

←→ L80xB80xH600

Materials

Inox 32X



built-up

T1704.700/.. - RUBY ES50


~230V  IP44  0,5 m  4,6 



bollard - with waterproof socket

Ref **Price €**

Lamptype

T1704.700.32X 

1x QPAR 51 GU10 max. 11W 230V

Dimensions

←→ L80xB80xH700

Materials

Inox 32X



built-up

T1708.350/.. - RUBY LED

~230V  IP44  2.3500  5.6 



bollard - with led

Ref Price €

Lamptype

1x LED 350lm CRI90 max. 4W 

T1708.350.32X ● NW | WW

Dimensions

↔ L80xB80xH350 

Materials

Inox 32X



built-up

T1708.450/.. - RUBY LED

~230V  IP44  3.1500  5.6 



bollard - with led

Ref Price €

Lamptype

1x LED 350lm CRI90 max. 4W 

T1708.450.32X ● NW | WW

Dimensions

↔ L80xB80xH450 

Materials

Inox 32X



built-up

T1708.600/.. - RUBY LED

~230V  IP44  0,5 m  



bollard - with led


Ref Price €

Lamptype

1x LED 350lm CRI90 max. 4W 

T1708.600.32X ●

Dimensions

↔ L80xB80xH600 

Materials

Inox 32X



built-up

T1708.700/.. - RUBY LED

~230V  IP44  0,5 m  



bollard - with led

Ref Price €

Lamptype

1x LED 350lm CRI90 max. 4W 

T1708.700.32X ●

Dimensions

↔ L80xB80xH700 

Materials

Inox 32X




built-up



T1727.600/.. - RUBY ES50

~230V  IP44    



bollard - with switch and power point

Lamptype
1x QPAR 51 GU10 max. 11W 230V







Dimensions
L80xB80xH600



Materials
Inox 32X

Ref T1727.600.32X **Price €** ●

built-up
1 powerpoint 16A/230VAC

T1727.650/.. - RUBY ES50

~230V  IP44     



bollard - with switch and 2 power points

Lamptype
1x QPAR 51 GU10 max. 11W 230V




Dimensions
L80xB80xH650



Materials
Inox 32X

Ref T1727.650.32X **Price €** ●

built-up
2 powerpoints 16A/230VAC

T1727.800/.. - RUBY ES50

~230V  IP44    



bollard - with switch and power point

Lamptype
1x QPAR 51 GU10 max. 11W 230V

Dimensions
L80xB80xH800



Materials
Inox 32X

Ref T1727.800.32X **Price €** ●

built-up
1 powerpoint 16A/230VAC

T1727.850/.. - RUBY ES50

~230V  IP44    



bollard - with switch and 2 power points

Lamptype
1x QPAR 51 GU10 max. 11W 230V

Dimensions
L80xB80xH850

Materials
Inox 32X

Ref T1727.850.32X **Price €** ●


built-up
2 powerpoints 16A/230VAC

T1729.600/.. - RUBY LED

~230V



IP44



bollard - with switch and power point

Lamptype

1x LED 350lm CRI90 max. 4W



Dimensions

↔ L80xB80xH600

Materials

Inox

32X

Ref

T1729.600.32X

Price €





built-up
1 powerpoint 16A/230VAC

T1729.650/.. - RUBY LED

~230V



IP44



bollard - with switch and 2 power points

Lamptype

1x LED 350lm CRI90 max. 4W



Dimensions

↔ L80xB80xH650

Materials

Inox

32X

Ref

T1729.650.32X

Price €




built-up
2 powerpoints 16A/230VAC

T1729.800/.. - RUBY LED

~230V



IP44



bollard - with switch and power point

Lamptype

1x LED 350lm CRI90 max. 4W



Dimensions

↔ L80xB80xH800

Materials

Inox

32X

Ref

T1729.800.32X

Price €





built-up
1 powerpoint 16A/230VAC

T1729.850/.. - RUBY LED

~230V



IP44



bollard - with switch and 2 power points

Lamptype

1x LED 350lm CRI90 max. 4W



Dimensions

↔ L80xB80xH850

Materials

Inox

32X

Ref


T1729.850.32X

Price €



built-up
2 powerpoints 16A/230VAC

T1720.350/.. - RUBY ES50

~230V  IP44  0,5 m  



bollard with spike - with waterproof socket

Ref Price €

Lamptype

T1720.350.32X ●

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH350

Materials

Inox 32X



built-up

T1720.450/.. - RUBY ES50

~230V  IP44  3.4000   



bollard with spike - with waterproof socket

Ref Price €

Lamptype

T1720.450.32X ●

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH450

Materials

Inox 32X



built-up

T1720.600/.. - RUBY ES50

~230V  IP44  3.9000   



bollard with spike - with waterproof socket

Ref Price €

Lamptype

T1720.600.32X ●

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH600

Materials

Inox 32X



built-up

T1720.700/.. - RUBY ES50

~230V  IP44  0,5 m  



bollard with spike - with waterproof socket

Ref Price €

Lamptype

T1720.700.32X ●

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB80xH700

Materials

Inox 32X



built-up



T1726.350/.. - RUBY LED

~230V      



bollard with spike - with led

Ref Price €

Lamptype

T1726.350.32X ●

1x LED 350lm CRI90 max. 4W

 230V

Dimensions

←→ L80xB80xH350

∧ 30°

Materials

Inox

32X



built-up

T1726.450/.. - RUBY LED

~230V     



bollard with spike - with led

Ref Price €

Lamptype

T1726.450.32X ●

1x LED 350lm CRI90 max. 4W

 230V

Dimensions

←→ L80xB80xH450

∧ 30°

Materials

Inox

32X



built-up

T1726.600/.. - RUBY LED

~230V     



bollard with spike - with led

Ref Price €

Lamptype

T1726.600.32X ●

1x LED 350lm CRI90 max. 4W

 230V

Dimensions

←→ L80xB80xH600

∧ 30°

Materials

Inox

32X



built-up

T1726.700/.. - RUBY LED

~230V     



bollard with spike - with led

Ref Price €

Lamptype

T1726.700.32X ●

1x LED 350lm CRI90 max. 4W

 230V

Dimensions

←→ L80xB80xH700

∧ 30°

Materials

Inox

32X



built-up

T1730.600/.. - RUBY ES50

~230V  IP44  3.4500  0,5 m  4.6 



bollard with spike - with switch and power point

Ref **Price €**

Lamptype
1x QPAR 51 GU10 max. 11W 230V




T1730.600.32X 


Dimensions
L80xB80xH600

Materials
Inox 32X

built-up
1 powerpoint 16A/230VAC

T1730.650/.. - RUBY ES50


~230V  IP44  4.7000  0,5 m  4.6 



bollard with spike - with switch and 2 power points

Ref **Price €**

Lamptype
1x QPAR 51 GU10 max. 11W 230V


T1730.650.32X 


Dimensions
L80xB80xH650

Materials
Inox 32X

built-up
2 powerpoints 16A/230VAC

T1730.800/.. - RUBY ES50


~230V  IP44  0,5 m  4.6 



bollard with spike - with switch and power point

Ref **Price €**

Lamptype
1x QPAR 51 GU10 max. 11W 230V

T1730.800.32X 


Dimensions
L80xB80xH800

Materials
Inox 32X

built-up
1 powerpoint 16A/230VAC

T1730.850/.. - RUBY ES50


~230V  IP44  0,5 m  4.6 



bollard with spike - with switch and 2 power points

Ref **Price €**

Lamptype
1x QPAR 51 GU10 max. 11W 230V

T1730.850.32X 

Dimensions
L80xB80xH850


Materials
Inox 32X

built-up
2 powerpoints 16A/230VAC



T1739.600/.. - RUBY LED

~230V  IP44   



bollard with spike - with switch and power point

Lamptype

1x LED 350lm CRI90 max. 4W 

Dimensions

↔ L80xB80xH600

Materials


Inox 32X

Ref T1739.600.32X **Price €**

built-up
1 powerpoint 16A/230VAC

T1739.650/.. - RUBY LED

~230V  IP44   



bollard with spike - with switch and 2 power points

Lamptype

1x LED 350lm CRI90 max. 4W 

Dimensions

↔ L80xB80xH650

Materials


Inox 32X

Ref T1739.650.32X **Price €**

built-up
2 powerpoints 16A/230VAC

T1739.800/.. - RUBY LED

~230V  IP44   



bollard with spike - with switch and power point

Lamptype

1x LED 350lm CRI90 max. 4W 

Dimensions

↔ L80xB80xH800

Materials


Inox 32X

Ref T1739.800.32X **Price €**

built-up
1 powerpoint 16A/230VAC

T1739.850/.. - RUBY LED

~230V  IP44   



bollard with spike - with switch and 2 power points

Lamptype

1x LED 350lm CRI90 max. 4W 

Dimensions

↔ L80xB80xH850


Materials

Inox 32X

Ref T1739.850.32X **Price €**

built-up
2 powerpoints 16A/230VAC

T1738/.. - RUBY SPIKE



spike - for types Ruby T1704 - T1708 - T1720 - T1726 - T1727 - T1729 - T1730 - T1739

Dimensions

↔ L100xB80xH250

Ref

T1738

Price €

built-in

T1728/.. - RUBY SPIKE



spike - for type Ruby T1710

Dimensions

↔ L100xB100xH250

Materials

Aluminium

Ref

T1728

Price €



OUTDOOR | Wall UP | RUBY

W1709/.. - RUBY ES50

~230V



built-up wall light - fixed - with waterproof socket

Lamptype

1x QPAR 51 GU10 max. 11W 230V

Dimensions

↔ L80xB76xH246

Materials

Inox 32X | 37X | 64X | 46X

Ref

W1709.32X

W1709.37X

W1709.46X

W1709.64X

Price €



built-up

W1708/.. - RUBY LED

~230V




built-up wall light - fixed - with led

Lamptype

1x LED 350lm CRI90 max. 4W  230V

Dimensions

↔ L80xB76xH246  30°

Materials

Inox 32X | 37X | 64X | 46X

Ref

W1708.32X

W1708.37X

W1708.46X

W1708.64X

Price €



built-up

Colours



Other colours on request





psmlighting

Delighted to help you

Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.