



Times

timeless classic lighting
stella line
hula hoop



psmighting

Delighted to help you



All information in this catalogue is without engagement.
Psmighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

2110/.. - HULA HOOP

~230V



pendant - round - fixed - with 3 suspension points and 1 connection for light point - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø400xH40

Cable 2000

Materials

Aluminium

1M | 2M | 29

Ref

2110.1M

2110.2M

2110.29

NW | WW

NW | WW

NW | WW

Price €

built-up

2111/.. - HULA HOOP

~230V



pendant - round - fixed - with 3 suspension points and 1 connection for light point - with LED driver

Lamptype

15x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø600xH40

Cable 2000

Materials

Aluminium

1M | 2M | 29

Ref

2111.1M

2111.2M

2111.29

NW | WW

NW | WW

NW | WW

Price €

built-up

CEILING UP

PENDANTS



INDOOR | Ceiling UP | Pendants | HULA HOOP

2112/.. - HULA HOOP

~230V



pendant - round - fixed - with central suspension - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

↔ Ø400xH40

Cable 2000

Materials

Aluminium

1M | 2M | 29

Ref

2112.1M

2112.2M

2112.29

Price €

● NW | WW

● NW | WW

● NW | WW

built-up

2113/.. - HULA HOOP

~230V



pendant - round - fixed - with central suspension - with LED driver

Lamptype

15x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

↔ Ø600xH40

Cable 2000

Materials

Aluminium

1M | 2M | 29

Ref

2113.1M

2113.2M

2113.29

Price €

● NW | WW


● NW | WW

● NW | WW

built-up







Colour 14 (alu satin) on request for profiles up to 2m

2981/.. - TIMES LED 60X85

~230V



lighting system - mounting directly on the ceiling

Dimensions

↔ B60xH85

Materials

Aluminium

1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2981.850	1M 2M	850	NW WW	3x LED 1000lm max. 9W / 230V	
2981.1130	1M 2M	1130	NW WW	4x LED 1000lm max. 9W / 230V	
2981.1410	1M 2M	1410	NW WW	5x LED 1000lm max. 9W / 230V	
2981.1690	1M 2M	1690	NW WW	6x LED 1000lm max. 9W / 230V	
2981.1970	1M 2M	1970	NW WW	7x LED 1000lm max. 9W / 230V	
2981.2250	1M 2M	2250	NW WW	8x LED 1000lm max. 9W / 230V	

built-up
dimmable phase-cut

2987/.. - TIMES LED 60X85

~230V



lighting system - with suspension

Dimensions

↔ B60xH85

Materials

Aluminium


1M | 2M

Options

S2903/.. SUPPLEMENT BLACK STEEL CABLE

Reference	Colours	Length	LED	Lamptype	Price €
2987.850	1M 2M	850	NW WW	3x LED 1000lm max. 9W / 230V	
2987.1130	1M 2M	1130	NW WW	4x LED 1000lm max. 9W / 230V	
2987.1410	1M 2M	1410	NW WW	5x LED 1000lm max. 9W / 230V	
2987.1690	1M 2M	1690	NW WW	6x LED 1000lm max. 9W / 230V	
2987.1970	1M 2M	1970	NW WW	7x LED 1000lm max. 9W / 230V	
2987.2250	1M 2M	2250	NW WW	8x LED 1000lm max. 9W / 230V	

built-up
dimmable phase-cut




INDOOR | Ceiling UP | Profiles | TIMES

Colour 14 (alu satin) on request for profiles up to 2m

2900/.. - TIMES LED 45X45

~230V



lighting system - with suspension - with LED driver

Dimensions

↔ B45xH45

↗ L600xB45xH45

Materials

Aluminium

1M | 2M

Options

S2903/..

SUPPLEMENT BLACK STEEL CABLE

Reference	Colours	Length	LED	Lamptype	Price €
2900.850	1M 2M	850	CW NW WW	3x LED 1385lm max. 7,8W / 350mA	
2900.1130	1M 2M	1130	CW NW WW	4x LED 1385lm max. 7,8W / 350mA	
2900.1410	1M 2M	1410	CW NW WW	5x LED 1385lm max. 7,8W / 350mA	
2900.1690	1M 2M	1690	CW NW WW	6x LED 1385lm max. 7,8W / 350mA	
2900.1970	1M 2M	1970	CW NW WW	7x LED 1385lm max. 7,8W / 350mA	
2900.2250	1M 2M	2250	CW NW WW	8x LED 1385lm max. 7,8W / 350mA	

built-up
dimmmable on request DALI/PUSH - 1-10V

2925/.. - TIMES LED 45X45 EXT

~230V



lighting system - mounting directly against ceiling - driver outside profile - delivered separately - with LED driver

Dimensions

↔ B45xH45

Materials

Aluminium

1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2925.850	1M 2M	850	CW NW WW	3x LED 1385lm max. 7,8W / 350mA	
2925.1130	1M 2M	1130	CW NW WW	4x LED 1385lm max. 7,8W / 350mA	
2925.1410	1M 2M	1410	CW NW WW	5x LED 1385lm max. 7,8W / 350mA	
2925.1690	1M 2M	1690	CW NW WW	6x LED 1385lm max. 7,8W / 350mA	
2925.1970	1M 2M	1970	CW NW WW	7x LED 1385lm max. 7,8W / 350mA	
2925.2250	1M 2M	2250	CW NW WW	8x LED 1385lm max. 7,8W / 350mA	
2925.2530	1M 2M	2530	CW NW WW	9x LED 1385lm max. 7,8W / 350mA	


built-up
3-7 modules : 2 wires -8-9 modules : 4 wires
drivers at distance - dimmmable on request DALI/PUSH
- 1-10V



Colour 14 (alu satin) on request for profiles up to 2m

2920/.. - TIMES LED 45X70

~230V

**built-up**Power supply central - other position on request
dimmable on request DALI/PUSH - 1-10V

lighting system - with suspension - with LED driver

Dimensions

B45xH70

Materials

Aluminium 1M | 2M

Options

S2903/.. SUPPLEMENT BLACK STEEL CABLE

Reference	Colours	Length	LED	Lamptype	Price €
2920.850	1M 2M	850	CW NW WW	3x LED 1385lm max. 7,8W / 350mA	
2920.1130	1M 2M	1130	CW NW WW	4x LED 1385lm max. 7,8W / 350mA	
2920.1410	1M 2M	1410	CW NW WW	5x LED 1385lm max. 7,8W / 350mA	
2920.1690	1M 2M	1690	CW NW WW	6x LED 1385lm max. 7,8W / 350mA	
2920.1970	1M 2M	1970	CW NW WW	7x LED 1385lm max. 7,8W / 350mA	
2920.2250	1M 2M	2250	CW NW WW	8x LED 1385lm max. 7,8W / 350mA	
2920.2530	1M 2M	2530	CW NW WW	9x LED 1385lm max. 7,8W / 350mA	
2920.2810	1M 2M	2810	CW NW WW	10x LED 1385lm max. 7,8W / 350mA	
2920.3090	1M 2M	3090	CW NW WW	11x LED 1385lm max. 7,8W / 350mA	

2930/.. - TIMES LED 45X70

~230V

**built-up**

dimmable on request DALI/PUSH - 1-10V

lighting system - mounting directly on the ceiling - with LED driver

Dimensions

B45xH70

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2930.850	1M 2M	850	CW NW WW	3x LED 1385lm max. 7,8W / 350mA	
2930.1130	1M 2M	1130	CW NW WW	4x LED 1385lm max. 7,8W / 350mA	
2930.1410	1M 2M	1410	CW NW WW	5x LED 1385lm max. 7,8W / 350mA	
2930.1690	1M 2M	1690	CW NW WW	6x LED 1385lm max. 7,8W / 350mA	
2930.1970	1M 2M	1970	CW NW WW	7x LED 1385lm max. 7,8W / 350mA	
2930.2250	1M 2M	2250	CW NW WW	8x LED 1385lm max. 7,8W / 350mA	
2930.2530	1M 2M	2530	CW NW WW	9x LED 1385lm max. 7,8W / 350mA	
2930.2810	1M 2M	2810	CW NW WW	10x LED 1385lm max. 7,8W / 350mA	
2930.3090	1M 2M	3090	CW NW WW	11x LED 1385lm max. 7,8W / 350mA	

S2903/.. - SUPPLEMENT BLACK STEEL CABLE

IP CE

supplement

Ref

S2903.2M

Price €**Materials**

Aluminium 2M



INDOOR | Ceiling UP | Profiles | TIMES

Colour 14 (alu satin) on request for profiles up to 2m

2905/.. - TIMES GRID 45x70

~230V



lighting system - down - with suspension - with LED driver


Dimensions

B45xH70 Cable 2000

50°

Materials

Aluminium 1M | 2M



built-up
Colour 2M with black steel cable
dimmable on request DALI/PUSH - 1-10V

Reference	Colours	Length	LED	Lamptype	Price €
2905.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	

2915/.. - TIMES GRID 45x70

~230V




lighting system - down - mounting directly on the ceiling - with LED driver

Dimensions

B45xH70 50°


Materials

Aluminium 1M | 2M



built-up
dimmable on request DALI/PUSH - 1-10V

Reference	Colours	Length	LED	Lamptype	Price €
2915.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	







INDOOR | Ceiling UP | Profiles | TIMES

Colour 14 (alu satin) on request for profiles up to 2m

2986/.. - TIMES CROSS

~230V



lighting system - with suspension - made to measure - with LED driver

Lamptype

6x LED 1385lm max. 7,8W

350mA

Dimensions

L600xB600xH70

Materials

Aluminium

1M | 2M

Ref

2986.1M

2986.2M

Price €


● CW | NW | WW

● CW | NW | WW

*built-up
specify dimensions for quotation*

2988/.. - TIMES KADER

~230V



lighting system - with suspension - made to measure - with LED driver

Lamptype

12x LED 1385lm max. 7,8W

350mA

Dimensions

L600xB300xH70

Materials

Aluminium

1M | 2M

Ref

2988.1M

2988.2M

Price €

● CW | NW | WW

● CW | NW | WW

*built-up
specify dimensions for quotation*





2918.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 3x3 ZIA LED - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2918.1400.1M

NW | WW

2918.1400.2M

NW | WW

2918.1400.77

NW | WW

2918.1400.47

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request

2919.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 2x3 ZIA LED - with LED driver

Lamptype

6x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2919.1400.1M

NW | WW

2919.1400.2M

NW | WW

2919.1400.77

NW | WW

2919.1400.47

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request

2945.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 2x4 ZIA LED fixed - with LED driver

Lamptype

8x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2945.1400.1M

NW | WW

2945.1400.2M

NW | WW

2945.1400.77

NW | WW

2945.1400.47

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request

2921.1000/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x2 STELLA orientable + 1x2 ZIA LED fixed - with LED driver

Lamptype

6x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1000xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2921.1000.1M

NW | WW

2921.1000.2M

NW | WW

2921.1000.47


NW | WW

2921.1000.77

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request







CEILING UP

PROFILES

2922.1000/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x2 STELLA orientable + 1x3 ZIA LED fixed - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1000xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2922.1000.1M

NW | WW

2922.1000.2M

NW | WW

2922.1000.47

NW | WW

2922.1000.77

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request

2923.1400/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x3 STELLA orientable + 1x3 ZIA LED fixed - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1400xB45xH70

38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref Price €

2923.1400.1M

NW | WW

2923.1400.2M

NW | WW

2923.1400.47

NW | WW

2923.1400.77

NW | WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions
on request





CEILING UP

PROFILES







Colours



max. 2m

Andere kleuren op aanvraag. Autres couleurs sur demande. Other colours on request. Andere Farben auf Anfrage.

Made to measure

On request we can provide longer profiles and up-down profiles.
Contact us for more information about the possibilities.





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.