

+30
years
psmlighting

Times Stella line Hula Hoop

lines of light



psmlighting

Delighted to help you




All information in this catalogue is without engagement.
Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.
Read instructions carefully. The general psmlighting sales conditions are always applicable.
Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

Colour 14 (alu satin) on request for profiles up to 2m

2981/.. - TIMES LED 60X85

~230V



lighting system - mounting directly on the ceiling

Dimensions

↔ B60xH85 mm

Materials

Aluminium 1M | 2M



*built-up
dimnable phase-cut*

Reference	Colours	Length	LED	Lamptype	Price €
2981.850	1M 2M	850	NW WW	3x LED 1000lm max. 9W / 230V	
2981.1130	1M 2M	1130	NW WW	4x LED 1000lm max. 9W / 230V	
2981.1410	1M 2M	1410	NW WW	5x LED 1000lm max. 9W / 230V	
2981.1690	1M 2M	1690	NW WW	6x LED 1000lm max. 9W / 230V	
2981.1970	1M 2M	1970	NW WW	7x LED 1000lm max. 9W / 230V	
2981.2250	1M 2M	2250	NW WW	8x LED 1000lm max. 9W / 230V	

2987/.. - TIMES LED 60X85

~230V




lighting system - with suspension

Dimensions

↔ B60xH85 mm

Materials

Aluminium 1M | 2M



*built-up
dimnable phase-cut*

Reference	Colours	Length	LED	Lamptype	Price €
2987.850	1M 2M	850	NW WW	3x LED 1000lm max. 9W / 230V	
2987.1130	1M 2M	1130	NW WW	4x LED 1000lm max. 9W / 230V	
2987.1410	1M 2M	1410	NW WW	5x LED 1000lm max. 9W / 230V	
2987.1690	1M 2M	1690	NW WW	6x LED 1000lm max. 9W / 230V	
2987.1970	1M 2M	1970	NW WW	7x LED 1000lm max. 9W / 230V	
2987.2250	1M 2M	2250	NW WW	8x LED 1000lm max. 9W / 230V	





INDOOR | Ceiling UP | Profiles | TIMES

Colour 14 (alu satin) on request for profiles up to 2m

2900/.. - TIMES LED 45X45

~230V



lighting system - with suspension - with LED driver

Dimensions

← B45xH45 mm

← L600xB45xH45 mm

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2900.850	1M 2M	850	CW NW WW	3x LED 1420lm max. 7,74W / 350mA	
2900.1130	1M 2M	1130	CW NW WW	4x LED 1420lm max. 7,74W / 350mA	
2900.1410	1M 2M	1410	CW NW WW	5x LED 1420lm max. 7,74W / 350mA	
2900.1690	1M 2M	1690	CW NW WW	6x LED 1420lm max. 7,74W / 350mA	
2900.1970	1M 2M	1970	CW NW WW	7x LED 1420lm max. 7,74W / 350mA	
2900.2250	1M 2M	2250	CW NW WW	8x LED 1420lm max. 7,74W / 350mA	

built-up
dimmable on request DALI/PUSH - 1-10V

2925/.. - TIMES LED 45X45 EXT

~230V



lighting system - mounting directly against ceiling - driver outside profile - delivered separately - with LED driver

Dimensions

← B45xH45 mm

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2925.850	1M 2M	850	CW NW WW	3x LED 1420lm max. 7,74W / 350mA	
2925.1130	1M 2M	1130	CW NW WW	4x LED 1420lm max. 7,74W / 350mA	
2925.1410	1M 2M	1410	CW NW WW	5x LED 1420lm max. 7,74W / 350mA	
2925.1690	1M 2M	1690	CW NW WW	6x LED 1420lm max. 7,74W / 350mA	
2925.1970	1M 2M	1970	CW NW WW	7x LED 1420lm max. 7,74W / 350mA	
2925.2250	1M 2M	2250	CW NW WW	8x LED 1420lm max. 7,74W / 350mA	
2925.2530	1M 2M	2530	CW NW WW	9x LED 1420lm max. 7,74W / 350mA	



built-up
3-7 modules : 2 wires - 8-9 modules : 4 wires
drivers at distance - dimmable on request DALI/PUSH
- 1-10V



Colour 14 (alu satin) on request for profiles up to 2m

2920/.. - TIMES LED 45X70

~230V



lighting system - with suspension - with LED driver

Dimensions

↔ B45xH70 mm

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2920.850	1M 2M	850	CW NW WW	3x LED 1420lm max. 7,74W / 350mA	
2920.1130	1M 2M	1130	CW NW WW	4x LED 1420lm max. 7,74W / 350mA	
2920.1410	1M 2M	1410	CW NW WW	5x LED 1420lm max. 7,74W / 350mA	
2920.1690	1M 2M	1690	CW NW WW	6x LED 1420lm max. 7,74W / 350mA	
2920.1970	1M 2M	1970	CW NW WW	7x LED 1420lm max. 7,74W / 350mA	
2920.2250	1M 2M	2250	CW NW WW	8x LED 1420lm max. 7,74W / 350mA	
2920.2530	1M 2M	2530	CW NW WW	9x LED 1420lm max. 7,74W / 350mA	
2920.2810	1M 2M	2810	CW NW WW	10x LED 1420lm max. 7,74W / 350mA	
2920.3090	1M 2M	3090	CW NW WW	11x LED 1420lm max. 7,74W / 350mA	

built-up

Power supply central - other position on request
dimmmable on request DALI/PUSH - 1-10V

2930/.. - TIMES LED 45X70

~230V



lighting system - mounting directly on the ceiling - with LED driver

Dimensions

↔ B45xH70 mm

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2930.850	1M 2M	850	CW NW WW	3x LED 1420lm max. 7,74W / 350mA	
2930.1130	1M 2M	1130	CW NW WW	4x LED 1420lm max. 7,74W / 350mA	
2930.1410	1M 2M	1410	CW NW WW	5x LED 1420lm max. 7,74W / 350mA	
2930.1690	1M 2M	1690	CW NW WW	6x LED 1420lm max. 7,74W / 350mA	
2930.1970	1M 2M	1970	CW NW WW	7x LED 1420lm max. 7,74W / 350mA	
2930.2250	1M 2M	2250	CW NW WW	8x LED 1420lm max. 7,74W / 350mA	
2930.2530	1M 2M	2530	CW NW WW	9x LED 1420lm max. 7,74W / 350mA	
2930.2810	1M 2M	2810	CW NW WW	10x LED 1420lm max. 7,74W / 350mA	
2930.3090	1M 2M	3090	CW NW WW	11x LED 1420lm max. 7,74W / 350mA	

built-up

dimmmable on request DALI/PUSH - 1-10V

S2903/.. - SUPPLEMENT BLACK STEEL CABLE

IP CE

supplement

Ref

Price €

Dimensions

S2903.2M

Cable 1000 mm

Materials

Aluminium 2M




INDOOR | Ceiling UP | Profiles | TIMES

Colour 14 (alu satin) on request for profiles up to 2m

2905/.. - TIMES GRID 45x70

~230V



lighting system - down - with suspension - with LED driver

Dimensions

↔ B45xH70 mm Cable 2000 mm

∧ 50°

Materials


Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2905.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	
2905.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	

built-up
Colour 2M with black steel cable
dimmable on request DALI/PUSH - 1-10V

2915/.. - TIMES GRID 45x70

~230V



lighting system - down - mounting directly on the ceiling - with LED driver

Dimensions


↔ B45xH70 mm ∧ 50°

Materials

Aluminium 1M | 2M

Reference	Colours	Length	LED	Lamptype	Price €
2915.850	1M 2M	850	CW NW	3x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1130	1M 2M	1130	CW NW	4x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1410	1M 2M	1410	CW NW	5x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1690	1M 2M	1690	CW NW	6x LED 1160lm CRI90 max. 7,7W / 200mA	
2915.1970	1M 2M	1970	CW NW	7x LED 1160lm CRI90 max. 7,7W / 200mA	


built-up
dimmable on request DALI/PUSH - 1-10V



Colour 14 (alu satin) on request for profiles up to 2m

2986/.. - TIMES CROSS

~230V



lighting system - with suspension - made to measure - with LED driver

Lamp type

6x LED 1385lm max. 7,8W

350mA

Dimensions

L600xB600xH70 mm

Materials

Aluminium

1M | 2M

Ref

2986.1M

2986.2M

Price €


● CW | NW | WW

● CW | NW | WW

*built-up
specify dimensions for quotation*

2988/.. - TIMES KADER

~230V



lighting system - with suspension - made to measure - with LED driver

Lamp type

12x LED 1385lm max. 7,8W

350mA

Dimensions

L600xB300xH70 mm

Materials

Aluminium

1M | 2M

Ref

2988.1M

2988.2M

Price €

● CW | NW | WW

● CW | NW | WW


*built-up
specify dimensions for quotation*



INDOOR | Ceiling UP | Profiles | STELLA LINE

2918.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 3x3 ZIA LED - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70 mm \angle 38°

Materials

Aluminium 1M | 2M | 47 | 77

Ref	Price €
2918.1400.1M	● NW WW
2918.1400.2M	● NW WW
2918.1400.47	● NW WW
2918.1400.77	● NW WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request

2919.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 2x3 ZIA LED - with LED driver

Lamptype

6x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70 mm \angle 38°

Materials


Aluminium 1M | 2M | 47 | 77

Ref	Price €
2919.1400.1M	● NW WW
2919.1400.2M	● NW WW
2919.1400.77	● NW WW
2919.1400.47	● NW WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request

2945.1400/.. - STELLA LINE

~230V



ceiling light - fixed - down - profile with 2x4 ZIA LED fixed - with LED driver

Lamptype

8x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L 1400xB45xH70 mm \angle 38°

Materials


Aluminium 1M | 2M | 47 | 77

Ref	Price €
2945.1400.1M	● NW WW
2945.1400.2M	● NW WW
2945.1400.77	● NW WW
2945.1400.47	● NW WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request

2921.1000/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x2 STELLA orientable + 1x2 ZIA LED fixed - with LED driver

Lamptype

6x LED 467lm CRI80 max. 3,8W

350mA

Dimensions


L 1000xB45xH70 mm \angle 38°

Materials

Aluminium 1M | 2M | 47 | 77

Ref	Price €
2921.1000.1M	● NW WW
2921.1000.2M	● NW WW
2921.1000.47	● NW WW
2921.1000.77	● NW WW

built-up
other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request



INDOOR | Ceiling UP | Profiles | STELLA LINE

2922.1000/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x2 STELLA orientable + 1x3 ZIA LED fixed - with LED driver

Lamptype

7x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1000xB45xH70 mm \angle 38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref

2922.1000.1M
2922.1000.2M
2922.1000.47
2922.1000.77

Price €

● NW | WW
● NW | WW
● NW | WW
● NW | WW

built-up

other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request

2923.1400/.. - STELLA LINE

~230V



ceiling light - down - profile with 2x3 STELLA orientable + 1x3 ZIA LED fixed - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

L1400xB45xH70 mm \angle 38°

Materials

Aluminium

1M | 2M | 47 | 77

Ref

2923.1400.1M
2923.1400.2M
2923.1400.47
2923.1400.77

Price €

● NW | WW
● NW | WW
● NW | WW
● NW | WW

built-up

other dimming methods possible on request
500mA - 5,8W - 570 lm on request | other dimensions on request






INDOOR | Ceiling UP | Pendants | HULA HOOP

2110/.. - HULA HOOP

~230V



pendant - round - fixed - with 3 suspension points and 1 connection for light point - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø400xH40 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 29

Ref

2110.1M

2110.2M

2110.29

Price €

● NW | WW


● NW | WW

● NW | WW

built-up

2111/.. - HULA HOOP

~230V



pendant - round - fixed - with 3 suspension points and 1 connection for light point - with LED driver

Lamptype

15x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø600xH40 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 29

Ref

2111.1M

2111.2M

2111.29

Price €

● NW | WW


● NW | WW

● NW | WW

built-up

2112/.. - HULA HOOP

~230V



pendant - round - fixed - with central suspension - with LED driver

Lamptype

9x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø400xH40 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 29

Ref

2112.1M

2112.2M

2112.29

Price €

● NW | WW


● NW | WW

● NW | WW

built-up

2113/.. - HULA HOOP

~230V



pendant - round - fixed - with central suspension - with LED driver

Lamptype

15x LED 467lm CRI80 max. 3,8W

350mA

Dimensions

Ø600xH40 mm

Cable 2000 mm

Materials

Aluminium

1M | 2M | 29

Ref

2113.1M

2113.2M

2113.29

Price €

● NW | WW

● NW | WW

● NW | WW

built-up





Colours



Other colours on request.

max. 2m

Made to measure

On request we can provide longer profiles and up-down profiles.
Contact us for more information about the possibilities.





Groendreef 60, 9880 Aalter | T +32 9 374 19 51 | www.psmlighting.be

All our products are locally made in Aalter, Belgium (EU). Short delivery times.