

UFO.

Extraterrestrial design.



psmlighting
Delighted to help you

All information in this catalogue is without engagement.

Psmlighting bv reserves the right to alter materials, characteristics and dimensions without prior notice.

Read instructions carefully. The general psmlighting sales conditions are always applicable.

Nothing in this catalogue can be reproduced without permission in writing from the psmlighting bv company.

W7000/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on round base Ø60 - with glass

Dimensions

L70xØ60xD167 mm

30°

Basis Ø60xH30 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref		Price €
W7000.5	NW WW	219,40
W7000.5B	NW WW	244,76
W7000.5BB	NW WW	264,60
W7000.32AX	NW WW	147,74
W7000.37AX	NW WW	147,74
W7000.46AX	NW WW	147,74
W7000.64AX	NW WW	147,74

built-up
LED module included

W7001/.. - UFO LED

~230V



built-up ceiling or wall light - spotlight on square base 70x70 - with glass

Dimensions

L70xB70xH207 mm

30°

Basis B70xH70xD70 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref		Price €
W7001.5	NW WW	299,88
W7001.5B	NW WW	341,78
W7001.5BB	NW WW	374,85
W7001.32AX	NW WW	207,27
W7001.37AX	NW WW	207,27
W7001.46AX	NW WW	207,27
W7001.64AX	NW WW	207,27

built-up
LED module included

W7002/.. - UFO LED

~230V



built-up ceiling or wall light - double spotlight on bar - with glass

Dimensions

L200xB55xH287 mm

30°

Basis B200xH55xD50 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref		Price €
W7002.5	NW WW	571,10
W7002.5B	NW WW	648,27
W7002.5BB	NW WW	707,81
W7002.32AX	NW WW	401,31
W7002.37AX	NW WW	401,31
W7002.46AX	NW WW	401,31
W7002.64AX	NW WW	401,31

built-up
LED module included

W7003/.. - UFO LED

~230V



built-up wall light - spotlight on square base 70x70 - with glass

Dimensions

L70xB70xD610 mm

Tige 400 mm

30°

Bar Ø12xH400 mm

Basis B70xH70xD70 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref		Price €
W7003.5	NW WW	317,52
W7003.5B	NW WW	366,03
W7003.5BB	NW WW	401,31
W7003.32AX	NW WW	224,91
W7003.37AX	NW WW	224,91
W7003.46AX	NW WW	224,91
W7003.64AX	NW WW	224,91

built-up
LED module included

OUTDOOR | Floor UP | UFO LED

T7004/.. - UFO LED

~230V



IP54



bollard with spike - directional

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH530 mm

Tige 400 mm

30°

Kabel L1500 mm

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

T7004.5

NW | WW

Price €

224,91

T7004.5BB

NW | WW

280,04

T7004.32AX

NW | WW

147,74

T7004.37AX

NW | WW

147,74

T7004.46AX

NW | WW

147,74

T7004.64AX

NW | WW

147,74

semi built-in/up

with a painted colour, the spike is also painted - LED module included

T7004.5M/.. - UFO LED

~230V



IP54



bollard with spike - directional

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH530 mm

Tige 400 mm

30°

Kabel L5000 mm

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

T7004.5M.5

NW | WW

Price €

235,94

T7004.5M.5BB

NW | WW

291,06

T7004.5M.32AX

NW | WW

158,76

T7004.5M.37AX

NW | WW

158,76

T7004.5M.46AX

NW | WW

158,76

T7004.5M.64AX

NW | WW

158,76

semi built-in/up

with a painted colour, the spike is also painted - LED module included

T7007/.. - UFO LED

~230V



IP54



bollard with spike - directional - with glass and connection box

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L70xB70xH540 mm

Tige 400 mm

30°

Basis L70xB70xH70 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

T7007.5

NW | WW

Price €

339,57

T7007.5BB

NW | WW

377,06

T7007.32AX

NW | WW

240,35

T7007.37AX

NW | WW

240,35

T7007.46AX

NW | WW

240,35

T7007.64AX

NW | WW

240,35

semi built-in/up

LED module included



T7008.450/.. - UFO LED

~230V



bollard with spike - with glass - H spike 450mm - with 1,5m cable and plug

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH580 mm

Tige 450 mm

30°

Kabel L1500 mm

Kop Ø60 mm

grondpin L40xB30xH450 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref	Price €
T7008.450.5	NW WW 380,36
T7008.450.5BB	NW WW 458,64
T7008.450.32AX	NW WW 249,17
T7008.450.37AX	NW WW 249,17
T7008.450.46AX	NW WW 249,17
T7008.450.64AX	NW WW 249,17

semi built-in/up
cable gland at 22cm - LED module included

T7008.650/.. - UFO LED

~230V



bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

Ø60xH780 mm

Tige 650 mm

30°

Kabel L1500 mm

Kop Ø60 mm

grondpin L40xB30xH650 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref	Price €
T7008.650.5	NW WW 394,70
T7008.650.5BB	NW WW 474,08
T7008.650.32AX	NW WW 262,40
T7008.650.37AX	NW WW 262,40
T7008.650.46AX	NW WW 262,40
T7008.650.64AX	NW WW 262,40

semi built-in/up
cable gland at 22cm - LED module included

T7009.650/.. - UFO LED

~230V



bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L310xB40xH650 mm

Tige 650 mm

30°

Kabel L1500 mm

Kop Ø60 mm

grondpin L40xB30xH650 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref

Ref	Price €
T7009.650.5	NW WW 718,83
T7009.650.5BB	NW WW 866,57
T7009.650.32AX	NW WW 463,05
T7009.650.37AX	NW WW 463,05
T7009.650.46AX	NW WW 463,05
T7009.650.64AX	NW WW 463,05

semi built-in/up
cable gland at 38cm - LED module included

T7011.650/.. - UFO LED

~230V



IP54



bollard with fixation plate

Lamptype

1x LED 350lm CRI90 max. 4W

230V

Dimensions

L30xB40xH780 mm

Tige 650 mm

30°

Basis L40xB30xH450 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref
Price €

T7011.650.5	NW WW	374,85
T7011.650.5BB	NW WW	445,41
T7011.650.32AX	NW WW	293,27
T7011.650.37AX	NW WW	293,27
T7011.650.46AX	NW WW	293,27
T7011.650.64AX	NW WW	293,27


built-up
LED module included

T7012.650/.. - UFO LED

~230V



IP54



bollard with fixation plate

Lamptype

2x LED 350lm CRI90 max. 4W

230V

Dimensions

L310xB40xH650 mm

Tige 650 mm

30°

Basis L40xB30xH650 mm

Kop Ø60 mm

Materials

Inox 316

5 | 5BB

Inox/Alu

32AX | 37AX | 46AX | 64AX

Ref
Price €

T7012.650.5	NW WW	659,30
T7012.650.5BB	NW WW	791,60
T7012.650.32AX	NW WW	493,92
T7012.650.37AX	NW WW	493,92
T7012.650.46AX	NW WW	493,92
T7012.650.64AX	NW WW	493,92

built-up
LED module included



OUTDOOR | Wall UP / Ceiling UP | UFO MINI

W7059/.. - UFO MINI

~230V



built-up floor or wall light - head with U-support

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Kabel 1500 mm Kabel L1500 mm

Kop Ø63xH100 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Options

T7048/.. UFO MINI

Ref Price €

W7059.5	inox 316	182,57
W7059.5B	inox 316 1x coated	219,09
W7059.5BB	inox 316 2x coated	232,78
W7059.32AX	black tex ano	119,81
W7059.37AX	grey texture ano	119,81
W7059.46AX	grey-brown ano	119,81

built-up

W7060/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on round base Ø60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xD195 mm Basis Ø60xH30 mm

Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX


Ref Price €

W7060.5	inox 316	221,37
W7060.5B	inox 316 1x coated	255,60
W7060.5BB	inox 316 2x coated	280,71
W7060.32AX	black tex ano	142,64
W7060.37AX	grey texture ano	142,64
W7060.46AX	grey-brown ano	142,64

built-up

W7061/.. - UFO MINI

~230V



built-up ceiling or wall light - spotlight on square base 60x60

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis B60xH60xD34 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref Price €

W7061.5	inox 316	303,53
W7061.5B	inox 316 1x coated	350,31
W7061.5BB	inox 316 2x coated	385,69
W7061.32AX	black tex ano	207,68
W7061.37AX	grey texture ano	207,68
W7061.46AX	grey-brown ano	207,68

built-up

W7047/.. - UFO MINI

~230V



bollard - with 1,5m cable - with glass and connection box

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Bar Ø12xH400 mm Basis L70xB70xD70 mm

Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 36AX | 37AX | 46AX


Ref Price €

W7047.5	inox 316	324,07
W7047.5B	inox 316 1x coated	373,14
W7047.5BB	inox 316 2x coated	410,79
W7047.32AX	black tex ano	225,94
W7047.36AX	alu grey ano	237,35
W7047.37AX	grey texture ano	225,94
W7047.46AX	grey-brown ano	225,94

built-up

W7062/.. - UFO MINI

~230V



built-up

built-up ceiling or wall light

Lamp type

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Basis L55xB200xD50 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX

Ref

W7062.5

inox 316

Price €

584,24

W7062.5B

inox 316 1x coated

673,24

W7062.5BB

inox 316 2x coated

741,71

W7062.32AX

black tex ano

397,10

W7062.37AX

grey texture ano

397,10

W7062.46AX

grey-brown ano

397,10



T7050/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xH490 mm Tige 400 mm
 Kop Ø63xH90 mm grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB
 Inox/Alu 32AX | 37AX | 46AX | 64AX

Ref		Price €
T7050.5	inox 316	222,51
T7050.5B	inox 316 1x coated	259,03
T7050.5BB	inox 316 2x coated	272,72
T7050.32AX	black tex ano	159,75
T7050.37AX	grey texture ano	159,75
T7050.46AX	grey-brown ano	159,75
T7050.64AX	black grey ano	159,75

semi built-in/up
 for lacquered colours, the spike is lacquered in the same colour

T7050.5M/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Kabel L5000 mm
 Kop Ø63 mm grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB
 Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7050.5M.5	inox 316	237,35
T7050.5M.5B	inox 316 1x coated	271,58
T7050.5M.5BB	inox 316 2x coated	297,82
T7050.5M.32AX	black tex ano	172,30
T7050.5M.37AX	grey texture ano	172,30
T7050.5M.46AX	grey-brown ano	172,30

semi built-in/up
 for lacquered colours, the spike is lacquered in the same colour

T7049/.. - UFO MINI

~230V



bollard with spike - directional

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Ø63xH1090 mm Tige 1000 mm
 Kop Ø63 mm grondpin Ø12xH1000 mm

Materials

Inox 316 5 | 5B | 5BB
 Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7049.5	inox 316	255,60
T7049.5B	inox 316 1x coated	292,12
T7049.5BB	inox 316 2x coated	305,81
T7049.32AX	black tex ano	192,84
T7049.37AX	grey texture ano	192,84
T7049.46AX	grey-brown ano	192,84

semi built-in/up
 for lacquered colours, the spike is lacquered in the same colour

T7040/.. - UFO MINI

~230V



bollard with spike - directional - head with U-support - rod 1 meter with cable 3m in rod - cable out of the rod at 60cm

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin Ø12xH1000 mm

Materials

Inox 316 5 | 5B | 5BB
 Inox/Alu 32AX | 34AX | 37AX | 46AX

Ref		Price €
T7040.5	inox 316	323,03
T7040.5B	inox 316 1x coated	372,65
T7040.5BB	inox 316 2x coated	410,13
T7040.32AX	black tex ano	226,01
T7040.34AX	green structured ano	226,01
T7040.37AX	grey texture ano	226,01
T7040.46AX	grey-brown ano	226,01

semi built-in/up
 for lacquered colours, the spike is lacquered in the same colour

T7051/.. - UFO MINI

~230V



bollard with spike - directional - with glass and connection box

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 400 mm

Basis L70xB70xH70 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX


Ref

Ref		Price €
T7051.5	inox 316	330,92
T7051.5B	inox 316 1x coated	368,57
T7051.5BB	inox 316 2x coated	405,09
T7051.32AX	black tex ano	232,78
T7051.37AX	grey texture ano	232,78
T7051.46AX	grey-brown ano	232,78

semi built-in/up

T7052/.. - UFO MINI

~230V



bollard with spike - directional - with glass and connection box

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 400 mm

Basis B200xH55xD50 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX

Ref

Ref		Price €
T7052.5	inox 316	610,48
T7052.5B	inox 316 1x coated	683,51
T7052.5BB	inox 316 2x coated	751,86
T7052.32AX	black tex ano	421,06
T7052.37AX	grey texture ano	421,06
T7052.46AX	grey-brown ano	421,06

semi built-in/up



T7053.450/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 450mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin L40xB30xH450 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7053.450.5	inox 316	370,85
T7053.450.5B	inox 316 1x coated	409,65
T7053.450.5BB	inox 316 2x coated	450,73
T7053.450.32AX	black tex ano	240,77
T7053.450.37AX	grey texture ano	240,77
T7053.450.46AX	grey-brown ano	240,77

semi built-in/up
cable gland at 22cm

T7053.650/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 650mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin L40xB30xH650 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7053.650.5	inox 316	386,83
T7053.650.5B	inox 316 1x coated	424,48
T7053.650.5BB	inox 316 2x coated	467,85
T7053.650.32AX	black tex ano	254,46
T7053.650.37AX	grey texture ano	254,46
T7053.650.46AX	grey-brown ano	254,46

semi built-in/up
cable gland at 22cm

T7053.850/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 850mm - with 1,5m cable and plug

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin L40xB30xH850 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7053.850.5	inox 316	400,52
T7053.850.5B	inox 316 1x coated	440,46
T7053.850.5BB	inox 316 2x coated	484,96
T7053.850.32AX	black tex ano	267,01
T7053.850.37AX	grey texture ano	267,01
T7053.850.46AX	grey-brown ano	267,01

semi built-in/up
cable gland at 22cm


T7054.650/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 650mm

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin L40xB30xH650 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref Price €

T7054.650.5 inox 316 678,95

T7054.650.5B inox 316 1x coated 753,12

T7054.650.5BB inox 316 2x coated 829,57

T7054.650.32AX black tex ano 426,77

T7054.650.37AX grey texture ano 426,77

T7054.650.46AX grey-brown ano 426,77

semi built-in/up
cable gland at 38cm

T7054.850/.. - UFO MINI

~230V



bollard with spike - with glass - H spike 850mm

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Kop Ø63 mm grondpin L40xB30xH850 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref Price €

T7054.850.5 inox 316 694,92

T7054.850.5B inox 316 1x coated 769,09

T7054.850.5BB inox 316 2x coated 850,11

T7054.850.32AX black tex ano 433,61

T7054.850.37AX grey texture ano 433,61

T7054.850.46AX grey-brown ano 433,61

semi built-in/up
cable gland at 38cm

T7055.450/.. - UFO MINI

~230V



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis L40xB30xH450 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7055.450.5	inox 316	351,46
T7055.450.5B	inox 316 1x coated	385,69
T7055.450.5BB	inox 316 2x coated	424,48
T7055.450.32AX	black tex ano	271,58
T7055.450.37AX	grey texture ano	271,58
T7055.450.46AX	grey-brown ano	271,58

built-up

T7055.650/.. - UFO MINI

~230V



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis L40xB30xH650 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7055.650.5	inox 316	369,71
T7055.650.5B	inox 316 1x coated	403,95
T7055.650.5BB	inox 316 2x coated	443,88
T7055.650.32AX	black tex ano	289,84
T7055.650.37AX	grey texture ano	289,84
T7055.650.46AX	grey-brown ano	289,84

built-up

T7055.850/.. - UFO MINI

~230V



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis L40xB30xH850 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref		Price €
T7055.850.5	inox 316	392,53
T7055.850.5B	inox 316 1x coated	429,05
T7055.850.5BB	inox 316 2x coated	467,85
T7055.850.32AX	black tex ano	312,66
T7055.850.37AX	grey texture ano	312,66
T7055.850.46AX	grey-brown ano	312,66

built-up

T7056.650/.. - UFO MINI

~230V



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamp type

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Basis L40xB30xH650 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX

Ref

T7056.650.5 inox 316

Price €

625,32

T7056.650.5B inox 316 1x coated

682,37

T7056.650.5BB inox 316 2x coated

751,98

T7056.650.32AX black tex ano

456,44

T7056.650.37AX grey texture ano

456,44

T7056.650.46AX grey-brown ano

456,44

built-up

T7056.850/.. - UFO MINI

~230V



bollard with fixation plate - on rectangular pole 30x40 - with glass

Lamp type

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Kop Ø63xH850 mm

Basis L40xB30xH850 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX

Ref

T7056.850.5 inox 316

Price €

631,02

T7056.850.5B inox 316 1x coated

696,06

T7056.850.5BB inox 316 2x coated

765,67

T7056.850.32AX black tex ano

468,99

T7056.850.37AX grey texture ano

468,99

T7056.850.46AX grey-brown ano

468,99

built-up



T7057.100/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis Ø43xH100 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7057.100.5	inox 316	351,46
T7057.100.5B	inox 316 1x coated	385,69
T7057.100.5BB	inox 316 2x coated	424,48
T7057.100.32AX	black tex ano	271,58
T7057.100.37AX	grey texture ano	271,58
T7057.100.46AX	grey-brown ano	271,58

built-up

T7057.300/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis Ø43xH300 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 44AX | 46AX | 64AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7057.300.5	inox 316	369,71
T7057.300.5B	inox 316 1x coated	403,95
T7057.300.5BB	inox 316 2x coated	443,88
T7057.300.32AX	black tex ano	289,84
T7057.300.37AX	grey texture ano	289,84
T7057.300.44AX	anthracite grey texture ano	289,84
T7057.300.46AX	grey-brown ano	289,84
T7057.300.64AX	black grey ano	289,84

built-up

T7057.500/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis Ø43xH500 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX | 64AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7057.500.5	inox 316	392,53
T7057.500.5B	inox 316 1x coated	429,05
T7057.500.5BB	inox 316 2x coated	467,85
T7057.500.32AX	black tex ano	312,66
T7057.500.37AX	grey texture ano	312,66
T7057.500.46AX	grey-brown ano	312,66
T7057.500.64AX	black grey ano	312,66

built-up

T7057.700/.. - UFO MINI

~230V



bollard with fixation plate - on round pole - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Basis Ø43xH700 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX | 46AX

Options

T1021.T5/..

IRIS

Ref

T7057.700.5 inox 316

Price €

414,21

T7057.700.5B inox 316 1x coated

449,59

T7057.700.5BB inox 316 2x coated

492,95

T7057.700.32AX black tex ano

334,34

T7057.700.37AX grey texture ano

334,34

T7057.700.46AX grey-brown ano


334,34

built-up



W7070/.. - UFO GRANDE

~230V



built-up ceiling or wall light - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis Ø60xH30 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX


Ref

Ref		Price €
W7070.5	inox 316	225,25
W7070.5B	inox 316 1x coated	259,04
W7070.5BB	inox 316 2x coated	284,94
W7070.32AX	black tex ano	144,98
W7070.37AX	grey texture ano	144,98
W7070.46AX	grey-brown ano	144,98

built-up

W7071/.. - UFO GRANDE

~230V



built-up ceiling or wall light - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis B70xH70xD70 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX


Ref

Ref		Price €
W7071.5	inox 316	307,92
W7071.5B	inox 316 1x coated	354,10
W7071.5BB	inox 316 2x coated	389,51
W7071.32AX	black tex ano	210,87
W7071.37AX	grey texture ano	210,87
W7071.46AX	grey-brown ano	210,87

built-up

W7072/.. - UFO GRANDE

~230V



built-up ceiling or wall light - with glass

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis B200xH55xD50 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Ref

Ref		Price €
W7072.5	inox 316	591,88
W7072.5B	inox 316 1x coated	680,66
W7072.5BB	inox 316 2x coated	748,72
W7072.32AX	black tex ano	402,58
W7072.37AX	grey texture ano	402,58
W7072.46AX	grey-brown ano	402,58

built-up

W7073/.. - UFO GRANDE

~230V



built-up wall light - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Basis B70xH70xD70 mm
Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Ref

Ref		Price €
W7073.5	inox 316	328,29
W7073.5B	inox 316 1x coated	377,54
W7073.5BB	inox 316 2x coated	415,30
W7073.32AX	black tex ano	228,85
W7073.37AX	grey texture ano	228,85
W7073.46AX	grey-brown ano	228,85

built-up

T7030/.. - UFO GRANDE

~230V



bollard with spike - with 1,5m cable - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Kop Ø63xH120 mm

grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref

Ref		Price €
T7030.5	inox 316	217,72
T7030.5B	inox 316 1x coated	252,47
T7030.5BB	inox 316 2x coated	277,03
T7030.32AX	black tex ano	144,98
T7030.37AX	grey texture ano	144,98
T7030.46AX	grey-brown ano	144,98

semi built-in/up
for lacquered colours, the spike is lacquered in the same colour

T7030.5M/.. - UFO GRANDE

~230V



bollard with spike - with 5m cable

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Kop Ø63 mm

grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref

Ref		Price €
T7030.5M.5	inox 316	226,11
T7030.5M.5B	inox 316 1x coated	260,85
T7030.5M.5BB	inox 316 2x coated	286,25
T7030.5M.32AX	black tex ano	153,37
T7030.5M.37AX	grey texture ano	153,37

semi built-in/up
for lacquered colours, the spike is lacquered in the same colour

T7031/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Basis L70xB70xH70 mm

Kop Ø63 mm grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref

Ref		Price €
T7031.5	inox 316	335,14
T7031.5B	inox 316 1x coated	372,28
T7031.5BB	inox 316 2x coated	408,83
T7031.32AX	black tex ano	235,69
T7031.37AX	grey texture ano	235,69

semi built-in/up

T7032/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 400 mm Basis L55xB200xD50 mm

Kop Ø63 mm grondpin Ø12xH400 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref

Ref		Price €
T7032.5	inox 316	617,90
T7032.5B	inox 316 1x coated	690,99
T7032.5BB	inox 316 2x coated	759,41
T7032.32AX	black tex ano	426,20
T7032.37AX	grey texture ano	426,20

semi built-in/up

T7033.45/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 450 mm Kop Ø63 mm

grondpin L40xB30xH450 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX

Ref

T7033.45.5	inox 316	375,02
T7033.45.5B	inox 316 1x coated	413,36
T7033.45.5BB	inox 316 2x coated	454,70
T7033.45.32AX	black tex ano	243,22
T7033.45.37AX	grey texture ano	243,22

Price €

semi built-in/up

T7033.65/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 650 mm Kop Ø63 mm

grondpin L40xB30xH650 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX

Ref

T7033.65.5	inox 316	390,59
T7033.65.5B	inox 316 1x coated	428,93
T7033.65.5BB	inox 316 2x coated	471,83
T7033.65.32AX	black tex ano	257,60
T7033.65.37AX	grey texture ano	257,60

Price €

semi built-in/up

T7033.85/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 850 mm Kop Ø63 mm

grondpin L40xB30xH850 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX

Ref

T7033.85.5	inox 316	404,97
T7033.85.5B	inox 316 1x coated	444,51
T7033.85.5BB	inox 316 2x coated	488,97
T7033.85.32AX	black tex ano	269,58
T7033.85.37AX	grey texture ano	269,58

Price €

semi built-in/up



T7037.65/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 650 mm

Kop Ø63 mm

grondpin L40xB30xH650 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T7037.65.5

inox 316

Price €

686,54

T7037.65.5B

inox 316 1x coated

760,82

T7037.65.5BB

inox 316 2x coated

836,91

T7037.65.32AX

black tex ano

431,33

T7037.65.37AX

grey texture ano

431,33

semi built-in/up

T7037.85/.. - UFO GRANDE

~230V



bollard with spike - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 850 mm

Kop Ø63 mm

grondpin L40xB30xH850 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T7037.85.5

inox 316

Price €

702,11

T7037.85.5B

inox 316 1x coated

776,40

T7037.85.5BB

inox 316 2x coated

854,04

T7037.85.32AX

black tex ano

443,31

T7037.85.37AX

grey texture ano

443,31

semi built-in/up



T7034.45/.. - UFO GRANDE

~230V



built-up
tube/Rohr Ø43

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Basis Ø43xH280 mm Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7034.45.5	inox 316	354,88
T7034.45.5B	inox 316 1x coated	389,11
T7034.45.5BB	inox 316 2x coated	428,02
T7034.45.32AX	black tex ano	273,86
T7034.45.37AX	grey texture ano	273,86
T7034.45.46AX	grey-brown ano	273,86

T7034.55/.. - UFO GRANDE

~230V



built-up
tube/Rohr Ø43

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 380 mm Basis Ø43xH380 mm
Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7034.55.5	inox 316	373,14
T7034.55.5B	inox 316 1x coated	407,37
T7034.55.5BB	inox 316 2x coated	448,11
T7034.55.32AX	black tex ano	292,12
T7034.55.37AX	grey texture ano	292,12
T7034.55.46AX	grey-brown ano	292,12

T7034.75/.. - UFO GRANDE

~230V



built-up
tube/Rohr Ø43

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 580 mm Basis Ø43xH580 mm
Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7034.75.5	inox 316	395,96
T7034.75.5B	inox 316 1x coated	429,05
T7034.75.5BB	inox 316 2x coated	471,95
T7034.75.32AX	black tex ano	314,94
T7034.75.37AX	grey texture ano	314,94
T7034.75.46AX	grey-brown ano	314,94

T7034.95/.. - UFO GRANDE

~230V



built-up
tube/Rohr Ø43

bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W 230V

Dimensions

Tige 780 mm Basis Ø43xH780 mm
Kop Ø63 mm

Materials

Inox 316 5 | 5B | 5BB
Inox/Alu 32AX | 37AX | 46AX

Options

T1021.T5/.. IRIS

Ref		Price €
T7034.95.5	inox 316	417,64
T7034.95.5B	inox 316 1x coated	451,87
T7034.95.5BB	inox 316 2x coated	497,06
T7034.95.32AX	black tex ano	336,62
T7034.95.37AX	grey texture ano	336,62
T7034.95.46AX	grey-brown ano	336,62

T7036.45/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 450 mm

Basis L40xB30xH450 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Options

T307/..

TOLEDO SPIKE

Ref

T7036.45.5

inox 316

Price €

355,85

T7036.45.5B

inox 316 1x coated

389,40

T7036.45.5BB

inox 316 2x coated

428,34

T7036.45.32AX

black tex ano

274,37

T7036.45.37AX

grey texture ano

274,37

built-up

T7036.65/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 650 mm

Basis L40xB30xH650 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Options

T307/..

TOLEDO SPIKE

Ref

T7036.65.5

inox 316

Price €

369,03

T7036.65.5B

inox 316 1x coated

402,58

T7036.65.5BB

inox 316 2x coated

442,83

T7036.65.32AX

black tex ano

287,55

T7036.65.37AX

grey texture ano

287,55

built-up

T7036.85/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

1x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 850 mm

Basis L40xB30xH850 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Options

T307/..

TOLEDO SPIKE

Ref

T7036.85.5

inox 316

Price €

382,21

T7036.85.5B

inox 316 1x coated

415,76

T7036.85.5BB

inox 316 2x coated

457,34

T7036.85.32AX

black tex ano

300,73

T7036.85.37AX

grey texture ano

300,73

built-up



T7039.65/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 650 mm

Basis L40xB30xH650 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Options

T307/..

TOLEDO SPIKE

Ref

T7039.65.5

inox 316

Price €

625,43

T7039.65.5B

inox 316 1x coated

690,13

T7039.65.5BB

inox 316 2x coated

759,14

T7039.65.32AX

black tex ano

461,28

T7039.65.37AX

grey texture ano

461,28

built-up

T7039.85/.. - UFO GRANDE

~230V



bollard - with glass

Lamptype

2x QPAR 51 GU10 max. 20W

230V

Dimensions

Tige 850 mm

Basis L40xB30xH850 mm

Kop Ø63 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Options

T307/..

TOLEDO SPIKE

Ref

T7039.85.5

inox 316

Price €

638,61

T7039.85.5B

inox 316 1x coated

703,31

T7039.85.5BB

inox 316 2x coated

773,65

T7039.85.32AX

black tex ano

474,46

T7039.85.37AX

grey texture ano

474,46

built-up



OUTDOOR | Wall UP / Ceiling UP | UFO

W1070/.. - UFO

~12V



built-up ceiling or wall light - with glass - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Basis Ø60xH30 mm Kop Ø60 mm

Materials

Alu Anodisé 32A | 37A | 46A

Inox 316 5 | 5B | 5BB

Ref

W1070.5	inox 316	183,70
W1070.5B	inox 316 1x coated	211,26
W1070.5BB	inox 316 2x coated	232,38
W1070.32A	black texture ano	103,87
W1070.37A	grey texture ano	103,87
W1070.46A	grey-brown ano	103,87

Price €



built-up
use coolfit lamp

W1071/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Basis B70xH70xD70 mm Kop Ø63 mm

Materials

Alu Anodisé 32A | 37A | 46A

Inox 316 5 | 5B | 5BB

Ref

W1071.5	inox 316	295,59
W1071.5B	inox 316 1x coated	339,93
W1071.5BB	inox 316 2x coated	373,92
W1071.32A	black texture ano	198,17
W1071.37A	grey texture ano	198,17
W1071.46A	grey-brown ano	198,17


Price €



built-up
60VA - use coolfit lamp

W1072/.. - UFO

~230V



built-up ceiling or wall light - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Basis L55xB200xD50 mm Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 37AX | 46AX

Ref

W1072.5	inox 316	550,89
W1072.5B	inox 316 1x coated	632,50
W1072.5BB	inox 316 2x coated	695,76
W1072.32AX	noir texture ano	360,63
W1072.37AX	grey texture ano	360,63
W1072.46AX	grey-brown ano	360,63

Price €



built-up
105VA - use coolfit lamp

W1073/.. - UFO

~230V



built-up wall light - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

B70xH70xD610 mm Tige 400 mm

Sokkel B70xH70xD70 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX | 46AX

Ref

W1073.5	inox 316	316,10
W1073.5B	inox 316 1x coated	363,52
W1073.5BB	inox 316 2x coated	399,87
W1073.32AX	black tex ano	216,37
W1073.37AX	grey texture ano	216,37
W1073.46AX	grey-brown ano	216,37

Price €



built-up
60VA - use coolfit lamp

T1030/.. - UFO

~12V



IP44



bollard with spike - with 1,5m cable - with glass - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T1030.5	inox 316	174,59
T1030.5B	inox 316 1x coated	208,82
T1030.5BB	inox 316 2x coated	229,36
T1030.32AX	black tex ano	102,19
T1030.37AX	grey texture ano	102,19

Price €

semi built-in/up
use coolfit lamp
for lacquered colours, the spike is lacquered in the
same colour

T1030.5M/.. - UFO

~12V



IP44



bollard with spike - with 5m cable - without transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 mm

Kabel L5000 mm

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T1030.5M.5	inox 316	183,72
T1030.5M.5B	inox 316 1x coated	217,95
T1030.5M.5BB	inox 316 2x coated	239,63
T1030.5M.32AX	black tex ano	114,74
T1030.5M.37AX	grey texture ano	114,74

Price €

semi built-in/up
use coolfit lamp
for lacquered colours, the spike is lacquered in the
same colour

T1031/.. - UFO

~230V



IP44



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 mm

Basis L70xB70xH70 mm

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T1031.5	inox 316	322,93
T1031.5B	inox 316 1x coated	359,44
T1031.5BB	inox 316 2x coated	394,82
T1031.32AX	black tex ano	222,51
T1031.37AX	grey texture ano	222,51

Price €

semi built-in/up
60VA - use coolfit lamp - stainless steel spike

T1032/.. - UFO

~230V



IP44



bollard with spike - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 400 mm

Basis L200xB50xH55 mm

Kop Ø60 mm

grondpin Ø12xH400 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref


T1032.5	inox 316	576,25
T1032.5B	inox 316 1x coated	648,14
T1032.5BB	inox 316 2x coated	713,18
T1032.32AX	black tex ano	383,41
T1032.37AX	grey texture ano	383,41

Price €

semi built-in/up
105VA - use coolfit lamp - stainless steel spike

T1033/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Kop Ø60 mm grondpin L30xB40xH450 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref


T1033.5	inox 316	362,97
T1033.5B	inox 316 1x coated	400,92
T1033.5BB	inox 316 2x coated	441,01
T1033.32AX	black tex ano	231,28
T1033.37AX	grey texture ano	231,28

Price €

semi built-in/up
60VA - use coolfit lamp

T1034/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Kop Ø60 mm grondpin L30xB40xH650 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref


T1034.5	inox 316	377,88
T1034.5B	inox 316 1x coated	416,12
T1034.5BB	inox 316 2x coated	457,74
T1034.32AX	black tex ano	244,50
T1034.37AX	grey texture ano	244,50

Price €

semi built-in/up
60VA - use coolfit lamp

T1035/.. - UFO

~230V



bollard with spike - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Kop Ø60 mm grondpin L30xB40xH850 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Ref

T1035.5	inox 316	392,92
T1035.5B	inox 316 1x coated	431,39
T1035.5BB	inox 316 2x coated	474,53
T1035.32AX	black tex ano	257,74
T1035.37AX	grey texture ano	257,74

Price €

semi built-in/up
60VA - use coolfit lamp

T1037/.. - UFO

~230V



IP44



bollard with spike - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W

12V

Dimensions

Tige 650 mm

Kop Ø60 mm

grondpin L40xB30xH650 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T1037.5

inox 316

Price €

662,53

T1037.5B

inox 316 1x coated

737,17

T1037.5BB

inox 316 2x coated

810,88

T1037.32AX

black tex ano

406,28

T1037.37AX

grey texture ano

406,28

semi built-in/up
2x60VA - use coolfit lamp

T1038/.. - UFO

~230V



IP44



bollard with spike - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W

12V

Dimensions

Tige 850 mm

Kop Ø60 mm

grondpin L40xB30xH650 mm

Materials

Inox 316

5 | 5B | 5BB

Inox/Alu

32AX | 37AX

Ref

T1038.5

inox 316

Price €

677,45

T1038.5B

inox 316 1x coated

752,38

T1038.5BB

inox 316 2x coated

827,62

T1038.32AX

black tex ano

419,52

T1038.37AX


grey texture ano

419,52

semi built-in/up
2x60VA - use coolfit lamp


T1036.45/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 450 mm Basis L30xB40xH450 mm

Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Options

T307/.. TOLEDO SPIKE


Ref

Ref		Price €
T1036.45.5	inox 316	343,75
T1036.45.5B	inox 316 1x coated	377,06
T1036.45.5BB	inox 316 2x coated	414,76
T1036.45.32AX	black tex ano	262,37
T1036.45.37AX	grey texture ano	262,37

built-up
60VA - use coolfit lamp

T1036.65/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 650 mm Basis L40xB30xH650 mm

Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Options

T307/.. TOLEDO SPIKE


Ref

Ref		Price €
T1036.65.5	inox 316	356,59
T1036.65.5B	inox 316 1x coated	390,16
T1036.65.5BB	inox 316 2x coated	429,17
T1036.65.32AX	black tex ano	275,61
T1036.65.37AX	grey texture ano	275,61

built-up
60VA - use coolfit lamp

T1036.85/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

1x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 850 mm Basis L40xB30xH650 mm

Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Options

T307/.. TOLEDO SPIKE

Ref

Ref		Price €
T1036.85.5	inox 316	369,55
T1036.85.5B	inox 316 1x coated	403,37
T1036.85.5BB	inox 316 2x coated	443,71
T1036.85.32AX	black tex ano	288,83
T1036.85.37AX	grey texture ano	288,83

built-up
60VA - use coolfit lamp

T1039.65/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 650 mm Basis L40xB30xH650 mm

Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Options

T307/.. TOLEDO SPIKE

Ref

T1039.65.5	inox 316	601,78
T1039.65.5B	inox 316 1x coated	666,68
T1039.65.5BB	inox 316 2x coated	733,35
T1039.65.32AX	black tex ano	437,38
T1039.65.37AX	grey texture ano	437,38

Price €

built-up
2x60VA - use coolfit lamp

T1039.85/.. - UFO

~230V



bollard - with glass - with transformer

Lamptype

2x QR-CB 51 GU5,3/GX5,3 max. 20W 12V

Dimensions

Tige 850 mm Basis L40xB30xH850 mm

Kop Ø60 mm

Materials

Inox 316 5 | 5B | 5BB

Inox/Alu 32AX | 37AX

Options

T307/.. TOLEDO SPIKE

Ref

T1039.85.5	inox 316	614,64
T1039.85.5B	inox 316 1x coated	679,79
T1039.85.5BB	inox 316 2x coated	747,78
T1039.85.32AX	black tex ano	450,63
T1039.85.37AX	grey texture ano	450,63

Price €


built-up
2x60VA - use coolfit lamp

INOX
5

INOX 1X BEH.
5B

INOX 2X BEH.
5BB

BLACKTEXTURE
32

ALU GREY TEXTURE
37

GREY BROWN
46



Delighted to help you

Groendreef 60 | 9880 Aalter | Belgium | T +32 9 374 19 51 | www.psmlighting.be